

T3N R5W




RECEIVED

OCT 14 1989

Donalke

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	20	6940	Berkley	N11646 6.5" impeller 3" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: pressure @ center tower = 50 PSI. Normal - 60 PSI
(Sand filter may be getting plugged) 10 ft lift pump to tower
25


Harry-Aguilera-Parma-Sales
Bingham

72 S121

160 TBH

RECEIVED

FEB 23 1996



Platimeter Acres = 32
12.21.95 cjh

PERMIT 57-7501 INIT cjh
3N SW T. R. S. Q/Q
P/D ~~3/25/94~~ 14 SESW
SCALE 1" = 660' (ASCS)
20 PHOTO ID

FEB 23 1996



← Place of use, looking east/SE

↘ Pump

BA



RECEIVED

FEB 23 1996

57-7501

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07501

Priority: July 12, 1989

Maximum Diversion Rate: 0.64 CFS
Maximum Diversion Volume: 144.0 AF

This is to certify, that RONALD T CAMMACK
LUCY K CAMMACK

16086 REBECCA DR
WILDER ID 83676

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 12, 1989; and
has submitted Proof of Beneficial Use on October 29, 1993. An examination indicates
that the works have a diversion capacity of 0.880 cfs of water from:

JUMP CREEK tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.64 CFS	144.0 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 14, Township 03N, Range 05W
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	05W	14	SESW	32		32

Total number of acres irrigated: 32

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

FEB 23 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07501

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9th
day of February, 1996.

Acting for


KARL J. DREHER, Director

RECEIVED

OCT 29 1993

Department

OFFICE USE ONLY

Amt. of Fee \$ 100.00

Date 11-1-93

Receipt No. C028896

Receipt by W. J. J. J.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. P51-07501 Telephone No. 208 337-3805
2. Name(s) of Permit Holder(s): RONALD T. CAMMACK, LUCY K CAMMACK
3. Mailing Address: 16036 REBECCA DRIVE, WILDER ID 83676
4. Source of Water: Jump Creek - Tributary of Snake River

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater 250 HEAD COWS (No. and type of stock)

Irrigation 35 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 70 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

RONALD T. CAMMACK

208 337-3805

Name

Telephone No.

16036 REBECCA DRIVE WILDER IDAHO 83676

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11/26/93
Date

Ronald T. Cammack
Signature (and title, if on behalf of a company or organization)

NOV 26 1993

RECEIVED

OCT 14 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$15 Fee Received by [Signature]
Date 10-15-92
Receipt No. 1025752

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 57-07501Name(s) of Permit Holder: RONALD T CAMMACK LUCY K CAMMACKMailing Address: 16086 REBECCA DRIVE Wilder ID 83676Date Proof is Due NOVEMBER 1, 1992 Telephone No. 208-337-3805

Describe what work has been completed toward the development of this water right
(This must be filled out! If no work has been completed, show "none".)

NONECosting \$

The permit holder(s) has been unable to complete the remainder of the work for the following reasons.

An economic hardship would have been endured due to the
uncertainty over the availability to divert water during the
season which proved to be true because of flow requirements down
stream. Because we were not allowed use of the water no work was done.
Permit holder(s) request an extension to NOVEMBER 1, 1992.

FEE: \$15.00

Ronald T. Cammack
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED
and the time within which to submit proof of beneficial use is
extended to November 1, 1993.

RECEIVED

OCT 26 1992

Signed this 20th day October, 19 92[Signature]
Chief, Water Allocation Bureau

4/86
RECEIVED
 OCT 30 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

\$15 FEE Received by

Date

Receipt #

REQUEST FOR EXTENSION OF TIME

Department of Water Resources
**TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
 BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 57-07501Name(s) of Permit Holder: RONALD T. CAMMACK, LUCY R. CAMMACKPost Office Address: 16086 REBECCA DRIVEWILDER, IDAHO 83676 Telephone No. 337-3805Date Proof is Due: NOV 1, 1991

Describe what work has been completed toward the development of this water right: PUMP PURCHASED
 (This must be filled out! If no work has been completed, show "none".)

MAINLINE, COST STUDY ON POWER INSTALLATION,Costing \$ 1500.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

RAN OUT OF TIME TO PUT PROJECT TOGETHER

Permit holder(s) request an extension to Nov. 1, 1996.
 (1 yr. minimum)

Ronald T. Cammack
 (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
 POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED
 and the time within which to submit proof of beneficial use is extended to
 November 1, 1992.

Signed this 7th day of November, 19 91

A. Blum Saxton
 Chief, Water Allocation Bureau

DEC 11 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 57-07501

Proposed Priority: July 12, 1989

Maximum Diversion Rate:

0.70 CFS

This is to certify, that **RONALD T. CAMMACK**
LUCY K. CAMMACK
RT. 1

HOMEDALE, ID 83628

has applied for a permit to appropriate water from:

JUMP CREEK

tributary of **SNAKE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.70 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
	Totals	0.70 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSESW

Sec. 14, Township 03N, Range 05W
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	05W	14	SESW	35		35

Total number of acres irrigated:

35

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed cubic feet per second for each acre of land.

NOT RECORDED

OCT 19 1989

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 57-07501

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

12th day of October, 1989.

for R. Keith Higginson, Director
[Signature]

MICROFILM

OCT 19 1989

Ident. No. 57-07501

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: RONALD T. CAMMACK 208-337-4265
Address: RT. 1
HOMEDALE, ID 83628

OR
Name: LUCY K. CAMMACK 208-337-4265
Address: RT. 1
HOMEDALE, ID 83628

2. Source: JUMP CREEK Trib. to: SNAKE RIVER

3. Location of point of diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
03N	05W	14	NW	SE	SW		OWYHEE

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AFA
IRRIGATION	03/15	11/15		0.700	
STOCKWATER	01/01	12/31		0.020	

5. Total quantity appropriated is:
0.700 CFS (and/or) AFA

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

PUMP, WHEEL LINES

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is inches; proposed depth of well is
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 years.

MICROFILMED

OCT 19 1989

8. Description of proposed uses:

~~IRRIGATION~~, STOCKWATER, Range, &/or Horses, up to 50 HD, Mixed.

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
03N	05W	14	SE SW		IRR	35
			~~SE~~ ~~SW~~		~~STOCK~~	

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

THIS LAND USED TO HAVE A WATER RIGHT ON IT. WR # 57-02139.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald T. Cammack
Applicant

Received by Rch Date 7-12-89 Time 16:54 Preliminary check by GL

Fee \$ 45.00 Received by Rch # W003588 Date 7-12-89

Publication prepared by GG Date 7-26-89 Published in Owyhee Avalanche

Publication approved st Date 8/2 & 8/9/89
9-13-89

RECORDED

OCT 19 1989





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 9, 1996

RONALD T CAMMACK
LUCY K CAMMACK
16086 REBECCA DR
WILDER ID 83676

RE: WATER RIGHT NO. 57-07501

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAILED 23 FEB 1996

FEB 23 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 11 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 57-7501

1. Owner: RONALD T. & LUCY K CAMMACK

Phone No. 337-3805

Current Address: RT 1 HOMEDALE ID 83628

2. Accompanied by: RON

EXAM DATE: 6-16-95

Address: _____

Phone No. _____

Relationship to Permit Holder: OWNER

3. Source: JUMP CREEK

tributary to SNAKE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 57-2055, 2139, 63-2388

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE	SW	14	~~5N~~	~~3W~~	Owyhee	Map, Site Visit
						3N	SW		


2. Place(s) of Use:

Indicate Method of Determination Above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	5W	14												32					32

FEB 2 8 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	20	6940	Berkley	N11646 6.5" impeller 3" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: pressure @ center tower = 50 psi. Normal - 60 psi
(Sand filter may be getting plugged) 25' lift pump to tower

Harry-Aguilera-Parma-Sales
Bingham

72 S121

160 TDH

E. NARRATIVE/REMARKS/COMMENTS

⁽⁴⁰⁰⁾
1/8 mile low-pressure drop pivot system on approx 35 acres. Currently in barley. 3" discharge to 6" buried aluminum main to center tower.

3 towers, 30 nozzles + end gun.

End gun is electronically operated to pick up only NE corner of the circle. Photos show the gun in ~~the~~ operation.

Because of lack of information on this type pivot, I have no discharge tables. ~~for~~ ^{for} low-pressure rotating nozzles. They do not lead themselves to individual pressure readings. HP. equation indicates ^{.75} ~~.82~~ - ^{.88} ~~.98~~ cfs over the expected range of operational pressure. Aguilines reports nozzles and ~~re~~ regulators installed to deliver approx 35 inches, per permit limit, @ 20-25 psi discharge pressure (at nozzle)

Overlaps: None of consequence. 57-2139 was disallowed in SRBA. 57-2055 ~~is~~ was claimed and recommended in Section 15. This parcel has never been irrigated under any right.

No stockwater found.

* No meas. port. Flow rate determined theoretically. Polysonic flowmeter could be used if necessary.

Have conditions of permit approval been met? ☐ yes ☒ no*

FEB 23 1996

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

$$\frac{20 \times 8.8 \times .7}{25 + (60 \times 2.31)} = .75 \text{ cfs}$$

$$\frac{20 \times 8.8 \times .7}{25 + (50 \times 2.31)} = .88$$

G. VOLUME CALCULATIONS

allow .64 for 32 ac

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 32 \times 4.5 = 144$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .64 \times 246 \times 1.9835 = 312$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 144$$

2. Volume Calculations for Other Uses:**H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRR	3/15	11/15	.64	144
Totals:			.64	144

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name C. Hedges Date 1-2-96

Reviewer _____ Date _____

SEAL

LICENSE REVIEW CHECKLIST

PERMIT NO. 57-01501 DATE 2-2-96



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: _____
 Order to reinstate needed? _____
 Incorrect fee for rate recommended? NO

SOURCE Changes or just clarification of originally intended source? ☒ _____
 Notice of Intent to Void necessary? ☐

POINT OF DIV Amendment needed? ☒ _____
NA Overlaps? ☐

PLACE OF USE Amendment needed? ☒ _____
NA Overlaps? ☐

DIV RATE Permit/fee limits: ☒ IRR/35 acres STOCK 150 head/mixed
 Meas Q = 0 Theo Q 88/.75 Recommend: .64
32 X .02 = .64 CFS

ANNUAL VOLUME Volume Limit: _____ Season: D/4.5 (3-15)
Calculations: ☒ 32 X 4.5 = 144 af 11-15

USES ☒ Change in Nature of Use or additional uses? DELETE
 Amendment necessary? ☐ STOCK USE


ADDITIONAL INFO Replaces Surface Water 050 Supplemental GW ☐
Irr/Dom Combination WB5 PPU Recommendation ☐
Boise River/Wood River Source Aes/Rec Uses W38


NEW REMARKS Multiple p/d(s) in 1/4 1/4? _____
 Other _____

NEW CONDITIONS WM Control- District _____ Meas/Lock Devices _____
R32 Irrigation Overlap _____
Other _____
Water Quality _____ Heat/Cool/Fish verified _____

COMMENTS: _____

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	NO
<u>Irrigation</u>	<u>.64</u>	<u>144</u>	Adjustment Memo Needed	NO
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMEND LETTER	_____
_____	_____	_____	2ND AMEND LETTER	_____





Planimeter Acres = 32

12.21.95 cjh


PERMIT 57-7501 INIT cjh

3N 5W T. R. S. Q/Q

P/D 3/15/14 SESW

SCALE 1" = 660' (ASCS)

PHOTO ID.




6 16 95

← Place of use, looking east/SE

→ Pump

BA



6 16 95

57-7501

November 4, 1993

LUCY K. CAMMACK
RONALD T. CAMMACK
16086 REBECCA DR
WILDER ID 83676

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 57-07501

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Senior Secretary

c: IDWR - Region

RECEIVED

NOV 29 1993

August 31, 1993

LUCY K. CAMMACK
RONALD T. CAMMACK
16086 REBECCA DR
WILDER ID 83676

PROOF DUE NOTICE

RE: PERMIT NO. 57-07501

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary, Records Manager

Enclosures



NOV 29 1993

✓
57-7501

September 10, 1992

Memo to file:

From: Carolyn Andregg

During the spring and summer of 1992, drought conditions caused record low flows in the Snake River. Twice, the flow of the Snake River fell below 4,750 cfs, the minimum stream flow at the Weiser gauge. Notices were mailed to the water user listed under this right because the priority is later than July 1, 1976, in order to protect the Snake River minimum stream flow. The following is a chronological history of the mailings.

May 19, 1992: Letter sent to water right holder informing holder of possible temporary cessation of diversion rights and notice of public meetings.

June 8, 1992: Letter sent informing water right holder directing immediate cessation of diversion of water until further notice.

June 12, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

June 26, 1992: Letter sent to water right holder directing immediate cessation of diversion of water until further notice.

June 29, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

MAIL RETURNED NOTICE

THIS MEMO HAS BEEN PLACED ONLY IN THE FILES FOR WHICH THE ABOVE LISTED DATES OF LETTERS WERE RETURNED. BEFORE SENDING ANY FUTURE MAILINGS, VERIFY CORRECT ADDRESS.

SEP 10 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 20, 1992

Ronald and Lucy Cammack
16086 Rebecca Drive
Wilder, ID 83676

Re: Permit No. 57-07501

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to November 1, 1993. Please note that the department has granted this extension based on lack of surface water. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: IDWR-Regional Office

RECEIVED
OCT 26 1992

August 31, 1992

LUCY K. CAMMACK
RONALD T. CAMMACK
16086 REBECCA DR
WILDER ID 83676

PROOF DUE NOTICE

RE: PERMIT NO. 57-07501

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



OCT 26 1992

MEMORANDUM

To: File 57-7501
From: L. Glen Saxton *LS*
RE: PHONE INQUIRY RELATIVE TO ANOTHER EXTENSION OF TIME
Date: June 29, 1992

On this date, the applicant called and inquired if the department either could or would grant an extension of time to complete a surface water project due to drought conditions. I told her of the limitations of Section 42-204, Idaho Code, and suggested she may want to write to the Director of the department in connection with her request.

OCT 26 1992

June 12, 1992

RONALD T. CAMMACK
LUCY K. CAMMACK
RT. 1
HOMEDALE ID 83628

RE: Water Right No. 57-07501

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

NOV 10 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 8, 1991

Ronald T. and Lucy K. Cammack
16086 Rebella Drive
Wilder, ID 83676

Re: Permit No. 57-07501

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time.
The time within which to submit proof of beneficial use is
extended to November 1, 1992.

Please note that the department has granted this extension based
on due diligence. It is important that you work diligently toward
the completion of this project during the construction period
allowed. The department may not be able to grant additional
requests.

If you have any questions or if I can be of any further
assistance, please feel free to contact this office.

Sincerely,

Karen Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: IDWR-Regional Office

RECORDED




DEC 11 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1501 North Orchard Street
Boise, Idaho 83706-2237

CERTIFIED MAIL

NO. 138004

57-7501
Dw 2



- ☐ ADDRESSEE'S ADDRESS
- ☒ ADDRESSEE'S ADDRESS EXPIRED
- ☒ ADDRESSEE'S ADDRESS UNKNOWN
- ☐ UNCLAIMED TO RETURN
- ☐ NO SUCH OFFICE
- ☐ NO SUCH NUMBER

RECEIVED
SEP 03 1991

DEC 11 1991

Department of Water Resources



INTER-DEPARTMENT MEMO

TO: File # 57-7501

SUBJECT: Returned Mail

FROM: John


DATE: 9/23/91

Clayton County, Missouri office
last seen address is

16036 Ribena Dr.

Wilder, Mo 65076

Resent, reg mail - 9/24/91



DEC 11 1991

() For your information

() Response required

signature

[Handwritten signature]

138004

August 31, 1991

RONALD T. CAMMACK
LUCY K. CAMMACK
RT. 1
HOMEDALE, ID 83628

PROOF DUE NOTICE

RE: PERMIT NO. 57-07501

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

DEC 11 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
October 12, 1989

RONALD T. CAMMACK
LUCY K. CAMMACK
RT. 1
HOMEDALE, ID 83628

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P57-07501

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

OCT 15 1989

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
OCT 19 1981

OCT 19 1981

FROM Ron Howenton

DATE 7/24/89

TO FILE

SUBJECT APPLICATION # 57-07501

AFTER TALKING WITH MR. CAMMACK HE SAID THAT THE LAND HAD NOT BEEN IRRIGATED FOR OVER 5-YEARS. I ADVISED HIM THAT HE MIGHT NOT BE-ABLE TO HAVE THE OLD W/R WITH OLD PRIORITY BECAUSE OF THE NON-USE, BUT COULD TRY TO FILE IT ANYWAY WITH A APPL. TO COVER IT ENCASE IT WAS NOT ACCEPTED BY THE **MICROFILMED**, HE CHOSE TO GO JUST WITH THE APPL.

OCT 19 1989

Ron H.

SIGNATURE

The Owyhee Avalanche

P.O. BOX 97

HOMEDALE, ID 83628

(208)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
COUNTY OF OWYHEE)

I, Joe E Amman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times heretofore mentioned was and now am over the age of twenty-one years, not a party interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned was and now am the publisher of The Owyhee Avalanche, a newspaper of circulation printed and published weekly, Wednesday of each and every week, City of Homedale and County of Owyhee and State of Idaho

3. That the said The Owyhee Avalanche, a continuation of the Owyhee Clin and the Owyhee Nugget, has been printed and published continuously and uninterrupted in said County during a period of seventy-eight weeks prior first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is affixed, was published in the regular issue thereof, and not in a supplement thereto, in said newspaper, in

calendar weekly issue(s) of said newspaper, in the following date(s):

August 2 & 9, 1989

(Signed)

Subscribed and sworn to before me this 9th day of Aug.

Clara Anna Perich

Notary Public in and for the State of

residing at Homedale

My commission expires 10/91

The Following application(s) have been filed to appropiate the public waters of the State of Idaho:

55-07400

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: UNNAMED STREAM
Tributary: OWYHEE RIVER
Diversion Pt: SESENE Sec 30
T 14S R 02W

Use: STOCKWATER
STORAGE (2.00 AF)
STOCKWATER FROM
STORAGE (1.00 AF)

WILDLIFE STORAGE (2.00
AF)

STOCKWATER (1.440 CFS)
WILDLIFE (1.440 CFS)
WILDLIFE FROM STORAGE

(1.00 AF)
Date Filed: 6/13/1989
In: T14S R02W S30 SENE

55-07401

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: UNNAMED STREAM
Tributary: OWYHEE
RIVER, EAST FORK
Diversion Pt: NESW Sec.

15 T 14S R 02W
Use: STOCKWATER
STORAGE (2.00 AF)

STOCKWATER FROM
STORAGE (1.00 AF)

WILDLIFE STORAGE (2.00
AF)

WILDLIFE FROM STORAGE
(1.00 AF)

STOCKWATER (1.440 CFS)
WILDLIFE (1.440 CFS)

Date Filed: 6/13/1989
In: T14S R02W S15 SWSE

55-07402

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: UNNAMED STREAM
Tributary: OWYHEE RIVER
Diversion Pt: NENESW Sec.
27 T 14S R 02W SESENE
Sec 27 T 14 S R 02W

Use: STOCKWATER
STORAGE (2.00 AF)

STOCKWATER FROM
STORAGE (1.00 AF)

WILDLIFE STORAGE (2.00
AF)

WILDLIFE FROM STORAGE (1.00 AF)

STOCKWATER (1.440 CFS)
WILDLIFE (1.440 CFS)

Date Filed: 6/13/1989
In: T14S R02W S27 SENW

55-07403

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: UNNAMED STREAM
Tributary: OWYHEE RIVER
Diversion Pt: NWSW Sec
7 T 16S R 01E

Use: STOCKWATER
STORAGE (2.00 AF)

STOCKWATER FROM
STORAGE (1.00 AF)

WILDLIFE STORAGE (2.00
AF)

WILDLIFE FROM STORAGE
(1.00 AF)

STOCKWATER (1.440 CFS)

WILDLIFE (1.440 CFS)

Date Filed: 6/13/1989

In: T16S R01E S07 SENW

55-07404

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: PIUTE CREEK
Tributary: OWYHEE
RIVER, EAST FORK

Diversion Pt: LOT 4
(NWNWNW) Sec 5 T 15S R

02W
Use: STOCKWATER (1.440
CFS)

WILDLIFE (1.440 CFS)
STOCKWATER STORAGE
(2.00 AF)

STOCKWATER FROM
STORAGE (1.00 AF)

WILDLIFE STORAGE (2.00
AF)

WILDLIFE FROM STORAGE
(1.00 AF)

Date Filed: 6/13/1989
In: T15S R02W S05 Lot 4

(NWNW)

57-07501

CAMMACK, RONALD T.
CAMMACK, LUCY K.

RT. 1
HOMEDALE, ID 83628

Source: JUMP CREEK
Tributary: SNAKE RIVER

Diversion Pt: NWSEW Sec
14 T 03N R 05W

Use: IRRIGATION (1.700 CFS)
STOCKWATER (0.020 CFS)

Date Filed: 7/12/1989
In: T03N R05W S14 SESW

35.0 ACRES TOTAL
The permit(s) will be

subject to all prior water
rights. Protests must be filed
with the Director, Dept. of
Water Resources, Western
Region, 2735 Airport Way,
Boise, Idaho 83705 on or
before AUGUST 21, 1989.

R. Keith Higginson,
Director

Publish: August 2 & 9, 1989

OCT 19 1989

57-07501

CAMMACK, RONALD T.
CAMMACK, LUCY K.
RT. 1
HOMEDALE, ID 83628

Source: JUMP CREEK

Tributary: SNAKE RIVER

Diversion Pt: NWSESW Sec 14 T 03N R 05W

Use: IRRIGATION (.700 CFS)
STOCKWATER (.020 CFS)

Date Filed: 7/12/1989

In: T03N R05W S14 SESW

35.0 ACRES TOTAL

RECORDED

OCT 19 1989