


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3	Subm.	Franklin	1 1/4"

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical. 50 psi ~~1444~~ Pump set 60' (Adams)
by Adams after well began drawing air

MAR 28 1996





152W
SEC 28 48
S7-7487

MAR 28 1995

57-7487



P/O



P/u




RECEIVED
MAR 28 1996

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



FILMED

MAR 31 1989

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
~~Original Application~~	~~57-07487~~	~~Harold Lovelady~~	
		~~Georgia Lovelady~~	~~0.20~~
Full Assignment	57-07487	Lovelady's Haven Homeowner's Assoc	0.20

APR 14 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07487

Priority: November 30, 1988

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

18.3 AF

This is to certify, that LOVELADYS HAVEN HOMEOWNERS ASSN

HC 79 BOX 35

MELBA ID 83641

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 30, 1988; and has submitted Proof of Beneficial Use on February 28, 1994. An examination indicates that the works have a diversion capacity of 0.110 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.09 CFS	13.5 AF
DOMESTIC	01/01 to 12/31	0.11 CFS	4.8 AF
	Totals	0.11 CFS	18.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 8(SESE), Sec. 28, Township 01S, Range 02W
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	02W	28	Lot 8(SESE)	3		3

Total number of acres irrigated: 3

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 8 homes.
6. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

MAR 28 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07487

CONDITIONS OF APPROVAL AND REMARKS

7. Place of use is located within Lovelady's Haven Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21ST
day of MARCH, 1996.

Acting for

KARL J. DREHER, Director

8186

fee = \$25.00 pd 3/1/95 W018705 cy4

State of Idaho

RECEIVED

DEPARTMENT OF WATER RESOURCES

FEB 10 1995

WATER RESOURCES
WESTERN REGION

ASSIGNMENT OF PERMIT

To change the ownership of a permit

RECEIVED

MAR 10 1995

Department of Water Resources

I, Georgia Lovelady, hereby assign to Lovelady's Haven Homeowner's Association
(Permit Holder)
 of Hc 79 Box 35 Melba ID 83641
(Full Address)

All my right, title, and interest in and to Permit No. 57-7487
 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
 Permit No. _____ to appropriate the public waters of the State of Idaho.

Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision,
 point of diversion location, and the amount of water in cubic feet per second.

Made this 31ST day of JANUARY, 19 1995.

Georgia M Lovelady
 Permit Holder(s)

State of Idaho)
 County of Cuyahoga ^{SS}

On this 31st day of January, 199 5, personally appeared before me
 the signer of the above instrument, duly acknowledged to me that he/she/they executed the same.

JIM HUNTLEY, JR., Clerk of the Court
 Notary Public

SEAL

Anna Aman, Deputy Clerk of Court
 Signature

My commission expires: _____

data entered 4/10/95

APR 14 1995

RECEIVED
FEB 28 1994
Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 3/1/94
Receipt No. 1029701
Receipt by aw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 57-07487 Telephone No. 495-2809
2. Name(s) of Permit Holder(s): LOVELADY HAROLD & GEORGIA
3. Mailing Address: HC 79 BOX 35 melba, Id. 83641
4. Source of Water: WELL

If GROUNDWATER, Well Driller's Name: KNIE Date Drilled: 85

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic ☒ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation ☒ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .20 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR
Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

ALAN OR DEBRA LINDNER 495-2809
Name Telephone No.
HC 79 BOX 34X
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2/22/94 Georgia J. Lovelady
Date Signature (and title, if on behalf of a company or organization)

APR 13 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Harold & Georgia Coveleady Phone 495-2392
Post office address H.C. 79 Box 35 Melba, Ida 83641
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is 1/4 * SE 1/4 of SE 1/4, Govt Lot 8
Sec. 28 Township 1S Range 2W B.M. owhee County; additional
points of diversion if any. _____
4. Water will be used for the following purposes, se
Amount .13 allow for int. domestic 8 homes for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
* Amount .09 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .20 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works.
 - a. Description of ditches, flumes, pumps, headgates, etc 6 inch casing -
250 feet deep - 3 HP well installed
See Well drillers report.
 - b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage.
_____ to _____ inclusive
 - c. Proposed well diameter is 6 inches; proposed depth of well is 250 feet *
 - d. Is ground water with a temperature of greater than 90°F being sought? No *
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year)

RECEIVED

MAR 31 1989

* per phone conv with G. Coveleady, 12/2/88. se

8 Description of proposed uses (if irrigation only, go to item 9)

- a. Hydropower; show total feet of head and proposed capacity in KW _____
- b. Stockwatering, list number and kind of livestock. _____
- c. Municipal, show name of municipality _____
- d. Domestic, show number of households 8 domestic
- e. Other, describe fully _____

9. Description of place of use

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15	2W	28																D	
																		3	3 *
																		4.8	

Total number of acres to be irrigated 3

10. Describe any other water rights used for the same purposes as described above. none

- 11 a. Who owns the property at the point of diversion? applicant
- b. Who owns the land to be irrigated or place of use? applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

- 12 Remarks Lovelady's Haven Subdivision
Pipelines to each lot with turn on valves.
* Total subdiv. area is 4.15 acres, estimate about 75% will be irrigated. Well constructed 3 years ago.

* per telephone conv. with G. Lovelady, 6/88. 82

A 10x10 grid with the following handwritten content:

- Row 2, Column 4: R 2 W
- Row 4, Column 2: T
1
S
- Row 4, Column 4: 28
- Row 5, Column 5: P.P.
O
P.O.

A stamp in the bottom right corner reads: RECEIVED

RECEIVED
MAR 31 1989

Georgia Lovelady
(Applicant)

Proposed Priority 11/30/88

Received by ml Date 11-30-88 Time 2:00 pm Preliminary check by SL

Fee \$ 30⁰⁰ Receipted by SL # W 001555 Date 12/2/88 *check rec'd with appl on 11/30/88 SL*

Publication prepared by GG Date 12-14-88 Published in Owyhee Avalanche

Publication approved SL Date 2/6/89 12/21 & 12/28/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 57-7487, and said application is hereby APPROVED

1 Approval of said application is subject to the following limitations and conditions:

a SUBJECT TO ALL PRIOR WATER RIGHTS

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 94.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The maximum rate of diversion for domestic purposes under this permit shall not exceed 0.13 cfs.

Witness my hand this 13th day of March, 1989.

L. Newington

RECEIVED

MAR 31 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 25, 1996

LOVELADYS HAVEN HOMEOWNERS ASSN
HC 79 BOX 35
MELBA ID 83641

RE: WATER RIGHT NO. 57-07487

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAR 28 1996

MAR 28 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 57-07487 DATE 3-15-96



NAME Change OK ☒ Assignment Needed _____

PRIORITY DATE _____ ☒ Advance? _____ Advanced to: _____
 Order to reinstate needed? _____
 Incorrect fee for rate recommended? _____

SOURCE _____ ☒ Changes or just clarification of originally intended source? _____
 Notice of Intent to Void necessary? _____

POINT OF DIV _____ ☒ Amendment needed? _____
NA Overlaps? _____

PLACE OF USE _____ ☒ Amendment needed? _____
NA Overlaps? _____

DIV RATE _____ ☒ Permit/fee limits: .20 CFS Dom/8 homes @ .13
IRR/3 ACRES @ .09
 Meas Q = _____ Theo Q = .11 Recommend: .11
8 homes @ .11 (.13 CFS allowable)
3 x .03 = .09
 Combined rates exceed capacity _____

ANNUAL VOLUME _____ ☒ Volume Limit: _____ Season: D.45 (3-15 to 11-15)
 Calculations: 8 homes x .6 = 4.8
3 ACRES x 4.5 = 13.5
 Flow limit: _____ cfs x _____ x 1.9835 = _____
 Combined volumes exceed capacity/allowable _____

USES _____ ☒ Change in Nature of Use or additional uses? _____
 Amendment necessary? _____

NEW CONDITIONS _____ ☒ Irrigation Overlap Replaces Surface Water 050
_____ Supplemental GW 065
_____ Water Quality/Dam Safety/Heat-Cool/Fish _____
_____ WM Control- District _____ Meas/Lock Devices _____
_____ Other _____

NEW REMARKS _____ ☒ Supplemental GW [in Snake River Plain] WB8/WB7
YES Irr/Dom Combination WB5 PPU Recommendation _____
_____ Boise River/Wood River Source Aes/Rec Uses W38
_____ Multiple p/d(s) in 1/4 1/4? _____
_____ Fire Protection WB6
YES Other PU within Lovelady's Haven Subdivision

COMMENTS: Reduce rate to capacity.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>.09</u>	<u>13.5</u>	Adjustment Memo Needed	<u>NO</u>
<u>Domestic</u>	<u>.11</u>	<u>4.8</u>	LICENSE	<u>YES</u>
<u>TOTAL</u>	<u>.11</u>	<u>18.3</u>	1ST AMEND LETTER	<u>_____</u>
			2ND AMEND LETTER	<u>_____</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 06 1995

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 57-74871. Owner: Lovelady's Haven Homeowners Association Phone No. 495 2392Current Address: 40 Georgian Lovelady HC 79 Box 35 Melba 836412. Accompanied by: Deb Lindner EXAM DATE: 9/8/94Address: HC 79 Box 34X Melba 83641 Phone No. 495 2809Relationship to Permit Holder: Daughter of Mrs Lovelady, current well operator3. Source: groundwater tributary to _____**B. OVERLAP REVIEW**1. Other water rights with the same place of use: 63-00306, 00359
02-7026, 7282, 57-10095, 10862, 10863, 101142. Other water rights with the same point of diversion: 02-7282, 57-10114, 10095, 10862, 10863**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	8	SE	SE	SE	28	1S	2W	Owyhee	Plat map, Site visit


2. Place(s) of Use:

Indicate Method of Determination Above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
1S	2W	28																3	3

MAR 28 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3	Subm.	Franklin	1 1/4"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib Date

2. Measurements: Theoretical. 50 psi ~~1500~~ Pump set 60' (Adams)
by Adams after well began drawing air

MAR 28 1965

E. NARRATIVE/REMARKS/COMMENTS

Single well, NE of highway 78, serves 8 homes ~~located~~ located SW of highway. Well is sole source of water for Subdivision, and is also used for minor irrigation. All homes/hookups are present. Point of diversion is not contiguous w/ Subdivision, but well lot has been deeded to Subdivision. Line under highway. P/W known as lots 1-8, Lovelady's Haven Subdivision. Permit to be assigned to Lovelady's Haven HOA prior to ~~association~~ licensing.

Pumped into 2, 60 gal. pressure tanks for distribution.

Irrigation: each lot $\approx 20,000 \text{ ft}^2$. Typical home is a single or double wide mobile home, some with decks. Including parking areas, non-irrigated area ~~per~~ per lot should not exceed 3000 ft^2 .

Even though very little irrigation is occurring, it is permitted, and rules ~~offer~~ ^{offer} a standard "irrigation allowance" of up to $\frac{1}{2}$ acre for each developed lot. Therefore, recommended irrigation computed as follows:

$$\begin{aligned} 20000 \text{ lot size} - 3000 \text{ ft}^2 \text{ non-irrigated} &= 17,000 \text{ ft}^2 \\ 8 \text{ lots} @ 17,000 \text{ ft}^2 &= 136,000 \text{ ft}^2 = 3.1 \text{ ac} \end{aligned}$$

Overlaps do not affect permit. 57-10114 & 02-7282 used by Lovelady family on opposite side of highway. Others owned by separate parties.

Have conditions of permit approval been met? ☒ yes ☐ no

MAR 28 1996

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

HP equation

$$\textcircled{1} \frac{3 \times 8.8 \times .7}{60 + (50 \times 2.31)} = .11$$

$$\textcircled{2} \frac{3 \times 8.8 \times .7}{50 + (50 \times 2.31)} = .11$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3 \times 4.5 = 13.5$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .09 \times 246 \times 1.9835 = 43.9$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 13.5$$

2. Volume Calculations for Other Uses:

$$8 \text{ homes, internal use } 8 \times .6 \text{ AFA} = 4.8 \text{ AFA}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	.11	4.8
IRR	3/15	11/15	.09	13.5
Totals:			.11	18.3

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cynthia Hodges Date 12/23/94

Reviewer _____ Date _____

SEAL


MAR 8 1995

~~57-7487~~
~~Not water installation on other side of~~
~~Highway 78~~
~~10,000 ft~~
~~\$ 4500~~
57-7487
LOVELADY'S HAVEN SUBDIVISION

A TRACT OF LAND SITUATED IN THE
 SE 1/4, SE 1/4 OF SECTION 28, T1S, R2W, B.M.
 OWYHEE COUNTY, IDAHO
 1985

SCALE IN FEET
 0 50 100 150 200

MAR 28 1996



CURVE DATA

CURVE NO	R	A	T	L	CH BRG	C
C-1	2852.61'	4°24'30"	109.79'	219.48'	S57°17'19"E	219.42'
C-2	2852.61'	2°07'14"	52.79'	105.58'	N56°06'41"W	105.58'
C-3	2852.61'	1°35'45"	39.73'	79.45'	S58°00'11"E	79.44'
C-4	2852.61'	0°41'31"	17.23'	34.45'	S59°08'48"E	34.45'
C-5	20.00'	89°12'08"	19.72'	31.14'	N12°36'15"W	28.09'
C-6	20.00'	89°12'08"	19.72'	31.14'	N76°35'55"E	28.09'
C-7	80.00'	41°19'34"	30.17'	57.70'	S52°39'36"W	58.46'
C-8	100.00'	41°19'34"	37.71'	72.13'	S52°39'36"W	70.37'
C-9	120.00'	41°19'34"	45.26'	86.55'	S52°39'36"W	84.69'
C-10	40.00'	60°00'00"	23.09'	41.89'	S76°40'36"E	40.00'
C-11	40.00'	141°50'50"	115.67'	89.03'	N24°14'49"E	75.61'
C-12	40.00'	48°40'53"	18.09'	33.99'	N60°29'20"W	32.97'
C-13	20.00'	70°31'44"	14.14'	24.62'	S71°24'45"E	23.09'

MINIMUM BUILDING SETBACK REQUIREMENTS--

ALL LOTS SHALL ACCESS FROM CUL-DE-SAC EXCEPT LOT 1 SHALL ACCESS FROM STATE HWY. 78.

ALL LOTS SHALL HAVE THE FOLLOWING SETBACKS:

FRONT = 20.0'
 SIDE = 10.0'
 REAR = 15.0'

EXCEPT LOTS 1, 2 & 8 SHALL HAVE A MINIMUM SETBACK OF 30.0' FROM STATE HWY. 78 AND LOTS 5, 6, 7 & 8 SHALL HAVE A MINIMUM REAR SETBACK OF 20.0'.

LEGEND

③ LOT NUMBER DESIGNATION

○ FOUND EXISTING IRON PIN

● SET 1/2" x 24" IRON PIN

--- PUBLIC UTILITIES, DRAINAGE AND IRRIGATION EASEMENTS
 12' INSIDE ALL LOT LINES ALONG ROADS AND SUBDIVISION BOUNDARY
 UNLESS DIMENSIONED OTHERWISE.
 12' CENTERED ON ALL INTERIOR LOT LINES.


REAL POINT OF BEGINNING


SW CORNER LOT 8
 FND IRON PIN WITH CAP

SE CORNER
 GOVT LOT 8

T1S, R2W, B.M.

28 27





IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: N/A OTHER APPLICABLE NO: 57-7487

2. OWNER: Loveland's Sub. HOA. 40' Phone: 495 2809
Address: (Deb Lindner)

3. WELL LOCATION: Twp 15, Rge. 2W, Sec. 28, SE 1/4 SE 1/4
County _____ (Provide sketch map and photo on reverse.)

4. DRILLER: KALE Lic. No. 194
When Drilled? 1985

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 250 ft. Method Drilled Rotary Air
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 8 ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic ☒ Irrigation ☐ Stock ☐ Industrial
☐ Test ☐ Municipal ☐ Non-Used
☐ Abandoned ☐ Waste Disposal/Injection
☐ Other: _____

MAR 28 1996

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Cindy J. Hodges
Signature of Dept. Representative & Title

9/8/94
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MAR 28 1996


59-7487



1/10



P.V.



8 2'94



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 11, 1995

Lovelady's Haven Homeowner's Assoc.
HC 79 Box 35
Melba ID 83641


RE: Permit No. 57-07487

Dear Permit Holders,

This letter is to confirm that the assignment of ownership on the above referenced water right is satisfactory. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

APR 14 1995

RECEIVED

APR 05 1995

Department of Water Resources

WATER RESOURCES
1301 N. ORCHARD
BOISE, ID 83720

RE: ASSIGNMENT OF PERMIT NO. 57-07487

DEAR CINDY;

LOVELADY'S HAVEN HOMEOWNER'S ASSOCIATION CONSISTS OF THE FOLLOWING PEOPLE AT THIS TIME:

GEORGIA LOVELADY PRESIDENT/TREASURER
HC 79 BOX 35
MELBA, ID 83641

ALAN & DEBRA LINDNER SECRETARY
HC 79 BOX 34X
MELBA, ID 83641

KATHIE HALI
HC 79 BOX 34S
MELBA, ID 83641

JERRY COOPER
HC 79 BOX 34Y
MELBA, ID 83641

SHERRIE & GARY SCHLAPIA
HC 79 BOX 34Q
MELBA, ID 83641

DENNIS WILLARD
HC 79 BOX 34W
MELBA, ID 83641

HOWLYNN LEIGHTON
HC 79 BOX 34V
MELBA, ID 83641

DARREIL & KAY WALKER
HC 79 BOX 34T
MELBA, ID 83641

IF YOU REQUIRE FURTHER INFO, PLEASE CALL ME AT 495-2809. I WILL BE OUT OF TOWN FOR APPROXIMATELY TWO WEEKS, BUT WILL BE AVAILABLE AFTER APRIL 15, 1995. THANK YOU FOR YOUR ASSISTANCE IN THIS MATTER.

SINCERELY,

Debra S. Lindner
DEBRA S. LINDNER, SECRETARY
LOVELADY'S HAVEN HOMEOWNER'S ASSOCIATION

APR 14 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 28, 1995

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

LOVELADY'S HAVEN HOMEOWNERS ASSN
HC 79 BOX 35
MELBA ID 83641

RE: Assignment of Permit No. 57-07487


Dear Sirs:

I received an assignment of permit assigning the above permit to you. However, due to a statutory requirement I need a list of the names, titles, and addresses of all the officers and/or partners of Lovelady's Have Homeowners Association.

I will hold further processing on your assignment for 14 days pending your response. Please submit this information as quickly as possible within the 14-day period to prevent any further undue delay in processing your assignment.

If you have any questions, please feel free to contact me at (208) 327-7944.

Sincerely,


Cindy Zimmerman
Water Resource Agent

APR 14 1995

March 25, 1994

HAROLD AND GEORGIA LOVELADY
HC 79 BOX 35
MELBA ID 83641

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 57-07487

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary


c: IDWR - Region

APR 13 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Harold Lowndes</u> Address <u>Star Rt. Box 35</u> <u>McLara Dd. 83641</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>3</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature _____ of Quality _____ Describe artesian or temperature zones below																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA Pump _____ Bailer _____ 1 Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td style="text-align: center;"><u>75</u></td> <td style="text-align: center;"><u>250'</u></td> <td style="text-align: center;"><u>1</u></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>75</u>	<u>250'</u>	<u>1</u>																										
Discharge G.P.M.	Pumping Level	Hours Pumped																															
<u>75</u>	<u>250'</u>	<u>1</u>																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Bore Diam.</th> <th>From</th> <th>To</th> <th>Material</th> <th>Water Yes/No</th> </tr> </thead> <tbody> <tr> <td>6"</td> <td>0</td> <td>3</td> <td>Top Soil</td> <td>☒</td> </tr> <tr> <td>6"</td> <td>3</td> <td>18</td> <td>SAND FINE</td> <td>☒</td> </tr> <tr> <td>6"</td> <td>18</td> <td>25</td> <td>BLUE CLAY</td> <td>☒</td> </tr> <tr> <td>6"</td> <td>25</td> <td>105</td> <td>BLUE CLAY WITH STRIPS OF SAND AND GRAVEL SMALL</td> <td>☒</td> </tr> </tbody> </table>	Bore Diam.	From	To	Material	Water Yes/No	6"	0	3	Top Soil	☒	6"	3	18	SAND FINE	☒	6"	18	25	BLUE CLAY	☒	6"	25	105	BLUE CLAY WITH STRIPS OF SAND AND GRAVEL SMALL	☒							
Bore Diam.	From	To	Material	Water Yes/No																													
6"	0	3	Top Soil	☒																													
6"	3	18	SAND FINE	☒																													
6"	18	25	BLUE CLAY	☒																													
6"	25	105	BLUE CLAY WITH STRIPS OF SAND AND GRAVEL SMALL	☒																													
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. RECEIVED APR 28 1995 Department of Water Resources Western Regional Office																																
5. WELL CONSTRUCTION Casing schedule Steel ☐ Concrete ☐ Other ☐ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>1.250 inches</td> <td>6 inches</td> <td>1 foot</td> <td>40 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>40 feet</td> <td>250 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>39</u> Material used in seal ☐ Cement grout ☒ Puddling clay ☐ Bentonite Sealing procedure used ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between screens Describe casing part _____	Thickness	Diameter	From	To	1.250 inches	6 inches	1 foot	40 feet	_____ inches	_____ inches	40 feet	250 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards have been complied with at the time the rig was removed. Firm Name <u>K & H Caldwell</u> Firm No. <u>194</u> Address <u>815 Plymouth, Idaho</u> Date _____ Signed by (Firm Official) <u>David K. Caldwell</u> and _____ (Operator)
Thickness	Diameter	From	To																														
1.250 inches	6 inches	1 foot	40 feet																														
_____ inches	_____ inches	40 feet	250 feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
Number	From	To																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County _____	12. WORK STARTED Work started <u>11/25/95</u> Finished <u>11/25/95</u>																																

December 31, 1993

HAROLD LOVELADY
GEORGIA LOVELADY
HC 79 BOX 35
MELBA ID 83641

PROOF DUE NOTICE

RE: PERMIT NO. 57-07487

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

APR 13 1994



S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
March 15, 1989

HAROLD LOVELADY
GEORGIA LOVELADY
HC 79 BOX 35
MELBA, ID 83641

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 57-07487

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

MAR 31 1989

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
MAY 1 1968

8.7 8.5 8.5 8.7

REFILMED

MAR 31 1989

The Owyhee Avalanche.

P.O. BOX 97

HOMEDALE, ID 83628

(208) 337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss.
COUNTY OF OWYHEE)

I, Joe E Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of The Owyhee Avalanche, a newspaper of general circulation printed and published weekly, Wednesday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said The Owyhee Avalanche, a continuation of the Owyhee Chronicle and the Owyhee Nugget, has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement

thereto, in said newspaper, in two (2) (consecutive)
calendar weekly issue(s) of said newspaper, in the following date(s):

December 24, 1988
December 28, 1988

(Signed).....

Joe E Aman

Subscribed and sworn to before me this

28th day of Dec

A.D. 1988

Joe E Aman

Notary Public in and for the State of Idaho,

residing at Homedale Idaho.

My commission expires.....

10/1/91

NOTICE OF APPLICATION
FOR WATER RIGHT
The Following
application(s) have been
filed to appropriate the
public waters of the State of
Idaho:

02-07431

57-07484

PARKINSON, JOSEPH L.
123 W. HIGHLAND VIEW DR.
BOISE, ID 83702

Source: SNAKE RIVER
WASTE WATER.

Tributary: COLUMBIA
RIVER SNAKE RIVER.

Diversion Pt. NESW Sec. 15
T 04S R 02E. Lot 5 (SESW)
Sec 15 T 04S R 02E.

Use: WILDLIFE STORAGE (25.00 AF). RECREATION
STORAGE (25.00 AF).
DIVERSION TO STORAGE (1.000 CFS).

Date Filed: 11/25/1988.

In: T04S E02E S15 NESW.

57-07487

LOVELADY, HAROLD
LOVELADY, GEORGIA
HC 79 BOX 35
MELBA, ID 83641.

Source: GROUNDWATER -
Diversion Pt: LOT 8 (SESE)
Sec 28 T 01S R 02W.

Use: IRRIGATION (.090
CFS); DOMESTIC (.130 CFS).

Date Filed: 11/30/1988

In: T01S R02W S28 Lot 8
(SESE).

3.0 ACRES TOTAL

The permit(s) will be
subject to all prior water
rights. Protests must be filed
with the Director, Dept. of
Water Resources, Western
Region, 2735 Airport Way,
Boise, Idaho 83705 on or
before JANUARY 9, 1989.

R. KEITH HIGGINSON,
Director

Published December 21, 28, 1988

Department
Water

57-07487

LOVELADY, HAROLD
LOVELADY, GEORGIA
HC 79 BOX 35
MELBA, ID 83641

Source: GROUNDWATER

Diversion Pt: LOT 8 (SESE) Sec 28 T 01S R 02W

Use: IRRIGATION (.090 CFS)
DOMESTIC (.130 CFS)

Date Filed: 11/30/1988

In: T01S R02W S28 Lot 8 (SESE)

3.0 ACRES TOTAL

MICROFILMED

MAR 31 1989