


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = Not scaled

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submerged	D+B	1 1/2		UNKNOWN	Irrig. open discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS



1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None taken						


2. Measurements: $\text{Acreage} = (1330.2 \text{ Ft.} \times 227.1 \text{ Ft.}) - \frac{1}{2} (227.1 \text{ Ft.})(120.9 \text{ Ft.}) = 6.6 \text{ ac.}$
 3.6 ac.

6AM Performance Curve

Typical Curve - Reference only
Not pump in the well.



APPROVED
FEB 22 1994




York # 57-7474
Field Exam.
10/19/93
JFW
NW 1/4 - NE 1/4 (Lot 2)

FEB 22 1994

6 ac. P/u
NW 1/4 NE 1/4
Govt Lot 2

1.3 Miles to Hwy #78


North Range No 4 West Boise Meridian



York #57-7474

10/19/93

1N-4W Sec 2
NW 1/4 - NE 1/4



York #57-7474

1. Well location and mainline (2" dia) junction. New barn foundation, stockwater inside.



2. Lower pasture mainline junction. Flexible hose layed along furrows for irrigation.



3. Overview of the place of use. 1-lay-pasture ground.

FEB 22 1994

York #57-7474




4. Flexible hose across the furrows for irrigation.




5. Close-up of place of use.

FEB 22 1994

2d No 4 West Boise May





RECEIVED

4808
FEB 29 1988

Dept. of Water Resources

The Owyhee Avalanche.

P.O. BOX 97

HOMEDALE, ID 83628

(208) 337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss.
COUNTY OF OWYHEE)

I, David G. Landmann, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of The Owyhee Avalanche, a newspaper of general circulation printed and published weekly, Wednesday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said The Owyhee Avalanche, a continuation of the Owyhee Chronicle and the Owyhee Nugget, has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement

thereto, in said newspaper, in Two (2) (consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

October 8, 1987
October 15, 1987

(Signed)

David G. Landmann

Subscribed and sworn to before me this 15th day of October A.D. 1987

Oliver Arman Petrusch

Notary Public in and for the State of Idaho,

residing at Homedale, Idaho.

My commission expires 10/1/91

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

57-7474 ✓ SP

YORK, JOHN MICHAEL
c/o DANIEL A. YORK, P.O. BOX
162, MARSING, ID 83639

Source: GROUNDWATER

Diversion Pt: LOT 02 (NWNE) Sec 02
T 01N R 04W

Use:

IRRIGATION (0.120 CFS)

DOMESTIC (0.040 CFS)

Date Filed: 09/17/1987

In: LOT 02 (NWNE) Sec 02 T 01N R
04W FOR 6 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before OCTOBER 26, 1987.

R. Keith Higginson, Dir.

Publish Oct. 8 & 15, 1987, 2t

MICROFILMED

FEB 29 1988

RECEIVED

NOV 2 1987

Department of Water Resources
Western Regional Office

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07474

Priority: September 17, 1987

Maximum Diversion Rate:

0.12 CFS

Maximum Diversion Volume:

27.6 AF

This is to certify, that JOHN MICHAEL YORK
DANIEL A YORK

PO BOX 162

MARSING ID 83639

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 17, 1987; and has submitted Proof of Beneficial Use on May 29, 1991. An examination indicates that the works have a diversion capacity of .120 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.12 CFS	27.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.12 CFS	27.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(NWNE), Sec. 2, Township 01N, Range 04W
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	04W	2	Lot 2(NWNE)	6		6

Total number of acres irrigated: 6

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.
6. Domestic use is for 1 home.


FEB 22 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07474

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of FEBRUARY, 1994.

Acting for  R. Keith Higginson, Director

FEB 26 1994

RECEIVED
MAY 29 1991

STATE OF IDAHO

Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 57-07474 Telephone No. 896-4689Name(s) of Permit Holder(s): John Michael York % Daniel YorkPost Office Address: P.O. Bx 162, Marsing ID 83639Source of Water: GroundwaterIf ground water, well driller's name: Metzger Date drilled: 30 July 1989

Extent of Use:

Domestic _____ (No. of households) Irrigation 6 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .12 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: Sept 1990

One of the following may be a condition of approval of your permit

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes NoFee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Daniel York 896-4689

Name Telephone No

Above

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I hereby relinquish any undeveloped portion of the permit to the state of Idaho

29 May 91 John M. York

Date Signature (and title if on behalf of a company or organization)

RECEIVED
JUL 15 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by C. Wang
Date 11/1/89
Receipt # CO12619

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

RECEIVED

OCT 31 1989

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 57-07474

Name(s) of Permit Holder: John Michael York

Post Office Address: C/O DANIEL A. YORK P.O. B 162 MARSING Id 83639

Telephone No. (208) 896-4689

Date Proof is Due: 1 Dec 1989

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

Well Drilled - 30 July 89 - Permit #57-89-W-001 - \$1,992.50

Pump Installed - 1 Oct 89 - \$600⁰⁰

Land Preparation for Irrigation - 25%

Costing \$ 2592⁵⁰

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Distribution System under development, Land Preparation (Leveling) only 25%,

Power Off for Winter, Well House Not built.

Permit holder(s) request an extension to 1 Dec, 1991.
(1 yr. minimum)

John Michael York
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to December 1, 1991.

NOT RECORDED

DEC 19 1989

Signed this 9th day of November, 1989.

A. Glen Saylor
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1 Name of applicant JOHN MICHAEL YORK Phone 896-4689
& FOR DANIEL A. YORK
Post office address P.O. Box 162, MARSING, ID 83639

2 Source of water supply GROUNDWATER which is a tributary of _____

3 Location of point of diversion is _____ 1/4 of NW 1/4 of NE 1/4, Govt Lot 2
Sec. 2 Township 1N Range 4W B.M. OWYHEE County, additional
points of diversion if any, _____

4. Water will be used for the following purposes:

Amount .04 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .12 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .16 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a Description of ditches, flumes, pumps, headgates, etc. 3/4 HP PUMP IN WELL WITH
PIPELINE TO PLACE OF USE.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6 inches, proposed depth of well is 230 feet

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

MICROFILMED

FEB 29 1988

8. Description of proposed uses (if irrigation only, go to item 9).

- a Hydropower; show total feet of head and proposed capacity in KW. _____
- b Stockwatering, list number and kind of livestock. _____
- c Municipal; show name of municipality _____
- d Domestic; show number of households Two
- e Other; describe fully _____

9. Description of place of use

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>1N</u>	<u>4W</u>	<u>2</u>		<u>6</u>															<u>6</u>
				<u>D</u>															
				<u>(Lot 2)</u>															

Total number of acres to be irrigated 6

10. Describe any other water rights used for the same purposes as described above. NONE

11 a Who owns the property at the point of diversion? APPLICANT

b Who owns the land to be irrigated or place of use? "


c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks. _____

MICROFILMED

FEB 29 1964

13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Proposed Priority 9/17/87
Received by [Signature] Date 9/17/87 Time 3:30 P.M. Preliminary check by _____
Fee \$ 80.00 Received by [Signature] # 43929 Date 9/17/87
Publication prepared by AS Date 9/30/87 Published in Auguste Avalanche
10/11 & 10/14/87
Publication approved AS Date 11/3/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 57-7474, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
December 1, 19 89

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e. Other Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

This permit authorizes the use of groundwater with a bottom hole temperature of less than 85 F.

The Director retains jurisdiction of this permit if water with a bottom hole temperature of 85 F or more is encountered.

Witness my hand this 30th day of November, 1987.

[Signature]
Director

MICROFILMED

FEB 29 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 16, 1994

JOHN MICHAEL YORK
DANIEL A YORK
PO BOX 162
MARSING ID 83639

RE: WATER RIGHT NO. 57-07474

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal flourish extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

FEB 22 1994

WR0749NP
No. L57-07474

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/03/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOHN MICHAEL YORK	09/17/1987	IRRIGATION	03-15 11-15	0.12 CFS	27.00 AFA
C	DANIEL A YORK		DOMESTIC	01-01 12-31	0.04 CFS	0.60 AFA
	PO BOX 162					
	MARSING ID 83639					
	(208) 896-4689					
				TOTAL DIVERSION:	0.12 CFS	27.60 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.12 CFS

Point(s) of Diversion: T01N R04W S02 Lot 02(NWNE)

OWYHEE County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE								
T	R	S	: Lt Ac	NENE	NWNE	SWNE	SENE	: Lt Ac	NENW	NWNW	SWNW	SENW	: Lt Ac	NESW	NWSW	SWSW	SESW	: Lt Ac	NESE	NWSE	SWSE	SESE	: SUM	
01N	04W	2	:	02-06				:					:					:					:	6.0
																							TOTAL ACRES	6.0

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: OWYHEE

Other Water Rights with Same Point(s) of Diversion and Source:
57-07474

Other Water Rights Listing Overlapping Place(s) of use:
02-02072 57-07474

Conditions of Approval:

- R32 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 4.5 afa per acre for the
- lands above.

Remarks: Domestic use is for 1 home.

Dates:	App. Received:	09/17/1987	Priority Date:	09/17/1987
	Proof Due Date:	12/01/1991	Proof Made Date:	05/29/1991
	Exam Made Date:	10/19/1993	Exam Sent to S.O.:	01/28/1994
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 02/03/94 CHAPMAN

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L5707474	T01N R04W S 2 GROUNDWATER																	
	: 02-06																	6
* 0202072	SNAKE RIVE : 01-04 02-04																	12
5707474	GROUNDWATE : 02-06																	6

* Is for another part of Lot #2

No overlaps

LICENSE REVIEW CHECKLIST

Permit # 57-7474 Date 2-3-94 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒ ☐ ☒ ☐ ☒	Advance? ☐ Advanced to: ☐ Order to Reinstate Needed? Incorrect Fee for rate recommended?
SOURCE	☐ ☒ ☐ ☒	Changes? Clarification of Originally Intended source Notice of Intent to Void - Source change.
P/D	☐ ☒ ☐ ☒	Amendment Needed? ☐ Overlap(s) ☐
P/U	☐ ☒ ☐ ☒	Amendment Needed? ☐ Overlap(s) ☐
TOTAL CFS	☐ ☒	Measurement ☐ Theoretical only ☒ <i>Estimated - Pumping Curve about 68 gpm = .15 CFS</i> <i>THEORETICAL MEAS (open discharge) = .14 CFS</i>
<i>After checking system -</i>		Allowable Amount: <i>Examiner recommends .12</i> & DON ADDITIVE
		Capacity of System: <u>.12</u>
TOTAL VOLUME	Season of Use: <u>D/4.5 (3-15 to 11-15)</u>	
	☐ ☒	Calculations: <u>6 acres x 4.5 = 27.0</u> <u>DOMESTIC = .6</u> Flow limit: <u>.12</u> x 240 x 1.9835 = <u>58.5</u>
USES	☐ ☒ ☐ ☒	Change(s) in Nature of Use? ☐ Amendment Needed? ☐
REMARKS	☐ ☒ ☐ ☒ ☐ ☒	Multiple P/Ds in 1/4 1/4? ☐ Special Overlap ☐ Other ☐
CONDITIONS	☐ ☒ ☐ ☒ ☐ ☒	Measuring/Locking Devices ☐ W/Master Control ☐ Irrigation Overlap <u>9-17-87</u> ☒ Water Dist App Rec'd Water Quality <u>10-19-93</u> ☒ Exam Made
COMMENTS:	<u>Reduce rate</u>	

RECOMMENDED	CFS	DIV VOL	LICENSE ☒
<u>Irrigation</u>	<u>.12</u>	<u>27.0</u>	1ST AMEND LETTER ☐
<u>Domestic</u>	<u>.04</u>	<u>.6</u>	2ND AMEND LETTER ☐
<u>Totals</u>	<u>.12</u>	<u>27.6</u>	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 31 1994
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 57-07474

1. Owner: John Michael York Phone No. 896-4689

Current Address: P.O. Box 162, Marsing ID 83639

2. Accompanied by: Daniel York EXAM DATE: 10/19/93

Address: same Phone No. _____

Relationship to Permit Holder: Brother

3 Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2		NW	NE	2	01N	04W	Owyhee	


2. Place(s) of Use:

Indicate Method of Determination Legal document survey

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	04W	2		6.0															6.0

FEB 22 1994

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = Not scaled

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

○ = Photo #

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submerged	D+B	1 1/2		UNKNOWN	Irr. open discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None taken						

2. Measurements: $\text{Acreage} = (1330.2 \text{ ft.} \times 227.1 \text{ ft.}) - \frac{1}{2} (227.1 \text{ ft.})(120.9 \text{ ft.}) = 6.6 \text{ ac.}$
2.6 ac.

E. NARRATIVE/REMARKS/COMMENTS

The pasture - hay ground is flood irrigated with corrugates running west to east. There are 2 fields approx $\frac{1}{3}$ and $\frac{2}{3}$ size each of the total 6 acres. Mainlines are buried to the center of west ends of each field, (see diagram). Flexible plastic, perforated ^{pipe}, are ~~are~~ ^{are} ~~laid~~ ^{laid} across the corrugates, open discharge, (note photo #2, #4).

The pump is a $1\frac{1}{2}$ hp. D+B submerged pump. The model and exact pumping level are unknown. For calculations an approx pumping level of 65 ft was used based on the well log. Theoretically, the pump can produce the .12 cfs flow for irrigation, open discharge. It would be questionable with the domestic (.04 cfs) in addition under a pressure situation. Recommend flow for irrigation and domestic not be additive.

The domestic use of .04 cfs would include internal home use and misc. stockwater. There were 12+ sheep pasturing at the time of the exam. Leave stockwater included in the domestic use. A home and other out buildings are in the process of being constructed by the owner. Outside hydrants are being used for domestic use, stubs are positioned inside of poured footings.

No overlaps were noted of other water rights. A surface water right #02-02072 Opaline Irrigation Dist. is used on other lands in the govt lot, #2

Have conditions of permit approval been met? ☒ yes ☐ no

FEB 22 1994

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

Static Level - 27 Ft (owner)

Theoretical

Permit = .12 cfs irrigation

$$\text{Pump} = \frac{(1.5 \text{ hp})(8.8)(.7)}{65 \text{ Ft}} = .14 \text{ cfs (open discharge)}$$

Est. Dyn. pump level = 65 Ft (see well log)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 6 \text{ acres} \times 4.5 \text{ ac-ft/yr-ac.} = 27 \text{ ac-ft}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .12 \text{ cfs} \times 246 \text{ days} \times 1.9835 = 58.6 \text{ ac-ft}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 27 \text{ ac-ft (annual)}$$

2. Volume Calculations for Other Uses:

$$\text{Domestic } .04 \text{ cfs} = \overset{.6}{\cancel{12}} \text{ ac-ft}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>3/15</u>	<u>11/15</u>	<u>.12 cfs</u>	<u>27 ac-ft</u>
<u>Domestic</u>	<u>1/1</u>	<u>12/31</u>	<u>.04 cfs</u>	<u>.6 ac-ft</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.12 cfs</u>	<u>27.6 ac-ft</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other



I. AUTHENTICATIONField Examiner's Name John Winter Date 10/9/93

Reviewer _____ Date _____


SEAL

6AM Performance Curve


Typical Curve - Reference only
Not pump in the well.



FEB 22 1994



Gov't Lot #2



1N-4W Sec 2
NW 1/4 - NE 1/4

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 52-89-W-001 OTHER APPLICABLE NO: 57-7474 W.R.
2. OWNER: York, John M. Phone: 896-4689
Address: Box 162, Marsing ID 83639
3. WELL LOCATION. Twp 1N, Rge. 4W, Sec. 2, NW 1/4 NE 1/4
County Owyhee (Provide sketch map and photo on reverse.)
4. DRILLER: Metzer - Homedale Lic. No. 93
When Drilled? 7/29/89
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 18 ft. Method Drilled Cable
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION: per owner
Depth to Static Water 27 ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

FEB 22 1991

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chernigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☒ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:** Appears OK

J. Weston, Western Reg.

Signature of Dept. Representative & Title

10/19/93

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

11-22-1994


RECEIVED

AUG 30 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
Department of Water Resources within 30 days after the completion or abandonment of the well.
Western Regional Office

1. WELL OWNER Name <u>JOHN MICHAEL YORK</u> <u>BOX 162</u> Address <u>MARINE IDAHO 83639</u> Owner's Permit No. <u>57-89-W-001</u>		7. WATER LEVEL Static water level <u>53</u> feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF, Quality <u>5 G.R.N.S.</u> Describe artesian or temperature zones below																															
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Air ☐ Other _____																															
3. PROPOSED USE ☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		<table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>25</u></td><td><u>6.5</u></td><td><u>2</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>25</u>	<u>6.5</u>	<u>2</u>																								
Discharge G.P.M.	Pumping Level	Hours Pumped																															
<u>25</u>	<u>6.5</u>	<u>2</u>																															
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From</th><th>To</th><th>Material</th><th>Water Yes No</th></tr></thead><tbody><tr><td><u>6</u></td><td><u>0</u></td><td><u>3</u></td><td><u>BROWN CLAY</u></td><td><u>/</u></td></tr><tr><td></td><td><u>3</u></td><td><u>14</u></td><td><u>GRAVEL</u></td><td><u>/</u></td></tr><tr><td></td><td><u>14</u></td><td><u>45</u></td><td><u>BROWN CLAY</u></td><td><u>/</u></td></tr><tr><td></td><td><u>45</u></td><td><u>235</u></td><td><u>BLUE CLAY</u></td><td><u>/</u></td></tr><tr><td></td><td><u>235</u></td><td></td><td><u>COARSE BLACK SAND</u></td><td><u>/</u></td></tr></tbody></table>		Bore Diam.	Depth From	To	Material	Water Yes No	<u>6</u>	<u>0</u>	<u>3</u>	<u>BROWN CLAY</u>	<u>/</u>		<u>3</u>	<u>14</u>	<u>GRAVEL</u>	<u>/</u>		<u>14</u>	<u>45</u>	<u>BROWN CLAY</u>	<u>/</u>		<u>45</u>	<u>235</u>	<u>BLUE CLAY</u>	<u>/</u>		<u>235</u>		<u>COARSE BLACK SAND</u>	<u>/</u>
Bore Diam.	Depth From	To	Material	Water Yes No																													
<u>6</u>	<u>0</u>	<u>3</u>	<u>BROWN CLAY</u>	<u>/</u>																													
	<u>3</u>	<u>14</u>	<u>GRAVEL</u>	<u>/</u>																													
	<u>14</u>	<u>45</u>	<u>BROWN CLAY</u>	<u>/</u>																													
	<u>45</u>	<u>235</u>	<u>BLUE CLAY</u>	<u>/</u>																													
	<u>235</u>		<u>COARSE BLACK SAND</u>	<u>/</u>																													
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other Thickness <u>250</u> inches Diameter <u>6</u> inches From <u>1</u> feet To <u>49</u> feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Pudding clay ☐ Sealing procedure used ☐ Shurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		RECEIVED AUG 24 1989																															
6. LOCATION OF WELL Sketch map location must agree with written location  Subdivision Name _____ Lot No. <u>2</u> Block No. _____ County <u>OWYHEE</u> NW NE Sec <u>2</u> T.1 N. R.4W E.W.		10. Work started <u>July 26-89</u> finished <u>July 29-89</u>																															
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Russell M. York</u> Firm No. <u>93</u> Address <u>RT-2 BOX 162</u> Date <u>July 30-89</u> Signed by (Firm Official) <u>Russell M. York</u> and _____ (Operator)																																	

York #57-1477



1. Well location and mainline (2" dia) junction. New bore foundation, Stonegate, N. Y.




2. Lower pasture mainline junction. Flexible hose laid along furrows for irrigation.



3. Overview of the place of use. Hay-pasture ground.



4 Flexible hose serves the furrows for irrigation.



5 Showing or place of use.

10 19'93

10 19'93

June 20, 1991

JOHN MICHAEL YORK
DANIEL A. YORK
P.O. BOX 162
MARSING, ID 836390000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 57-07474

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
AUG 06 1991

June 20, 1991

JOHN MICHAEL YORK
DANIEL A. YORK
P.O. BOX 162
MARSING, ID 836390000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 57-07474

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. Region: STATE

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

3139

CHECK

Sincerely,
00.0015

Rita Eleck
Secretary/Records Manager
0649 9521 221045
00.0015

BENEFICIAL USE (37-08458)

c: IDWR - Region

TYSON, CHARLES P./KATHRYN

1661/13/5
5/31/1991

RECEIVED

5 1991

6990702

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 57-7474

Date 6-3-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
☒ Copy in file? Drill permit no. 57-89-W-001
1.000 Amt paid for drilling permit? ☒ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- Yes Required?
50.00 Amount submitted?
Yes Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

PRIORITY CALCULATION

Date proof received NA

Date proof due -

No. of days late =

Priority date +


NEW PRIORITY DATE =

Drilling Permit No. 57-89-W-001
Water Permit No. 57-7474
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*



Department of Water Resources

1. Applicant John Michael York or Daniel A York
2. Address Box 162 Marsing, ID 83639
Telephone 896-4689

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location NW 1/4 NE 1/4, or Gov't lot No. #2,
Sec. 2, Twp. 1N, Rge. 4W, County Owyhee,
Lot, block and subdivision N/A

4. Proposed use of well: (Check all that apply)
☒ Domestic () Stockwater () Monitoring
☒ Irrigation () Industrial () Municipal
() Injection () Other, Specify _____

5. Well construction information:
☒ New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth 230
Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date 5/8/89
7. Well Driller (if known) Kenneth Metzger # 093
Address Homedale, ID
8. Applicant's signature [Signature]
Title Well Owner
Date 5-4-89

RECEIVED
JUL 15 1991

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(X) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 4th day of May, 19 89.

Signed David R. Tuttle
Title Mgr, Western Regional Office

Received by RW Fee 100- Date 5/4/89
Receipt No. W002682 Construction start extension to JUL 15 1989
Extension approved by _____

RECEIVED

AUG 30 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
Department of Water Resources within 30 days after the completion or abandonment of the well.
Western Regional Office

1. WELL OWNER Name <u>JOHN MICHAEL YORK</u> <u>Box 162</u> Address <u>MARS VIE IDAHO 83639</u> Owner's Permit No. <u>57-89-11-001</u>	7. WATER LEVEL Static water level <u>53</u> feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality <u>5 G.P.M.S.</u> Describe artesian or temperature zones below																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☒ Baller ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>25</u></td><td><u>6.5</u></td><td><u>2</u></td></tr></tbody></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>25</u>	<u>6.5</u>	<u>2</u>																										
Discharge G.P.M.	Pumping Level	Hours Pumped																															
<u>25</u>	<u>6.5</u>	<u>2</u>																															
3. PROPOSED USE ☒ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Sore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>6</u></td><td><u>0</u></td><td><u>3</u></td><td><u>BROWN CLAY</u></td><td><u>/</u></td></tr><tr><td><u>3</u></td><td><u>14</u></td><td><u>14</u></td><td><u>GRAVEL</u></td><td><u>/</u></td></tr><tr><td><u>14</u></td><td><u>45</u></td><td><u>45</u></td><td><u>BROWN CLAY</u></td><td><u>/</u></td></tr><tr><td><u>45</u></td><td><u>25</u></td><td><u>25</u></td><td><u>BLUE CLAY</u></td><td><u>/</u></td></tr><tr><td><u>25</u></td><td></td><td></td><td><u>BRASSER BLACK SAND</u></td><td><u>/</u></td></tr></tbody></table>	Sore Diam.	Depth		Material	Water Yes No	From	To	<u>6</u>	<u>0</u>	<u>3</u>	<u>BROWN CLAY</u>	<u>/</u>	<u>3</u>	<u>14</u>	<u>14</u>	<u>GRAVEL</u>	<u>/</u>	<u>14</u>	<u>45</u>	<u>45</u>	<u>BROWN CLAY</u>	<u>/</u>	<u>45</u>	<u>25</u>	<u>25</u>	<u>BLUE CLAY</u>	<u>/</u>	<u>25</u>			<u>BRASSER BLACK SAND</u>	<u>/</u>
Sore Diam.	Depth		Material	Water Yes No																													
	From	To																															
<u>6</u>	<u>0</u>	<u>3</u>	<u>BROWN CLAY</u>	<u>/</u>																													
<u>3</u>	<u>14</u>	<u>14</u>	<u>GRAVEL</u>	<u>/</u>																													
<u>14</u>	<u>45</u>	<u>45</u>	<u>BROWN CLAY</u>	<u>/</u>																													
<u>45</u>	<u>25</u>	<u>25</u>	<u>BLUE CLAY</u>	<u>/</u>																													
<u>25</u>			<u>BRASSER BLACK SAND</u>	<u>/</u>																													
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	RECEIVED AUG 24 1989																																
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>6</u> inches</td><td><u>1</u> foot</td><td><u>49</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☒ Pudding clay ☐ _____ Sealing procedure used: ☐ Shurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> foot	<u>49</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet
Thickness		Diameter	From	To																													
<u>250</u> inches		<u>6</u> inches	<u>1</u> foot	<u>49</u> feet																													
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
_____ inches	_____ inches	_____ feet	_____ feet																														
Number	From	To																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
_____ perforations	_____ feet	_____ feet																															
6. LOCATION OF WELL Sketch map location must agree with written location <table border="1"><tr><td>N</td><td></td><td></td></tr><tr><td>W</td><td></td><td>E</td></tr><tr><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td></tr></table> County <u>OWYHEE</u> <u>N.W. 1/4 NE 1/4 Sec 2 T1N N3, R4W E/W</u> Subdivision Name <u>_____</u> Lot No. <u>2</u> Block No. _____	N			W		E				S																							
N																																	
W		E																															
S																																	
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Kane Mfg</u> Firm No. <u>93</u> Address <u>Handala Idaho</u> Date <u>July 30-89</u> Signed by (Firm Official) <u>Kane M. B.</u> and _____ (Operator) _____																																	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit
- 11-1

Permit No. 57-7474
Name(s) of Permit Holder(s): John Michael York
Post Office Address: P.O. Box 162 MARSH, ID 83639
Tel. No. _____

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 10 Dec 1988 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason

13 Dec 88
Date

John Michael York
Signature of Permit Holder



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 17, 1989

John Michael York
c/o Daniel A. York
P. O. Box 162
Marsing, ID 83659

Dear Mr. York:

Re: Permit No. 57-7474

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to December 1, 1991.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions concerning these matters, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

DEC 19 1989

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 57-7474

Reviewed by [Signature]

Date 11-9-1989

BASIC INFORMATION

y Date stamp received
y Extension received timely (not too early not too late)
y Fee received and receipted
y Name and signature same as permit
N Address change

BASIS FOR EXTENSION REQUEST

y Has adequate work been completed to demonstrate due diligence?
y Has the cost incurred been adequate to demonstrate an intent to complete the project?
 _____ Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

_____ Is delay by a government agency?
 _____ Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN - Recommend approval based on due diligence for two years

N/A Reinstate Date extension received _____ = _____
 Proof due date _____ = -
 No. of days late _____ = _____
 Priority date _____ = +
 ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

_____ Change proof due date _____ Address change
 _____ Priority date change

September 30, 1989

138663

JOHN MICHAEL YORK
DANIEL A. YORK
P.O. BOX 162
MARSING, ID 836390000

PROOF DUE NOTICE

RE: PERMIT NO. 57-07474

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

INDEXED

DEC 19 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
DECEMBER 04, 1987

YORK, JOHN MICHAEL
C/O DANIEL A. YORK
P.O. BOX 162
MARSING, ID 83639

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 57-7474

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

SECTION 42-235, IDAHO CODE, REQUIRES THAT A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED

FEB 29 1988


IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USE

MAP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER STAGE CODE	PRIORITY DATE	SOURCE OF WATER
(PO) CONTINUED FROM PREVIOUS PAGE)											
01N	04W	01	SW 1/4	30	01.43		57-2336	CLARKE	D		
			SENE	04	01.43		02-2072	OPALINE	C	10-08-1948	SNAKE RIVER
			SENE	40	01.43		57-2336	PATTON	C	12-22-1906	SQUAW CREEK
			SENE	40	01.04.43		57-4064	CLARKE	D		
			NENH	10	01.43		57-2336	SEVY	C	01-01-1914	GROUNDWATER
			NENH	03	01		02-2072	CLARKE	D	12-22-1906	SQUAW CREEK
			NENH	03	01		57-2197	OPALINE	C	10-08-1948	SNAKE RIVER
			NANH	04	01		02-2072	OPALINE	C	10-08-1948	GROUNDWATER
			NANH	04	01		57-2033	CLARK	C	02-14-1910	UNNAMED STREAM
			SNAH	04	01		02-2072	OPALINE	C	10-08-1948	SNAKE RIVER
			SNAH	10	01.43		57-2033	CLARK	C	03-14-1910	UNNAMED STREAM
			SENH	04	01		02-2072	OPALINE	C	10-08-1948	SNAKE RIVER
			SENH	10	01.43		57-2336	PATTON	C	12-22-1906	SQUAW CREEK
			NESH	04	01		02-2072	CLARKE	D		
			NESH	40	01.43		57-2012	GRIFITH	C	10-08-1948	SNAKE RIVER
			NASH	40	01.43		57-2012	GRIFITH	C	01-10-1907	SQUAW CREEK
			SWSH	40	01.43		57-2012	GRIFITH	C	01-10-1907	SQUAW CREEK
			SESH	35	01.43		57-2012	GRIFITH	C	01-10-1907	SQUAW CREEK
			SESE	20	01.43		57-2336	PATTON	C	12-22-1906	SQUAW CREEK
			NESE	40	01.04.43		57-4064	CLARKE	D		
			NESE	40	01.04.43		57-4064	SEVY	C	01-01-1914	GROUNDWATER
			NENE	40	01.04.43		57-2197	CLARK	C	07-06-1950	GROUNDWATER
02			NENE	01	01		02-2072	OPALINE	C	10-08-1948	SNAKE RIVER
			NANE	02	01		02-2072	OPALINE	C	10-08-1948	SNAKE RIVER
			NANE	02	01.43		57-7455	YORK	C	07-21-1986	GROUNDWATER
			NENH	04	01		02-2383	BLACKSTOCK	C	12-29-1965	SNAKE RIVER
			NENH	25	01		02-7388	BLACKSTOCK	C		
			NANH	35	01		02-2383	BLACKSTOCK	C	06-27-1983	SNAKE RIVER
			NANH	20	01		57-2205	BLACKSTOCK	C	12-29-1965	SNAKE RIVER
			SANH	36	01		02-2383	BLACKSTOCK	C	01-13-1953	SQUAW CREEK
			SANH	05	01		57-2205	BLACKSTOCK	C	12-29-1965	SNAKE RIVER
			SENH	38	01		02-2383	BLACKSTOCK	C	01-13-1953	SQUAW CREEK
			NESH	38	01		02-2072	OPALINE	C	10-08-1948	SNAKE RIVER
			NESH	38	01		02-2383	BLACKSTOCK	C	12-29-1965	SNAKE RIVER
			NE 3/4	38	01		57-2205	BLACKSTOCK	C	01-13-1953	SQUAW CREEK
			NASH	38	01		02-2383	BLACKSTOCK	C	12-29-1965	SNAKE RIVER
			NASH	20	01		57-2205	BLACKSTOCK	C	01-13-1953	SQUAW CREEK

FILED

FEB 29 1988

FEB 29 1988



12-29-1938

The Owyhee Avalanche.

P.O. BOX 97

HOMEDALE, ID 83628

(208) 337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss.
COUNTY OF OWYHEE)

I, David G. Landmann, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of The Owyhee Avalanche, a newspaper of general circulation printed and published weekly, Wednesday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said The Owyhee Avalanche, a continuation of the Owyhee Chronicle and the Owyhee Nugget, has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement thereto, in said newspaper, in Issue 12 (consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

October 5, 1987
October 15, 1987

(Signed).....

Subscribed and sworn to before me this.....day of.....

A.D. 19.....

Notary Public in and for the State of Idaho,

residing at.....Idaho.

My commission expires.....

FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

57-7474 J 4th

YORK, JOHN MICHAEL
c/o DANIEL A. YORK, P.O. BOX
162, MARSING, ID 83639

Source: GROUNDWATER
Diversion Pt: LOT 02 (NWNE) Sec 02
T 01N R 04W

Use:
IRRIGATION (0.120 CFS)
DOMESTIC (0.040 CFS)

Date Filed: 09/17/1987
In: LOT 02 (NWNE) Sec 02 T 01N R
04W FOR 6 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before OCTOBER 26, 1987.

R. Keith Higginson, Dir.

Publish Oct 8 & 15, 1987, 2x

1987 29 1333

RECEIVED

1987

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

SEPTEMBER 30, 1987

OMYHEE AVALANCHE
P O BOX 97
HOMEDALE ID 83628

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 26, 1987.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED
FILMED

FEB 29 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before OCTOBER 26, 1987.

KEN DUNN, Dir.

RECEIVED

Published 10/7 & 10/14/87.

FEB 29 1988

57-7474

YORK, JOHN MICHAEL

C/O DANIEL A. YORK, P.O. BOX 162, MARSING, ID 83609

Source: GROUNDWATER

Diversion Pt: LOT 02 (NWNE) Sec 02 T 01N R 04W

Use: IRRIGATION	(0.120 CFS)
DOMESTIC	(0.040 CFS)

Date Filed: 09/17/1987

In: LOT 02 (NWNE) Sec 02 T 01N R 04W FOR 6 ACRES

RECORDED

SEP 29 1987