




SCALE 1:24 000

1 MILE


1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

CONTOUR INTERVAL 40 FEET
DATUM IS MEAN SEA LEVEL

MICROFILMED

JUL 15 1991

Reynolds
Pilot Spr #8252
Water Right No. 57-0468



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07468

Priority: May 22, 1987

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.06 CFS
2.2 AF

This is to certify, that U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 837060000

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 22, 1987; and
has submitted Proof of Beneficial Use on October 9, 1987. An examination indicates
that the works have a diversion capacity of .060 cfs of water from:

UNNAMED STREAM

tributary to RABBIT CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.03 CFS	1.1 AF
WILDLIFE	01/01 to 12/31	0.03 CFS	1.1 AF
	Totals	0.06 CFS	2.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 27, Township 03S, Range 03W
OWYHEE County

PLACE OF USE: STOCKWATER
TWN RGE SEC

03S 03W 27 SESE

PLACE OF USE: WILDLIFE, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

JUL 15 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 57-07468

CONDITIONS/REMARKS:

5. This right, when considered with all other rights common to the same grazing allotment, shall be limited to the quantity of water beneficially used by the number of stock within the allotment.
6. Stockwater use is for 80 head.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of June, 1991.

Acting for


R. Keith Higginson, Director



15 1991

Plot Spr. 8252

Form 202
3/78

Ident. No. 57-7468

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
MAY 22 1987 APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho
Department of Water Resources

1. Name of applicant Bureau of Land Management Phone 334-1582
Boise District Office
Post office address 3948 Development Ave.
Boise, Idaho 83705
2. Source of water supply unnamed stream which is a tributary of Rabbit Creek
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 35
Range 3W B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .03 for Stockwater purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .03 for Wildlife water purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Headbox, collection system,
pipeline and stock trough

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 35
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 80 Cattle

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Misc Wildlife

OCT 09 1987

FILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion

U.S. Government

b. Who owns the land to be irrigated or place of use

U.S. Government

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

marks Project # 8252 Pilot spring in the Rabbit
Creek Peter Gulch Allotment.

— 10 —

337

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

27

8

27

Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wanted

OCT 09 1987

(Applicant)

(Applicant)

WYHAE RESOURCK AREA, MGR.

Proposed Priority 5/22/87

Received by JJ

Date 5-22-87

Time 8:30

Preliminary check by _____

Fee \$ 30.00

ID-910-007-0015

Receipted by tg

Date 7-2-87

42747

Publication prepared by SS

Date 6/24/87

Published in Owyhee Avalanche

7/1 + 7/8/87

Publication dates _____

Publication approved JJ

Date 8/7/87

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____

Date _____

Recommended for approval

denial

by DET kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7468, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Witness my hand this 22nd day of September, 1987.

J. M. Saylor
Chief, Operations Bureau

MICROFILMED

OCT 09 1987

COMBINATION OF THE OWYHEE CHRONICLE AND OWYHEE NUGGET

The Owyhee Avalanche.

P.O. BOX 97

HOMEDALE, ID 83628

(208) 337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss.
COUNTY OF OWYHEE)

I, Joe E Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.


2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of The Owyhee Avalanche, a newspaper of general circulation printed and published weekly, Thursday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said The Owyhee Avalanche, a continuation of the Owyhee Chronicle and the Owyhee Nugget, has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement thereto, in said newspaper, in Two (2) (consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

July 2, 1987

July 9, 1987



Department of Water Resources
Western Regional Office

(Signed).....

Subscribed and sworn to before me this 9 9th day of July

A.D. 1987

Alisa Aman Patrick

Notary Public in and for the State of Idaho,

residing at Homedale, Idaho.

My commission expires 10/1/91

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have has been filed to appropriate the public waters of the State of Idaho:

55-7368
U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE, BOISE,
ID 83706.

Source: GARLOS BLK. BULL
SPRING trib. to TROUT CREEK
Diversion Pt: NESWSW Sec 33 T 04S
R 05W

Use: STOCKWATER (0.030 CFS)
WILDLIFE (0.030 CFS)

Date Filed: 05/26/1987

In: SWSW Sec 33 T 04S R 05W
57-7466

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE, BOISE,
ID 83706

Source: UNNAMED STEAM trib. to
MC BRIDE CREEK.
Diversion Pt: SENE Sec 24 T 01S R
06W

Use:
STOCKWATER STORAGE (1.4 AF)

STOCKWATER
FROM STORAGE (1.4 AF)

WILDLIFE STORAGE (0.4 AF)

WILDLIFE
FROM STORAGE (0.4 AF)

Date Filed: 05/22/1987

In: SENE Sec 24 T 01S R 06W
57-7467

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,

IDAHO STATE OFFICE, 3380
AMERICANA TERRACE, BOISE,
ID 83706

Source: UNNAMED STREAM trib.
to RABBIT CREEK

Diversion Pt: SWNW Sec 22 T 03S R
03W

Use: STOCKWATER (0.030 CFS)
WILDLIFE (0.030 CFS)

Date Filed: 05/22/1987

In: SWNW Sec 22 T 03S R 03W
57-7468

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,

IDAHO STATE OFFICE, 3380
AMERICANA TERRACE, BOISE,
ID 83706

Source: UNNAMED STREAM trib.
to RABBIT CREEK

Diversion Pt: SESE Sec 27 T 03S R
03W

Use: STOCKWATER (0.030 CFS)
WILDLIFE (0.030 CFS)

Date Filed: 05/22/1987

In: SESE Sec 27 T 03S R 03W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JULY 20, 1987.

KEN DUNN, Dir.

Publish July 2 & 9, 1987 2x

July 9, 1991

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 837060000

RE: WATER RIGHT NO. 57-07468

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

JUL 15 1991

MEMORANUM

TO: File 57-7468
FROM: Sharla
DATE: July 1, 1991
RE: Legal Descriptions

On July 19, 1990 we sent pre-license correspondence to BLM requesting an amendment to change the location of the point of diversion and place of use under this water right. A response was received from BLM indicating that the location was as originally filed. I then sent correspondence on March 27, 1991 to BLM requesting documentation to show that the point of diversion and place of use was as originally filed. In response, Mr. Schultsmeier sent a map indicating that the point of diversion and place of use for this spring is located as originally filed on the application.

The map is of poor quality and the location of the point of diversion and place of use has simply been drawn in by hand. However, most field exams for BLM permits are simply a reflection of contact made by Water Resources personnel with a representative of BLM, in this case, Mr. Schultsmeier. Mr. Schultsmeier is the person who contacted me by mail and indicated that the point of diversion and place of use description was in error. The Acting Owyhee Area Manager, Fred Schley, signed the letter sent with the map, thus indicating his agreement with Mr. Schultsmeier's statement.

The map will be accepted as documentation that the point of diversion and place of use descriptions are as originally filed, therefore, no amendment is necessary.

JUL 15 1991



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Boise District Office
3948 Development Avenue
Boise, Idaho 83705

TAKE
PRIDE IN
AMERICA

IN REPLY REFER TO

4120.6

RECEIVED
APR 26 1991

Department of Water Resources
1301 N Orchard Street
Statehouse Mail
Boise, Idaho 83720
Attn: Sharla Curtis

Department of Water Resources

Dear Mrs. Curtis:

This is a map showing the location of Pilot Spring #8252, Permit No. 57-7468 as constructed by the BLM 4/1987.


If you need additional information please call Kim Schultsmeier at 385-3440.

Sincerely,

Fred Schley

Fred Schley
Acting Owyhee Area Manager

Enclosure



SCALE 1:24,000

1 MILE

1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

CONTOUR INTERVAL 40 FEET
DATUM IS MEAN SEA LEVEL

Reyno.
Pilot Spr #8252
Water Right No. 57-0468

April 15, 1991

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 837060000

RE: WATER RIGHT NO. 57-07468

Dear Water Right Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received the amendment. If we do not receive it within fifteen (15) days, we will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact us.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

JUL 15 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 27, 1991

RE: Permit No. 57-7468

Bureau of Land Mgmt.
3380 Americana Terrace
Boise, ID 83706

Attn: Kim Schultzmeyer

Dear Mr. Schultzmeyer:

Back in September, 1990, I received a licensing application for amendment for the above referenced permit with a note that stated you believe the location of the project is the same as the original permit. I sent correspondence asking for documentation to show that the project is located as indicated on the permit.

As of this date, I have not received a response to my request. If I do not hear from you by April 15, 1991, a reminder letter for the submittal of a signed and receipted amendment will be sent. Failure to respond to that request will result in action to commence proceedings to void the permit.

If you have any questions, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Sharla Curtis".

SHARLA CURTIS
Technical Records Specialist

MAILED

JUL 15



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 19, 1990

RE: Permit No. 57-7468

Bureau of Land Mgmt.
3380 Americana Terrace
Boise, ID 83706

*Sent to new address:
3948 Development Ave.
Boise, ID 83705*

Gentlemen:

We previously forwarded an amendment form which is needed for licensing the above referenced permit.

You returned the amendment form to our Western Regional Office with a note attached stating that you believe the location of the project is the same as the original permit (SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27) and therefore no amendment is necessary.

If you can supply us with some documentation to show that the project is indeed located in the SE $\frac{1}{4}$ SE $\frac{1}{4}$, rather than the SW $\frac{1}{4}$ NE $\frac{1}{4}$ as listed by our examiner in his examination report and on the licensing amendment, we can re-evaluate the matter. Please provide any information you have within 30 days.

If you have any questions concerning this matter, please feel free to contact us.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

1291



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

July 19, 1990

RECEIVED
BLM-IDSO
JUL 24 1990
AM PM
7 8 9 10 11 12 1 2 3 4 5 6

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 837060000

REC
AUG 1 1990

ORA
Project # 8252
Pilot Spring

RE: PERMIT NO. 57-07468

Department of Water Resources

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

X We have looked this
over and believe the
Location is as stated on
the original water application

T. 35. R. 3W. Sec. 27
SE 1/4 SE 1/4

NOT RECORDED

JUL 15 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 19, 1990

RE: Permit No. 57-7468

Bureau of Land Mgmt.
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

We previously forwarded an amendment form which is needed for licensing the above referenced permit.

You returned the amendment form to our Western Regional Office with a note attached stating that you believe the location of the project is the same as the original permit (SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 27) and therefore no amendment is necessary.

If you can supply us with some documentation to show that the project is indeed located in the SE $\frac{1}{4}$ SE $\frac{1}{4}$, rather than the SW $\frac{1}{4}$ NE $\frac{1}{4}$ as listed by our examiner in his examination report and on the licensing amendment, we can re-evaluate the matter. Please provide any information you have within 30 days.

If you have any questions concerning this matter, please feel free to contact us.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

MAILED 10 1990

JUL 15 1991

July 19, 1990

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 837060000

RE: PERMIT NO. 57-07468

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

57-7468
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat
- Check of P/D index 06/17/88 KKC (Initial and date)
 - Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
 - Type of Overlap? ☐ Add acres or uses to existing system
 - ☐ Increase rate of flow or volume
 - ☐ Other: _____
- Check of P/U index 06/17/88 KKC (Initial and date)
 - Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
 - Type of Overlap? ☐ Increase rate of flow or volume
 - ☐ Add P/D's
 - ☐ Increase number of acres within tracts
 - ☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

N/A Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Kelly Christensen 06/22/88 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent SL 2/20/90 (Initial and date)
Exam Reviewed by Manager of Regional Office Dur 2/21/90 (Initial and date)
Exam Data Entered in Computer _____ (Initial and date)
Exam sent to State Office 3-9-90 st (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

MAR 19 1990

A. GENERAL INFORMATION

Permit No. 57-7468

1. Owner. BUREAU OF LAND MANAGEMENT Phone No. _____

Current Address 3948 DEVELOPMENT AVE. BOISE ID 83705

2. Accompanied by KIM SCHULTSMETER EXAM. DATE 06/17/88

Address SAME Phone No. _____

Relationship to Permit Holder _____

3 Source UNNAMED STREAM tributary to RABBIT CREEK

B. OVERLAP REVIEW

1 Other water rights with same place of use NONE

☐ Copies Attached

2. Other water rights with same point of diversion NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable ☐ Alternative diagram attached

MICROFILMED

JUL 15 1991

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required)

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater)

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement Indicate pressure, number of sprinklers, etc.)

☒ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
N/A					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			~~SE~~		27	3S	3W	OWYHEE	QUAD MAP & BLM FILES
			SW	NE					

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3S	3W	27			S														

Do not use this space

JUL 15 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

[Handwritten: 0]

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method

[Handwritten: 0]

2. Alternate Method for Checking Purposes.

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure. _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head (1) + (2) = _____ (3) , Flow rate: _____ cfs (4)

Water HP. (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses

STOCK WATER AFA

.03 CFS * 365 DAYS * 1.9835 = 21.7 AFA

$\frac{12 \text{ GAL/HEAD} * 80 \text{ HEAD} * 365 \text{ DAYS}}{325,850} = 1.08 \text{ AFA}$

WILDLIFE AFA

AFA

.03 CFS * 365 DAYS * 1.9835 = 21.7

RECEIVED

JUL 15 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

SYSTEM IS A STANDARD BLM DESIGN OF HEADBOX COLLECTION SYSTEM WITH A PIPE LINE TO A STOCK TANK.

PROJECT No 8252 PILOT SPRING

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STOCK WATER	01-01	12-31	.03 CFS	1.08 AFA
WILDLIFE WATER	01-01	12-31	.03 CFS	1.1408 AFA
Totals:			.06 AFS	2.2 AFA

2 Recommended Amendments

☒ Change P D as reflected above

☐ Add P D as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name KELLY K. CHRISTENSEN


Signature Kelly K. Christensen


Certification Date _____

Field Report Preparation Date 06/22/88

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.







State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region

CECIL D. ANDRUS
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

R. KEITH HIGGINSON
Director

November 27, 1987

57-7468
U.S. DEPT OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Dear Applicant(s):

We acknowledge receipt of your statement submitted as proof as beneficial use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Judy Pense
Secretary

/jp

RECEIVED

FEB 29 1988

RECEIVED

OCT 09 1987

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by _____

Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 57-7468

Name(s) of Permit Holder: _____

Boise District BLM
3948 Development Ave.
Boise, ID 83705

Post Office Address: _____

Telephone No. 334-1582

Source of Water: unnamed stream

Extent of Use:

Domestic _____ (number of households)

Stockwater 80 Cows (number and type of stock)

Irrigation _____ (acres)

Other/Remark Misc Wildlife

Total rate and/or volume for which proof is submitted .06 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 6/87

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Tom J. Stettin
(Name)

334-9245
(Telephone Number)

Same as Above
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 29 1988

Date

10/6/87

Signature of Permit Holder (and title, if appropriate)

Daniel L. Jones



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 29, 1987

RE: Permit Nos. 57-7466/7467/7468

U.S. Dept. of Interior
Bureau of Land Mgmt.
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

Enclosed are copies of your approved Applications for Permit. We direct your attention to the conditions of approval on the fourth pages.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop these permits. Also enclosed for your convenience are the statement of beneficial use forms that must be submitted when your projects are completed.

Sincerely,

GARY SPACKMAN
Supervisor, Water Allocation Section

GS:sc

Enclosures

MICROFILMED

OCT 09 1987

57-7468

U.S. DEPT OF INTERIOR

BUREAU OF LAND MGMT., IDAHO STATE OFFICE, 3380 AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED STREAM trib. to RABBIT CREEK

Diversion Pt. SESE Sec 27 T 03S R 03W

Use: STOCKWATER	(0.030 CFS)
WILDLIFE	(0.030 CFS)

Date Filed: 05/22/1987

In: SESE Sec 27 T 03S R 03W

RECEIVED

OCT 09 1987



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, IDAHO 83706



IN REPLY REFER TO:

RECEIVED

MAY 22 1987

7250 (931)

May 20, 1987

Department of Water Resources

Water Allocation Division
Department of Water Resources
Statehouse
Boise, ID 83720

Enclosure:

Enclosed for processing are three (3) "Application for Amendment" forms, two "Application for Transfer of Water Right" forms, one (1) "Claim to a Water Right" form and thirty six (36) "Application for Permit" forms. Billing is to be made through order number ID-910-BP7-0015.

Please return the approved application to the following address:

Steven A. Ellis
Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, Idaho 83706

Thank you for your cooperation.

Sincerely yours,

Steven A. Ellis

Steven A. Ellis
Soil Scientist/Hydrologist

RECEIVED
JUN 11 1987

Department of Water Resources
Western Regional Office

Enclosures

*36 amendment
2 permit amendment
2 corrected app*

*16 app
14 app
3 app
1 claim*

State Off. **FILMED**
Western
Eastern OCT 09 1987

Southern
Eastern + 1 transfer
Western + 1 transfer
Western