


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Oscar Anderson
(Applicant)
OWYHEE RESOURCE AREA MGR.

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: ✓ NENW, S. 11, T. 12, R. 6W, B.M.

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
125	6W	23					✓			✓									
125	6W	24												✓					

Recommended Amendments:

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Jan Thute Date 1/8/86

Checked by 6W Date 2/29/86

Approved by R. Walker Date 7-18-86



WATER RIGHT LICENSE

License No. 57-7321 Priority 05/28/1982 Amount 0.01 CFS 1.6 AF

THIS IS TO CERTIFY, that U.S. Dept. of Interior, Bureau of Land Mgmt.

of Boise, Idaho, has complied with the terms and conditions of Permit No. 57-7321 issued pursuant to Application for Permit dated 05/28/1982, and has submitted proof to the Department of Water Resources on 02/21/1984, that he has applied water to a beneficial use; and examination by the Department indicates that the works have a capacity for the diversion of 0.01 cfs of water from Holmes Spring tributary to sinks, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

RATE OF DIVERSION	VOLUME	BENEFICIAL USE	PERIOD OF USE
0.01 cfs	1.6 af	Stockwater	05/01 - 10/31
0.01 cfs	1.6 af	Wildlife	01/01 - 12/31

Location of point of diversion: NENW, Sec. 11, Twp 1S, Rge 6W, Owyhee Co.

Location of place of use:

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
1S	6W	23				X				X									
		14												X					

Total number of acres irrigated

Subject to all prior water rights.

RECEIVED

NOTE: Modifications to or variance from the use of water as shown on this license must be made in accordance with Section 42-222, Idaho Code, or the applicable Idaho law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho this 26TH day of July, 1986

Norman C. Young
Director

lcw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Bureau of Land Management Phone 334-1582
Post office address 3948 Development Avenue, Boise, Idaho 83705
2. Source of water supply Holmes Spring which is a tributary of "Sinks"
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 11 Township 1S
Range 6W B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .01 for stockwater purposes from 5-1 to 10-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .01 for wild life purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .01 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. gravitational flow of water along 2 1/2 miles of pipe (1 1/4" PVC) to three 500 gallon troughs with float valves.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage 1-1 to 12-31 inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation: SE SW 14 15
(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 1S
6W Range 6W B.M. SE NW 1/4, SEC. 23, TWP. 1S, RCE. 6W, R. 111.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered 230 cattle
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe. _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. NONE


9. a. Who owns the property at the point of diversion U.S. GOVERNMENT

b. Who owns the land to be irrigated or place of use " "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Develop 2 1/2 miles of pipeline and
three troughs from existing Holmes Spring.
Project No " Holmes Spring Pipeline.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Oscar Anderson
(Applicant)
OWYHEE RESOURCE AREA MGR.

Proposed Priority 5/28/1982

6-9-82 10:30

Received by [Signature] Date 1-27-82 Time 8:30
ID-910-PH2-0018

Preliminary check by [Signature] Fee \$ 30.00 5/28/82

Receipted by [Signature] Date 7-1-82 # 24423

Publication prepared by [Signature] Date 6/17/82

Published in Countryman Magazine

Publication dates 6/24 & 7/1/82

Publication approved [Signature] Date 7/2/82

Protests filed by: [Signature]

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7321, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 3rd day of August, 1982.

[Signature]
Chief, Operations Bureau

RECEIVED

PROOF OF PUBLICATION

I, DEBORAH GORDON, County of Owyhee, SS.

MICK HODGEN, of the first duly sworn, on oath says he is the Publisher of the OWYHEE NUGGET, a newspaper of circulation, published weekly by MICK HODGEN, publisher, and printed at Marsing, County of Owyhee, State of Idaho.

that the same notice was published in said newspaper once a week and every second week, the first publication being on the 1st day of June, 1982, and last publication on the 24th day of June, 1982.

and the said newspaper has been published continuously and completely in said county during a period of more than eight consecutive weeks prior to the first publication of the attached notice.

[Signature]
PUBLISHER

subscribed and sworn to before me this 20th day of June, 1982.

[Signature]
NOTARY PUBLIC

Commission expires _____

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

55-7199

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
FEDERAL BLDG. BOX 042,
550 W. FORT ST., BOISE, ID
83724

Source: SPRING tributary to SINKS

Date Filed: 05/28/1982

Amount: 0.01 CFS

Diversion Point: NESE Sec 23

T 11S R 04W, OWYHEE Co.

Use: STOCKWATER (0.01

CFS) from 05/01 to 10/31

WILDLIFE (0.01 CFS) from

01/01 to 12/31

Place of Use: NESE Sec 23 T

11S R 04W

Diversion Means: PIPE &

TROUGH

57-7320

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
FEDERAL BLDG. BOX 042,
550 W. FORT ST., BOISE, ID
83724

Source: SPRING tributary to SINKS

Date Filed: 05/28/1982

Amount: 0.06 CFS

Diversion Point: SWNW Sec 03

T 03S R 05W, OWYHEE Co.

Use: STOCKWATER (0.01

CFS) from 4/16 to 10/31

WILDLIFE (0.05 CFS) from

01/01 to 12/31

Place of Use: SWNW Sec 03 T

03S R 05W

Diversion Means: TILE COL-

LECTION SYSTEM, HEAD-

BOX, TROUGH & PIPELINE

57-7321

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
FEDERAL BLDG. BOX 042,
550 W. FORT ST., BOISE, ID
83724

Source: HOLMES SPRING tributary to SINKS

Date Filed: 05/28/1982

Amount: 0.01 CFS

Diversion Point: NENW Sec 11

T 01S R 06W, OWYHEE Co.

Use: STOCKWATER (0.01

CFS) from 05/01 to 10/31

WILDLIFE (0.01 CFS) from

01/01 to 12/31

Place of Use: NENW SENW

Sec 23 T 01S R 06W SESW Sec

14 T 01S R 06W

Diversion Means: PIPE &

TROUGHS

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 12, 1982.

A. KENNETH DUNN

Director

Published in the Owyhee
Nugget, Marsing, Owyhee
County Idaho 6/23 & 6/30/82.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 28, 1986

RE: Permit Nos. 37-8048/8164, 51-7182/7184/7187/7210/7216/7220/7230/
7235, 55-7195/7196, 55-7213 thru 55-7217, 55/7224
7237/7280/7291/7302/7333, 57-7163/7164/7321/7329/
7341/7344, 61-7453/7454, 63-9755, 63-10174 thru
63-10180, 63-10196/10199/10200/10201, 65-12673
thru 65-12680, 65-12682 thru 65-12686, 65-12689,
67-7642 thru 67-7647, 67-7653, 67-7657 thru
67-7665, 67-7670, 67-7672 thru 67-7675, 69-7078,
82-7138, 85-7403 thru 85-7407

U.S. Dept. of Interior
Bureau of Land Mgmt.
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

Enclosed herewith are copies of the Water Right Licenses issued on the
above referenced permits.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosures

FILED

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

BLM

57-2321
Permit No

CONTACT WITH PERMIT HOLDER

DATE INITIALS

RECEIVED
FEB 26 1986

☐ Appointment letter mailed.

☐ Telephone call made
(List Telephone No. used)

☐ Appointment scheduled for:
(Date, time, location)

3/2/84 JG
3/3/84 JG
3/13/84 JG

Department of Water Resources

Dwyer Resource Area - Boise District

EXAMINATION

Date 3/13/84 Accompanied by King S Total Q measured 01 cfs - est.
Source Holmes Spring Tributary to sink Supp annubar measurement sheet used?

If source is surface water, estimate total flow of source

Methods of measurement estimation Meets permit requirements?

Measurement calculations:

Stockwater - 230 ad - .01 cfs x 3.1 afa
Wildlife - misc. - .01 cfs x 3.1 afa

230 ad x .0134 = 3.1 afa < 198 x 183 ad x .01 cfs = 3.6 afa
 $V = 230 \times 12 \times 183 \div 325850 = 1.55 \times 1.6 AF$

WELL/DIV NO *	HP	MOTOR MAKE	MOTOR SERIAL NO	PUMP MAKE	PUMP SERIAL NO	MEASURING DEVICE TYPE	CONDITION OF MEAS DEVICE	REMARKS
			N/A					

System Description Developed spring gravity flows through 2 1/2 mi long pipeline to 3-500 gal troughs. See attached diagram for spring development.

*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS

Irrigation requirement = AFA/Acre

USE	Q (cfs)	AF (afa)	FROM	TO
Stockwater - 230 ad ✓	.01 cfs ✓	3.1 afa ✓	5-1	10-31 ✓
Wildlife - misc. ✓	.01 cfs ✓	3.1 afa ✓	1-1	12-31 ✓
		1.6		
Total	01 cfs ✓	1.6		

Remarks

AKA Holmes Spring Pipeline



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE NW, S. 14, T. 15, R. 10W, B.M.

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15	10W	23					X			X									
15	10W	14												X					

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Examiner's Signature Jan Thute

Checked by 6h3

Approved by H. Walker

Date 1/8/86

Date 2/29/86

Date 7-15-86

Bureau of Land Management

Boise District Office

3948 Development Ave.

Boise, Idaho 83705

PLACE
13 CENT
STAMP
HERE

RECEIVED

FEB 21 1984



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources
holder(s) has completed development to the

this card as a statement that the permit
is below of Permit No. 52-7321

Name(s) of Permit Holder

Bureau of Land Management

Boise District Office

Post Office Address

3948 Development Ave.

Boise, Idaho 83705

Tel. No. 4-1582

Source of Water

Holmes Spring

Extent of Use

☐ Domestic

(number of households)

☒ Stockwater

230 Cattle

(number and type of stock)

☐ Irrigation

(acres)

☒ Other

Miss Wildlife

Measuring Device

Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

Access Port

Required?

☐ Yes

☐ No

Installed?

☐ Yes


☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed

2 15-84

Date

Erica K. K. K.
Signature of Permit Holder



U. S. DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SPRING HEADBOX & COVER DIAGRAM

DESIGNED _____

RECOMM. _____

DRAWN _____

RECOMM. _____

CHIEF, DIV. OF ENG.

CHECKED _____

APPROVED _____

SCALE **NONE**

DATE _____

SHEET _____ OF _____

DRAWING NO. _____

March 13, 1984

Bureau of Land Management
3940 Development Avenue
Boise, ID 83705

Gentlemen:

Re: Permit Nos. 55-7192, 55-7194 to 55-7196, 55-7201 to 55-7203, 55-7209, 55-7210, 55-7212 to 55-7217, 55-7224, 55-7237, 55-7248, 55-7252 to 55-7276, 55-7278 to 55-7280, 55-7292, 55-7294 to 55-7295, 55-7297 to 55-7308, 55-7310 to 55-7319, 55-7320 to 55-7321, 55-7322 to 55-7322, 55-7334 to 55-7336, 55-7338, 57-7204, 57-7300, 57-7305, 57-7306, 57-7321, 57-7327, 57-7341, 57-7342 to 57-7354, 55-7340 (old No. 57-7355), 57-7347 55-7341 (old No. 57-7358) 57-7359, 57-7361 to 57-7366, 57-7371 to 57-7375, 57-7378, 57-7384, 57-7386, 57-7387

This office acknowledges receipt of the statement of beneficial use postcards submitted for the above-referenced permits.

Before a license can be issued, a field examination must be made by a representative of this department. Based upon the findings of the field examiner, a water right license will be issued.

If you have any questions, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

cc: Western Region



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DURN

Director

Mailing address
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 18, 1982

RE: Permits No. 41-7060, 55-7190 through 55-7197, 55-7199 through 55-7213,
and 57-7320 through 57-7325

State Hydrologist
Bureau of Land Management
Idaho State Office
Box 042, Federal Bldg.
550 W. Fort Street
Boise, ID 83724

Gentlemen:

Enclosed are copies of your approved applications for permit as referenced above. We direct your attention to the conditions of approval as listed on the fourth pages.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and must proceed diligently until the project is completed. The enclosed blue cards must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permits were approved.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop these permits into licenses.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosures

Robyn

INTER-DEPARTMENT MEMO — 1

FROM Dave Tuthill *DT*

DATE June 7, 1982

TO Southern, Eastern, Western Regions

SUBJECT BLM Filings of Water Rights

P. O. ID-910-PH2-0018 for BLM filings of water rights was received May 28, 1982. This would place the proposed priority date of May 28, 1982, for applications received on or before May 28, 1982, under P. O. ID-910-PH2-0018.

SIGNATURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan J. Jover

APPLICATION NUMBER: 57-1301

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee. P.O. Rec'd 5/28/82 (PROP PRIORITY)
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☒ Idaho Fish and Game Department. _____
☒ Idaho Department of Lands. _____
☒ U.S. Bureau of Land Management. _____
☒ U.S. Forest Service. _____
☒ Other _____

PROCESSING:

- ☒ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☒ No* In form for advertising.
Final date for protests: _____
☒ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/2/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. _____
☒ Publication dates and paper, recorded on application. _____
☒ Protests, dates, withdrawal, etc., recorded on application. _____
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5/28/82 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: DBS

Date: 7/19/82

STATE OFFICE REVIEW:

- ☒ See attached sheet for more information.
By: _____

Date: 7/19/82

RECEIVED

JUL 22 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

5Z-7321

U.S. DEPT. OF INTERIOR

BUREAU OF LAND MGMT., FEDERAL BLDG. BOX 042, 550 W. FORT ST., BOISE, ID 83724

Source: HOLMES SPRING tributary to SINKS

Date Filed: 05/28/1982

Amount. 0.01 CFS

Diversion Point: NENW Sec 11 T 01S R 06W, OWYHEE Co.

Use: STOCKWATER	(0.01 CFS)	from 05/01 to 10/31
WILDLIFE	(0.01 CFS)	from 01/01 to 12/31

Place of Use: NENW SENW Sec 23 T 01S R 06W SESW Sec 14 T 01S R 06W

Diversion Means: PIPE & TROUGHS