


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X *Man M. Smith (acting)*
(Applicant)

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s. *AP*

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 8 day of October, 1981, and the last publication being on the 15 day of October, 1981;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 15 day of

October, 1981.

Leona S. Hawes
NOTARY PUBLIC

My commission expires 9-11-84

(SEAL)

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho: *AP*

57 - 7291

U. S. DEPARTMENT OF INTERIOR

BUREAU OF LAND MGMT.,
3948 DEVELOPMENT AVE.,
BOISE, ID 83705

Source: UNNAMED STREAM
tributary to DRY CREEK

Date Filed: 09/29/1981

Amount: 10.0 AC-FT

Diversion Point: SWNW Sec
01 T 02S R 06W, OWYHEE
Co.

USE: STOCKWATER STORAGE (7.5 AC - FT) from 01/01 to 12/31

STOCKWATER FROM STORAGE (7.5 AC - FT) from 01/01 to 12/31

WILDLIFE STORAGE (2.5 AC - FT) from 01/01 to 12/81

WILDLIFE FROM STORAGE (2.5 AC - FT) from 01/01 to 12/31

Place of Use: SWNW Sec
01 T 02S R 06W

Diversion Means: SIPHON
OVER STORAGE DAM &
STREAM CHANNEL

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before OCTOBER 26, 1981.


A. KENNETH DUNN,
Director

Published October 8 and 15, 1981 in the Owyhee Nugget, Marsing, Owyhee County, Idaho

RECEIVED

OCT 19 1981

Department of Water Resources
Western Regional Office



57-07299

T65

R5E

S.17 & 8

NO LOTS { 5.08
 { 5.17

plu
Cottonwood
(Ampy removal)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

51-7299
RECEIVED
AUG 19 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: IO. DEPT. Fish & game Permit No. 51-01211
Current Address: PO Box 25 Boise ID 83707 Phone No. 334-3730
2. Accompanied by: NO ONE - drop by exam EXAM. DATE: 7-1-93
Address: ARRANGED PER TELEPH with owner Phone No. _____
Relationship to Permit Holder: _____
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ } None ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NO scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



PHOTO ONE-


well is typical spigot for Campground.



PHOTO TWO-

VIEW of PM looking east from well.

Cottonwood Campground



Mapped, edited, and published by the Geological Survey
 Control by USGS, USC&GS, and State of Idaho
 Topography from aerial photographs by ER-55 plotter
 Aerial photographs taken 1955. Field check 1957
 Polyconic projection. 1927 North American datum
 10,000-foot grid based on Idaho coordinate system, west zone
 1000 meter Universal Transverse Mercator grid ticks,
 zone 11, shown in blue
 Unchecked elevations are shown in brown


TRUE NORTH
 MAGNETIC NORTH
 APPROXIMATE MEAN
 DECLINATION, 1957




THIS MAP
 FOR SALE BY U. S. GEOLO
 A FOLDER DESCRIBI

SW NW 1 25 6W


MICROFILMED
 FEB 29 1988






TYPICAL PROFILE

HT.



TYPICAL CROSS-SECTION

N-5



PLAN

HT.

MICROFILMED

FEB 29 1988

U. S. DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT			
TYPICAL STOCKWATER DAM			
DESIGNED BY	RECOMM.		
DRAWN BY	RECOMM.		
CHECKED BY	APPROVED		
SCALE 1/4" = 1'			
DATE 11-1-77		SHEET 1 OF 1	
DRAWING NO. 11-01-77-1-1			

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-7291

Priority: September 29, 1981 Amount: 10.0 AFA

This is to certify, that U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated September 29, 1981, and
has submitted proof to the Department of Water Resources on November 15, 1982, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a storage capacity of 10.00 af of water from;

UNNAMED STREAM tributary to DRY CREEK

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Stockwater storage	01/01 to 12/31		7.5 afa
Stockwater from storage	01/01 to 12/31		7.5 afa
Wildlife storage	01/01 to 12/31		2.5 afa
Wildlife from storage	01/01 to 12/31		2.5 afa
	Totals		10.0 AFA

LOCATION OF POINT OF DIVERSION(S): SWNW , Sec. 1, Township 2S, Range 6W
Owyhee County

PLACE OF USE: Stockwater storage

TWN RGE SEC

2S 6W 1 SWNW

PLACE OF USE: Stockwater from storage, same as Stockwater storage use

PLACE OF USE: Wildlife storage, same as Stockwater storage use

PLACE OF USE: Wildlife from storage, same as Stockwater storage use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right, when considered with all other rights common to the same grazing allotment, shall be limited to the quantity of water beneficially used by the number of stock within the allotment.

NOT RECORDED
FEB 29 1988

State of Idaho
Department of Water Resources

PAGE 2


WATER RIGHT LICENSE

WATER RIGHT NO. 57-7291

CONDITIONS/REMARKS:

5. The storage of water is contingent upon continued certification by the Department of Water Resources under the dam safety provisions of the Idaho Code, authorizing storage.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 31st day of December, 19 87.


Director

RECEIVED
DEPT. OF WATER RESOURCES
BOISE, IDAHO

DEC 29 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT **APPROVED**

Department of Water Resources
Western Regional Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Bureau of Land Management Phone 334-1582

Post office address 3948 Development Avenue, Boise, Idaho 83705

2. Source of water supply unnamed stream - NBS runoff which is a tributary of Dry Creek

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1 Township 2 S.

Range 6 W. B.M. Owyhee County, additional points of diversion if any: none

4. Water will be used for the following purposes:

✓ Amount <u>7.5</u> for <u>storage for stock water</u> purposes from <u>1-1</u> to <u>12-31</u> (both dates inclusive)	
(~~7.5~~ acre-feet per annum)	
Amount <u>2.5</u> for <u>storage for wildlife</u> purposes from <u>1-1</u> to <u>12-31</u> (both dates inclusive)	
(~~2.5~~ acre-feet per annum)	
Amount <u>7.5</u> for <u>stockwater from storage</u> purposes from <u>1/1</u> to <u>12-31</u> (both dates inclusive)	
(~~7.5~~ acre-feet per annum)	
Amount <u>2.5</u> for <u>wildlife from storage</u> purposes from <u>1-1</u> to <u>12-31</u> (both dates inclusive)	
(~~2.5~~ acre-feet per annum)	

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or b. 10.0 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Siphon over storage dam will return water to stream channel.

b. Height of storage dam 20 feet, active reservoir capacity 7.5 acre-feet; total reservoir capacity 10.0 acre-feet, materials used in storage dam: earth

Period of year when water will be diverted to storage 1-1 to 12-31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1 Township 2 S.

Range 6 W. B.M.

(2) Amount of power to be generated: None horsepower under N/A feet of head.


(3) List number of each kind of livestock to be watered 300 cattle, 2000 sheep

(4) Name of municipality to be served None, or number of families to be

supplied with domestic water None.

(5) If water is to be used for other purposes describe: Stockwater and wildlife water.

11 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Man M. Fennell (acting)
(Applicant)

RECEIVED
JAN 10 1964
IDAHO DEPT. OF AGRICULTURE

Proposed Priority 9/29/1981

Received by mm Date 9-29 Time 1:00
ID-910-PH1-00510
Preliminary check by DBS Fee \$ 9.00
Receipted by mg Date 11-13-81 # 20573
Publication prepared by SP Date 10-1-81
Published in Outlook Magazine
Publication dates 10/12 - 10/15/81
Publication approved AS Date 10-20-81
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7291, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The storage of water is contingent upon certification by the Department of Water Resources, of the applicant's dam under the dam safety provisions of the Idaho Code, authorizing storage.

Witness my hand this 11 ^{mm} day of January, 19 82.

A. Glen Sayton
Chief, Operations Bureau

RECEIVED

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s. *D.*

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 8 day of October, 1981, and the last publication being on the 15 day of October, 1981;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 15 day of

October, 1981.

Samuel L. Hawes
NOTARY PUBLIC

My commission expires 10-1-84

(SEAL)

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho: *W*

57 - 7291

U. S. DEPARTMENT OF INTERIOR

BUREAU OF LAND MGMT.,
3948 DEVELOPMENT AVE.,
BOISE, ID 83705

Source: UNNAMED STREAM
tributary to DRY CREEK

Date Filed: 09/29/1981

Amount: 10.0 AC-FT

Diversion Point: SWNW Sec
01 T 02S R 06W, OWYHEE
Co.

USE: STOCKWATER STORAGE (7.5 AC - FT) from 01/01 to 12/31

STOCKWATER FROM STORAGE (7.5 AC - FT) from 01/01 to 12/31

WILDLIFE STORAGE (2.5 AC - FT) from 01/01 to 12/31

WILDLIFE FROM STORAGE (2.5 AC - FT) from 01/01 to 12/31

Place of Use: SWNW Sec
01 T 02S R 06W

Diversion Means: SIPHON
OVER STORAGE DAM &
STREAM CHANNEL

If issued, the permit (s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before OCTOBER 26, 1981.

A. KENNETH DUNN,
Director

Published October 8 and 15, 1981 in the Owyhee Nugget, Marsing, Owyhee County, Idaho

RECEIVED

OCT 19 1981

Department of Water Resources
Western Regional Office

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

FLM
pww, 1, 25 00

RECEIVED
APR 02 1987

57-7291
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed.	12-10-82	JP	Department of Water Resources
☐ Telephone call made (List Telephone No. used)	3-13-84		
☐ Appointment scheduled for: (Date, time, location)	3-13-84		BAM - Curlyee Ranch Area.

EXAMINATION

Date 3/13/84 Accompanied by Ken S. Total Q measured 10.0 afa
Source Dry Creek Tributary to Dry Creek Supp. annubar measurement sheet used?
If source is surface water, estimate total flow of source
Methods of measurement estimated Meets permit requirements?

Measurement calculations*
* (300 hd cattle + 2000 hd sheep)
Stockwater - 2300 hd. - 2.5 afa storage
Wildlife - misc - 2.5 afa storage
* CANNOT FIGURE AC FT FOR STORAGE BY # OF HEAD 10.0 afa total
airwater

WELL/DIV NO.	HP	MOTOR MAKE	MOTOR SERIAL NO	PUMP MAKE	PUMP SERIAL NO	MEASURING DEVICE TYPE	CONDITION OF MEAS DEVICE	REMARKS
				N/A				

System Description Large earthen dam collects stream flow, spring runoff & snowmelt.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =	Q (cfs)	V (afa)	FROM	TO
<u>Stor. for stockwater</u>			<u>7.5 afa</u>	<u>1-1</u>	<u>12-31</u>
<u>Stockwater from stor</u>			<u>2.5 afa</u>	<u>1-1</u>	<u>12-31</u>
<u>Stor. for Wildlife</u>			<u>2.5 afa</u>	<u>1-1</u>	<u>12-31</u>
<u>Wildlife from stor</u>			<u>2.5 afa</u>	<u>1-1</u>	<u>12-31</u>
Total			<u>10.0 afa</u>		

Remarks No Govt. LOTS

				R	1000		
		T	805	<	/		

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW NW, S. 1, T. 35, R. 6W, B. 17.

[illegible]

☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature Jan. Shute Date 1/8/84
 Checked by DET Date 3/25/87
 Approved by _____ Date _____

7/87 - 10/87

2 ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater

Photos ① well & typical spigot
② p/u looking East from pld area

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6", 182' cold water artesian well with 1 1/4" main & distribution lines to total of 7 spigots provides domestic water to 25 space Cottonwood Campground on shores of C.J. Strike Reservoir.

info provided with telecons with IDFG

No plug used. Lines are drained & well shut off with main control valve NOV-FEB, turned back on in March.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	8	6S	5E	Dwyke	4595 7 1/2' topso

6. Place(s) of Use:

Indicate Method of Determination

SAME AS ABOVE

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	5E	8															D	D	—
		17	D	D															—

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon bucket						
and						
stopwatch						

2. Measurements:

spigot at wellhead $(5\text{ gal}/79.8\text{ s})(60\text{ s}/1\text{ min}) = 3.78\text{ gpm}$

total of 7 spigots, with 1 at wellhead on & another nearby one on, no apparent decrease in flow at "spigot"; assume that 7 spigots can therefore produce 3.78 gpm each.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{(3.78\text{ gpm/spigot})(7\text{ spigots})}{448.8\text{ gpm/cfs}} = .06\text{ cfs capacity}$$

2. Alternate Method for Checking Purposes:

"Pump test" per well log showed 33 gpm 2 hrs, then 25 gpm for 1 hr. This is within range of .06 cfs (27 gpm)

F. PUMP EFFICIENCY DATA (Optional)-N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

units provided in table with ID Fig
 25 unit campment
 est. 4 people/unit
 open 3/1-11/1 (246 days)
 @ 15 gpd/person (day camp)

$$V_R = \frac{(15)(25)(4)(246)}{325,850} = 1.1\text{ Af}$$

$$V_D = (.02)(365)(1.9835) = 14.5\text{ Af}$$

limited cfs by permit

allow 1.1 Af

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Property AKA Cottonwood Campground.
SRBA claim A51-07299 filed although not required per use or
per date proof filed.
Campground falls within 4 QCs per top; layout of units seen
on site.
Well is below (north of) canal; definitely is 5.8 per top.
Well drilled 12/87 per 51-88-2-001.
Conditions of permit are met.
Volume calculation is maximum use 3/1-11/1 although it's obvious
that use is probably just a fraction of this. Without add'l.
data, use max allowable, which is a minor amount anyway.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.02	1.1
Totals:			.02	1.1

2. Recommended Amendments


- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Steve Lester
Signature Steve Lester
Certification Date _____
Field Report Preparation Date 7-1-93

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



57-07299

T65

RSE

5.17 ± 8

No Lots { 5.08
5.17

Pln
Cottonwood
Camp ground

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 51-07299

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____1/4____1/4
or Lot____.

2. Owner: _____

Address_____, City_____, St_____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____

4. Access Port: Yes ☒ No _____ Static Water Level: +6' > LSD *
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 6"
Flowing: Yes ☒ No _____ Temperature: cold

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Flowing artesian well for Fig Cottonwood
Campground is properly valued.

* log 6' > wellhead;
when unscrewed domestic plug in sanitary seal,
water shot up to ~6'

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]




PHOTO ONE- well is typical spot for Campground.



PHOTO TWO- View of P/M looking east from well.

Cottonwood Campground



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, ~~450 W. State Street~~, Boise, Idaho

CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 5, 1988

RE: Permit Nos. 11-7290/7307, 29-7684, 35-7913, 51-7221,
55-7139/7277/7358, 57-7291/7376/7377, 65-12653/
12654/12706, 73-7081/7082, 74-7202/7204/
7205/7206/7208/7212/7213/7215, 75-7106/7393/7396

Bureau of Land Mgmt.
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

Enclosed herewith are copies of the water right licenses issued on the above referenced permits.

If you have any questions concerning these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosures

RECEIVED
FEB 29 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Permit No. 47-37

Phone No. _____

1. Owner: BLM Phone No. _____
Current Address: 3948 Development Ave. Boise, ID 83705

2. Accompanied by: Kim Schultsmeier EXAM. DATE: 6-20-86
Address: _____ Phone No. 334-9245
Relationship to Permit Holder: _____ 10-6-87

3. Source: # unnamed stream tributary to Dry Creek

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
20' high earthen dam. Collects snowmelt and runoff (see attachment) Dam has siphon over embankment to return water to stream channel.

6	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calb. Date

7. Measurements Est. ☐ Additional data/computation sheets attached

7.5 a.f. for stockwater storage 2.5 a.f. for wildlife storage
~~7.5~~^{7.5} a.f. from storage for stockwater 2.5 a.f. from storage for wildlife
 from 1-1 to 12-31 300 hd cattle 2000 hd. sheep
 Total storage 10 afa Wildlife/stock water


8. Point(s) of Diversion:	Indicate Method of Determination
---------------------------	----------------------------------

[illegible]

9.	Place(s) of Use:	Irrigation - give acres served by system at time of exam. Indicate Method of Determination _____
----	------------------	---

[illegible]

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks Dry Creek Res. #4 project #6398

15. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Carter Fritschle Date 6-20-86

Consultant's License Number _____


IDWR Director's Authorization to Conduct

Beneficial Use Examination 6-20-86

Date


DRT 12/8/86

CONSULTANT SEAL




MICROFILMED

FEB 29 1988




TYPICAL PROFILE

N.T.S.



PLAN

N.T.S.



TYPICAL CROSS-SECTION

N.T.S.

MICROFILMED

FEB 29 1988

U. S. DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	
TYPICAL STOCKWATER DAM	
DESIGNED <i>R.C.</i>	RECOMM. <i>R.C.</i>
DRAWN <i>G.P.H.</i>	RECOMM. <i>G.P.H.</i>
CHECKED <i>R.</i>	APPROVED <i>R.</i>
SCALE 1" = 10'	
DATE 11-20-78 (Sheet) 1 of 1	
DRAWN BY 11-01-78 1-7	

SW NW 1 25 6W
Staff Analysis Sheet
for
Beneficial Use Field Report

57-7291
Permit No.

Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Govt. Lot
- ☒ Check of P/D index CLF 6-10-86 (Initials, date)

Overlap? ☐ yes ☒ no ☐ If yes, copy attached?

Check of P/U index CLF 6-10-86 (Initials, date)

Overlap? ☐ yes ☒ no ☐ If yes, copy attached?

Aerial Photo

Required? ☐ yes ☒ no ☐ If yes, copy attached?

Scheduling Letter sent? No (Initials, date)

☒ Appointment made and telephone conversation memo attached?

After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

Review and Processing

Exam Completed Indra L. L. 6-20-86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent DW 12/1/86 (Initial and date)

Exam Reviewed by Manager of Regional Office DW 12/8/86 (Initial and date)

Exam Date Entered in Computer 2/1/87 (Initial and date)

Exam sent to State Office 1-5-87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and
Original Refiled in White File 12-11-86 (Initial and date)

FEB 24 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

December 16, 1982

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

Bureau of Land Management
3948 Development Avenue
Boise, ID 83705

Re: See attached list

Dear Sirs:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐

A field examination of your system has been scheduled for
when weather permits.

If this time and date is not convenient for you, please contact
this office as soon as possible.

☒

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact
this office.

Sincerely,

Judy Pense

Judy Pense
Secretary

B.L.M.

55-7143
55-7144
55-7145
55-7146
55-7147
55-7148
55-5149
55-7150
55-7155
55-7156
55-7159
55-7160
55-7163
55-7164
55-7167
55-7169
55-7174
55-5175
55-7176
55-7178
55-7179
55-7182
55-7183
55-7184
55-7185
55-7187
55-7188
55-7189
57-7291
57-7295
57-7298
57-7303
57-7304

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card statement that the permit holder(s) has completed development to the extent shown below Permit No. 52-7291

Name(s) of Permit Holder Bureau of Land Management

Post Office Address: 3948 Development Ave

Boise, Idaho 83702 Tel No. 334-1582

Source of Water: Unnamed Stream

Extent of Use:

☐ Domestic	(number of households)
☒ Stockwater <u>300 Cows 200 Sheep</u>	(number and type of stock)
☐ Irrigation	(acres)
☒ Other <u>Wildlife</u>	

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed:

11/15/82
Date

[Signature]
Signature of Permit Holder

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: DBS

APPLICATION NUMBER: 57-7291

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No
☒ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: October 10, 1981

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/19/81

- ☒ Application published correctly. If not, record action taken: _____

- ☒ Fee amount, receipt date & number, recorded on application. 30.00 20573

- ☒ Publication dates and paper, recorded on application. 10/28 & 10/15, 1981

- ☒ Protests, dates, withdrawal, etc., recorded on application.

- ☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No Measuring device required.

- ☐ Yes ☒ No Access port required.

- ☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

- ☒ 9/29/81 Date of priority recommended.

Special conditions of approval or cover letter. _____

STAT. OFFICE REVIEW:
SLW/L09 18

Date: 12/21/81

- ☐ See attached sheet for more information.

By: [Signature]

Date: 1/7/82

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address.
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 22, 1982

RE: Permits Nos. 51-7176, 51-7177, 51-7178 and 57-7291

U.S. Dept. of Interior
Bureau of Land Management
3948 Development Ave.
Boise, ID 83705

Gentlemen:

Enclosed are copies of your approved applications for permit. We direct your attention to the conditions of approval on the fourth pages.

Please note on Permit No. 57-7291 that if the diversion dam is 10 feet or more in height, or has an impounding capacity of 50 acre-feet or more, certain dam safety requirements must be met. Please contact the regional office nearest you for details.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop these permits into licenses.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, -Water Allocation Section

DRT:kw
Enclosures

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

OCTOBER 1, 1981

Dwvhee Nusset
Marsing, ID 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 26, 1981.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before OCTOBER 26, 1981.

A. KENNETH DUNN

Director

Published 10/8 & 10/15/81.

MICROFILMED

U.S. DEPT. OF INTERIOR

B' (U) OF LAND MGMT., 3243 DEVELOPMENT AVE., POI-E. ID 81700

Source: UNNAMED STREAM tributary to DRY CREEK

Date Filed: 09/29/1951

E. Cont: 10.0 AC-FT

Diversion Point: SWNW Sec 01 T 02S R 06W DUNHEE Co.

Use	STOCKWATER STORAGE	(7.5 AC-FT)	from 01/01 to 12/31
	STOCKWATER FROM STORAGE	(7.5 AC-FT)	from 01/01 to 12/31
	WILDLIFE STORAGE	(2.5 AC-FT)	from 01/01 to 12/31
	WILDLIFE FROM STORAGE	(2.5 AC-FT)	from 01/01 to 12/31

Place of Use: SWNW Sec 01 T 02S R 06W

Diversion Means: SIPHON OVER STORAGE DAM & STREAM CHANNEL

MICROFILMED