

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss.
COUNTY OF OWYHEE)

RECEIVED
JUL 6 1981

I, Joe E. Aman, being first duly sworn, depose and say:

Department of Water Resources
Western Regional Office

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.
2. The during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of THE OWYHEE CHRONICLE, a newspaper of general circulation printed and published weekly, on Thursday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.
3. That the said THE OWYHEE CHRONICLE has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.
4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement thereto, in said newspaper, in two (2)..... (consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

June 3, 1981

June 10, 1981

(Signed)

Joe E. Aman

Subscribed and sworn to before me this 10th day of June
A.D., 19..... 81

MICROFILMED

Notary Public in and for the State of Idaho,
residing at Homedale, Idaho
My Commission expires March 24, 1980

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application have been submitted for permit to appropriate the public waters of the State of Idaho:

02-7347

OWYHEE DAIRY
C/O ELDON JORGENSEN
RT. 1, HOMEDALE, ID 83628
Source: SNAKE RIVER
tributary to COLUMBI
RIVER

Date Filed: 05/20/1981
Amount: 0.80 CFS
Diversion Point: LOT 0
(SWNW) Sec 29, T 04N R 05W
OWYHEE Co.

Use: IRRIGATION (0.80 CFS)
from 3/15 to 11/15

Place of Use: LOT 06 (NWSW)
Sec 29, T 04N R 05W, NESE
Sec. 30, T 04N R 05W, FOR 40
ACRES

Diversion Means: PUMP
PLANT & SPRINKLER
SYSTEM

57-7280

CALDWELL, ROBERT K.
P.O. BOX 199, MARSING, ID 83639

Source: SPRING tributary to
SNAKE RIVER

Date Filed: 05/19/1981

Amount: 0.04 CFS

Diversion Point: LOT 05
(SWSE) Sec. 34, T 03N R 04W,
OWYHEE Co.

Use: DOMESTIC (0.04 CFS)
from 01/01 to 12/31

Place of Use: LOT 05 (SWSE)
Sec. 34, T 03N R 04W

Diversion Means: PUMP &
PUMPLINE

57-7281

BARBER, HERSCHELL &/or
WILLIE JO

BOX 801, HOMEDALE, ID
83628

Source: UNNAMED DRAIN
tributary to SNAKE RIVER

Date Filed: 05/19/1981

Amount: 0.02 CFS

Diversion Point: SWNE Sec. 04,
T 03N R 05W, OWYHEE Co.

Use: IRRIGATION (0.02 CFS)
from 03/15 to 11/15

Place of Use: SWNE Sec. 04, T
03N R 05W FOR 1 ACRES

Diversion Means: PUMP &
PUMPLINE

If issued, the permit(s) will
be subject to all prior water
rights. Protests against the
granting of any permit must be
filed with the Director of the
Idaho Department of Water
Resources, 92 S. Cole Road,
Boise, Idaho 83709 on or before
JUNE 22, 1981.

A. KENNETH DUNN
Director

Publish June 3, 10, 1981 21

6073

777

75

R



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-7280

Priority: May 19, 1981 Amount: .02 CFS .6 AFA

This is to certify, that ROBERT K. CALDWELL
P.O. BOX 199
MARSING, ID 83639

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated May 19, 1981, and has submitted proof to the Department of Water Resources on May 19, 1981, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .12 cfs of water from;

SPRING tributary to SNAKE RIVER

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.02 cfs	.6 afa

LOCATION OF POINT OF DIVERSION(S): LOT 5(SWSE), Sec. 34, Township 3N, Range 4W
Owyhee County

PLACE OF USE: Domestic

TWN RGE SEC

3N 4W 34 LOT 5(SWSE)

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for watering of lawn & shrubs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18th day of June, 1987.

MICROFILMED

for the

Director



JUL 06 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert K. Caldwell Phone 0-896-4195
#-896-4297

Post office address P. O. Box 199, Marsing, ID 83639

2. Source of water supply Spring which is a tributary of Snake River

3. Location of point of diversion is SW (Lot 5) 1/4 of SE 1/4 of Section 34 Township 3N

Range 4W B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
Pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: (Lot 5)
(1) Give the place of use of water: SW 1/4 of SE 1/4 of Section 34 Township 3N
Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.

b) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. none

9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

MICROFILMED

A hand-drawn map on a grid. The map shows a proposed road (RD) and a lot (Lot 5). The labels are as follows:

- RAW**: Located in the upper right quadrant of the map.
- T3N**: Located in the center of the map, with the 'T' and 'N' stacked vertically and a '3' in between.
- 34**: Located to the right of the 'T3N' label.
- Lot 5**: Located in the lower right quadrant of the map, with a small arrow pointing to a specific area.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 5/19/81
Received by DS Date 5/19/81 Time 11:30 AM
Preliminary check by GLS Fee \$ 30 # 360
Receipted by DS Date 5/19/81
Publication prepared by web Date 5/28/81
Published in Owaghee Chronicle
Publication dates 6/4 & 6/11/81
Publication approved js Date 7/8/81
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7280, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 82.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 16th day of July, 1981.

James C. Young
Administrator, Resources Admin. Div.

MICROFILMED

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss.
COUNTY OF OWYHEE)

RECEIVED
JUL 6 1981

I, Joe E. Aman, being first duly sworn, depose and say:

Department of Water Resources
Western Regional Office

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. The during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of THE OWYHEE CHRONICLE, a newspaper of general circulation printed and published weekly, on Thursday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said THE OWYHEE CHRONICLE has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement thereto, in said newspaper, in . . . twp. (2) (consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

June 3, 1981
June 10, 1981

(Signed)

Subscribed and sworn to before me this . . . 10th day of June . . .
A.D., 19. 81

MICROFILMED

Notary Public in and for the State of Idaho,
residing at . . . Homedale, Idaho
My Commission expires March 24, 1980

NOTICE OF APPLICATION
FOR WATER RIGHT
Notice is hereby given
the following application
have been submitted for per
to appropriate the pub
waters of the State of Idaho
02-7347
OWYHEE DAIRY
C/O ELDON JORGENSO
RT. 1, HOMEDALE, ID 83628
Source: SNAKE RIVE
tributary to COLUMBI
RIVER
Date Filed: 05/20/1981
Amount: 0.80 CFS
Diversion Point: LOT 0
(SWNW) Sec 29, T 04N R 05W
OWYHEE Co.
Use: IRRIGATION (0.80 CFS,
from 3/15 to 11/15
Place of Use: LOT 06 (NWSW)
Sec 29, T 04N R 05W, NESE
Sec. 30, T 04N R 05W, FOR 40
ACRES
Diversion Means: PUMP
PLANT & SPRINKLER
SYSTEM

57-7280
CALDWELL, ROBERT K.
P.O. BOX 199, MARSING, ID 83639
Source: SPRING tributary to
SNAKE RIVER
Date Filed: 05/19/1981
Amount: 0.04 CFS
Diversion Point: LOT 05
(SWSE) Sec. 34, T 03N R 04W,
OWYHEE Co.
Use: DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: LOT 05 (SWSE)
Sec. 34, T 03N R 04W
Diversion Means: PUMP &
PUMPLINE
57-7281
BARBER, HENRY J.
P.O. BOX 801, HOMEDALE, ID 83628
Source: UNNAMED DRAIN
tributary to SNAKE RIVER
Date Filed: 05/19/1981
Amount: 0.02 CFS
Diversion Point: SWNE Sec. 04,
T 03N R 05W, OWYHEE Co.
Use: IRRIGATION (0.02 CFS)
from 03/15 to 11/15
Place of Use: SWNE Sec. 04, T
03N R 05W FOR 1 ACRES
Diversion Means: PUMP &
PUMPLINE

If issued, the permit(s) will
be subject to all prior water
rights. Protests against the
granting of any permit must be
filed with the Director of the
Idaho Department of Water
Resources, 92 S. Cole Road,
Boise, Idaho 83709 or before
JUNE 22, 1981.

A. K.
Publish June 2, 1981

June 23, 1987

ROBERT K. CALDWELL
P.O. BOX 199
MARSING, ID 83639

RE: Permit No. 57-7280

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 06 1987

May 28, 1987

ROBERT K. CALDWELL
P.O. BOX 199
MARSING, ID 83639

RE: Permit No. 57-7280

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
JUL 06 1987

MAR 25 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 28 1985

57-7280

Department of Water Resources
Permit No. 2579-2

Phone No. 296-4195

~~REPRINTED~~

1. Owner: Robert K. Caldwell Phone No. 296-4195
Current Address: Box 199 Marryng, Ida 83637 **REVOUNCHED**

2. Accompanied by: applicant EXAM. DATE: 10-24-96
Address: _____ Phone No. _____

3. Source: Spring tributary to Snake River

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<i>8th site</i>	<i>2</i>	<i>256M2311C2</i>	<i>8th site</i>	<i>25733ABW</i>

***Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.**

5. **System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

• inter-irrigation of lawn & shrubs.

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

7. Measurements ☐ Additional data/computation sheets attached

$2AP \times 8.8 \times 8090 \frac{1}{2} = 14.08$
 $2.07 \times 13.02 \times 113.02 \sqrt{14.9} = .12 \text{ CS}$
 Recommended .02 CS Size of bit $180 \times 110 = 19800 \text{ lbs}$ (300 for
 base & etc $= 18500 + 42560 = 61056 \times 5PF = 2.1 AFA$


8. Point(s) of Diversion: _____ Indicate Method of Determination _____

[illegible]

9.	Place(s) of Use:	Irrigation - give acres served by system at time of exam. Indicate Method of Determination _____
----	------------------	---

[illegible]

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks 770 in house was found - irrigated lawn & shrubs

15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature John K. Meyer Date 10/25/85
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date

CONSULTANT SEAL

MICROFILMED

JUL 06 1987

8

0

RECOMMENDED AMOUNTS

- | 3. Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
|---------------|----------|--------|-----------|----------------------|-----------------|
| 57-7280 | | .02 | | | 13.533 |

4. Permit Holder: Robert K. Caldwell

Address: Box 199 Maricopa, Idaho 83637

5. Source: Spring tributary to Snake River

6. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>Domestic</u>	<u>3/15</u>	<u>11/15</u>	<u>.02</u>	<u>2.1</u>
Allowable Maximums:			<u>.02</u>	<u>2.1</u>

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
	<u>5</u>		<u>SW</u>	<u>SE</u>	<u>34</u>	<u>3N</u>	<u>4W</u>	<u>Bonanza</u>

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<u>3N</u>	<u>4W</u>	<u>34</u>																	<u>.42</u>
Total Acres <u>.42</u>																			

9. Recommended Conditions/Remarks: Listed domestic for irrigation of lawn & shrubs. No in house use found.

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature John R. Meyer Date 10/25/85

Checked in Regional Office by 6 Date 3/19/86

Approved in State Office by 1111 Date 06/1987

RECEIVED
MAR 25 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
OCT 28 1985

57-7280
Permit No.

Department of Water Resources

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\frac{2HP \times 8.8 \times 80\% \text{ eff}}{20 \text{ ft lift} \times .43 \text{ / } 40 \text{ PSI} (93.02)} = 14.08$$

$$113.02 \div 14.08 = .1255 \text{ total capacity}$$

$$\text{Size of lot } 180' \times 110' = 19800' \text{ less } 1300' \text{ for house etc} =$$

$$18500 \div 43560 = .42 \text{ acres Recommend } .0255$$

770 in house - we found.

b) Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .42 \times 5 = 2.1$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 245 \times 1.9835 = 9.7$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 2.1$$

c) Volume Calculations for Other Uses:

none

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:

MICROFILMED
JUL 06 1987

6073

777

75

R





State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C STEPHEN ALLRED

Director

(208) 384-2190

September 9, 1981

Robert E. Caldwell
P. O. Box 199
Marsing, Idaho 83639

RE: 57-7280

Dear Mr. Caldwell:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

No Appointment Made

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 57-7280

Name(s) of Permit Holder: ROBERT K. CALDWELL

Post Office Address: P.O. Box 199

MARSING, ID 83639 Tel. No. H-896-4297
O-896-4195

Source of Water: _____

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Point: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/19/81
Date

Robert K. Caldwell
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CALDWELL, ROBERT K.
P.O. BOX 199
MARSING, ID 83639

JULY 29, 1981

RE: PERMIT NO. 57-7280

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

57

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS

APPLICATION NUMBER: 57-7280
Caldwell

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None
☒ Yes ☐ No* In form for advertising. 6/22/81 ✓
☐ Yes ☒ No Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/6/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 5/19/81 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: DBS Date: 7/8/81

STATE OFFICE REVIEW:

- slw/o cond
☐ See attached sheet for more information.
By: Rolyn Date: 7/15/81

MICROFILMED

5Z=2280_

CALDWELL, ROBERT K.

P.O. BOX 199, MARSING, ID 83639

Source: SPRING tributary to SNAKE RIVER

Date Filed: 05/19/1981

Amount: 0.04 CFS

Diversion Point: LOT 05 (SWSE) Sec 34 T 03N R 04W, OWYHEE Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: LOT 05 (SWSE) Sec 34 T 03N R 04W

Diversion Means: PUMP & PIPELINE.

MICROFILMED