


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ernest Johnson
(Applicant)

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 2 day of April, 1981, and the last publication being on the 9 day of April, 1981;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 9 day of

April, 1981.

Lena S. Hawes
NOTARY PUBLIC

My commission expires 9-16-84

(SEAL)

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

57 - 7269

U. S. DEPT. OF INTER.
BUR. OF LAND MGMT.,
BOX 42. FEDERAL BLDG.,
550 W. FORT ST., BOISE, ID
83724

Source: GROUNDWATER
Date Filed: 03/12/1981
Amount: 0.01 CFS
Diversion Point: SESE Sec
22 T 05S R 02E OWYHEE
Co.

Use: STOCKWATER (0.01
CFS) from 11/01 to 01/31
WILDLIFE: (0.01 CFS)
from 01/01 to 12/31

Place of Use: SESE Sec
22, T 05S R 02E
Diversion Means: WIND-
MILL & STORAGE TANK.

57 - 7271

JOHNSON, ERNEST C. &/or
BETTE J.
RT. 2 BOX 90, HOMEDALE,
ID 83628

Source: SUCCOR CREEK
tributary to SNAKE RIVER
Date Filed: 03/12/1981
Amount: 1.00 CFS
Diversion Point: NENW
Sec 14 T 03N R 06W, OWYHEE
Co.

Use: IRRIGATION (0.80
CFS) from 03/15 to 11/15
MINING (0.40 CFS) from
01/01 to 12/31
Place of Use: NENW LOT
01 (NWNW) Sec. 14 T 03N R
06W FOR 40 ACRES
Diversion Means: PUMPING
STATION.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before APRIL 20, 1981.

C. STEPHEN ALLRED
Director

Published April 2 and 9, 1981
in the Owyhee Nugget, Marsing,
Owyhee County, Idaho.

RECEIVED

APR 13 1981

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 57-07271
1. Owner: Ernest C. &/or Bette J. Johnson Phone No. 337-4128
Current Address: Rt. 2, Box 90, Homedale, ID 83628
2. Accompanied by: Bette J. Johnson EXAM. DATE: 8-20-91
Address: same as above Phone No. 337-4128
Relationship to Permit Holder: same
3. Source: Succor Creek tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: #57-00004, #57-00003 ☒ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 660'

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
APR 09 1992

The map is a survey of a coastal area, divided into several sections. The sections are labeled as follows:

- Sec. 11**: Located in the upper left quadrant.
- Sec. 12**: Located in the upper right quadrant.
- Sec. 13**: Located in the middle right quadrant.
- Sec. 14**: Located in the middle left quadrant, highlighted in yellow.
- Sec. 23**: Located in the lower left quadrant.
- Sec. 24**: Located in the lower right quadrant.


The map includes numerous bearings and distances, indicating the boundaries and internal divisions of the sections. A prominent yellow highlight is visible across the middle section, labeled 'Sec. 14'. The map is oriented with North at the top. A red stamp 'RESERVE' is visible on the right side.

APR 09 1992

APR 09 1992


Sec. 19

57-07271
T3N R6W
S. 14





57-007271 IS DELIVERED VIA A 6" PVC INTAKE PIPE DRAWN BY A TRAILER MOUNTED BERKLEY PUMP WITH 60 PSI PRESSURE THE PUMP IS DRIVEN BY A CASE 800 C TRACTOR WITH PTO HORSEPOWER RATING OF 53 HP. A BURIED MAINLINE IS PRESSURIZED AND THE IMPROVED PASTURE IS SPRINKLED VIA RISERS TOPPED BY RAINBIRDS (PICTURED ABOVE)



ALL FILMED
APR 09 1992

57-07271



57-007271 IS DELIVERED VIA A 6" PVC INTAKE PIPE (PICTURED ABOVE) DRAWN BY A TRAILER MOUNTED BERKLEY PUMP WITH 60 PSI PRESSURE (PICTURED BELOW). THE PUMP IS DRIVEN BY A CASE 800 C TRACTOR WITH PTO HORSEPOWER RATING OF 53 HP.

MICROFILMED
APR 09 1992

57-07271

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07271

Priority: November 26, 1981

Maximum Diversion Rate: 0.80 CFS
Maximum Diversion Volume: 200.0 AF

This is to certify, that ERNEST C JOHNSON
BETTE J JOHNSON

RT 2 BOX 90
HOMEDALE ID 83628

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 12, 1981; and has submitted Proof of Beneficial Use on March 28, 1986. An examination indicates that the works have a diversion capacity of 2.060 cfs of water from:

SUCCOR CREEK tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.80 CFS	200.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NE1/4, Sec. 14, Township 03N, Range 06W
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	06W	14	NWNE 9	NE1/4 24	Lot 1(NWNW) 7	40
Total number of acres irrigated:						40

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.

RECORDED

APR 09 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07271

CONDITIONS/REMARKS:

6. The Director retains jurisdiction of this right to require the installation and maintenance of a measuring device if regulation of the diversion is necessary in the future.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 1st day of April, 1992.

Acting for R. Keith Higginson, Director

FILED
APR 09 1992

RECEIVED
FEB 25 1992

State of Idaho
Department of Water Resources

APPROVED

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07271

Date of Priority: November 26, 1981

Maximum Diversion Rate: 0.80 CFS
Maximum Diversion Volume: 200.0 AF

Comes now

ERNEST C JOHNSON
BETTE J JOHNSON

RT 2 BOX 90
HOMEDALE ID 83628

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 57-07271, and requests that the permit be changed as follows:

Source: SUCCOR CREEK tributary to SNAKE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.80 CFS	200.0 AF

LOCATION OF POINT(S) OF DIVERSION: NENW, Sec. 14, Township 03N, Range 06W
OWYHEE County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
03N	06W	14	NWNE 9	NENW 24 Lot 1(NWNW) 7	40
Total number of acres irrigated:					40

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, this 25th day of February, 1992.

RECEIVED

APR 09 1992

Bette J. Johnson
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07271

FOR DEPARTMENT USE ONLY

#C023341

Preliminary check by GN Fee ☒ \$20.00

Received by JJ Date 2-25-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 57-07271 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.
6. In the event that water used under this right should be discharged into a natural channel, settling ponds will be required which are capable of reducing the silt load to such a level that the quality of the water would not be impaired for other beneficial uses.

Witness my hand this 1st day of April, 1992.

R. Keith Higginson
Acting for R. Keith Higginson, Director.

APR 09 1992

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO**

IN THE MATTER OF PERMIT)
)
NO. 57-07271 IN THE NAME OF)
)
ERNEST C. &/OR BETTE J. JOHNSON)
_____)

ORDER OF REINSTATEMENT

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 57-07271 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 57-07271 to appropriate the public waters of the State of Idaho with a proposed priority of MARCH 12, 1981.

2. On APRIL 03, 1987 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 02, 1987.

3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

RECEIVED
APR 09 1992

4. The license examination fee was received on
FEBRUARY 16, 1988, 259 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 57-07271 should be advanced 259 day(s).

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 57-07271 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 57-07271 is advanced to NOVEMBER 26, 1981.

Dated this 18th day of February, 1992.


Chief, Water Allocation Bureau

APR 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ernest C. &/or Bette J. Johnson Phone 337-4128

Post office address Rt. 2, Box 90, Homedale, ID 83628

2. Source of water supply Succor Creek which is a tributary of Snake River

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 3N

Range 6W B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .8 cfs for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .4 cfs for Mining purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Pumping station - sprinkler irrigation.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: NW NW (Lt. 1) 14 3N
(1) Give the place of use of water: NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 3N
Range 6W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	6W	14					30	Lt. 1 10											40

Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes as described above. Storage
water from reservoirs on unnamed stream.

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing _____

10. Remarks _____

NOTED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ernest Johnson
(Applicant)

MICROFILMED

Proposed Priority 3/12/81

Received by JKN Date 3/12/81 Time 3:10 PM

Preliminary check by GRS Fee \$ 45⁰⁰/10 # 17356

Receipted by JKN Date 3/12/81

Publication prepared by hkh Date 3/19/81

Published in Owyhee Nugget

Publication dates 3/26 & 4/2/81

Publication approved hkh Date 4/20/81

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS 

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7271, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

In the event that water used under this permit should be discharged into a natural channel, settling ponds will be required which are capable of reducing the silt load to such a level that the quality of the water would not be impaired for other beneficial uses.

Witness my hand this 30th day of April, 1981.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 4 day of April, 1981, and the last publication being on the 9 day of April, 1981;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 9 day of

April, 1981.

Donald S. Hansen
NOTARY PUBLIC

My commission expires

(SEAL)

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

57 - 7269

U. S. DEPT. OF INTER.
BUR. OF LAND MGMT.
BOX 42, FEDERAL BLDG.,
550 W. FORT ST., BOISE, ID
83724

Source: GROUNDWATER

Date Filed: 03/12/1981

Amount: 0.01 CFS

Diversion Point: SESE Sec
22 T 05S R 02E OWYHEE
Co.

Use: STOCKWATER (0.01
CFS) from 11/01 to 01/31

WILDLIFE: (0.01 CFS)
from 01/01 to 12/31

Place of Use: SESE Sec
22, T 05S R 02E

Diversion Means: WIND-
MILL & STORAGE TANK

57 - 7271

JOHNSON, ERNEST C. &/or
BETTE J.

RT. 2 BOX 90, HOMEDALE,
ID 83628

Source: SUCCOR CREEK
tributary to SNAKE RIVER

Date Filed: 03/12/1981

Amount: 1.00 CFS

Diversion Point: NENW
Sec 14 T 03N R 06W, OWYHEE
Co.

Use: IRRIGATION (0.80
CFS) from 03/15 to 11/15

MINING (0.40 CFS) from
01/01 to 12/31

Place of Use: NENW LOT
01 (NWNW) Sec. 14 T 03N R
06W FOR 40 ACRES

Diversion Means: PUMPING
STATION

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before APRIL 20, 1981.

C. STEPHEN ALLRED
Director

Published April 2 and 9, 1981
in the Owyhee Nugget, Marsing,
Owyhee County, Idaho.

RECEIVED

APR 13 1981

Department of Water Resources
Western Regional Office

June 12, 1992

ERNEST C JOHNSON
BETTE J JOHNSON
RT 2 BOX 90
HOMEDALE ID 83628

RE: Water Right No. 57-07271

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

June 8, 1992

ERNEST C JOHNSON
BETTE J JOHNSON
RT 2 BOX 90
HOMEDALE ID 83628

RE: Water Right No. 57-07271

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

May 19, 1992

ERNEST C JOHNSON
BETTE J JOHNSON
RT 2 BOX 90
HOMEDALE ID 83628

RE: Water Right No. 57-07271

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement

purposes. This type of coordination could minimize the impact on existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

April 2, 1992

ERNEST C JOHNSON
BETTE J JOHNSON
RT 2 BOX 90
HOMEDALE ID 83628

RE: WATER RIGHT NO. 57-07271

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

MICROFILMED

APR 09 1992

February 14, 1992

ERNEST C JOHNSON
BETTE J JOHNSON
RT 2 BOX 90
HOMEDALE ID 83628

RE: WATER RIGHT NO. 57-07271

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

MICROFILMED

APR 09 1992

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 57-7271

FROM: SHARLA CURTIS

RE: PRIORITY ADVANCE REVIEW

DATE: 22-OCT-1991

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	MARCH 12 1981	71
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 03 1987	93
Exam Fee/Info Sheet Received Date:	FEBRUARY 16 1988	412
Exam Fee or Info Due Date:	JUNE 02 1987	153
Days Late:		259 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	MARCH 12 1981	71
Total Days Late:		259 DAY(S)
New Priority Date:	NOVEMBER 26 1981	330

MICROFILMED

APR 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 57-07271
1. Owner: Ernest C. & for Bette J. Johnson Phone No. 337-4128
Current Address: Rt. 2, Box 90, Homedale, ID 83628
2. Accompanied by: Bette J. Johnson EXAM. DATE: 8-20-91
Address: same as above Phone No. 337-4128
Relationship to Permit Holder: same
3. Source: Succor Creek tributary to Snake River

B. OVERLAP REVIEW

- 1 Other water rights with same place of use: #57-00004, #57-00003
☒ Copies Attached
2 Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECORDED
APR 09 1992

Scale: 1" = 660'

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

At the time of exam, Succor Ck. was too low to pump from as other rights were being delivered. However, the improved pasture and delivery system were examined and a theoretical calculation done.

*HP at PTO = 53 hp as per manufacturer.
Length of pipe from creek = 40'. Vertical lift = 20'.
8 risers with rainbird sprinklers. Mining use was not developed.*

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>Tractor</i>	<i>Case 800C</i>	<i>53</i>		<i>Berkley</i>	<i>3x4 Discharge & Butterfly valve & prime.</i>

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		<i>SE</i>	<i>NE</i>	<i>NW</i>	<i>14</i>	<i>3N</i>	<i>6W</i>	<i>Owyhee</i>	<i>Field Examination</i>

orthophoto + Aerial photo 9/24/91

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>3N</i>	<i>6W</i>	<i>14</i>		<i>9</i>			<i>24</i>	<i>7</i>	<i>BLI</i>										<i>40</i>

Do not use this space

APR 09 1992

Do not use this space

D. FLOW MEASUREMENTS *N/A*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

*System was not operating at time of exam.
Measurement not possible. Request removal of
measuring device requirement.*

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\frac{(53 \text{ hp})(8.8)(.70 \text{ eff.})}{(60 \text{ psi} \times 2.31) + 20'} = \frac{326.48}{158.6} = 2.06 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 60 psi x 2.31 = 138.6 ft (1); Dynamic pumping level: 20 ft (2)

Total Head: (1) + (2) = 158.6 (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{40 \text{ ac.} \times 5.0 = 200.0 \text{ AFA}}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{.80 \times 1.9835 \times 246 = 390.4 \text{ AFA}}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \underline{200.0 \text{ AFA}}$$

2. Volume Calculations for Other Uses:

APR 09 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Exam fee of \$100 paid 2-16-88. Proof made 3-28-86.
Mining use was never developed. Request
removal of measuring device requirement - no
way to attach to this system.

Overlap

57-10003/00004 L.N. stream for some of same area in permit.

782 9/26/91

SRBA claim received 8/20/91 per AJ query

Recommend 'R33' as license condition

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3-15	11-15	~~0.80 cfs~~ → 0.80 cfs	200.0 AFA
Totals:			0.80 cfs	

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Kay Walker


Signature

Kay Walker

Certification Date

Field Report Preparation Date

9-16-1991



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

APR 09 1992



57-07271

57-07271
T3N R6W
S. 14

PER CONVERSATION WITH EXAMINERS

/// = PASTURE irrigation; these acres are not included by ASCS in acre calculations.

○ = ASCS acre outline.

Both are considered irrigated land by IDWR.

Permit limit = 40 acres & examiners recommend
as many acres as can grow
acres found/gg & permit gg plus.

JL 9/26/91



one
two

RECEIVED
APR 09 1968

NET
H. 20-05

292

119

176

351

318

231

82

240

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20

46

2

20

56

96

20




57-007271 IS DELIVERED VIA A 6" PVC INTAKE PIPE DRAWN BY A TRAILER MOUNTED BERKLEY PUMP WITH 60 PSI PRESSURE THE PUMP IS DRIVEN BY A CASE 800 C TRACTOR WITH PTO HORSEPOWER RATING OF 53 HP. A BURIED MAINLINE IS PRESSURIZED AND THE IMPROVED PASTURE IS SPRINKLED VIA RISERS TOPPED BY RAINBIRDS (PICTURED ABOVE)



AL-707271
FILMED
PR 0 9 1992

57-07271



57-007271 IS DELIVERED VIA A 6" PVC INTAKE PIPE (PICTURED ABOVE) DRAWN BY A TRAILER MOUNTED BERKLEY PUMP WITH 60 PSI PRESSURE (PICTURED BELOW). THE PUMP IS DRIVEN BY A CASE 800 C TRACTOR WITH PTO HORSEPOWER RATING OF 53 HP.

RECEIVED
APR 09 1992

57-07271

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 57-7271
Name(s) of Permit Holder(s): E.C. Johnson
Post Office Address: RR2 Box 90, Homedale, ID
87628 Tel. No. 337-4128

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on MAY 15, 1982 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

APR 8 9 1982

*Note: A financing difficulty is
not an acceptable reason

Date

Signature of Permit Holder

E.C. JOHNSON

RR2 BOX 90

Homedale, Id 83628



HERE





APR 09 1992

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

*Johnston
P.O. Box 90
Homelet Id. 83421*



MICROFILMED

APR 19 1992

RETURN RECEIPT
REQUESTED

*Idaho Department of Police Resources
Statehouse
 Boise Idaho 83720*



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

June 13, 1988

RE: Permit No. 57-7271

Bette Johnson
Rt. 2, Box 90
Homedale, ID 83628

Dear Mrs. Johnson:

Following your visit here on May 12, 1988, I forwarded your examination request to our Western Regional Office for processing. On May 24 it was brought to my attention that you had previously filed the examination request at our Western Regional Office on February 16, 1988.

Since you had already submitted the \$100.00 fee and examination information sheet, this letter is being written to let you know that you will be receiving a \$100.00 refund for the fee I accepted on May 12.

If you have any questions regarding this matter, please feel free to contact me at 334-7945.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc

cc: Western Region

FILED

APR 09 1992

MEMORANDUM

TO: NANCY HANDZEL, ACCOUNTING
FROM: KAY WALKER
RE: REFUND OF FEE - PERMIT NO. 57-7271
DATE: MAY 25, 1988

COPIES

Ernest C. and Bette J. Johnson have paid their examination fee for the above referenced water right permit twice. I would like to request that their second payment of \$100.00 be refunded to them.

The first fee of \$100.00 was received and receipted by Mike Stubblefield on Feb. 16, 1988. Mrs. Johnson went into Western and Mike assisted her in filing the examination fee information sheet. The receipt number on this form is 46079.

On May 5, 1988, Jane sent out lapse notices to all the folks who had not submitted their exam fees. The Johnson's were sent a lapse notice because Western Region had not entered the examination fee received flag into the computer and State Office had no idea that Mrs. Johnson had submitted the fee and form to Western.

Subsequently, Mrs. Johnson came into our office after receiving her lapse notice and once again filed an examination fee information sheet and another fee of \$100.00. This fee was receipted by Roberta on 5/12/1988 and was under Receipt C000641.

Please make the refund to: Bette J. Johnson
Rt. 2, Box 90
Homedale, ID 83628

Thank you very much!! KAY

MICROFILMED

APR 09 1992

INTER-DEPARTMENT MEMO — 1

FROM GAIL GARRETT

DATE 5/24/1988

TO KAY WALKER

SUBJECT EXTRA FEE EXAM. 57-7271 ERNEST C. 4/DR BETTIE J. JOHNSON

This is the one I called about.

Here are both Copies of fee Exam 57-7271.

Please refund \$100.00 that ^{was} received on 5/12/88.

Please have Cheryl file the fee information sheet
that is dated 2/16/1988.

Thanks for your help.

ALSO you might WANT TO
REVIEW - CFS ARE DIFFERENT.

Thanks.

Gail Garrett

SIGNATURE

4/86

RECEIVED
MAY 12 1988

RECEIVED
MAY 12 1988

KEYPUNCHED

For Office Use Only

Fee Received #100.Date 5-12-88Receipt # C.000641Receipt by [Signature]

Department of Water Resources

Department of Water Resources
STATE OF IDAHO
Western Regional Office

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED
MAY 25 1988

1. Permit No. 57-7271

Department of Water Resources

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Ernest C. &/or Bette J. Johnson

3. Post Office Address: Rt. 2, Box 90, Homedale, ID
83628 Telephone No. 337-4128

4. Source of Water: Succor Creek

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 40 (acres) Other/Remark mining6. Total rate &/or volume for which proof is submitted 1.0 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Spring of 1981-

8. Person to contact to accompany the department representative during the field examination:

same as above (Name)

MICROFILMED

APR 09 1992

(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

X May 12, 1988
Date

X Bette J. Johnson
Signature of Permit Holder (and title, if appropriate)



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

57-7271
JOHNSON, ERNEST C.
JOHNSON, BETTE J.
RT. 2 BOX 90
HOMEDALE, ID 83628

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

May 5, 1988

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on June 3, 1988, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 3, 1987.

If the permit lapses, it can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 1, 1988, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. GLEN SAXTON, Chief
Operations Bureau

Enclosure

RECORDED

APR 09 1992

4/86

RECEIVED
MAY 25 1988

KEYDINCH

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received Amo \$100.00
Date 2/16/88
Receipt # 46079
Receipt by Amo
Sent to S.O. 5/23/88

1. Permit No. 57-1271

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: ERNEST C. &/OR BETTE J. JOHNSON

3. Post Office Address: RT. 2 Box 90 HOMEDALE, ID 83628

Telephone No. 337-4128

4. Source of Water: SUCCEED CREEK

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 40 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .80 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

BETTE J. JOHNSON

(Name)

APR 09 1992

(SEE ABOVE)

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

2/16/88
Date

Bette J. Johnson
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

57-7271
JOHNSON, ERNEST C.
JOHNSON, BETTIE J.
RT. 2 BOX 90
HOMEDALE, ID 83628

138108

April 3, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information set showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

APR 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JUNE 2, 1986

ERNEST C. JOHNSON
RT. 2 BOX 90
HOMEDALE ID 83628

RE: Permit No. 57-7271

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

APR 09 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
MAR 28 1986

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 57-7271

Name(s) of Permit Holder: Johnson, Ernest C & Bette J

Post Office Address: Rt 2 Box 90 Homedale, ID 83628

Telephone No. 337-4128

Source of Water: Succor Creek

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 40 _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: Aug - 1982

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Bette J. Johnson
(Name)

Rt 2 Box 90 Homedale, Id. 337-4128
(Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/26/86
Date

Bette J. Johnson
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

5-14-86
MD

E. C. Johnson

Rt 2 Box 90

Homedale, Id. 83628



Idaho Department of Water Resources
Statehouse Mall
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
JANUARY 31, 1986

138764

JOHNSON, ERNEST C. & BETTE J.
RT. 2 BOX 90
HOMERDALE, ID 83628

PROOF DUE NOTICE

RE: PERMIT NO. 57-7271

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

JOHNSON, ERNEST C. & BETTE J.
RT. 2 BOX 90
HOMEDALE, ID 83628

MAY 20, 1981

RE: PERMIT NO. 57-7271

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

3/19/81 *OR*

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6LS APPLICATION NUMBER: 57-7271

CHECK:

- ☒ Source.
- ☒ Point of diversion.
- ☒ County.
- ☒ Quantity of water and period of use.
- ☒ Description of diverting works.
- ☒ Time required for beneficial use of water.
- ☒ Place of use or acres irrigated.
- ☒ Map.
- ☒ Signature.
- ☒ Fee.
- ☒ Yes ☒ No Field check required.
- ☐ Yes ☒ No Critical groundwater area.
- ☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
- ☒ Yes ☒ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
- ☐ Idaho Fish and Game Department. _____
- ☐ Idaho Department of Lands. _____
- ☐ U.S. Bureau of Land Management. _____
- ☐ U.S. Forest Service. _____
- ☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
- ☒ Yes ☐ No Other rights on same place of use. 57-2201A, 570904 *different source*
- ☒ Yes ☐ No* both from unnamed stream no overlap
- ☐ Yes ☒ No In form for advertising.
- ☐ Yes ☒ No Final date for protests: 4/20/81 ✓
- ☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/12/81 ✓
- ☒ Application published correctly. If not, record action taken: _____
- ☒ Fee amount, receipt date & number, recorded on application.
- ☒ Publication dates and paper, recorded on application.
- ☒ Protests, dates, withdrawal, etc., recorded on application.
- ☒ Recommendation & initial, recorded on application.
- ☐ Yes ☒ No Measuring device required.
- ☒ Yes ☒ No Access port required.
- ☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
- 3/12/81 Date of priority recommended.
- ☒ Special conditions of approval or cover letter. I.P. letter

By: DAS Date: 4/20/81

STATE OFFICE REVIEW:

SLW/103 OIC, OGA

☐ See attached sheet for more information.
By: [Signature] Date: 4/24/81

MICROFILMED

52-2221-

JOHNSON, ERNEST C. &/or BETTE J.

RT. 2 BOX 90, HOMEDALE, ID 83628

Source. SUCCOR CREEK tributary to SNAKE RIVER

Date Filed: 03/12/1981

Amount: 1.00 CFS

Diversion Point: NENW Sec 14 T 03N R 06W, Owyhee Co.

Use. IRRIGATION	(0.80 CFS)	from 03/15 to 11/15
MINING	(0.40 CFS)	from 01/01 to 12/31

Place of Use: NENW LOT 01 (NWNW) Sec 14 T 03N R 06W FOR 40 ACRES

Diversion Means: PUMPING STATION.

MICROFILMED