


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sam E. Pitman
(Applicant)

PROOF OF PUBLICATION

STATE OF IDAHO }
County of Owyhee } S.S.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 12 day of July, 1979, and the last publication being on the 19 day of July, 1979;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 19 day of July, 1979.

Lenora S. Hawes
NOTARY PUBLIC

My commission expires 9-10-80

(SEAL)

RECEIVED
JUL 23 1979

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

57 - 7245

PITMAN, SAM C. &/or ROS-ALYN A.
STAR ROUTE, MELBA, ID 83641

Source: GROUNDWATER

Date Filed: 06/27/1979

Amount: 1.00 CFS

Diversion Point: SENE Sec. 13 T01S R 03W, OWYHEE Co.

Use: DOMESTIC (0.08 CFS)

from 01/01 to 12/31

STOCKWATER (0.23 CFS)

from 01/01 to 12/31

IRRIGATION (1.00 CFS)

from 03/15 to 11/15

Place of Use: SENE NWSE

Sec. 13 T 01S R 03W FOR 50

ACRES

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM

63 - 9253

STEPHENSON, WILBER &/or

MARLENE LEE

Box 191, HORSESHOE BEND,

ID 83629

Source: GROUNDWATER

Date Filed: 06/21/1979

Amount: 12.84 CFS

Diversion Point: SESE SE-

SW NWSW Sec. 04 T 05S R

01E NWN Sec 09 T 05S R

01E, OWYHEE Co.

Use: IRRIGATION (12.80

CFS) from 03/15 to 11/15

DOMESTIC (0.04 CFS) from

01/01 to 12/31

Place of Use: SWNW NWSW

SWSW Sec 03 T 05S R 01E NE-

SW NWSW SWSW SESW NE-

SE NWSE SWSE SESE Sec. 04

T 05S R 01E NESE SESE Sec

05 T 05S R01E NENE Sec. 08

T 05S R01E NENW NWNW Sec

09 T 05S R 01E FOR 640

ACRES

Diversion Means: CORRUGATION & SPRINKLER IRRIGATION

If issued, the permit(s) will

be subject to all prior water

rights. Protests against the

granting of any permit must be

filed with the Director of the

Idaho Department of Water Re-

sources, 92 S. Cole Road, Boise,

Idaho 83709 on or before JULY

30, 1979.

C. STEPHEN ALLRED

Director


Published 7/12 & 7/19/79,

The Owyhee Nugget, Marsing,

Owyhee County, ID 83639

MICROFILMED

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks No irrigation use found. 1 Trailer is used for domestic during the feeding operation. Total capacity of feed yard when full is 3000 hd/range. Trailer is usually stationed in SE NE Sec 13 T15 R3W.

15. Recommended Amendments
- | | | |
|--|--|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☒ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

16. Examiner's/Consultant's Signature John A. Noyes Date 10/25/85

Consultant's License Number _____

IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date

MICROFILMED
APR 18 1990

CONSULTANT SEAL

J13



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07245

Priority: June 27, 1979

Maximum Diversion Rate:

0.21 CFS

Maximum Diversion Volume:¹

40.8 AF

This is to certify, that SAM C. PITMAN
ROSALYN A. PITMAN

STAR RT. 55
MELBA, ID 83641

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 27, 1979; and has submitted Proof of Beneficial Use on June 15, 1984. An examination indicates that the works have a diversion capacity of .210 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.21 CFS	40.2 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.21 CFS	40.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 13, Township 01S, Range 03W
OWYHEE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

01S 03W 13 SWNE SENE NWSE

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 3000 head.

MICROFILMED

APR 1 1980


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07245

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2nd
day of April, 1990.

Acting for R. Keith Higginson, Director



MICROFILMED

APR 18 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07245

JUL 22 1988

Date of Priority: June 27, 1979

Comes now SAM C. PITMAN
ROSALYN A. PITMAN
STAR RT. 55
MELBA, ID 83641

Department of Water Resources

APPROVED

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 57-07245, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
STOCKWATER	~~12/31 to 01/01~~ 1/1 to 12/31*	0.21 CFS	40.2 AFA
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AFA
	Totals	0.21 CFS	40.8 AFA

LOCATION OF POINT OF DIVERSION(S):

SENE , Sec. 13, Township 01S, Range 03W
OWYHEE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

01S 03W 13 SWNE SENE NWSE

PLACE OF USE: DOMESTIC, same as STOCKWATER use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Owyhee County, this 20 day of July, 1988.

Sam C. Pitman
(Signature)

MICROFILMED

APR 18 1990

*kw 3/21/90

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07245

FOR DEPARTMENT USE ONLY

#C001939

Preliminary check by KW Fee = \$20.00 ✓ Received by CP Date 7/22/88

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 57-07245 with the following;

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Witness my hand this 2ND day of April, 1990.

Norm C. Young
(Director)
Acting for

MICROFILMED

APR 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Sam C. &/or Rosalyn A. Pitman Phone 495-2277

Post office address Star Route, Melba, ID 83641

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 13 Township 1S

Range 3W B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 CFS for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .23 CFS for Livestock purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.0 CFS for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 567 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 13 Township 1S

Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	3W	13				25										25			50

Total number of acres to be irrigated 50

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Well installed 8" casing, Depth 567 feet deep, 3 HP.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sam E. Pitman
(Applicant)

Proposed Priority 6/27/79
Received by SKN Date 6/27/79 Time 11:30 AM
Preliminary check by CWB Fee \$ 35 # 14414
Received by SKN Date 6/27/79
Publication prepared by KK Date 7/5/79
Published in Owens Nuggett
Publication dates 7/12 - 7/19/79
Publication approved KK Date 7/30/79
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by W6 J.S.
2/23/79

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7245, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1984.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) An access port or other device as specified by the Department
shall be installed by the permit holder to provide for the installation of
measuring equipment and the determination of the rate of diversion by the
Department.

Witness my hand this 28th day of August, 1979.

J. Glen Saxton
Chief, Operations Bureau

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

} s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 12 day of July, 1979, and the last publication being on the 19 day of July, 1979;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 19 day of July, 1979.

Rodney A. Hawes
NOTARY PUBLIC

My commission expires 9-10-80

(SEAL)

RECEIVED
JUL 23 1979

Department of Water Resources
Western Regional Office

MICROFILMED

OK
KK
7/30/79

April 5, 1990

SAM C. PITMAN
ROSALYN A. PITMAN
STAR RT. 55
MELBA, ID 83641

RE: PERMIT NO. 57-07245

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

APR 18 1990

Don Johnson
HC 79 Box 55
Melba, ID 83641



Dept of Water Resources
1301 So. Orchard St - Statehouse Mall
Boise, ID 83720

attn: Jim Johnson

July 5, 1988

SAM C. PITMAN
ROSALYN A. PITMAN
STAR RT. 55
MELBA, ID 83641

RE: PERMIT NO. 57-07245

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 18 1990

RECEIVED

OCT 28 1985

57-7245

Department of Water Resources

1. Owner: Sam & Cor Rosalyn R. Pitman Phone No. 495-2377
Current Address: Star Route, Melba, Ida 83641

2. Accompanied by: applicant EXAM. DATE: 10/24/85
Address: _____ Phone No. _____
Relationship to Permit Holder: _____

3. Source: _____ tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
8	Red Jacket	3		Submersible	

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. **System Description** (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Summers directly into pipeline system for
set of corrals. Figure 20 PSI for a,

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Kotze Power method - no way to measure well						

7. Measurements ☐ Additional data/computation sheets attached

$$\begin{aligned} 3HP \times 8.8 \times .85 &= 22.44 \\ 0.0' \text{ lift} + .43 \text{ ZOPC} (46.51) &= 106.5 \sqrt{22.44} = 126.55 \\ 3000 \text{ hpl/range} \times 12 &= 36000 - 16755 \\ 2 \text{ hr aerial} & \quad 54000 \quad 36000 \times .00118 = 40.25 \text{ RFH} \end{aligned}$$


8. Point(s) of Diversion:	Indicate Method of Determination
---------------------------	----------------------------------

[illegible]

9. **Place(s) of Use:** Irrigation - give acres served by system at time of exam.
Indicate Method of Determination _____

[illegible]

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks No irrigation use found. 1 Trailer is used for domestic during the feeding operation. Total capacity of feed yard, when full is 3000 hd/range. Trailer is usually stationed in SE NE Sec 13 T15 R34.

15. Recommended Amendments
- ☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None
- ☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other
16. Examiner's/Consultant's Signature John A. Meyer Date 10/25/85
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date

MICROFILMED

APR 18 1990

CONSULTANT SEAL

RECEIVED

MAR 25 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

OCT 28 1985

57-7245
Permit No

Department of Water Resources

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$3 \text{ HP} \times 8.8 \times .85 = 22.44$$

$$60' \text{ lift} + .43 \sqrt{20 \text{ PSI}} (46.51) = 106.5 \sqrt{22.44} = .21 \text{ cfs}$$

3000 gal/range to 1 domestic

b) Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

c) Volume Calculations for Other Uses:

$$\frac{3000 \text{ gal/range} \times 12 = 36000 \text{ GP}}{2 \text{ hr period} = 54000} = .67 \text{ cfs} \text{ recommend } .21 \text{ cfs} \quad \text{see 1a}$$

$$36000 \times .001118 = 40.25 \text{ AFA} \quad 1 \text{ domestic no outside use} \\ = .02 \text{ cfs} \quad .6 \text{ AFA}$$

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:

MICROFILMED

APR 18 1990

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	57-7245		.21			.21 cfs

4. Permit Holder: Sam C & or Roslyn A. Pitman

Address: Star Route Melba, Idaho 83641

5. Source: Groundwater tributary to

6. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic	1/1	12/31	.02	.6
Stockwater	1/1	12/31	.21	40.85
Allowable Maximums:			.21	40.85

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			SE	HE	13	15	3W	Owyhee

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15	3W	13			X	X										X			
Total Acres																			

9. Recommended Conditions/Remarks: Domestic - in house use only.
Stockwater - 3000 hd/range

10. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ None
- ☒ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

11. Examiner's Signature John H. Meyer

Checked in Regional Office by bhs

Approved in State Office by

Date 10/25/85


Date 3/19/86

Date

MICROFILMED

APR 18 1990

J13



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

JULY 30, 1984

SAM C. PITMAN
STAR RT. #55
MELBA

ID 83641

RE: Permit No. 57-7245

Dear Permit Holder,

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Fense
Secretary

MicroFILMED

APR 18 1990

DEPARTMENT OF WATER RESOURCES 57-7245

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of permit No. _____

Name(s) of Permit Holder: Sam C. Pitman

Post Office Address: Star Route #55

Melba, Id. 83641 Tel. No 495-2277

Source of Water: _____

Extent of Use:

- ☐ Domestic 1 (number of households)
☐ Stockwater beef - 3000 (number and type of stock)
☐ Irrigation - 0 - (acres)
☐ Other none

Measuring Device:

Required?

☐ Yes ☐ No

Installed?

☐ Yes ☐ No

Access Port:

Required?

☒ Yes ☐ No

Installed?

☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-11-84

Date

UNRECORDED


Sam C. Pitman

Signature of Permit Holder

Sam C. Otman
Star Rt #55
Melba, Id 83641

RECEIVED

JUN 15 1984



Department of Water Resources
IDAH0 DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAH0 83720

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138 782

PITMAN, SAM C. & ROSALYN A.
STAR ROUTE
MELBA, ID 83641

PROOF DUE NOTICE

MAY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 57-7245 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V EVANS
Governor

C STEPHEN ALLRED
Director

Mailing address
Storehouse
Boise, Idaho 83720
(208) 384-2215

August 31, 1979

Sam Y Rosalyn Pitman
Star Route
Melba, Idaho 83641

Dear Mr. & Mrs. Pitman,

RE: Permit No. 57-7245

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

Enclosures

MICROFILMED
JRT:lr

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CW Bryan

APPLICATION NUMBER: 57-7245

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None platted - cannot determine if another right has been filed J.T.
☒ Yes ☐ No* In form for advertising. 7/30/79
☐ Yes ☒ No Final date for protests: _____
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:


- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
27 June 79 Date of priority recommended.
Special conditions of approval or cover letter. _____

This permit will ~~allow~~ allow enough stockwater for 1000 head of beef cattle. (Not listed on form)
Region Plat shows another filth on this land but I can't trace it here.
By: W. Stewart Date: 2 Aug 79

STATE OFFICE REVIEW:

OIC,
Idaho Power Letter w/access port
☐ See attached sheet for more information.

By: Jani Date: 8/22/79



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 384-2190

JULY 5, 1979

Owryhee Nugget
Marsing, ID 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 30, 1979.

Yours truly,

Karla Knecht
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before JULY 30, 1979.

C. STEPHEN ALLRED

Director

Published 7/12 & 7/19/79.

APPROVED
JUL 23 1979

52-2245-

PITMAN, SAM C. &/or ROSALYN A.

STAR ROUTE, MELBA, ID 83641

Source: GROUNDWATER

Date Filed: 06/27/1979

Amount: 1.00 CFS

Diversion Point: SENE Sec 13 T 01S R 03W, OWYHEE Co.

Use: DOMESTIC	(0.08 CFS)	from 01/01 to 12/31
STOCKWATER	(0.23 CFS)	from 01/01 to 12/31
IRRIGATION	(1.00 CFS)	from 03/15 to 11/15

Place of Use: SENE NWSE Sec 13 T 01S R 03W FOR 100 ACRES

Diversion Means: WELL, PUMP & SPRINKLER SYSTEM

RECEIVED
JUL 1 1979
WATER DIVISION