


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Maurice L. Vance
(Applicant)

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the or publisher of THE OWYHEE CHRONICLE, a newspaper of general circulation printed and published weekly, on Thursday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said THE OWYHEE CHRONICLE has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice attached.....

of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement thereto, in said newspaper, in two..... (consecutive) calendar weekly issue(s) of said newspaper, on the following date(s):

May 3, 1979 and May 10, 1979

(Signed) Joe E. Aman

Subscribed and sworn to before me this 10th day of May

A. D., 19 79

Carroll Kelly
Notary Public in and for the State of Idaho,
residing at Homedale, Idaho.

My commission expires Mar. 28, 19 82

ATTACH CLIPPING
HERE

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following applications(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

57-7242

VANCE, MARION L. &/or
BARBARA L.

BOX 487, HOMEDALE, ID
83628

Source: SUCCOR CREEK
tributary to SNAKE RIVER

Date Filed: 04/19/1979

Amount: 0.28 CFS

Diversion Point: SESE Sec 05 T
03N R 05W, OWYHEE Co.

Use: IRRIGATION (0.28 CFS)
from 03/15 to 11/15

Place of Use: SWSE Sec 05 T
03N R 05W FOR 14 ACRES

Diversion Means: PUMPING
PLANT & SPRINKLER
SYSTEM

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before MAY 21, 1979.

C. STEPHEN ALLRED

Director

Published May 3, 10, 1979.

OK
RK
6/5/79

RECEIVED
JUN 4 1979

Department of Water Resources
Western Regional Office
MICROFILMED

IRRIGATED AREA CALCULATIONS - BRIAR HILLS SUBD.

HOMEDALE, Owyhee Co., IDAHO

ASSUMPTIONS: 1. THAT AT PRESENT AND FOR A CONSIDERABLE LENGTH OF TIME IN THE FUTURE IRRIGATION PRACTICES WILL BE TO IRRIGATE TO THE EDGE OF THE 37-FOOT WIDE STREET SURFACE, RATHER THAN JUST TO PROPERTY LINE. THE ASSUMED LIMIT OF NORMAL IRRIGATION IS INDICATED BY THE DOUBLE LINE ON THE EXHIBITS.

2. THAT ON THE AVERAGE THERE ARE 1500 SQ. FT OF AREA PER RESIDENCE

3. THAT ON THE AVERAGE DRIVEWAYS OCCUPY 600 SQ. FT PER RESIDENCE.

- KNOWN: 1. THAT THERE ARE 13.55 TOTAL ACRES WITHIN THE SUBDIVISION
- A. ABOVE TAKEN FROM BLAKELY ENGINEERING DRAWINGS OF SUBDIVISION
2. THAT THERE ARE 1.85 ACRES IN STREET & TURNING CIRCLES. (THIS IS A DIGITIZER MEASUREMENT. CROSS CHECK WITH MEASURING WHEEL GIVES APPROX. 1.9 ACRES.)
3. THAT THERE ARE 26 SALABLE LOTS IN THE SUBDIVISION.

CALCULATIONS: $\text{IRRIG ACRES} = \text{TOTAL ACRES IN SUBDIVISION LESS } 1.85 \text{ ACRES}$

AND $26 \times 2100 = 1.25 \text{ ACRES} = 13.55 - 3.1 = 10.45 \text{ AC.}$

↓ TOTAL OF TOTAL ACRES (1.85 + 1.25) FOR ALL LOTS

SQ. FT. OF AVE. HOME & DRIVEWAY PER LOT.

REMAINING THAT COULD BE IRRIG.

MICROFILMED
JUL 29 1992

3 lots being irrigated under this permit

$10.45 \text{ ac} \div 26 \text{ lots} = 0.4 \text{ ac/lot} \times 3 = 1.2 \text{ acres}$

per planimeter reading

lot 2 = 0.29 ac.

lot 25 = 0.29 ac.

lot 19 = 0.33 ac.

39639.6 sq. ft. (3 homes @ 2100 sq. ft.)

6300.

33339.6 = 0.76 ac

irrigated kw

11/4/91

P/D

57-07242
T3N R5W



MICROFILMED


SEP 23 1994

(4-675b)

3 NORTH, RANGE N° 5 WEST O

DEPENDENT RESURVEY AND SUB
RESURVEY





57-07242
T3N
R5W
S.7
P10
L.S
PK

JUL 29 1992

PLU
ata Briar Hills
subdivision

PLD

P.D



4'x16' CMP sump 7.5HP motor at time of Exam.
Time of picture motor being repaired. Success creek.

P.U



Briar Hills subdivision - Hornedale
Idaho.

MICROFILMED
JUL 29 1992

BRIAR HILLS SUBDIVISION

POR. SECTION 5, T3N, R5W, BM. OWYHEE COUNTY, IDAHO

SW COR
SEC 5
T3N R5W BM

- LEGEND**
- PROPERTY BOUNDARY
 - LOT LINE
 - CENTER LINE
 - DEPARTMENT FOR UTILITIES & DISTRICT
 - SECTION LINE
 - BRASS MONUMENT
 - 5/8" RE BAR
 - 1/2" RE BAR
 - TRUE POINT OF BEGINNING
 - TPB
 - E. & B. ROW. OF PATCH DITCH

I hereby certify that this instrument was filed for record at the request of Ronald M. Blakley at _____ minutes past _____ o'clock on this _____ day of _____ AD 1979

Fee _____
Instruments _____
Recorder _____
Deputy _____

Protective covenants filed with this plat
Instrument No. _____


STATE OF IDAHO
COUNTY OF OWYHEE S.S.

I, RONALD M. BLAKLEY, a Registered Professional Engineer, and for said County and State do hereby certify that the survey of BRIAR HILLS SUBDIVISION in Owyhee County, was made by me or under my direction and that this plat correctly shows the survey as made.

IN WITNESS WHEREOF I have hereunto set my hand and seal at _____ A.D. 1979



MICROFILMED
JUL 29 1993



CURVE	R	Δ	T	L	LC	BEARING
1	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
2	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
3	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
4	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
5	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
6	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
7	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
8	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
9	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
10	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
11	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
12	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
13	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
14	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
15	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
16	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
17	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
18	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
19	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
20	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
21	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
22	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
23	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
24	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
25	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
26	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
27	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
28	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
29	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
30	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
31	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
32	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
33	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
34	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
35	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
36	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
37	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
38	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
39	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
40	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
41	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
42	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
43	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
44	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
45	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
46	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
47	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
48	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
49	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
50	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
51	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
52	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
53	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
54	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
55	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
56	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
57	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
58	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
59	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E
60	100.00	90.000	20.00	31.54	29.8	S 89° 58' 10" E

The subdivision area with Owyhee County subsequent lot owners agree by accepting deeds to lots in this plat that they will not interfere or complain concerning farm operations that are in practice on adjacent farms or the time of recording this plat.

Sanitary restriction in force under Title 50, Chapter 13, Idaho code. No building or shelter requiring water supply or sewage disposal can be built on this tract of land until the sanitary restriction is removed by the Director of the Idaho Department of Health and Welfare, or his designee.

County Sanitation _____ Date _____

P.D. Succor evick

OWYHEE SEC 5 T3N R5W
SENWSW, SEC 7, T3N, R5W. k.w. 11-2-91

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07242

Priority: June 19, 1979

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

4.0 AF

This is to certify, that MARION L VANCE
BARBARA L VANCE

P.O. BOX 7
HOMEDALE ID 83628

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 19, 1979; and has submitted Proof of Beneficial Use on August 1, 1984. An examination indicates that the works have a diversion capacity of .400 cfs of water from:

SUCCOR CREEK tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	4.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWSW), Sec. 7, Township 03N, Range 05W
OWYHEE County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN RGE SEC</u>					
03N 05W 5	SWSE	0.8			0.8

Total number of acres irrigated: 0.8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.

NOT RECORDED

JUL 29 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 57-07242

CONDITIONS/REMARKS:

6. The issuance of this right in no way grants any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14th day of JULY, 1992.


Acting for R. Keith Higginson, Director

NOT FILMED

JUL 29 1992

RECEIVED
JUN 25 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07242

APPROVED

Department of Water Resources

Date of Priority: June 19, 1979
Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 4.0 AF

Comes now
MARION L VANCE
BARBARA L VANCE

P.O. BOX 7
HOMEDALE ID 83628

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 57-07242, and requests that the permit be changed as follows:

Source: SUCCOR CREEK tributary to SNAKE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	4.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWSW), Sec. 7, Township 03N, Range 05W
OWYHEE County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN RGE SEC</u>					
03N 05W 5	SWSE	0.8			0.8

Total number of acres irrigated: 0.8

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 19 day of JUNE, 1992.

Marion Vance
(Signature)

RECEIVED
JUL 29 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07242

FOR DEPARTMENT USE ONLY

Preliminary check by ce Fee = \$20.00 ✓ Received by [Signature] Date 6-25-92 #C024697

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 57-07242 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.

Witness my hand this 14th day of July, 1992.

[Signature]
Acting for R. Keith Higginson, Director

MICROFILMED

JUL 29 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 57-7242 IN THE)
NAME OF MARION L. AND/OR BARBARA L. VANCE) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1984; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,


WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on August 1, 1984;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 57-7242 be REINSTATED and the priority advanced to June 19, 1979.

Dated this 17th day of August, 1984.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Marion L. &/or Barbara L. Vance Phone 337-3563

Post office address Box 487, Homedale, ID 83628

2. Source of water supply Succor Creek which is a tributary of Snake River

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 5 Township 3N

Range 5W B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .28 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .28 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pumping plant and sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years). Estimated cost \$12,000.

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SE¼	SW¼	
3N	5W	5																14	14

Total number of acres to be irrigated 14

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion Dept. of Highways

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Water will be used on Briar Hills Subdivision.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Maurice L. Vance
(Applicant)

Proposed Priority 4-19-79

Received by gkn Date 4/19/79 Time 4 PM

Preliminary check by 6LS Fee \$ 35⁰⁰/₁₀₀ Receipt # 13047

Received by C.K. Date 4/19/79

Publication prepared by KK Date 4/26/79

Published in Owyhee Chronicle

Publication dates 5/3 & 5/10/79

Publication approved KK Date 6/5/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by LF JJ.
118 June 79

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7242, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 20th day of June, 19 79.

A. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the or publisher of THE OWYHEE CHRONICLE, a newspaper of general circulation printed and published weekly, on Thursday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said THE OWYHEE CHRONICLE has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice attached

of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement thereto, in said

newspaper, in two (consecutive) calendar weekly issue(s) of said newspaper, on the following date(s):

May 3, 1979 and May 10, 1979

(Signed)

Joe E. Aman

Subscribed and sworn to before me this 10th day of May


A. D., 19 79

Carroll Kelly
Notary Public in and for the State of Idaho,

residing at Homedale, Idaho.

My commission expires Mar. 28, 19 82

ATTACH CLIPPING
HERE



RECEIVED
JUN 4 1979

Department of Water Resources
Western Regional Office

✓

57-7242

September 10, 1992

MEMO TO FILE:

From: Carolyn Andregg

During the spring and summer of 1992, drought conditions caused record low flows in the Snake River. Twice, the flow of the Snake River fell below 4,750 cfs, the minimum stream flow at the Weiser gauge. Notices were mailed to the water user listed under this right because the priority is later than July 1, 1976, in order to protect the Snake River minimum stream flow. The following is a chronological history of the mailings.

May 19, 1992: Letter sent to water right holder informing holder of possible temporary cessation of diversion rights and notice of public meetings.

June 8, 1992: Letter sent informing water right holder directing immediate cessation of diversion of water until further notice.

June 12, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

June 26, 1992: Letter sent to water right holder directing immediate cessation of diversion of water until further notice.

June 29, 1992: Letter sent to water right holder authorizing resumption of diversion of water.

July 14, 1992

MARION L VANCE
BARBARA L VANCE
P.O. BOX 7
HOMEDALE ID 83628

RE: WATER RIGHT NO. 57-07242

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

JUL 29 1992

June 5, 1992

MARION L VANCE
BARBARA L VANCE
P.O. BOX 7
HOMEDALE ID 83628

RE: WATER RIGHT NO. 57-07242

Dear Water Right Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received the amendment. If we do not receive it within fifteen (15) days, we will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact us.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

JUL 29 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 6, 1992

RE: Permit No. 57-7242

Kelly Vance
Vance Corp.
Box 7
Homedale, ID 83628

Dear Mr. Vance:

I have reviewed your letter concerning the license we propose to issue for the above referenced permit and offer the following in response.

You stated that two inspections were conducted by our department without your representation. While it may be true that a representative of the subdivision did not accompany our agents, there is no dispute over the number of acres within the subdivision. The problem arises over the number of "irrigated" acres within the subdivision **at the time** of the examinations. In a telephone conversation with you on 4/19/91, you stated to our agent that only 3 lots were using irrigation water at that time (Lots 2, 19 and 25, specifically).

A license issued by this department is a reflection of beneficial use of water at the time of the field examination. Although I understand that a mainline and connectors have been in place since 1980, the only actual irrigation taking place at the time of the inspections is approximately 1 acre.

At this point, you really only have one option - apply for another water right to cover the additional acres when development of those acres occurs. In order for us to issue the license for this permit, the amendment we previously sent needs to be signed and returned to us with the \$20.00 filing fee within 15 days.

Sincerely,

A handwritten signature in cursive script, reading 'Sharla Curtis'.

SHARLA CURTIS
Water Resource Agent JUL 29 1992



VANCE CORPORATION

Building Service Center

P.O. Box 7
HOMEDALE, IDAHO
83628

RECEIVED
APR 27 1992

Phone:
Homedale — 337-3191
Nampa 467-5851

April 23, 1992

Department of Water Resources

Jim Johnson
Water Right Supervisor
Depr Water Resources
1301 N. Orchard
Statehouse Mail
Boise, Idaho 83720-9000

RE: Permit No. 57-07242

Dear Mr. Johnson:

I visited with Tim Luke today about our application for amendment to our water right. I noticed a discrepancy between the original application, and the amendment. The original application was for 14 acres, and the amendment is showing .8 acres.

Our water right is for a subdivision that has been complete since 1980. Irrigation lines and risers have been installed for all the lots since 1980. Your department made two inspections without our representation, consequently your inspector was unaware of the system in place, and we were unaware of the reduction of the acreage.

Our Water Right needs to be restored to its original amount approved. The Water Right is for irrigation of a subdivision, so in the future all the Water Right will be used.

We do need to amend our Water Right for the change in point of diversion. Your letter dated 4/15/92 has noted the new diversion point. Please send us a corrected application showing the original cfs, acres, maximum diversion volume, and the new point of diversion.

Please contact either Marion Vance (337-3563 or 3373191), or Kelly Vance (337-4557 or 3373191), if you need more information. If an inspection is required, please contact us so we can show your representative the improvements in place.

Sincerely,

Kelly Vance

Kelly Vance
cc: MV

SENDER:

- Complete items or 2 for additional services.
- Complete items 4a & b
- Print your name and address on the reverse of this form so that we can return this card to you
- Attach this form to the front of the mailpiece, or on the back if space does not permit
- Write "Return Receipt Requested" on the mailpiece below the article number.
- The Return Receipt Fee will provide you the signature of the person delivered to and the date of delivery

I ☒ wish to receive the following services (for an extra fee):

1. ☐ Addressee's Address
2. ☐ Restricted Delivery

Consult postmaster for fee.

3. Article Addressed to:

MARION L VANCE
BARBARA L VANCE
PO BOX 7
HOMEDALE ID 83028-0007

4a. Article Number

33825

4b. Service Type

- ☒ Registered ☐ Insured
☒ Certified ☐ COD
☐ Express Mail ☐ Return Receipt for Merchandise

7. Date of Delivery

4-20-92

5. Signature (Addressee)**6. Signature (Agent)**

Dorothy Murray

8. Addressee's Address (Only if requested and fee is paid)

57-07242

UNITED STATES POSTAL SERVICE

Official Business



RECEIVED
MICROFILMED

APR 24 1992


JUL 29 1992



PENALTY FOR PRIVATE
USE, \$300

Department of Water Resources
Name, address and ZIP Code here

Water Allocation Bureau
Department of Water Resources
1301 N. Orchard St.
Boise, ID 83706





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 15, 1992

MARION L VANCE
BARBARA L VANCE
PO BOX 7
HOMEDALE ID 83628-0007

RE: Permit No. 57-07242

NOTICE OF PENDING ORDER VOIDING PERMIT

Dear Permit Holders:

The development proposed in Permit to Appropriate Water No. 57-07242 was examined in 1990 by Department of Water Resources personnel. At the time of the examination, the Department personnel discovered that the actual point of diversion differed from the point of diversion proposed in the permit.

We have on two occasions notified you that you need to file an application for amendment of Permit No. 57-07242 with the Department. To date, the application for amendment of the permit has not been received.

Enclosed is another completed application for amendment of your permit which reflects the correct point of diversion. You must sign the application for amendment, and return it to this Department accompanied by a \$20 filing fee within ten (10) days of the date of this letter.

Should you fail to submit the application for amendment within ten (10) days, the Department will act to void your permit. The grounds for voiding the permit are set forth in Section 42-219, Idaho Code, where it states that if the Department finds "that the applicant has not fully complied with the law and the conditions of the permit . . . [it] may refuse issuance of a license and void the permit."

Sincerely,

JIM JOHNSON
Water Right Supervisor

Enclosure

cc: Western Region

RECEIVED
JUL 29 1992

CERTIFICATION OF MAILING

I hereby certify that on 4-16-92
an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Cindy Hoseley

March 20, 1992

MARION L VANCE
BARBARA L VANCE
P.O. BOX 7
HOMEDALE ID 83628

RE: WATER RIGHT NO. 57-07242

Dear Water Right Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received the amendment. If we do not receive it within fifteen (15) days, we will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact us.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

MISSING

JUL 29 1992

February 24, 1992

MARION L VANCE
BARBARA L VANCE
P.O. BOX 7
HOMEDALE ID 83628

RE: WATER RIGHT NO. 57-07242

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 57-07242
1. Owner: Marion L. & Barbara L. Vance Phone No. 337-3563
Current Address: P.O. Box 7, Homedale, ID 83628
2. Accompanied by: Roxanne McCarthy (IDWR) EXAM. DATE: 11-13-1990
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Succor Creek tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: 57-10854 (66M IRRIGATION DISTRICT WATER FROM SUCCOR CR. BUT NOT IN DEEDS IN THIS PERMIT - PER CONV. WITH EXAMINER 11/5/91, PL) ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

Pump from canal to 4" & 6" PVC mainlines. See Engineering design map attached for locations of pipelines, etc.

Per phone conversation with Kelly Vance (permit holder's son) on 4-19-1991 only 3 lots use irrigation water at this time. Since surface water, can only recommend what is being used per Steve Lester 11/4/91.

MICROFILMED
JUL 29 1992

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.),

Water is diverted at diversion dam on Succor Cr. then pumped out of Patch Canal. Gem Irrig. District is aware of this use, but there is no written agreement in place at this time. This use has been in place for several years, per Clyde Hutton of Gem Irrig. District.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>see exam of</i>			<i>6-30-85.</i>		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<i>3</i>	<i>SE</i>	<i>NW</i>	<i>SW</i>	<i>7</i>	<i>3N</i>	<i>5W</i>	<i>Dwyhee</i>	<i>Aerial-photo; exam; USGS quad</i>

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<i>3N</i>	<i>5W</i>	<i>5</i>															<i>.8</i>		<i>.8</i>

MICROFILMED

JUL 29 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

see exam of 6-30-85
by John Noyes.
0.8 ac x 0.03 cfs = 0.024 cfs ^{Round up to} 0.03 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

MICROFILMED

JUL 29 1992

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.8 \times 4.5 = 3.6$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.02 \times 1.98 \times 246 = 9.7$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.6$

2. Volume Calculations for Other Uses.

Consumptive use volume calculation:
0.8 acres x 3.5 = 2.8 AF/year.

H. REMARKS AND OVERLAP REVIEW ANALYSIS

3 lots using water for irrigation per Kelly Vance - claimant's son.
P.U. also known as Brink Hills Subdivision.
An exam fee was not required for this permit since an exam was conducted in June of 1985. Recommend priority date of 6-19-1979 per Order of Reinstatement of 8-17-1984.

SEE ORIGINAL EXAM ON FILE AT S.O. FOR ENGINEER
PLAT MAPS. PL 11-5-91

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrig.	3-15	11-15	~~0.02~~ 0.03 Dnr	3.6
Totals:			~~0.02~~ 0.03 Dnr	3.6

2. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Kay Walker
Signature Kay Walker 11-4-1991
Certification Date _____
Field Report Preparation Date _____



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 29 1992

Marion Vance

57-7242

IRRIGATED AREA CALCULATIONS - BRIAR HILLS SUBD.

HOMEDALE, OWYHEE CO., IDAHO

- ASSUMPTIONS:
1. THAT AT PRESENT AND FOR A CONSIDERABLE LENGTH OF TIME IN THE FUTURE IRRIGATION PRACTICES WILL BE TO IRRIGATE TO THE EDGE OF THE 37-FOOT WIDE STREET SURFACE, RATHER THAN JUST TO PROPERTY LINE. THE ASSUMED LIMIT OF NORMAL IRRIGATION IS INDICATED BY THE DOUBLE LINE ON THE EXHIBITS.
 2. THAT ON THE AVERAGE THERE ARE 1500 SQ. FT. OF AREA PER RESIDENCE.
 3. THAT ON THE AVERAGE DRIVEWAYS OCCUPY 600 SQ. FT. PER RESIDENCE.

- KNOWN:
1. THAT THERE ARE 13.55 TOTAL ACRES WITHIN THE SUBDIVISION A. ABOVE TAKEN FROM BLAKELY ENGINEERING DRAWINGS OF SUBDIVISION
 2. THAT THERE ARE 1.85 ACRES IN STREET & TURNING CIRCLES. (THIS IS A DIGITIZER MEASUREMENT. CROSS CHECK WITH MEASURING WHEEL GIVES APPROX. 1.9 ACRES.)
 3. THAT THERE ARE 26 SALABLE LOTS IN THE SUBDIVISION.

CALCULATIONS: $\text{IRRIC ACRES} = \text{TOTAL ACRES IN SUBDIVISION LESS } 1.85 \text{ ACRES}$
 $\text{AND } 26 \times 2100 = 1.25 \text{ ACRES} = 13.55 - 3.1 = 10.45 \text{ AC.}$

37 FT. OF AVE. HOME & DRIVEWAY PER LOT.

REMAINING THAT COULD BE IRRIG.

MICROFILMED
JUL 29 1992

3 lots being irrigated under this permit

$10.45 \text{ ac} \div 26 \text{ lots} = 0.4 \text{ ac/lot} \times 3 = 1.2 \text{ acres}$
 per planimeter reading

lot 2 = 0.29 ac
 lot 25 = 0.29 ac
 lot 19 = 0.33 ac

39639.6² ft.
 6300.
 33339.6² ft.
 (3 homes @ 2100²)
 = 0.76 ac

irrigated
 kw
 11/4/91

P/D

57-07242
T3N R5W



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 57-7242
1. Owner: Marion L & Barbara L. Vance Phone No. 337-3563
Current Address: Box 487 Homedale, Idaho 83628
2. Accompanied by: Applicant EXAM. DATE: 6/30/85
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Succor Creek tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

P.D. 4'x16' CMP sump - 7.5 HP motor. 6" PVC pipeline
to 5 HP re-lift pump. 4" & 6" PVC main lines
see Engineering design map attached for
location of pipelines & etc. Turn out
taps have been installed to each lot, but
not all the lots have been sold.

MICROFILMED

JUL 29 1992

SEE COMPLETED EXAM & OF
11-13-90 BY KW FOR
RECOMMENDATIONS ETC.

Scale: 1" = 0

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached ☒ Subdivision map.
(required for all but single household domestic groundwater, and stockwater.)

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

*measured the water in 5 gallon bucket
no means of measuring the water except
with an open discharge.*

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	7.5	5K184DL1050	Pacific pump co.	CSB60122
Relist pump	GE	5	5K182DL1230	-	-

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
									~~NE 1/4 NE 8 3N 5W 8W/400~~ aerial photo & topog. map.
									see exam of 11-13-1990

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	5W	5																10.4	10.4

Do not use this space

MICROFILME

JUL 29 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 Gallon Bucket						

2. Measurements:

5 gallons in 2 seconds
 1 second = 2.5 gal x 60 = 150 GPM x .002228 = .33
 10.4 acres x .02 = .21 cfs recommended cfs

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

.33 cfs

2. Alternate Method for Checking Purposes:

$7.5 \text{ HP} \times 8.8 \times .75 = 49.5$
 $70' \text{ lift} + 20 \text{ PSI} (46.19) = 116.19$
 $= .43 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 10.4 \times 4.5 = 46.8$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .21 \times 245 \times 1.9835 = 102.05$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 46.8$

2. Volume Calculations for Other Uses:

None

MICROFILMED

JUL 29 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Land being irrigated was a bare hillside before development. There isn't any other land being irrigated other than the subdivision.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
irrigation	3/15	11/15	.21	46.8
Totals:			.21	46.8

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name John K. Noyes

Signature John K. Noyes

Certification Date _____


Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


MICROFILMED

JUL 29 1992



SECRET
JUL 19 1962
7102212
732


TECHNICAL SURVEY



9/11
aka Briar Hills
Subdivision


57-07242
T32
R504
S: 7
L: 5
P10
PK

P.D



4'x16' CMP sump 7.5HP motor at time of exam.
Time of picture motor being repaired. SECRET check.

P.U



Briar Hills subdivision - Homedale
Idaho.

RECEIVED
JUL 29 1992

BLAKLEY ENGINEERS, INC.
(Chartered)

HOME OFFICE:
BOX 578 - 821 SO. 4TH AVE. - TEL. 489-1818
CALDWELL, IDAHO 83605

826 CENTER AVENUE - TEL. 642-2822
PAYETTE, IDAHO 83661

818 WASHINGTON AVENUE - TEL 365-5251
EMMETT, IDAHO 83617

ROUTE NO 3, BOX 100 - TEL. 859-9259
ONTARIO, OREGON 97914

DESCRIPTION FOR

MARION VANCE

IRRIGATION LINE EASEMENT

Job No. SC093280

BOOK 262

October 24, 1980

This easement is a 10.00 foot wide parcel situated in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 5 and the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 8 all in Township 3 North, Range 5 West of the Boise Meridian, the centerline of which is more particularly described as follows:

COMMENCING at the Southeast corner of Lot 19 of Briar Hills Subdivision;

Thence South 4° 33' 32" East, a distance of 82.65 feet to a point on the Southerly right-of-way boundary of State Highway 19 which point is the TRUE POINT OF BEGINNING;

Thence continuing South $4^{\circ} 33' 32''$ East, a distance of 45.73 feet;

Thence South 4° 21' 48" West, a distance of 243.20 feet;

Thence South 28° 17' 12" East, a distance of 96.38 feet;

Thence South 36° 45' 02" East, a distance of 97.00 feet to a point on the centerline of Succor Creek which is also the POINT OF TERMINATION.

This parcel is subject to all easements and rights-of-way existing or of record.

This parcel contains 0.11⁷ acre.

E. Reed Frye, Owner

STATE OF IDAHO)
) SS
COUNTY OF OWYHEE)

Better Times

JUL 29 1992

On this 30th day of October A.D. 1980, before me, Mary H. Inouye
a Notary Public in and for said County and State, personally appeared the above
named persons, whose names are subscribed to the foregoing instrument and
acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and seal this 30th day
of October A.D. 1980. *Thos. C. Brown*

Notary Public
Residing at Homedale, Idaho

BLAKLEY ENGINEERS, INC.
(Chartered)

HOME OFFICE:
BOX 579 - 621 SO. 4TH AVE. - TEL. 489-1516
CALDWELL, IDAHO 83605

826 CENTER AVENUE - TEL. 642-2822
PAYETTE, IDAHO 83661

816 WASHINGTON AVENUE - TEL. 365-5951
EMMETT, IDAHO 83617

ROUTE NO. 3, BOX 100 - TEL. 889-9283
ONTARIO, OREGON 97914

DESCRIPTION FOR
MARION VANCE

Job No. SC 033178

BOOK 36

May 9, 1978

This parcel is situated in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 5, Township 3 North, Range 5 West of the Boise Meridian and is more particularly described as follows:

COMMENCING at the Northwest corner of said SW $\frac{1}{4}$ SE $\frac{1}{4}$;

Thence South along the West boundary of said SW $\frac{1}{4}$ SE $\frac{1}{4}$, a distance of 260.00 feet to the TRUE POINT OF BEGINNING;

Thence South 67° 42' 00" East, a distance of 1333.14 feet to a point on the Northwesterly right-of-way of Patch Ditch;

Thence traversing said Northwesterly right-of-way:

South 60° 26' 30" West, a distance of 73.71 feet;
South 40° 40' 05" West, a distance of 72.00 feet;
South 62° 36' 30" West, a distance of 240.64 feet;
South 39° 31' 11" West, a distance of 148.42 feet;
South 32° 40' 10" West, a distance of 182.94 feet to a point on the Northeasterly right-of-way of U.S. Highway 95, which point lies on a curve;

Thence Northwesterly, a distance of 510.54 feet along the arc of a curve to the right, having a radius of 922.40 feet, a central angle of 31° 42' 45" and a long chord which bears North 59° 32' 02" West, a distance of 504.05 feet;

Thence North 43° 40' 40" West along said right-of-way, a distance of 407.03 feet to a point on said West boundary;

Thence North, along said West boundary, a distance of 426.11 feet to the TRUE POINT OF BEGINNING.

This parcel is subject to all easements and right-of-ways existing or of record.

This parcel contains 13.55 acres.

MICROFILMED

JUL 29 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

AUGUST 29, 1984

MARION L. VANCE
P.O. BOX 487
HOMEDALE ID 83628

RE: Permit No. 57-7242

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

Enclosure



CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 57-4242

DATE: Aug. 14, 1984

Date proof received

213

Aug. 1

Proof due

-152

June 1

Number of day proof late

61

Priority date

+109

Sept. 19, 1979

New priority date

170

June 19, 1979

Remarks:

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this a statement that the permit holder(s) has completed development to the extent shown below Permit No. 57-7242

Name(s) of Permit Holder: Marion L. Vance

Post Office Address: Box 487
Homedale, ID 83628

Tel No. 337-3191 Work
337-3563 Home

Source of Water: Succor Creek

Extent of Use: ☐ Domestic
☐ Stockwater
☒ Irrigation 13
☐ Other

RECEIVED
number of households
number and type of stock
(acres)

AUG 1 1984

Measuring Device: Required? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No


Department of Water Resources
Installed Western Regional Office

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/01/84
Date

MICROFILMED

Marion Vance
Signature of Permit Holder



FACE
13 CENT
STAMP
HERE

RECEIVED

AUG 2 1984



IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE


Department of Water Resources

BOISE, IDAHO 83720

MICROFILMED

Homedale, Idaho

July 31, 1984



State of Idaho
Dept. of Water resources
450 West State
Boise, Idaho 83720

Department of Water Resources
Western Regional Office

Dear Don,


As per our phone conversation today, I am requesting Reinstatement of of my water permit #57-7242. I am sorry for the inconvenience.

I installed my total pump system in the summer of 1981 and had system in full use until last year's high water changed Succor Creek flow by some 80'.

Succor Creek has just recently receded and I had started work with a backhoe, until last week's flash flood in Leslie Gulch that raised the creek again.

I should be able to finish repairs in 2 weeks and be ready for your officer to measure the water flow.

Sincerely,



WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

VANCE, MARION L. & BARBARA L.
P.O. BOX 487
HOMEDALE, ID 83628

LAPSE NOTICE

JUNE 05, 1984

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 57-7242 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE NOTICE THAT YOU HAVE COMPLETED THE PROJECT (PROOF OF BENEFICIAL USE) BY THE DATE REQUIRED ON YOUR PERMIT OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED MARCH 31, 1984.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST AND THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

6-20-1984

Rita Slack

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

VANCE, MARION L. & BARBARA L.
P.O. BOX 487
HOMEDALE, ID 83628

138584

PROOF DUE NOTICE

MARCH 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 57-7242 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

ENCLOSURE



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 22, 1979

Re: Permit No. 57-7242

Marion L. &/or Barbara L. Vance
Box 487
Homedale, Idaho 83628

Dear Mr. or Mrs. Vance:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

David R Tuthill Jr

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

57-72A2

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. S.W. Source
3. ✓ Point of Diversion
4. ✓ Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. ✓ Time req. for Proof of B/U
7. N/A Place of Use for other than irrig.
8. 14 Place of Use for irrigation (add acres)
9. other Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No. ✓

Copies Sent To:

NO Idaho Health Department
NO Idaho Fish & Game Dept.
NO Bureau of Land Management

NO U.S.F.S.
NO Dept. of Lands
NO Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land None plotted

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NO

ID Power Co. Letter - G.W. & Tribs. Yes

Snake River Condition NO

Payette River Letter NO

Priority Date 4/19/79

Water Quality #16 NO

Water Quality #10 NO
 intrastate NO interstate NO

Meas. Dev. or Sc. Meas. NO

Totalizing meter NO

Supplemental NO

Right-of-Way Cond. Yes 04

Watermaster Cond. NO

Wtr. Dist No. NO

Meas. Dev. Cond. for apps within a Water Dist. NO

Juni Reviewer
6/19/79 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 4257-7242

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) 6LS 4/19/79

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) 6LS 4/19/79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) RL OK

Affidavit of Publication received(date) 6/4/79

(12) _____

Final date for protests 6/4/79
Protests received: yes _____ no X

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) VB 11 June 79

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District WESTERN

By W. E. Smith Date JUN 12 1979

Department of Water Resources

Point of Diversion
on Dept. of Highways
land

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

APRIL 26, 1979

Owyhee Chronicle
20 East Idaho Avenue
Homedale, ID 83628

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 21, 1979.

Yours truly,

Karla Knecht
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before MAY 21, 1979.

C. STEPHEN ALLRED

Director

Published 5/3 & 5/10/79.

RECEIVED

5Z-2242-

VANCE, MARION L. &/or BARBARA L.

BOX 487, HOMEDALE, ID 83628

Source: SUCCOR CREEK tributary to SNAKE RIVER

Date Filed: 04/19/1979

Amount. 0.28 CFS


Diversion Point: SESE Sec 05 T 03N R 05W, OUYHEE Co.

Use: IRRIGATION (0.28 CFS) from 03/15 to 11/15

Place of Use: SWSE Sec 05 T 03N R 05W FOR 14 ACRES

Diversion Means: PUMPING PLANT & SPRINKLER SYSTEM


MU... 2011.14



WATER & IRRIGATION PLAN			
BRIAR HILLS SUBDIVISION			
HOMEDALE OWYHEE COUNTY IDAHO			
BLAKLEY ENGINEERS, INC.			
CHARTERED			
CALDWELL	PAYETTE	EMMETT	ONTARIO
DATE • 8/31/79	DRAWN • S.A.C.	CHECKED •	7
JOB NO • SC 033179	BOOK •		16

57-07242


57-07242



SCALE 1"=100'

LEGEND

- PROPERTY LINE
- SECTION LINE
- ROAD R.O.W.
- CENTERLINE
- WIRE FENCE
- BRASS CAP
- 5/8" ROD
- 1/2" ROD



13.55 ACRES

C-1
A. 31° 42' 45"
R. 722.4'
L. 510.54'
T. 261.99'
LC. 304.05'
BEAR. N 51° 32' 02" W

C-2
A. 45° 30' 00"
R. 988.4'
L. 758.71'
T. 400.6'
LC. 738.92'
BEAR. N 66° 25' 40" W

NW COR.
SW 1/4 SE 1/4
SEC. 5
T3N R5W, P.M.

SW COR.
SW 1/4 SE 1/4
SEC. 5
T3N R5W, P.M.


CERTIFICATION
I hereby certify that this is
a true representation of an
accurate survey, made by me or
under my supervision 5/6/78
to 5/12/78



SURVEY FOR •			
MARION VANCE			
HOMEDALE		IDAHO	
BLAKLEY ENGINEERS, INC.			
CHARTERED			
CALDWELL	PAYETTE	EMMETT	ONTARIO
DATE • MAY 6, 1978		DRAWN • G.W. JONES	
		CHECKED • K. RICE	
JOB NO. 40-03317B		BOOK • 30	

BRIAR HILLS SUBDIVISION

POR. SECTION 5, T3N, R5W, BM, OWYHEE COUNTY, IDAHO




SCALE 1"=100'

STATE OF IDAHO S.S. COUNTY OF OWYHEE

I, RONALD M. BLAKLEY, a Registered Professional Engineer in and for said County and State do hereby certify that the survey of BRIAR HILLS SUBDIVISION in Owyhee County, was made me or under my direction and that this plat correctly shows the survey as made.

IN WITNESS WHEREOF, I have hereunto set my hand and seal this 27 day of March A.D. 1979.



I hereby certify that this instrument was filed for record at the request of Ronald M. Blakley at _____ minutes past _____ o'clock _____ M. this _____ day of _____ A.D. 1979.

Fee _____

Instrument _____

Recorder _____


Deputy _____

Protective covenants filed with this plat

Instrument No. _____

LEGEND

- PROPERTY BOUNDARY
- LOT LINE
- CENTER LINE
- EASEMENT FOR UTILITIES & DRAINAGE
- SECTION LINE
- BRASS MONUMENT
- 5/8" RE BAR
- 1/2" RE BAR
- TPB TRUE POINT OF BEGINNING



CURVE DATA

CURVE	R	Δ	T	L	LC	BEARING
C-1	20.00	90°00'00"	20.00	31.42	28.28	S88°40'40"E
C-2	20.00	90°00'00"	20.00	31.42	28.28	S 1°19'20" W
C-3	20.00	46°19'20"	8.56	16.17	15.73	N23°09'40"E
C-4	20.00	44°24'55"	8.17	15.50	15.12	N22°12'27"W
C-5	50.00	268°49'50"	51.03	234.60	71.43	EAST
C-6	20.00	44°24'55"	8.17	15.50	15.12	S22°12'27"W
C-7	50.00	85°44'29"	46.42	74.82	68.03	N 1°32'41" W
C-8	50.00	48°40'26"	22.61	42.48	41.21	S65°39'47"E
C-9	50.00	98°36'33"	58.14	86.05	75.82	S40°41'44"E
C-10	50.00	35°48'22"	16.15	31.25	30.74	S26°30'44"W
C-11	20.00	122°14'28"	36.26	42.67	35.03	S61°07'14"E
C-12	100.00	90°00'00"	100.00	157.08	141.42	S88°40'40"E
C-13	70.00	90°00'00"	70.00	109.96	98.99	S88°40'40"E
C-14	130.00	32°14'28"	37.57	73.15	72.19	S73°52'46"W
C-15	130.00	31°23'53"	36.54	71.24	70.35	N74°18'04"W
C-16	130.00	14°55'27"	17.03	33.86	33.77	N51°08'24"W
C-17	250.00	44°39'48"	102.69	194.88	189.98	N86°28'23"W
C-18	250.00	18°48'17"	41.40	82.05	81.68	S80°35'52"W
C-19	250.00	31°23'53"	70.27	137.00	135.29	S74°18'04"E
C-20	130.00	78°33'48"	106.33	178.25	164.61	S82°57'34"E
C-21	250.00	5°32'22"	12.09	24.17	24.16	N61°22'18"W
C-22	276.72	11°33'20"	28.00	55.81	55.71	N49°27'20"W
C-23	306.72	11°33'20"	31.04	61.86	61.76	N49°27'20"W
C-24	246.72	11°33'20"	24.96	49.76	49.67	S49°27'20"E
C-25	246.72	9°55'44"	21.43	42.75	42.70	N48°38'32"W
C-26	246.72	1°37'36"	3.50	7.00	7.00	N54°25'12"W
C-27	306.72	4°40'28"	12.52	25.02	25.02	S46°00'54"E
C-28	306.72	6°52'52"	18.44	36.84	36.81	N51°47'34"W
C-29	20.00	90°00'00"	20.00	31.42	28.28	N10°14'00"W
C-30	20.00	90°00'00"	20.00	31.42	28.28	N79°46'00"E
C-31	50.00	90°00'00"	50.00	78.54	70.71	N10°14'00"W
C-32	80.00	90°00'00"	80.00	125.66	113.14	N10°14'00"W
C-33	20.00	90°00'00"	20.00	31.42	28.28	N10°14'00"W
C-34	80.00	39°35'56"	28.80	55.29	54.20	S14°58'02"W
C-35	80.00	50°24'04"	37.65	70.37	68.13	N30°01'58"W
C-36	20.00	44°24'55"	8.17	15.50	15.12	S33°01'33"E
C-37	50.00	268°49'50"	51.03	234.60	71.43	N34°46'00"E
C-38	20.00	44°24'55"	8.17	15.50	15.12	S77°26'27"E
C-39	50.00	44°24'55"	20.00	38.76	37.80	S77°26'27"E
C-40	50.00	108°35'59"	69.58	94.77	81.21	N 0°55'00" W
C-41	50.00	15°47'56"	79.71	101.05	84.71	N68°43'03"W
C-42	118.00	186°57'55"	-1938.92	385.05	235.56	N31°17'02"E
C-43	88.00	186°57'55"	-1445.98	287.16	175.68	N31°17'02"E
C-44	148.00	186°57'55"	-2431.87	482.95	295.45	S31°17'02"W
C-45	148.00	22°58'25"	20.00	31.42	28.28	N79°46'00"E
C-46	148.00	59°29'38"	84.58	153.68	146.87	N72°02'46"E
C-47	148.00	63°28'38"	91.54	163.97	155.71	S10°33'38"W
C-48	148.00	41°01'14"	55.37	105.96	103.71	S41°41'18"E
C-49	50.00	24°43'23"	-79.06	213.47	84.52	N60°06'46"E
C-50	20.00	64°37'23"	12.65	22.56	21.38	N29°53'13"W
C-51	50.00	27°45'11"	12.35	24.22	23.98	S11°27'08"E
C-52	50.00	43°13'28"	150.41	124.99	94.89	S83°03'33"W
C-53	50.00	73°38'44"	37.44	64.27	59.93	N25°22'33"W
C-54	922.40	31°42'45"	261.99	510.54	504.04	N59°32'02"W
C-55	922.40	4°32'16"	36.55	73.05	73.03	S45°56'48"E
C-56	922.40	4°35'48"	37.02	74.00	73.98	N50°30'50"W
C-57	922.40	9°48'56"	79.20	158.02	157.83	N57°43'12"W
C-58	922.40	12°45'45"	103.16	205.46	205.04	N69°00'33"W

The subdividers agree with Owyhee County and subsequent lot owners agree by accepting deeds to lots in this plat that they will not interfere or complain concerning farm operations that are in practice on adjacent farms at the time of recording this plat.

Sanitary restriction in force under Title 50, Chapter 13, Idaho code. No building or shelter requiring water supply or sewage disposal can be built on this tract of land until the sanitary restriction is removed by the Director of the Idaho Department of Health and Welfare, or his designee.