


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Reg Meeker
(Applicant)

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW NE Sec 35 T5S R3E

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5S	3E	35						39	26	39	40	34	25	27		28	29		138
		26										5	22	6					22

Total-160

Recommended Amendments:

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Examiner's Signature

John R Noyes

Date 4/10/83

Checked by DBS

Date 7/14/83

Approved by

Kay Walker

Date 10/25/85

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: JKN

Date: 5/19/1983

Owner: REG MEAKER

Permit #: 57-7226

Description of well &/or measuring site (give distance to restrictions upstream and downstream): SOURCE SHOO-FLY CK, 1 GE. MOTOR 60 H.P. S/N AK6053009,
1 MARATHON MOTOR - 40 H.P. S/N CA 286 JT DR 7306

Measured inside diameter of pipe in inches

12.0" A

Size of Annubar used in test

10.020"

State ID# of Annubar used

191153

Size Eagle Eye Meter used

10-80

State ID# of Meter used

091476

Date of Last Calibration of Meter

4/27/83

Observed inches of H2O read on Meter

12.0"

Adjusted inches of H2O from Last Calibration

12.307 B

FCF = $(1.026) - .2(1.026 - 1.024) = 1.0256 \times 12 =$

CALCULATION:

$(3.85) \times (A)^2 \times \sqrt{B}$

$= 4.333$ ✓


cfs measured

$3.85 \times 12.0^2 \times \sqrt{12.307} = \frac{448.8}{448.8} \times 3.508$

$A^2 = 144.0$
 $\sqrt{B} = 3.508$

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar


SKETCH:



MICROFILMED

R3E

4/02/02 EXAMINER ASSUMED MUD FLAT ROAD IS ON SECTION LINE BETWEEN 34 & 35. HOWEVER ROAD STRAYS WEST ABOUT 5 ACRES, ACCORDING TO OTHER PHOTOGRAPHY & A HIGHWAY SURVEY. *DA*



MICROFILMED

1-2304

* J.J. (10/25/85)

- 02-4027, 02-0071, 57-2327, 57-2234B, 57-7235



MEMORANDUM

WATER RIGHT LICENSE

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

The maximum combined volume of water under this right and Right 57-2304B shall not exceed 800.0 acre feet per annum for the lands above.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 23rd day of January, 19 86.

Norman C. Young
Director



1218 ✓

STATE OF IDAHO

RECEIVED

DEC 2 1985

Licensing
APPLICATION FOR AMENDMENT OF A PERMIT

Department of Water Resources

To change the point of diversion and/or the place of use.

APPROVED
834-2264

Comes now Reg Meaker and for Holly Meaker Phone 834-2264

of (address) HC 85, Box 328 Grand View, ID 83624, and represents to the

Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 57-7226, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SW 1/4 NE 1/4, Section 35, Township 5S, Range 3E, B.M.,
County of Owyhee. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

No change
Amount 1.13 for irrigation purposes from March 1 to Oct 31 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	3E	26											22						22
		35					39	26	39		34								138

Total number of acres to be irrigated = 160

4. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or the place of use? "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

MICROFILMED

Show 40-acre subdivisions, townships, ranges and ditches.

Not Necessary

[illegible]

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Grandview, ID, this 27 day of November, 1985.

Reg Meaker
(Signature)

Preliminary check by EW Fee = \$20.00 ✓

Received by HA Date 12-3-85 # 37332

Publication prepared by N/A Date

Published in _____

Publication dates

I, A. KENNETH DUNN, of the Department of Water Resources hereby

Approve the above Application for Amendment for Permit No. 57-7226.

Witness my hand this 23rd day of January, 19 86.

Director

✓

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant REG MEAKER Phone 834-2264
Post office address Rt. B, Box 328, Grand View, Idaho 83624
2. Source of water supply Shoo Fly Creek which is a tributary of Snake River
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 35 Township 5 S.
Range 3 E.B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

ALLOW 1.89
Amount 3.2 for Irrigation purposes from March 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

ALLOW 1.89
a. 3.2 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Diversion dam (checkbox) to
lateral, then pumped to sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICHAEL

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5 S.	3 E.	35						40	40	40		40							160


Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above. 57-2304 &
57-2327 J.S.

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Reg Meeker
(Applicant)

Proposed Priority 9-25-78

Received by if Date 9/25/78 Time 4:00 p.m.

Preliminary check by JB Fee \$ 105.00

Received by st Date 10-6-78 # 12451

Publication prepared by st Date 10-12-78

Published in Owyhee Tugger

Publication dates 10/19/78 + 10/26/78

Publication approved st Date 11-7-78

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7226, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
II. The rate of diversion under this permit shall not exceed 1.89 cfs.

Witness my hand this 9th day of November, 19 78.

J. Glen Saxton

Chief, Operations Bureau

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 19 day of October, 1978, and the last publication being on the 26 day of October, 1978;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

PUBLISHER

Subscribed and sworn to before me this 26 day of Oct,

1978

NOTARY PUBLIC

My commission expires 9-10-77

(SEAL)

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:

57 - 7225
Name: MEAKER, REG
Address: ROUTE B, BOX 328, GRAND VIEW, ID 83624
Source: GROUNDWATER
Date Filed: 10/06/1978
County: OWYHEE
Amount: 0.12 CFS
Point of Diversion: SWSW S35 T05S R03E
Use: DOMESTIC from 01/01 to 12/31
STOCKWATER from 01/01 to 12/31
HEATING from 01/01 to 12/31
IRRIGATION from 03/15 to 11/15
Place of Use: SWSW (1) S35 T5S R03E FOR 1 Acre
Other Uses: Domestic, Stockwater & Heating same as other use.

Means: WELL WITH PUMP
57 - 7226
Name: MEAKER, REG
Address: ROUTE B, BOX 328, GRAND VIEW, ID 83624
Source: SHOO FLY CREEK tributary to SNAKE RIVER
Date Filed: 10/06/1978
County: OWYHEE
Amount: 3.20 CFS
Point of Diversion: NWNW S35 T05S R03E
Use: IRRIGATION from 03/01 to 10/31
Place of Use: NWNW(40) SWNW(40) SENW(40) NWSW(40) S35 T05S R03E FOR 160 ACRES
Means: DIVERSION DAM (CHECKBOX) TO LATERAL, THEN PUMPED TO SPRINKLERS

57 - 7227
Name: FARMERS CATTLE COMPANY
Address: STAR ROUTE, MELBA, ID 83641
Source: GROUNDWATER
Date Filed: 10/06/1978
County: OWYHEE
Amount: 4.00 CFS
Point of Diversion: SENW SWNE S09 T015 R03W NENW NWNW S10 T015 R03W SWNW S10 T015 R03W
Use: STOCKWATER from 01/01 to 12/31
Place of Use: NENE, SESE S9, NWNW, NENW, SWNW, S10; T01S R03W
Means: 4 WELLS, PUMPS, PIPELINE, 180 STOCKWATER TANKS

If issued, the permits will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before NOVEMBER 6, 1978.

C. STEPHEN ALLRED,
Director

Published in the Owyhee Nugget, Marsing, Owyhee County, Idaho on OCTOBER 19, 1978 and OCTOBER 26, 1978.

MICROFILMED

June 12, 1992

REG MEAKER
HC 85 BOX 328
GRAND VIEW ID 83624

RE: Water Right No. 57-07226

Dear Water Right Holder(s):

On June 8, 1992, the department sent you a letter which directed you to immediately cease diverting water under the above referenced water right, since the minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second (cfs) measured near Weiser was not being satisfied.

The flow of the Snake River at Weiser is now above 4,750 cfs. You are, therefore, authorized to again divert water under your water right. If the minimum stream flow is not met later this year, however, the department will again notify you to temporarily cease diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

June 8, 1992

REG MEAKER
HC 85 BOX 328
GRAND VIEW ID 83624

RE: Water Right No. 57-07226

Dear Water Right Holder(s):

On May 19, 1992, the department sent you a letter advising that you might be required to temporarily cease diverting water from the Snake River or its tributaries if the established minimum stream flow of the Snake River in the amount of 4,750 cubic feet per second measured near Weiser is not satisfied or likely will not be satisfied.

The flow of the Snake River at Weiser is now less than 4,750 cfs. You are, therefore, directed to immediately cease diverting water under the above referenced water right and to not resume use until authorized by the department.

Past flow records show that the duration of seasonal low flow periods typically last several days to a week. Since your use of water is extremely important to you and since mail notification includes a delay associated with mail delivery time, feel free to call the toll-free telephone number 1-800-451-4129 to determine when you are again authorized to divert and use water under your water right. Please use this phone number only in connection with resumption of use.

You need to be aware that Section 42-351, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversion.

Thank you for your cooperation in this matter. Please feel free to contact L. Glen Saxton (phone: 208-327-7955) or Gary Spackman (phone: 208-327-7946) of my staff if you have questions.

Sincerely,

R. KEITH HIGGINSON
Director

May 19, 1992

REG MEAKER
HC 85 BOX 328
GRAND VIEW ID 83624

RE: Water Right No. 57-07226

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

8/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 57-7226
Name(s) of Permit Holder(s): REG MEADOR
Post Office Address: RT. 3, Box 328
GRAND VIEW, ID 83624 57-7226
☒ I hereby certify that construction of diverting works on the above referenced permit began on 1971 JUL 28 1982. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note. A financing difficulty is not an acceptable reason

8/19/82
Date

Reg Meador
Signature of Permit Holder

Department of Water Resources
Western Regional Office

PLACE
STAMP
HERE

MICROFILMED

RECEIVED

JUL 26 1988



AUG 14 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

January 27, 1986

RE: Permit No. 57-7226

Reg Meaker
HC 85, Box 328
Grand View, ID 83624

Dear Permit Holder:

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment. Also enclosed is Departmental Receipt No. 37332 in the amount of \$20.00.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

November 6, 1985

RE: Permit No. 57-7226

Reg Meaker
HC 85, Box 328
Grand View, ID 83624

Dear Permit Holder(s):

A representative of this Department made an examination of the works covered by your Permit No. 57-7226 and has found the following:

Amount of water that can be recognized as beneficially used
under Idaho law: 1.13 cfs Source: Shoofly Creek trib to
Snake River

The maximum quantity diverted shall not exceed 800.0 acre feet
per year.

Point(s) of diversion: SWNE, Sec. 35, Twp 5S, Rge 3E

Beneficial Use: Irrigation of 22 acres within SWSW, Sec. 26;
and 138 acres within NWNW, S1/2NW1/4, NWSW, Sec. 35; Twp 5S, Rge
3E

Priority date established: September 25, 1978

Conditions (if any): The maximum combined volume of water under
this right and Rt. 57-23048 shall not exceed 800.0 af/annum for
the lands above. This right when combined with all other rights
shall provide no more than .02 cfs per acre nor more than 5.0
afa per acre for the lands above.

In order for the Department to issue the above license, it will be necessary for you to amend the permit to correspond with the findings of the field examiner. We are enclosing a partially completed amendment form for your use in this matter.

MICROFILMED

Page 2

Please sign the amendment application and return it to this office along with a \$20.00 filing fee within 30 days in order that we might issue your license as set forth above. If you do not concur with these findings or have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosure

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

57-7226
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 5/19/83 Accompanied by Reg Meaker Total Q measured 4.33 cfs ✓
Source Shosh Fly Creek Tributary to Snake River Supp. annubar measurement sheet used? _____
If source is surface water, estimate total flow of source _____
Methods of measurement annubar Meets permit requirements? _____

Measurement calculations: See annubar measurement. 4.33 cfs
160 X 4.5 AF = 720 AF 1.89 X 1.98 X 245 = 917 AF Rec. 720 AF
160 X .02 = 3.2 cfs Recommend 1.89 cfs as per permit
V = 160 X 5.0 = 800.0 AF Not with condition limiting
V = 1.13 X 1.9835 X 245 = 549.1 AF when combined w/ 57-2304B.
USE THIS ON LIC.

WELL/DIV NO *	HP	MOTOR MAKE	MOTOR SERIAL NO	PUMP MAKE	PUMP SERIAL NO	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	60	GE	AK6053	Correll	15799	annubar	good	
			009					
	40	Morrell	CA 22617	—	—	"	"	
		Geo.	DR 7306					
			AA					

System Description Pumps out of conveyance ditch from Shosh Fly Creek. Sprinkler system

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement = <u>5.0</u>		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>Irrigation</u> ✓	<u>1.13</u>	<u>720</u>	<u>3/15</u>	<u>10/31</u>
<u>ALLOW per overlap Review</u>	<u>1.13</u>	<u>800.0 AF</u>	<u>3/15</u>	<u>11/15</u>
		<u>549.1</u>	<u>per W.U.</u>	<u>handbook</u>
	<u>1.13 cfs</u>	<u>800.0 AF</u>		
Total	<u>1.13</u>	<u>720</u>	<u>3/15</u>	<u>10/31</u>

Re is with 02-7344
This is when combined with 02-0071, 02-4027
57-2304, 57-2327 shall provide no more than
.02 cfs/acre

MICROFILMED

(Include distance from pump to measuring device, if applicable.)

Date 10/25/85

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: JKN

Date: 5/19/1983

Owner: REG MEAKER

Permit #: 57-7226

Description of well &/or measuring site (give distance to restrictions upstream and downstream): SOURCE SHOO-FLY CK, 16 E. Motor 60 H.P. S/N AK6053009,
1 MARATHON Motor - 40 H.P. S/N CA 286 JT DR 7306

Measured inside diameter of pipe in inches

12.0" A

Size of Annubar used in test

10.020"

State ID# of Annubar used

191153

Size Eagle Eye Meter used

10-80

State ID# of Meter used

091476

Date of Last Calibration of Meter

4/27/83

Observed inches of H2O read on Meter

12.0"

Adjusted inches of H2O from Last Calibration

12.307 B

FCF = ~~(1.024)~~ - .2(1.026 - 1.024) = 1.0256 x 12 =

CALCULATION:

$(3.85) \times (A)^2 \times \sqrt{B}$

= 4.333 ✓


cfs measured

$3.85 \times 12.0^2 \times \sqrt{12.307} = \frac{448.8}{448.8} \times 3.85 \times 144 \times 3.508$

$A^2 = 144.0$
 $\sqrt{B} = 3.508$

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:




MICROFILMED

C193
176C

Reg meaker

R3E

4/02/82 EXAMINER ASSUMED HUB FLAT ROAD IS ON SECTION LINE
BETWEEN 34 & 35. HOWEVER ROAD STRAYS WEST ABOUT 5 ACRES,
ACCORDING TO OTHER PHOTOGRAPHY & A HIGHWAY SURVEY. *D*



P. 1

Overlap Review - Permit 57-7226

per VAX 10/25/85:

p/d - 57-7286 - no proof in file, no overlap

no file - 57-7404 SWAN FALLS HOLD - Western

57-7198 - proof in file, no exam, ^{NO} O.L.

57-7259 - proof in file, no exam, ^{NO} O.L.

57-7258 - lapsed 6/85

57-7235 - no proof in file, no overlap

p/u - 02-0053 — Snake R.

02-7357 — Snake R.

02-0071 — Snake R.

02-4027 — Snake R.

57-4000 — ^{un. stream} different source → R33

57-4106 — spring, different source ↑

no file - 57-7449 — app., no overlap

02-7344 — Snake R.

02-4027 — Snake R.

57-7235 - no proof, no overlap

57-2304 B — see attached overlap review

57-2327 — Twenty Mile Ck. → R33

57-2324 - proof in file, no exam, ^{20 mile} ck.

02-2242 — Snake R.

57-7229 - no proof in file, no overlap

MICROFILMED

Rights w/source of Snake River -
Recommend R33 - different source
(no more than 0.02 cfs or 5.0 AFA when combined)

p. 2

Overlap 57-7226

p/d & p/u
overlap 57-2304B - same source, p/d &
p/u overlap (see copy of
Trans. ~~3160~~ 3160) 4.33 cfs
for 285.5 acres = 0.015 cfs/acre -
all lands in Sec. 35 overlap -

$$\begin{array}{l} 138 \text{ ac.} \times 0.02 = \underline{2.76} \text{ cfs} - 138(0.015) = 2.07 \\ \underline{22 \text{ ac.} \times 0.02 = \underline{0.44} \text{ cfs needed}} \\ 160 \qquad \qquad \qquad 3.20 - (2.07 \text{ Lic 57-2304B}) = 1.13 \text{ cfs} \end{array}$$

→ $\begin{array}{r} 2.76 \\ - 2.07 \\ \hline 0.69 \text{ needed for } 1''/\text{ac. Sec. 35} \\ + .44 \text{ needed for } 1''/\text{ac. Sec. 26} \\ \hline 1.13 \text{ needed for } 1'' \text{ per acre} \\ \text{from Shoofly Cr.} \end{array}$

kw

Volume Amt:

MICROFILMED

Lands in Sec. 35 licensed for
5. AF/acre under Lic. 57-2304B -
Lands in Sec. 22 not licensed -
Recommend allowing 160 ac. $\times$ 5 AF =
800.0 AFA with condition limiting
volume when combined with
57-2304B.

Transfer No. 3160
02-7344
 Water Right No. 57-2304B

 STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHTS

To Change the Point of Diversion and/or the Place of Use

M & M LIMITED PARTNERSHIP

 Name of applicant REG & HOLLY MEAKER, GENERAL PARTNERS Phone 834-2264

 Post Office address RT. B, Box 328, GRAND VIEW, ID 83624
A. DESCRIPTION OF RIGHT AS RECORDED

1. Right evidenced by:

- a. Decree No. _____ Decreed to _____ (Name)
 in case of _____ vs _____
 dated in _____ in _____ county of _____
 (Name of court)
- b. License No. 02-7344
57-2304 issued by the Idaho Department of Water Resources
- c. Claim No. _____ on file with the Idaho Department of Water Resources

2. If applicant is not the original holder of this right, explain how it was acquired and attach a copy of the deed or other evidence of ownership of the land to which the right is appurtenant _____

THROUGH PURCHASE FOR 57-2304

3. Source of water
- 02-7344 SNAKE RIVER
- 57-2304 SHOVELY CREEK
- tributary to
- COLUMBIA RIVER
-
- 02-7344 5-06-1981
-
- 57-2304 10-12-1966

4. Date of priority _____

5. Water is used for the following purposes:

02-7344 amount 2.86 for IRRIGATION purposes from 3-15 to 11-15
57-2304 amount 5.0 for IRRIGATION purposes from 4-01 to 10-31
 amount _____ for _____ purposes from _____ to _____
 (month/day — both dates inclusive)

6. Total amount of water under right: a. _____ cubic feet per second
-
- &/or
-
- b. _____ acre feet per annum

7. Location of original point of diversion is
- 02-7344
- G.L. 9
- SE 1/4 of
- SW
- 1/4 of Section
- 34

 Township 5S Range 4E, B.M., in OWYHEE County

 Additional points of diversion, if any 57-2304 G.L. 2, S. 2, T. 6S, R. 3E,
OWYHEE Co.

8. Lands irrigated or place of use:

MICROFILMED

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<u>02-7344</u>	<u>55</u>	<u>3E</u>	<u>26</u>									<u>5</u>	<u>36</u>	<u>6</u>					<u>47</u>
		<u>35</u>		<u>6</u>	<u>31</u>		<u>37</u>	<u>39</u>	<u>26</u>	<u>39</u>	<u>40</u>	<u>34</u>	<u>25</u>	<u>37</u>		<u>28</u>	<u>29</u>		<u>371</u>
																			<u>418</u>
<u>57-2304</u>	<u>55</u>	<u>3E</u>	<u>35</u>		<u>6</u>	<u>36</u>	<u>6</u>	<u>26</u>	<u>1.5</u>	<u>10</u>	<u>39</u>	<u>39</u>	<u>36</u>	<u>12</u>	<u>36</u>	<u>28</u>	<u>35</u>	<u>19</u>	<u>330</u> ✓

Total number of acres to be irrigated _____

9. Describe any other water rights used for the same purpose as described above
- 02-4027
- 02-0071
- ,
-
- 57-2327
- ,
- 57-2234B (PERMIT)
- ,
- 57-7235 (PERMIT)

10. To your knowledge, has any portion of this water right undergone a period of five or more consecutive years

B. DESCRIPTION OF PORTION OF RIGHT OWNED BY APPLICANT (If the entire right is owned by the applicant, omit part B). ALL OF L-7344 HELD BY APPLICANT.

57-2304

1. Amount of water: a. 4.33 cubic feet per second
&/or
b. _____ acre feet per annum
2. Point of diversion Lot 2 $\frac{1}{4}$, Section 2 Township 6S
Range 3E, B.M., OWYHEE County see remarks
Additional points _____

3. Place of use:

per aerial photo attached to exam 57-226

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
55	3E	35		6.39			26	1.5	10	39	39	34	12	36		30	19		~~287.5~~ 287.5 ok

Total number of acres to be irrigated 287.5 ok
~~287.5~~

C. DESCRIPTION OF RIGHT OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

1. General Information

- a. Amount of water to be diverted NO CHANGE c.f.s. &/or _____ acre feet
- b. Description of diverting works NO CHANGE
- c. Describe the reasons for the proposed changes APPLICANT OWNS ALL OF 02-7344 AND MOST OF 57-2304. PROPOSED CHANGE IS TO CHANGE PLACE OF USE ON 3 ACRES IN SWNE, S. 35 TO THE SENE, S. 35.

2. Change in point of diversion NO CHANGE

Point of diversion _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, Section _____ Township _____
Range _____, B.M., _____ County _____
Additional points _____

3. Change in place of use

- a. Are there liens, mortgages, or contracts on the lands from which you propose to transfer the water right which limit your authority to make the proposed change? Yes _____ No X. If yes, provide a statement agreeing to the proposed change from the holder of the lien, mortgage or contract.
- b. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfer
LAND WILL BE ABANDONED FOR IRRIGATION UNLESS OUTSTANDING WATER RIGHT PERMITS ARE USED ON THIS LAND.

MICROFILMED

MICROFILMED


Describe the points place of use to which the right will be transferred:

RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
		NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
44	3E 35		6	28	3	37	39	26	39	40	34	25	37		28	29		371
	26										5	36	6					47
																		418
2304	3E 35		6	30	3	26	1.5	10	39	40	34	12	37		30	19		285.5

* J.J. (10/25/85)

Total number of acres to be irrigated

- Describe any other water rights used for the same purpose as described above. 02-4027, 02-0071, 57-2327, 57-2234B, 57-7235
- Draw a map indicating the new point(s) of diversion and/or the new land to be irrigated. Show clearly the land involved by section, township and range number.



MICROFILMED

D. REMARKS

ANOTHER TRANSFER APPLICATION HAS BEEN FILED TO
ADD TWO (2) POINTS OF DIVERSION IN THE SWNE, S. 35,
T. 5S, R. 3E TO 57-2304.

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement
in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willfull misrepresentations made in this application may result in voiding its approval.

Reg. M. Weber General Partner
(Signature of Applicant)

Subscribed and sworn to before me this 17 day of JUNE, 19 83

[Signature]
(Notary Public)

My commission expires LIFE

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. 02-7344/57-2304B
and said application is hereby APPROVED, subject to the following limitations and conditions:

1. No more water shall be diverted in Sec. 35, Twp 5S, Rge 3E under Rt. 57-2304B
than at the same time is available for diversion under Rt. 57-2304B in Sec. 2,
Twp 6S, Rge 3E. 2. This right when combined with all other rights shall provide
no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.

Witness my hand this 13th day of August, 19 85

[Signature]
Chief, Operations Bureau

FOR DEPARTMENT USE ONLY

Received by [Signature] Date 6/17/83
Prelim. check by 665 Fee 50- #31062
Receipted by [Signature] Date 6/17/83
Published in our paper magnet
Pub. dates 9/7 9/14/83
Watermaster recommendation requested on _____
_____ rec'd. _____

Protest filed by _____

Copies of protest forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial
by DBS Jim

MICROFILMED

MICROFILMED

for snake R 2.
5/6/1987

2

Township	Range	Sec	NE 1/4				NW 1/4				SE 1/4				TOWNSHIP TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
55	3E	26													47
		35													366
Handwritten (Total)															
02-0071															413
55	3E	26													3
		35													28
Handwritten (Total)															
02-4027															323
55	3E	26													37
		35													256
Handwritten (Total)															
57-2304															323
55	3E	35													330
Handwritten (see transfers)															
57-2527															
55	3E	35													2
57-7226															
55	3E	35													138
Handwritten (Total)															
02-7344															
55	3E	26													22
															160
Handwritten (Total)															
02-7344															
55	3E	26													47
		35													371
Handwritten (Total)															
Handwritten (Total)															

INTER-DEPARTMENT MEMO — 1

FROM D. Shaff

DATE 7/10/84

TO 57-7226

SUBJECT Overlaps: Hold

Transfer pending in Western Region for 57-2304 that proposes to overlap the place of use for 57-7226. I suggest holding this license until action is taken on 57-2304.

-ok, see
copies of Trans.
Nos. 3159 & 3160

MICROFILMED

D. Shaff

SIGNATURE



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 20, 1985

Reg Meaker and or Holly Meaker
HC 85, Box 328
Grandview, ID 83624

Re: Water Right Identification No. 57-7226

Dear Wateruser:

The proof of beneficial use (Form A) which you recently submitted to the department is being returned to you for the following reason:

- ☒ Proof of beneficial use has already been submitted for the water right.
- ☐ Proof of beneficial use is not applicable for existing licensed rights.
- ☐ Proof of beneficial use is not applicable for existing decreed rights.
- ☐ Proof of beneficial use is not applicable for a right represented by a claim to a water right.
- ☐ Other:

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

cc: Region

MICROFILMED

September 27, 1983

Reg Meaker
Rt. B, Box 328
Grand View, ID 83624

Dear Mr. Meaker:

Re: Permit No. 57-7226

This office acknowledges receipt of the statement of beneficial use postcard submitted for this permit.

It is the department's understanding that a field exam has been conducted by one of our regional office staff. Based on his recommendations, a water right license will be issued.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

RITA L. FLECK
Secretary/Records Manager

cc: regional office

MICROFILMED

U. S. DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 57-7226

Name(s) of Permit Holder. Reg Wheeler

Post Office Address. Box 328

Brandsview, Idaho 83434 Tel. No. 834-2264

Source of Water:

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 160 (acres)
☐ Other

Measuring Device Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date _____

Reg Wheeler
 Signature of Permit Holder

PLACE
3 CENT
STAMP
HERE



MICROFILMED

Resources

State Office **IDAHO DEPARTMENT OF WATER RESOURCES**
STATEHOUSE
BOISE, IDAHO 83720

INTER-DEPARTMENT MEMO — 1

FROM Rita Fleck

TO File 57-7226

SUBJECT B/U Postcard

DATE 9-1-83

John Noyes has contacted the permit holder and requested a Statement of Beneficial Use postcard. If we do not receive in 10 days, a ~~proper~~ notification that proof is due should be sent.

certified

MICROFILMED

SIGNATURE

South Board of Control, Owyhee Project


Homedale, Idaho 83628

Phone 337-3760

BEVERLY FISHER
Treasurer

ERICH KNEHANS
Secy.-Mgr.

January 9, 1978



Mr. David B. Shaw
Western Regional Supervisor
Department of Water Resources
92 South Cole Road
Boise, Idaho 83705

DEPARTMENT OF WATER RESOURCES
BOISE, IDAHO

Dear Mr. Shaw:

With reference to our telephone conversation of today,
we will drop Protests on all Snake River Applications
with the following numbers.

Permit No. #51-7137 --- #57-7235 --- #02-7274
#02-7273 --- #02-7272 --- #02-7271
#57-7226 - approved

Thank you.

Sincerely,

Erich Knehans
Erich Knehans, Secy.-Mgr.
South Board of Control

EK/mt

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address
Statehouse
Boise, Idaho 83720
(208) 384-2215

November 13, 1978

Re: Permit No. 57-7226

Reg Meaker
Route B, Box 328
Grandview, Idaho 83624

Dear Mr. Meaker:

Your approved copy of your Application for Permit is enclosed and we direct your attention to the conditions of approval on the fourth page.

Please note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. The Department will provide the specifications for the installation to you.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right. If you have any questions, please let us know.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw Enclosure

*Access port specs
sent 7-9-79.
mm*

MICROFILMED

MEMORANDUM

TO: File

NOVEMBER 9, 1978

FROM: Jim Johnson *J.J.*

RE: Adjustment of Amount Allowed for Application for Water Permit No. 57-7226

Some of the lands identified in this Application already receive water from the same source as identified in License No. 57-2304.

The applicant has indicated that he is changing the method of irrigation from flood to sprinkler and will be irrigating new lands not previously covered in the existing Water License. He desires to irrigate the entire 40 acre subdivisions with a full inch per acre allocation.

To accomplish this, the amount previously licensed to that portion of land covered in the new application must be subtracted from the amount that would give a full inch per acre allocation to said lands.

The calculation of this is as follows:

LOCATION OF OVERLAPPING LANDS

LAND DESCRIPTION	ACRES COVERED IN LICENSE	ACRES TO BE IRRIGATED
Twp. 5S, Rge. 3E, Sec. 35 NW $\frac{1}{4}$ NW $\frac{1}{4}$	1.5	40
SW $\frac{1}{4}$ NW $\frac{1}{4}$	10.0	40
SE $\frac{1}{4}$ NW $\frac{1}{4}$	39.0	40
NW $\frac{1}{4}$ SW $\frac{1}{4}$	36.0	40
	<u>86.5</u>	<u>160</u>

License 57-2304 included a total of 330 acres with a 5.0 cfs diversion rate.

Per acre allocation = 0.015 cfs/ac
 Total Diversion rate for 86.5 acres @ *4.015 cfs/acre* = 1.31 cfs
 Maximum diversion rate for 86.5 acres (86.5 x .02). = 1.73 cfs
 Additional amount needed by applicant to bring land up to
 one (1) inch per acre. (*1.73 - 1.31*) = .42 cfs
 Acres still needing water (160 - 86.5). = 73.5 acres
 Maximum diversion rate (73.5 x .02) = 1.47
 Total amount allowed (1.47 cfs + .42 cfs) on new application. = 1.89 cfs *JSJ*

MICROFILMED

11-9-78

57-722c

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. S.W. Source
3. ✓ Point of Diversion
4. ✓ Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. S Time req. for Proof of B/U
7. N/A Place of Use for other than irrig.
8. ✓ Place of Use for irrigation (add acres)
9. App Property Owner at Pt. ✓ of Div. & Pl. of Use
10. ✓ Map
11. 65 Fee & Rec't. No.

Copies Sent To:

No Idaho Health Department
✓ Idaho Fish & Game Dept.
✓ Bureau of Land Management

No U.S.F.S.
✓ Dept. of Lands
✓ Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area ✓ yes ✓ no

Other rights on same land Lic. 57-2304 & 57-2327 (see memo for adjustment)

M Withdrawals of all protests received ✓ yes ✓ no

Conditions:

ID Power Co. Letter - Snake R. No

ID Power Co. Letter - G.W. & Tribs. Yes

Snake River Condition No

Payette River Letter No

Priority Date 9-25-78

Water Quality #16 No

Water Quality #10 No

intrastate ✓ interstate ✓

Meas. Dev. or Sc. Meas. Yes

Totalizing meter No

Supplemental No

Right-of-Way Cond. No

Watermaster Cond. No
 Wtr. Dist No. ✓

Meas. Dev. Cond. for apps within a Water Dist. No

~~Use comments~~

Jim Reviewer

11/9/78

Da **MICROFILMED**

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

OCT 10 1978
Department of Water Resources
Western Regional Office

Item Initial Date

Application No. 57-7226

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) 6LS 10/10/78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) 6LS 10/10/78

In form for advertising (Opus Nugget)

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) ex 11-7-78

Affidavit of Publication received (date) 10-30-78

(12) _____

Final date for protests 11-6-78
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

9-25-78 Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By [Signature] Date 11-7-78

I.P. letter
RECEIVED
NOV 08 1978
Department of Water Resources

57-7226

Name: MEAKER, REG

Address: ROUTE B, BOX 328, GRAND VIEW, ID 83624

Source: SHOO FLY CREEK tributary to SNAKE RIVER

Date Filed: 10/06/1978

County: OWYHEE

Amount 3.20 CFS

Point of Diversion: NWNE S35 T05S R03E

Use IRRIGATION from 03/01 to 10/31

Place of Use: NWNW(40) SWNW(40) SENW(40) NWSW(40) S35 T05S R03E FOR 160 ACRES

Means: DIVERSION DAM (CHECKBOX) TO LATERAL, THEN PUMPED TO SPRINKLERS

MICROFILMED