

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Chief Operations Bureau

5 S.

35

NW NE

SW SE

21-1

well

3 E.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Reg Wheeler
(Applicant)

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

S.S.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 19 day of October, 1978, and the last publication being on the 26 day of October, 1978;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

PUBLISHER

Subscribed and sworn to before me this 26 day of Oct, 1978.

NOTARY PUBLIC

My commission expires 9-10-80

(SEAL)

MICROFILMED

57-7225
OK
11-7-78

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho:

57 - 7225

Name: MEAKER, REG
Address: ROUTE B, BOX 328, GRAND VIEW, ID 83624
Source: GROUNDWATER
Date Filed: 10/06/1978
County: OWYHEE
Amount: 0.12 CFS
Point of Diversion: SWSW S35 T05S R03E .

Use: DOMESTIC from 01/01 to 12/31

STOCKWATER from 01/01 to 12/31

HEATING from 01/01 to 12/31

IRRIGATION from 03/15 to 11/15

Place of Use: SWSW (1) S35 T5S R03E FOR 1 Acre

Other Uses: Domestic, Stockwater & Heating same as other use.

Means: WELL WITH PUMP

57 - 7226

Name: MEAKER, REG
Address: ROUTE B, BOX 328, GRAND VIEW, ID 83624
Source: SHOO FLY CREEK tributary to SNAKE RIVER

Date Filed: 10/06/1978

County: OWYHEE

Amount: 3.20 CFS

Point of Diversion: NWNW S35 T05S R03E

Use: IRRIGATION from 03/01 to 10/31

Place of Use: NWNW(40) SWNW(40) SENW(40) NWSW(40) S35 T05S R03E FOR 160 ACRES

Means: DIVERSION DAM (CHECKBOX) TO LATERAL, THEN PUMPED TO SPRINKLERS

57 - 7227

Name: FARMERS CATTLE COMPANY
Address: STAR ROUTE, MELBA, ID 83641

Source: GROUNDWATER

Date Filed: 10/06/1978

County: OWYHEE

Amount: 4.00 CFS

Point of Diversion: SENW SWNE S09 T015 R03W NENW NWNW S10 T015 R03W SWNW S10 T015 R03W

Use: STOCKWATER from 01/01 to 12/31

Place of Use: NENE, SESE S9, NWNW, NENW, SWNW, S10: T01S R03W

Means: 4 WELLS, PUMPS, PIPELINE, 180 STOCKWATER TANKS

If issued, the permits will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before NOVEMBER 6, 1978.

C. STEPHEN ALLRED,
Director

Published in the Owyhee Nugget, Marsing, Owyhee County, Idaho on OCTOBER 19, 1978 and OCTOBER 26, 1978.

57-07225
T55
R3E
5.35



RELIFTPUMP

A black and white photograph of a document, possibly a letter or report, with a large, diagonal red stamp across the center. The stamp is oriented from the bottom-left to the top-right and contains the word 'RECEIVED' in a large, bold, sans-serif font. Below 'RECEIVED', the date 'JAN 1964' is printed in a smaller, similar font. The background of the document is filled with faint, mostly illegible text, which appears to be a standard letter format with a header, a body, and a closing. The stamp is a prominent feature, indicating the document's receipt date.

Ortak

PT. VISIBLE FROM
ENTRIES
INTO DUNE
CANAL

WEST
POINT OF
DIVISION

PROCHNÉ

JUN 25 1953

MAP PREPARED
12/13/91 PER ASES
photo & other exam
info.

JL

plu
(feed
lot)

Relift
pump

Ditch

plu
(well)

57-07225
T55 R36

well flows into canal,
ditch from canal to
plu via Relift pump

MICROFILMED

JUN 25 1992

PERMIT No. 57-07225

PHOTOS TAKEN BY
RON HOWERTON
ON 11-28-90



LOOKING DOWN
ON TOP OF WELL
CASING - CASING
BROKEN OFF AT
GROUND LEVEL.
ARTESIAN FLOW
(VERY SMALL) FROM
WELL DOWNHILL
TO BYBEE CANAL.



PICTURE TAKEN
FACING WEST
TOWARDS FEED-
LOT. CAN SEE
FEEDLOT IN
BACK GROUND.
WELL LOCATED
SOUTH FROM
FEEDLOT.

UNDOCTED

JUN 25 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07225

Priority: September 25, 1978

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

4.0 AF

This is to certify, that REG MEAKER
7314 SUNNYBROOK DR
BOISE ID 83709

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 25, 1978; and has submitted Proof of Beneficial Use on November 8, 1988. An examination indicates that the works have a diversion capacity of .020 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	03/15 to 11/15	0.02 CFS	4.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 35, Township 05S, Range 03E
OWYHEE County

PLACE OF USE: STOCKWATER
TWN RGE SEC

05S 03E 35 SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 300 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of JUNE, 1992.

RECEIVED

Acting for R. Keith Higginson, Director

JUN 25 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07225

Date of Priority: September 25, 1978 Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 4.0 AF

Comes now REG MEAKER
7314 SUNNYBROOK DR
BOISE ID 83709

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 57-07225, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	03/15 to 11/15	0.02 CFS	4.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 35, Township 05S, Range 03E
OWYHEE County

PLACE OF USE: STOCKWATER
TWN RGE SEC

05S 03E 35 SWSW

RECEIVED
APR 2 1992

Department of Water Resources

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, this 31 day of March, 1992.

Reg Meaker
(Signature)

MICROFILMED

JUN 25 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07225

FOR DEPARTMENT USE ONLY

Preliminary check by SC Fee = \$20.00 Received by [Signature] Date 4-2-92 #C023678

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 57-07225 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Stockwater use is for 300 range cattle.

Witness my hand this 10th day of June, 1992.

[Signature]
Acting for R. Keith Higginson, Director

RECEIVED

JUN 25 1992

RECEIVED
JUL 6 1984

Ident. No. 57-7225

STATE OF IDAHO

Department of Water Resources
Western Regional Office

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use

APPROVED

Comes now Reg Meaker and/or Holly Meaker Phone 834-2264

of (address) Rt. B, Box 328, Grand View, Idaho 83624, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 57-7225, and requests that the permit and permit map be changed as follows:

1. Point of diversion: N/C ¼ ¼, Section , Township , Range , B.M.,
County of . Other points of diversion:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount .04Cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum)

Amount .04Cfs for Heating purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum)

Amount .02Cfs for Irrigation purposes from 3/1 to 10/31 (both dates inclusive)
(cfs or acre feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

.10 cfs total

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5S	3E	35											1						1

Total number of acres to be irrigated = 1

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing:

Remarks: Applicant is making this amendment to remove Stockwatering from the Permit,
so that Idaho Power will remove this Permit from its Lawsuit.

MICROFILMED

Show 40-acre subdivisions, townships, ranges and ditches.

MICROFILMED

T5S

X PD PU

R3E

35

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Boise, Idaho, this 6th day of July, 1984

Reg McAhee
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by OKS Fee = \$20.00

Received by [Signature] Date 7/6/84 # 345 20

Publication prepared by N/A Date _____

Published in *Journal of Management Education* 36(10) 1039-1054

Publication dates _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby

Approve the above referenced Amendment provided the conditions as set forth on
page 4 of Permit No. 57-7225 are met.

Witness my hand this 21 day of August

_____, 19 84 .
L. Glen Saxton
 Chief, Operations Bureau

For Office Use Only
Fee Received <u>15.00</u>
Date <u>10/25/83</u>
Receipt # <u>32467</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

Department of Water Resources
Western Regional Office

REG MEAKER of RT. B, Box 328, GRANDVIEW
(Name) (Address)

State of IDAHO, deposes and says

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of
the State of Idaho No 57-7225

That under the terms and conditions of said permit, work thereunder was required to be completed on or before
DECEMBER 1, 19 83

That he has heretofore performed the following work described under said permit: DRAIN SYSTEM
(This must be filled out! If no work has been completed put none)
INSTALLED THAT STOCK UTILIZE. PORTABLE PUMP HAS
BEEN USED WHEN ARTESIAN FLOW WAS LOW. SITE
PREPARATION FOR SHOP BUILDING. CONSTRUCTED BRIDGE
FOR ACCESS. Costing \$3500

commenced work

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:
FINANCIAL RESOURCES ARE TOO POOR TO ALLOW BUILDING
A HOUSE AND MOVING MY FAMILY TO THIS PROPOSED
HOME SITE.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations
under said permit to DECEMBER 1, 19 88
(1 yr minimum, 5 yrs maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME

Reg Meaker
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit the statement of beneficial use is extended to December 1, 1988.

Signed this 23rd day of November, 19 83

J. Glen Saylor
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant REG MEAKER Phone 834-2264

Post office address Rt. B, Box 328, Grand View, Idaho 83624

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 5S

Range 3E B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for Stock purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .04 for Heating purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for Irrigation purposes from Mar 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well with pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 10 inches; proposed depth of well is 500 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 5S
Range 3E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 300 beef cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: Well is hot water, will be used to heat house.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated **1**

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Purchased land and well from Owyhee Grazing Association.

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Reg Wheeler
(Applicant)

Proposed Priority 9-25-78

Received by af Date 9/25/78 Time 4:00 p.m.

Preliminary check by JGLH Fee \$ 20.00

Receipted by af Date 10-6-78

Publication prepared by af Date 10-12-78

Published in Owyhee Nugget

Publication dates 10/19/78 & 10/26/78

Publication approved af Date 11-7-78

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS S.J.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7225, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 5 day of December, 19 78.

A. Glen Saxton

Chief, Operations Bureau

STATE OF ID
Department of Water Resources

No 12454

Boise, Idaho, October 10, 1978

RECEIVED
FROM

Reg on Holly Meadows \$130.00
One hundred thirty dollars & no/100 DOLLARS

FOR

<u>app</u>	\$	<u>20</u>	<u>00</u>
<u>app</u>	\$	<u>65</u>	<u>00</u>
<u>app</u>	\$	<u>45</u>	<u>00</u>
	\$		
TOTAL - - -	\$	<u>130</u>	<u>00</u>

sf

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 19 day of October, 1978, and the last publication being on the 26 day of October, 1978;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 26 day of Oct, 1978.


Lionel S. Hawes
NOTARY PUBLIC

My commission expires 9-10-79

(SEAL)

MICROFILMED

57-7225
CK
11-7-78



June 16, 1992

REG MEAKER
7314 SUNNYBROOK DR
BOISE ID 83709

RE: WATER RIGHT NO. 57-07225

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

Mirrored
JUN 25 1992

March 27, 1992

REG MEAKER
7314 SUNNYBROOK DR
BOISE ID 83709

RE: WATER RIGHT NO. 57-07225

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
JUN 25 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 28 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: REG MEAKER Permit No. 57-07225
Current Address: 2914 JUNNYBROOK DR., BOISE, ID 83709 Phone No. 378-0210
2. Accompanied by: SAMIE AL ABDE EXAM. DATE: 11-28-90
Address: " " Phone No. 378-0210
Relationship to Permit Holder: " "
3. Source: GROUNDWATER tributary to " "

B. OVERLAP REVIEW

1. Other water rights with same place of use: 57-04106 - SPRINGS - ALSO
SUPPLY WATER FOR STOCK - SEE OVERLAP REMARKS ☒ Copies Attached
2. Other water rights with same point of diversion: NONE - 57-07229 - LAPSED.
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

SEE MAP ATTACHED

MICROFILMED

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

JUN 25 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

(HOT) Well flows a very small amount of water. Unable to measure since casing has broken off at the ground level & water flows out onto ground, forms small stream down a hill into the Dyke canal. Water is co-mingled with Dyke Canal, re-directed thru a gravity ditch to a catch box w/re-lift pump which can either put water in the ditch to the feedlot or

See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
ARTESIAN FLOW					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	SW	35	55	3E	DWYHEE	ASCS photo + 7 1/2' orthophoto

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
55	34 E	35							5										

RECEIVED

Do not use this space

JUN 25 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE MADE.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (8) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

v. (.02)(246)(1.9835) = 9.8, use 4.0 cfs

gl 12/13/41

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ N/A

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ N/A

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ N/A

2. Volume Calculations for Other Uses:

~~0.0134~~ .0134 x 300 HD = 4.0 af/ann.

MICROFILMED

JUN 25 1992

Irrig. of 1 acre x 5 = 5.0 af/ann, so no expansion will occur if use is changed to stock water.

AF/AC REQ FOR THIS AREA

H. REMARKS AND OVERLAP REVIEW ANALYSIS

for irrigation, or to a sprinkler system. The only use of this well, however, is for stockwater and only during the irrigation season. Water from the well cannot get to the field from this well unless it is co-mingled with other water. Stock are watered with spring water under 51-0446 in the winter months. Recommending to amend permit to stockwater only - no irrig. from this well - the issue was on the hilltop where well is located & domestic use both proposed there. Mr. Meeker was going to build a house there, but never has & the well (several years round - has been given to well section for well standard violation action.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use *		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STOCKWATER	3-15	11-15	.02	4.0
Totals:			.02	4.0

* See irrig. season recommended instead of permit irrig season of 3/1-10/31

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

☐ None

☒ Other: CHANGE PERMITURE OF USE

J. AUTHENTICATION

Field Examiner's Name JAN THURTELL
 Signature [Signature]
 Certification Date _____
 Field Report Preparation Date 12-11-91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
JUN 25 1992

26
34 35

57-07225
TSS
R36
5.35

34
32

COPIED

JUN 25 1995

NOT PREPARED
PER AS

M 2399

Shoofly

Shoofly

CRITCH

2580

57-07625
TSS R3E


Well House
ditch from
via

25-199


10

PERMIT No 57-07225

PHOTOS TAKEN BY
RON HOWERTON
ON 11-28-90



LOOKING DOWN
ON TOP OF WELL
CASING - CASING
BROKEN OFF AT
GROUND LEVEL.
ARTESIAN FLOW
(VERY SMALL) FROM
WELL DOWNHILL
TO BYBEE CANAL.



PICTURE TAKEN
FACING WEST
TOWARDS FEED-
LOT. CAN SEE
FEEDLOT IN
BACK GROUND.
WELL LOCATED
SOUTH FROM
FEEDLOT.

MICROFILMED

25 1992

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 57-7225

Date: 11.28.88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
* N 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

* Not found, due to reported age of well

N/A Priority Calculation:
Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM



NOV 8 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
 Fee Received _____
 Date _____
 Receipt # _____
 Receipt by _____
 Reviewed by JS
 Sent to region _____

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 57-7225

Name(s) of Permit Holder: Reg Meaker and/or Holly Meaker

Post Office Address: HC 85 Box 328, Grandview, Id 83624

Telephone No. XXXXXXXX

Source of Water: Artesian well

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 418 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 25 Sept., 1978

Measuring Device: Required? ☐ Yes ☒ No
 Installed? ☐ Yes ☒ No
 Fee enclosed \$ none required
 (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
 Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Reg Meaker

301 933 8085

(Name)

(Telephone Number)

10215 Kensington Parkway apt 102, Kensington, Md. 20895

(Address)

The above information is my true statement of the extent to which the above number has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOT REPLIED

2 Nov, 1988

Date

Reg Meaker
 Signature of Permit Holder (and title, if appropriate)

DEC 10 1988

To: File 57-7225

From: Groundwater Protection

Date: 11/28/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report: ☒ Not found, due to reported age of well
probably not available
☐ Found and is in file
☐ Not found

Follow-up ☐ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

No action required
See owners Letter dated
of Nov 1988

JB

INDEXED

DEC 08 1988

Reg Meaker
10215 Kensington Parkway #102
Kensington, Md 20895

Jodi I Schultz, Clerical Assistant
Idaho Dept. of water Resources
1301 North Orchard Street
Boise, Idaho 83720

REC
NOV 25 1988

Re: permit No 57-7225

Department of Water Resources

Dear Jodi:

In answer to your letter of 15 November, 1988 regarding the well log of the well involved in the above referenced permit, I do NOT have a copy of the well log and if I recall corectly, at the time I bought the property in 1977, we could not locate a copy at the Water Resources offices. Very likely none exit. Hearsay among old timers in the past has given me the impression that the well was drilled to about 1800 feet and when a light weight well casing was attempted to be driven in it hit an obstacle and the casing was callpsed at about the 300 foot level and the drillers rigging was lost. I do not know who the well driller was. It is beleived that the well was drilled in 1960, 1961 or 1962.

Will lack of this information delay or prevent this permit from going to licence?

You may also want to know that I am in the process of submitting claims on this and my other water rights which are required on the Snake River adjudication. This is being done through Jan Schulte at the western region office.

Sincerely, Reg Meaker

Reg

MAILED

DEC 08 1988

November 15, 1988

Reg and Holly Meaker
10215 Kensington Pkwy #102
Kensington, MD 20895

Re: Permit No. 57-7225

Dear Permit Holders:

The department received your proof of beneficial use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please submit the requested information by December 16, 1988. Upon receipt of the well information, the department will continue processing your proof by notifying the region that a licensing exam is needed.

If you have any questions concerning this matter, feel free to contact this office.

Sincerely,

JODI I. SCHULTZ
Clerical Assistant

RECEIVED

DEC 08 1988

To: File 57- 7225

From: Groundwater Protection

Date: 11/14/88

35
55
32

Drilling Permit: ✓ Not Applicable
 Found and in file
 Not Found

Well Drillers Report:

 Not found, due to reported age of well
 probably not available
 Found and is in file
✓ Not found

Follow-up

✓ Request from permit holder the well
drillers report and/or the name of the
well driller, *and date drilled.*
 Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

DEC 08 1988

RECEIVED
NOV 1988

Reg Meaker Phone 301 933 8085
10215 Kensington Pkwy #102
Kensington, Md 20895
2 Nov, 1988

Department of Water
Rita Fleck
Idaho Dept. Water Resources
1301 N. Orchard St.
State House Mail
Boise, Idaho 83720

Dear Rita:

I have enclosed a "Proof of beneficial use" for permit no. 57-7225 and a "request for extension of time" for permit no. 57-7229. Originally 7225 was for .04 cfs for Domestic and .04 for heating and .02 each for stock water and irrigation. It was later amended to remove the stock water to satisfy Idaho Power in the Swan Falls litigation. However, The stockwater and irrigation has been used put to beneficial since 1978. We have decided to drop the domestic and heating parts of the permit since we have not put them to beneficial use and now don't have plans to do it in the foreseeable future. Therefore the proof of beneficial use request form shows only .02 cfs and since according to the examination fee schedule, there is no charge for 0 - .04 cfs, there is no fee enclosed for 57-7225. Holly and I have been called on a mission for the LDS Church and are now station in Washington DC for a year so are not available to meet your examiner till we return home in a year. If your examiner would like to get the examination done, he could go to the well on his own. The artesian well flows into the Bybee Canal and is then put to beneficial use from there.

Development of 57-7229 was delayed several years due to the Swan Falls lawsuit and is not ready to go to proof yet. I have discussed this with Jan Shulte before we left on the mission and I believe she discussed the matter with you. As I recall, I am only legally allowed to request extension for 10 months due to the litigation and then at the end of the 10 months I could request extension one more time for 3 years maximum. Since the ten months extension will expire on 1 October, 1989, about the time that we return from the mission, we will need to extend again. Also since the minimum extension period is One year, I am requesting an extension for 3 years and ten months. If this is not satisfactory with you or your Department, please notify me. Our check for \$15.00 is enclosed for the filing fee. Please feel free to call or write to the above address if there are problems or questions. Thank You.

Sincerely, Reg Meaker

DEC 08 1988

Reg Meaker

REG MEAKER
RT. B BOX 328
GRANDVIEW, ID 83624

September 30, 1988

138494

PROOF DUE NOTICE

RE: PERMIT NO. 57-07225

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

INDEXED

DEC 06 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.
(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

NOT RECORDED

DEC 10 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No 57-7225
Name(s) of Permit Holder(s): REG MEAKER
Post Office Address: RT. 3, Box 378
GRAND VIEW, ID 83624
☒ I hereby certify that construction of diversion works for the above referenced permit began on 9/25/78 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason

8/19/82 Reg Meaker
Date Signature of Permit Holder


Department of Water Resources
Western Regional Office

PLACE
STAMP
HERE

RECEIVED

AUG 24 1982

Department of Water Resources



DEC 08 1988



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

August 22, 1984

RE: Permit No. 57-7225

Reg &/or Holly Meaker
Rt. B, Box 328
Grand View, ID 83624

Dear Permit Holders:

Enclosed is a copy of the approved application for amendment submitted in connection with the above referenced permit.

If you have any questions concerning this matter, please contact us.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

RECEIVED

State of Idaho
Department of Water Resources
AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: 6h5

Right Number 57-7225 Applicant Reg Meaker/Holly Meaker

Purpose of Amendment: ☐ Change point of diversion. ☐ Add diversion point(s).

☐ Increase amount. ☐ Change place of use. ☒ Other Prop of Stockwater use

CHECK:

- ☒ Description of amended point(s) of diversion.
- ☒ Amount, nature and period of use. If increased, delay date of priority.
- ☒ Description of amended places of use. If expanded, delay date of priority.
- ☒ Ownership of point of diversion and place of use.
- ☒ Map.
- ☒ Signature (must be permit holder).
- ☒ Fee.
- ☒ Existing water rights from the same source, amended place of use.
- ☒ Right number(s) _____
- ☒ Yes ☐ No Should amendment be advertised?
- ☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

- ☐ Affidavit of publication received.
- ☐ Amendment published correctly.
- ☐ Protests processed.
- ☒ Approve.
- ☐ Deny.

Conditions Note: Meaker has apparently discussed this w/ IPCO's attorney & the amendment followed at Meaker's request - not at our recommendation.

By OBS Date 7/31/84

STATE OFFICE PROCESSING:

- ☒ Amendment correct and complete. By Jmi Date 8-21-84
- ☐ Approved copy sent to applicant and to Region. By _____ Date _____

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

November 28, 1983

Reg Meaker
Rt. 8, Box 328
Grand View, ID 83624

Dear Mr. Meaker:

Re: Permit No. 57-7225

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use postcard is extended to December 1, 1986.

In connection with the development of a water right under this permit, the Department wishes to call to your attention an Idaho Supreme Court decision issued in November 1982 which likely could affect your future use of water.

The decision in the case of Idaho Power Company vs the State of Idaho, et al stated in part that Idaho Power Company's use of water for power generation purposes at the Swan Falls dam on the Snake River is not subordinated to upstream depletion by later in time uses. The question of whether Idaho Power's 8,400 cfs water right at Swan Falls dam has been diminished by subsequent development, however, was remanded back to district court for determination. The findings of the district court could restrict water availability or require compensation to Idaho Power Company for uses developed later in time than Idaho Power Company's water right at Swan Falls dam.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure: Ext. of Time

STAFF REVIEW OF REQUESTS FOR EXTENSION OF TIME

Permit Number 57-7225

- Y Date Received stamp
Y Fee receipted
Y Name on request same as on permit
Y Address same as on permit
Y Proof due date correct
Y Period of request correct
Y Signature same as on permit
Y First extension request
Y Permit holder named as defendant in 1983 Idaho Power lawsuit
Y Is extension filed before proof due date?

^{Due}
NEW PROOF DATE:
12-1-1988

Date extension received _____

Proof due date - _____

N/A Days late _____

Priority date _____

Adjusted priority date _____

N Is delay caused by litigation? - NOT GIVEN AS REASON FOR DELAY

Date litigation began _____

Date litigation completed _____

Period of delay _____

New proof due date _____

Y Is there commencement of works?

NO Cover letter number No cover letter for situation appears to exist.
____ Rolodex card updated

Remarks:

UP
~~Down~~ stream from Swan Falls
~~Hold Action~~

Reviewed by: Juni

Date: 10-28-83

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138024

MEAKER, REG
RT. 8 BOX 328
GRANDVIEW, ID 83624

PROOF DUE NOTICE

SEPTEMBER 30, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 57-7225 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

December 5, 1978

Re: Permit No. 57-7225

Reg Meaker
Rt. 8, Box 328
Grand View, Idaho 83624

Dear Mr. Meaker:

Your approved copy of your Application for Permit is enclosed and we direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

57-7225

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
 2. W Source
 3. ✓ Point of Diversion
 4. ✓ Amnt. & Period of Use
 5. ✓ Descrip. of Diverting Wrks.
 6. 5 Time req. for Proof of B/U
 7. ✓ Place of Use for other than irrig.
 8. ✓ Place of Use for irrigation (add acres)
 9. 199 Property Owner at Pt. of Div. & Pl. of Use
 10. ✓ Map
 11. 20 Fee & Rec't. No.

Copies Sent To:

No Idaho Health Department
✓ Idaho Fish & Game Dept.
✓ Bureau of Land Management
No U.S.F.S.
✓ Dept. of Lands
✓ Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area ✓ yes ✓ no

Other rights on same land See Note from Lee

N/A Withdrawals of all protests received ✓ yes ✓ no

Conditions:

ID Power Co. Letter - Snake R. No

ID Power Co. Letter - G.W. & Tribs. Yes

Snake River Condition No

Payette River Letter No

Priority Date 9/25/78

Water Quality #16 No

Water Quality #10 No
 intrastate ✓ interstate ✓

Meas. Dev. or Sc. Meas. No

Totalizing meter No

Supplemental No

Right-of-Way Cond. No

Watermaster Cond. No
 Wtr. Dist No. ✓

Meas. Dev. Cond. for apps within
 a Water Dist. No

Jmi Reviewer
12-4-78 Date

Talked with Mr. Meaker
on 11/20/78 regarding
the 1 acre of irrigation
and the other permits
on the same ground.

The SWSW is not fully
irrigated, several acres
are not being irrigated
and this particular acre
is not. A field exam
on permit 57-2234 and
57-2327 should indicate
this.

Mr. Meaker said that he
would probably not be
irr. a full acre only a lawn
and garden. I think we
can approve this one.
nee



**IDAHO DROUGHT
COMMITTEE**

STATEHOUSE, BOISE, IDAHO 83720

DIAL DROUGHT (376-8448)

JOHN V. EVANS - Governor, State of Idaho

To Lee

From Dave

This app may
overlap (irrigation) on
lands covered by
(28239) .57-2234 &
(28394) 57-2327. The
second of these did
belong to Owyhee
Grazing Assoc. Probably
should contact applicants,

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 57-7225

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) 665 10/10/78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) 665 10/10/78

In form for advertising *(ouryue suggest)*

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use 57-2234 &
57-2327

(10) _____

Comments: Applicant says overlapping rights do not
cover the area he plans to irrigate. (another survey)

(11) OK 11-7-78

Affidavit of Publication received (date) 10-30-78

(12) _____

Final date for protests 11-6-78
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or
applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

10/6/78 Proposed Priority

_____ Reason for Reduction _____

No Measuring device required

_____ See attached sheet for other conditions of
approval

_____ No special conditions for approval

(15) District W By [Signature] Date 11/24/78

I.P. Gw
letter.

RECEIVED

NOV 28 1978

Department of Water Resources

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

OCTOBER 12, 1978

Owyhee Nussat
Marsina, ID 83639

Gentlemen

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. IN ORDER TO RECEIVE PAYMENT, THE FOLLOWING CERTIFICATION MUST APPEAR ON THE BILL:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before NOVEMBER 6, 1978.

Yours truly,

ally Trinkaus
secretary

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

52-2225-

Name: MEAKER, REG

Address: ROUTE B, BOX 328, GRAND VIEW, ID 83624

Source: GROUNDWATER

Date Filed: 10/06/1978

County: OMYHEE

Amount: 0.12 CFS

Point of Diversion: SWSW S35 T05S R03E

Use: DOMESTIC	from 01/01 to 12/31
STOCKWATER	from 01/01 to 12/31
HEATING	from 01/01 to 12/31
IRRIGATION	from 03/15 to 11/15

Place of Use: SWSW(1) S35 T05S R03E FOR 1 Acre

Other Uses: Domestic, Stockwater & Heating same as other use.

Means: WELL WITH PUMP

MICROFILMED

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83705 on or before NOVEMBER 6, 1978.

C. STEPHEN ALLRED

Director

Published in the Owyhee Nussel
on OCTOBER 19, 1978 and OCTOBER 26, 1978.
