


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William C. Love
(Applicant)
Blues Love

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

} s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 18 day of August, 1977, and the last publication being on the 25 day of August, 1977;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 25 day of August, 1977.

Lana Schaver
NOTARY PUBLIC

My commission expires 9-10-80

(SEAL)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that WILLIAM C. LOVE & NELMA LOVE, P. O. Box 28, Grand View, ID has on August 10, 1977 submitted Application No. 57-7198 for a permit to appropriate 0.14 cubic feet per second of water from Shoofly Creek, by means of check box, ditches, drop structures, headgate within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 35, T5S - R3E, B. M., Owyhee County to be used from Mar. 15 to Oct. 15 for irrigation of 7 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 22, T5S - R3E, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before September 5, 1977.

C. STEPHEN ALLRED,
Director

Published in the Owyhee Nugget, Marsing, ID on August 18, 1977 and August 25, 1977.

OK
a-7-77
M

RECEIVED
AUG 29 1977

MICROFILMED

Department of Water Resources
Western Regional Office

RECEIVED
JAN 28 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION


Permit No. 57-7198
1. Owner: William C. and Nelma Love Phone No. 834-2361
Current Address: P.O. Box 28 Grad View Idaho 83624
2. Accompanied by: Nelma Love EXAM. DATE: 7-31-87
Address: — Phone No. —
Relationship to Permit Holder: —
3. Source: waste water from Shoolfly Creek tributary to SNAKE RIVER

B. OVERLAP REVIEW

1. Other water rights with same place of use: 57-2274 & 2324 -40 AC - STILL PERMITS. ☐ Copies Attached
2. Other water rights with same point of diversion: 57-7259 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

MAR 16 1989

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



PLACE OF USE

Pump in foreground
diverts water from
Mutual Canal and
into sprinkler lines
in background.



POINT OF DIVERSION

SHOOFLY CREEK

Water can be
diverted where the
wood boards are
into a ditch to
the Mutual Canal



MICROFILMED

MAR 16 1989


A. GENERAL INFORMATION

B. OVERLAP REVIEW

C. SYSTEM DESCRIPTION

MICROFILMED

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)



PLACE OF USE


Pump in foreground
diverts water from
Mutual Canal and
into sprinkler lines
in background.



POINT OF DIVERSION

SHOOLY CREEK

Water can be
diverted where the
wood boards are
into a ditch to
the Mutual Canal



NEGROFILM

MAR 16 1989

4/86

KEYPUNCHED

For Office Use Only
Fee Received \$50
Date 7/17/87
Receipt # 43815
Receipt by S.L.
Sent to S.O. 7/27/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

RECEIVED

JUL 28 1987

1. Permit No. 57-7198

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: William C. and Nelma Love

3. Post Office Address: P.O. Box 28 - Grand View, ID 83624

Telephone No. (208) 834-2361

4. Source of Water: Shoofly water to L.V. mutual canal

5. Extent of Use:

Domestic 1 (No. of households) Stockwater (No. and type of stock)

Irrigation 7 (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 7 inches .14 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Spring, 1978

8. Person to contact to accompany the department representative during the field examination:

Nelma Love

(Name)

Same as above

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

MICROFILMED

MAR 16 1989

7/17/87
Date

Nelma Love
Signature of Permit Holder (and title, if appropriate)

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 57-7198.

Name(s) of Permit Holder: Love, William C. and Nelma

Post Office Address: PO BOX 28

Grand View, Id 83624 Tel. No. 208-834-2361

Source of Water: MUTUAL CANAL Diverted from Shoofly Creek Wastewater

Extent of Use:

☐ Domestic	(number of households)
☒ Stockwater <u>Horses & Cattle</u>	(number and type of stock) <u>from 2 to 20 head</u>
☒ Irrigation <u>6 to 7</u>	(acres) <u>SPRINKLER SYSTEM</u>
☐ Other <u>Underground</u>	<u>not completed</u>

Measuring Device:	Required?	☐ Yes ☒ No	Installed?	☒ Yes ☐ No
Access Port:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10-27-82
Date

Nelma Love
Signature of Permit Holder

MICROFILMED

RECEIVED
NOV 1 1982



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

William Lovejoy, AZ

P.O. Box 28

Grandview, Idaho 83423

PM 1987

30 OCT



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07198

Priority: September 24, 1977 Amount: 0.14 CFS 35.0 AFA

This is to certify, that WILLIAM C. LOVE
NELMA LOVE

P.O. BOX 28

GRANDVIEW, ID 83624

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated August 10, 1977, and has submitted proof to the Department of Water Resources on November 1, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .260 cfs of water from:

SHOOFLY CREEK

source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	05/15 to 10/15	0.14 CFS	35.0 AFA

LOCATION OF POINT OF DIVERSION(S): SWNE , Sec. 35, Township 05S, Range 03E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S 03E 22	SENE 3	NESE 4		7

Total number of acres irrigated: 7

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

MAR 16 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07198

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9th
day of MARCH, 1989.

Acting for the Director



RECORDED

MAR 10 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	
	)	
NO. 57-7198 IN THE NAME	)	ORDER ADVANCING
	)	DATE OF PRIORITY
OF WILLIAM C. AND NELMA LOVE	)	


This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 57-7198 for the issuance of a license, the Department makes the following Findings of Fact, Conclusions of Law, and Order pursuant to the provisions of Idaho Code.

FINDINGS OF FACT

1. The Department approved Application for Permit No. 57-7198 to appropriate the public waters of the State of Idaho with a proposed priority of AUGUST 10, 1977.
2. On APRIL 03, 1987 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit.
3. The license examination fee was received on JULY 17, 1987, 45 day(s) late.

MICROFILMED

MAR 16 1989



CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 57-7198 should be advanced 45 day(s).

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 57-7198 is advanced to SEPTEMBER 24, 1977.

Dated this 25th day of January, 1989.

J. Glen Saxton

Chief, Water Allocation Bureau

RECEIVED
JAN 25 1989

139

Identification No. _____

Application No. 57-7198

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT APPROVED

To appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1 Name of applicant William C Love & Nelma Love Phone: 834-2472
post office address P.O. Box 28 Grandview, Idaho 83624

2 Source of water supply Shoe fly Creek which is a tributary of _____

3 a Location of point of diversion is SW 1/4 1/4 of NE 1/4 1/4 of Section 35 Township 5S
Range 3E B.M. Clyde County; additional points of diversion if any: _____
Near the intersection of the Mutual Canal and Shoe fly

b If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 14 for Irrigation purpose from MAY 15 to OCT 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a 14 cubic feet per second and/or 7 minor inches

b _____ acre feet per annum.

6 Proposed diverting works:

a Description of ditches, flumes, pumps, headgates, etc. Diversion Check Box
Ditches, Drop structures into canal, Head gate out
of canal, Wier Box

b Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo Day) (Mo Day)

c Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years

b Estimated construction cost is \$ _____.

8 Description of proposed uses

a If water is **not** for irrigation

(1) Give the place of use of water _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated _____ hp under _____ feet of head

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5 S	3 E	22													4.36				4.36
5 S	3 E	22				2.64													2.64

Total number of acres to be irrigated 7

c. Describe any other water rights used for the same purposes as described above. NONE

9 a. Who owns the property at the point of diversion Owyhee Grazing Assn.

b. Who owns the land to be irrigated or place of use Bill Love


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing NONE

10. Remarks

D

Q

11 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William C. Love
(Applicant)

NE Love Lane

Proposed Priority 8/10/77

Received by rf Date 8-10-77 Time 10:50
Preliminary check by 724 Fee \$ 10.00
Receipted by rf Date 8-10-77 # 8802
Publication prepared by rf Date 8-11-77
Published in Owyhee Nugget
Publication dates August 18-25
Publication approved rf Date 9-7-77
Priority reduced to rf Reason _____

Protests filed by _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by 724

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 57-7198, and said application is hereby APPROVED.

1 Approval of said application is subject to the following limitations and conditions:

- a SUBJECT TO ALL PRIOR WATER RIGHTS.
- b Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 82.
- c Other The issuance of this permit in no way grants any right-of-way or easement across the land of another.

2 Denial of said application is for the following reasons: _____

Witness my hand this 14 day of November 19 77.

[Signature]
Deputy Director

PROOF OF PUBLICATION

STATE OF IDAHO
County of Owyhee } s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 18 day of August, 1977, and the last publication being on the 25 day of August, 1977;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.


Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 25 day of August, 1977.

Lena Schauer
NOTARY PUBLIC

My commission expires 9-10-80

(SEAL)



OK
9-7-77
M

AUG 29 1977

Department of Water Resources
Western Regional Office

MICROFILMED

March 13, 1989

WILLIAM C. LOVE
NELMA LOVE
P.O. BOX 28
GRANDVIEW, ID 83624

RE: PERMIT NO. 57-07198

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 16 1989

February 10, 1989

WILLIAM C. LOVE
NELMA LOVE
P.O. BOX 28
GRANDVIEW, ID 83624

RE: PERMIT NO. 57-07198

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MAK 10 1989

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 57-7198

FROM: JOHN MCLEOD

RE: PRIORITY ADVANCE REVIEW

DATE: 12-JAN-1989

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	AUGUST 10 1977	222
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 03 1987	93
Exam Fee/Info Sheet Received Date:	JULY 17 1987	198
Exam Fee or Info Due Date:	JUNE 02 1987	153
Days Late:		45 DAY(S)
NEW PRIORITY DATE		
Total Days Late:		45 DAY(S)
New Priority Date:	SEPTEMBER 24 1977	267

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Excess water from Shuafly Creek is diverted via ditch and large diameter pipe to the Mutual Canal. The canal conveys the water 2 miles to its place of use. A 7.5 HP centrifugal pump diverts the water from the canal to approximately 7 acres of irrigation. During visit, 2 1/2" nozzle jet sprinklers were in use at 45 PSI.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Type Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Marathon Elec	7.5	CDR-LCZ	Berkley	7.5 HP Serial # 7271206

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	35	5S	3E	OWYHEE	TOPOGRAPHIC MAP

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	3E	22				3									4				7

RECORDED

MAR 16 1981

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PITOT TUBE						

2. Measurements:

Sprinkler type ^{RAINBIRD} JET (USED TYPE 80 FOR GPM)
Size 1/2" nozzle
Pressure 45 PSI

 $Q = 57.6 \text{ gpm}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: sprinkler pressures $576 \text{ gpm} \times 2 = 1152 \text{ gpm} = .26 \text{ cfs}$
2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

N/A

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)
Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)
Meter Input HP: (6) $\times 1.34 =$ _____ (7)
Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)
Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 7 \times 5 \text{ AFA} = 35 \text{ AFA}$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .14 \times 153 \times 1.98 = 42.4$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 35 \text{ AFA}$

2. Volume Calculations for Other Uses

MICROFILMED

MAR 16 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Permit 57-7259 same diversion works are
used to convey canal
water rights to Mutual canal
for distribution

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	5-15	10-15	.14	35 AFA
Totals:			.14 cfs	35 AFA


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Richard J Gempere
Signature Richard J Gempere
Certification Date _____
Field Report Preparation Date 8-11-87

9/8/87




CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

for 1/12/89

MICROFILMED

MAR 16 1989



CALCULATION OF NEW PRIORITY DATES
LATE EXAM FEES

FOR PERMIT NO. 57-7198

BY: *Jan Thunte*


	<u>DATE</u>	<u>NUMBER OF DAYS</u> <u>(From Table of Days</u> <u>Between Two Dates)</u>
A. EXAMINATION FEE NOTICE SENT	<u>4/3/87</u>	<u>93</u>
B. DATE FEE DUE (60 days)	<u>6/2/87</u>	<u>153</u>
C. DATE FEE RECEIVED	<u>7/17/87</u>	<u>188</u>
D. NUMBER OF DAYS LATE (C - B)		<u>35</u>
E. ORIGINAL PRIORITY DATE (Check Reinstatement, etc.)	<u>8/10/77</u>	<u>222</u>
F. NEW PRIORITY DATE (D + E)	<u>9/14/77</u>	<u>257</u>

REMARKS:

RECEIVED
MAR 16 1989

PLACE OF USE

Pump in foreground
diverts water from
Mutual Canal and
into sprinkler lines
in background.



POINT OF DIVERSION

SHOOFLY CREEK

Water can be
diverted where the
wood boards are
into a ditch to
the Mutual Canal



CONTINUED

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY PLACE OF USE

TOWNSHIP	RNG	SEC	TRACT	LOT	ACRES	USES	WATER RIGHT NUMBER	LAST NAME	OWNER CODE	STAGE	PRIORITY DATE	SOURCE OF WATER
055	03E	22	NAME	02	23	01.43	02-2034	GRANDVIEW IRRIGATI	C	L	02-12-1920	SNAKE RIVER
			NAME	02			57-4051	BEAMAN	C	S	05-15-1950	SPRINGS
			SENE	13	01.43		02-2034	GRANDVIEW IRRIGATI	C	L	02-12-1920	SNAKE RIVER
			SENE	03	01		57-7198	LOVE	C	P	08-10-1977	SHOOFLY CREEK
			NEMM	02	01		02-7336	LOVE	C	L	04-15-1981	SNAKE RIVER
			NEMM	01	01.43		57-4096	GRANDVIEW MUTUAL	C	S	01-01-1954	GROUNDWATER
			NEMM	02	01		02-7212A	HANSEN	C	L	08-25-1975	SNAKE RIVER
			SHAM	21	01		02-2241	UPPER GRANDVIEW C	C	L	11-06-1963	SNAKE RIVER
			SENM	20	01		02-2241	CUNNINGHAM	C	L	11-06-1963	SNAKE RIVER
			SENM	10	01		02-7399	CUNNINGHAM	C	A	01-12-1983	SNAKE RIVER
			NESH	40	01		02-2241	SCHOPAK	C	L	11-06-1963	SNAKE RIVER
			NMSM	40	01		02-2241	CUNNINGHAM	C	L	11-06-1963	SNAKE RIVER
			SMSH	40	01		02-2241	CUNNINGHAM	C	L	11-06-1963	SNAKE RIVER
			SESM	40	01		02-2241	CUNNINGHAM	C	L	11-06-1963	SNAKE RIVER
			NESE	17	01		02-7032	CUNNINGHAM	C	L	03-28-1969	SNAKE RIVER
			NESE	05	01		57-2224	BYBEE	C	L	04-17-1958	GROUNDWATER
			NESE	40	01		57-2224	BYBEE	C	P	05-26-1964	SHOOFLY CREEK
			NESE	40	01		57-2324	BYBEE	C	P	04-28-1964	TWENTY HILE CREEK, NORTH FORK
			NESE	03	01		57-7072	RELEY	C	L	08-25-1969	SHOOFLY CREEK
			NESE	04	01		57-7198	LOVE	C	P	08-10-1977	SHOOFLY CREEK
			NESE	38	01		02-7032	LOVE	C	L	03-28-1969	SNAKE RIVER
			NESE	40	01		57-2224	BYBEE	C	L	04-17-1958	GROUNDWATER
			NESE	40	01		57-2274	BYBEE	C	P	05-26-1964	SHOOFLY CREEK
			NESE	40	01		57-2324	BYBEE	C	P	04-28-1964	TWENTY HILE CREEK, NORTH FORK
			NESE	39	01		02-7032	BYBEE	C	L	03-28-1969	SNAKE RIVER
			NESE	40	01		57-2274	BYBEE	C	P	05-26-1964	SHOOFLY CREEK

MICROFILMED

MAR 16 1989

04-18-1983 GROUNDWATER

FIELD PROBLEMS

NMSH 04,43

57-4049

S

01-01-1961 GROUNDWATER

FIELD

NMSH 43,04

57-4050

S

04-01-1967 GROUNDWATER

FIELD

SAME 01

57-2224

L

04-17-1958 GROUNDWATER

CARROTTERS

NMSH 01,43

57-2219

L

04-29-1957 GROUNDWATER

BYBEE

SAME 01

57-2324

P

04-28-1964 TWENTY MILE CREEK, NORTH FORK

BYBEE

SAME 01

57-4000

S

04-01-1961 UNNAMED STREAM

DAYNEE GRADING ASSN.

NENE 01

57-2227

L

08-09-1960 SHOOFLY CREEK

PST

NINE 01,04,43

57-4106

S

06-01-1967 SPRINGS

MEAKER

SAME 01

57-7198

P

08-10-1977 SHOOFLY CREEK

MEAKER

SAME 01

57-7226

L

09-25-1978 SHOOFLY CREEK

LOVE

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

SAME 01

57-7235

P

02-07-1979 SHOOFLY CREEK

MEAKER

MRR158

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY POINT OF DIVERSIONPAGE 2894
06/28/1987

TAN

RNG

SEC

TRACT

LOT

USES

WATER RIGHT

STAGE

PRIORITY

RELIG

SOURCE OF WATER

LAST NAME

OWNER

CODE

DATE

TIME

PAGE

NO.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

57-7198
Permit No.

RECORDED

JUL 1 1988

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index RG 7-30-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index RG 7-30-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? NO (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Richard J. Sparks 8-11-87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent 9/8/87 (Initial and date)

Exam Reviewed by Manager of Regional Office 1/25/88 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office 1/28/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original

Refiled in White File 9/28/88 (Initial and date)

MAR 16 1989

1143

Permit No. 57-7198

Phone No. 834-2361

83624

EXAM. DATE: 7-31-87

Phone No. _____


-40 AC - STILL PERMITS.

☐ Copies Attached

Case	Case 1	Case 2	Case 3	Case 4	Case 5
Initial condition	0.0000	0.0000	0.0000	0.0000	0.0000
Final condition	0.0000	0.0000	0.0000	0.0000	0.0000
Time step	0.001	0.001	0.001	0.001	0.001
Number of iterations	1000	1000	1000	1000	1000
Convergence	Yes	Yes	Yes	Yes	Yes

☐ Copies of Field Exam's Attached

ances between components. Indicate weir



MAR 16 1989

☐ **Aerial Photo Attached**
(required for irrigation of 1.0 acres or more).

1

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PITOT TUBE						

2. Measurements:

Sprinkler type ^{RAINBIRD} JET (USED TYPE 80 FOR GPM)
 size 1/2" nozzle
 Pressure 45 PSI
 Q = 57.6 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: sprinkler pressures 576 gpm x 2 = 1152 gpm = .26 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

N/A

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 7 \times 5 \text{ AFA} = 35 \text{ AFA}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .14 \times 153 \times 1.98 = 42.4$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 35 \text{ AFA}$

2. Volume Calculations for Other Uses

MICROFILMED

MAR 16 1989

System Description (continued)

3 Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Excess water from Shoshly Creek is diverted via ditch and large diameter pipe to the Mutual Canal. The canal conveys the water 2 miles to its place of use. A 7.5 HP centrifugal pump diverts the water from the canal to approximately 7 acres of irrigation. During visit, 2 1/2" nozzle jet sprinklers were in use at 45 PSI.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Type Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Kurtz Elec	7.5	CDR-603	Berkley	7.5 HP Serial # 7271285

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	35	5S	3E	OWYHEE	TOPOGRAPHIC MAP

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
55	3E	22				3									4				7

MICROFILMED

MAR 16 1989

Do not use this space

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Permit 57-7259 same diversion works are
used to convey canal
water rights to Mutual canal
for distribution

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	5-15	10-15	.14	35 AFA
Totals:			.14 cfs	35 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION


Field Examiner's Name Richard J. Gempeler

Signature Richard J. Gempeler

Certification Date _____

Field Report Preparation Date 8-11-87

9/8/87




CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

MAR 16 1989



CALCULATION OF NEW PRIORITY DATES
LATE EXAM FEES

FOR PERMIT NO. 57-7198

BY: Jan Thunte

	<u>DATE</u>	<u>NUMBER OF DAYS</u> <u>(From Table of Days</u> <u>Between Two Dates)</u>
A. EXAMINATION FEE NOTICE SENT	<u>4/3/87</u>	<u>93</u>
B. DATE FEE DUE (60 days)	<u>6/2/87</u>	<u>153</u>
C. DATE FEE RECEIVED	<u>7/17/87</u>	<u>188</u>
D. NUMBER OF DAYS LATE (C - B)		<u>35</u>
E. ORIGINAL PRIORITY DATE (Check Reinstatement, etc.)	<u>8/10/77</u>	<u>222</u>
F. NEW PRIORITY DATE (D + E)	<u>9/14/77</u>	<u>257</u>

REMARKS:

RECEIVED

1989

PLACE OF USE

Pump in foreground
diverts water from
Mutual Canal and
into sprinkler lines
in background.



POINT OF DIVERSION

SHOOFLY CREEK

Water can be
diverted where the
wood boards are
into a ditch to
the Mutual Canal



4/86

KEYPUNCHED

For Office Use Only
Fee Received \$50
Date 7/17/87
Receipt # 43815
Receipt by S.L.
Sent to S.O. 7/27/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

RECEIVED

JUL 28 1987

1. Permit No. 57-7198

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE OF Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: William C. and Nelma Love

3. Post Office Address: P.O. Box 28 - Grand View, ID 83624
Telephone No. (208) 834-2361

4. Source of Water: Shoshone waste to S.U. Mutual Canal

5. Extent of Use:

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 1 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 7 inches .14 cfs 1 acre-feet SL

7. Show the date water was first diverted and beneficially used under this permit:

Spring, 1978

8. Person to contact to accompany the department representative during the field examination:

Nelma Love
(Name)

Same as above
(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

MICROFILMED

MAR 16 1989

7/17/87
Date

Nelma Love
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

57-7194
LOVE, WILLIAM C.
LOVE, NELMA
P.O. BOX 28
GRANDVIEW, ID 83624

138095

April 3, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information set showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

RECEIVED

MAR 16 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

MARCH 1, 1983

WILLIAM C. LOVE
P.O. BOX 28
GRAND VIEW ID 83624

RE: Permit No. 57-7198

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

RECEIVED
MAR 16 1983

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 57-7198.

Name(s) of Permit Holder: L. O. V. C. Will 5202 and Norma

Post Office Address: Re Box 23

Grandview, Id 83424 Tel. No. 834-2361

Source of Water: Mutual Canal at location shortly above wastewater

Extent of Use: ☐ Domestic (number of households)

☒ Stockwater from 2 to 20 head (number and type of stock)

☒ Irrigation 4.57 (acres) sprinkler system

☐ Other land is given completed

Measuring Device: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.



10-27-82

Date

Nelma Kane

Signature of Permit Holder

10:00 AM L...
P.O. Box 24
Glenview, Idaho 83720



MAIL

RECEIVED

NOV 1 1982



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138589

LOVE, WILLIAM C. & NELMA
P.O. BOX 28
GRANDVIEW, ID 83624

AUGUST 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 57-7198 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1



November 16, 1977

Re: Permit No. 57-7198

William C. &/or Nelma Love
P. O. Box 28
Grand View, ID 83624

Dear Mr. &/or Mrs. Love:

Enclosed is a copy of your approved Application for Permit No. 57-7198 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF/cah

Enclosure

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 57

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

(1) JHA 8-10-77

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) JHA 8-10-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels: N/A

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: None j6

(11) rf OK

Affidavit of Publication received(date) 9-7-77

(12) _____

Final date for protests 9-5-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies of applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

8-10-77 Proposed Priority

Reason for Reduction _____

NO Measuring device required

✓ R/w clause
See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W By JHA Date 9-7-77



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83705

JOHN V. EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

August 15, 1977

William C. Love
P. O. Box 28
Grandview, ID 83624

Dear Mr. Love:

Enclosed is your Receipt No. 8802 in the amount of \$10.00
for Application for Permit No. 57-7198 which was received in
this office on August 10, 1977.

Sincerely,

RITA FLECK
Secretary

RF

Enclosure



DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

August 12, 1977

Re: Notice of Appliation for Water Permit No. 57-7197 -- Robert &/or Betty Coffelt
57-7198 -- William & Nelma Love
57-7199 -- Rodney &/or Leona Hawes

Qwyhee Nugget
Marsing,
Idaho 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before September 5, 1977.

Sincerely,

RITA FLECK
Secretary

B. H. submitted
9-7-77
[Signature]

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that WILLIAM C. LOVE & VELMA LOVE
P. O. Box 28 Grandview, ID
has on August 10, 1977 submitted Application No. 57-7198
for a permit to appropriate 0.14 cubic feet per second ~~acres feet~~
~~per annum~~ of water from Shoofly Creek
by means of check box, ditches, drop structures, headgate
within the SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 35 T5S-R3E B.M., Owyhee County

to be used from Mar 15 to Oct 15
for irrigation of 7 acres

within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 22 T5S-R3E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before September 5, 1977.

C. STEPHEN ALLRED

Director

Published in the Owyhee Nugget, Marsing, ID
on August 18, 1977 and August 25, 1977.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

August 3, 1977

Re: Permit No. 57-7057

Mr. & Mrs. William C. Love
P. O. Box 28
Grand View, Idaho 83624

Dear Mr. & Mrs. Love:

The "proof of application of water to beneficial use" form you recently filed was not received within the 60 day period following our May 5, 1977 letter and, therefore, your permit no. 57-7057 cannot be reinstated.

Your proof form indicates that you still wish to continue with your project therefore, you must file a new application for permit. An application form is enclosed for this purpose.

If you have questions or would like some assistance in making this filing, please contact us.

Sincerely,


BOBBY D. FLEENOR
Chief, Operations Bureau

MICROFILMED