


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Charles Raymond Singer (Bishop)
(Applicant)

PROOF OF PUBLICATION

STATE OF IDAHO
County of Owyhee } S.S.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 10 day of July, 1975, and the last publication being on the 17 day of July, 1975;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 17 day of July, 1975.

Lena S. Hawes
NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that GRAND VIEW CHURCH OF JESUS CHRIST OF LATTER-DAY SAINTS, Grandview, ID 83624, has on June 27, 1975 submitted Application No. 57-7147 for a permit to appropriate .08 cubic feet per second of water from a groundwater source by means of well, pump, and pressure and sprinkler systems within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 36, T. 5 S., R. 3 E., B. M. Owyhee County to be used from Jan. 1 to Dec. 31 for domestic purposes and from Feb. 15 to Oct. 15 for irrigation of 3 acres within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 36, T. 5 S., R. 3 E., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before July 28, 1975.

R. KEITH HIGGINSON,
Director

Published in the Owyhee Nugget, Marsing, ID on July 10, 1975 and July 17, 1975.

OK JG
JUL 29 1975

7-29-75

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 15 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 57-07147

1. Owner: Church of Jesus Christ of L.D.S.

Phone No. 834-2717

Current Address: % Bishop Frank Millet, P.O. Box 458, Grand View, ID. 83624

2. Accompanied by: BUB Baker

EXAM. DATE: 8/24/90

Address: Box 488 Mt. Home ID. 83647

Phone No. 587-3617

Relationship to Permit Holder: Physical Facilities Rep.

3. Source: groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: 02-02176 & 02-02380


☐ Copies Attached N/A

2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECORDED

MAR 19 1991

57-07147

T 5²⁶

R 3E

S. 36

pld in

MICROFILMED

MAR 19 1991






PHOTO ONE- P/D WELL IN south end of church lot.
View is SE, plu is within chain link fence.



PHOTO TWO- P/M Looking N/NE at church & part of
landscaping from well site.

RECEIVED

MAR 19 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07147

Priority: June 27, 1975

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

6.6 AF

This is to certify, that CHURCH OF JESUS CHRIST LATTER DAY SAINTS
C/O FRANK MILLET, BISHOP
P.O. BOX 458
GRAND VIEW, ID 83624

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 27, 1975; and has submitted Proof of Beneficial Use on July 8, 1980. An examination indicates that the works have a diversion capacity of .560 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	02/15 to 10/15	0.02 CFS	5.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	1.6 AF
	Totals	0.04 CFS	6.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 36, Township 05S, Range 03E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S 03E 36	NWSW 1			1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

MAR 19 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07147

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.
6. Domestic use is for a church.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 7TH day of MARCH, 1991.

Acting for


R. Keith Higginson, Director

MICROFILMED

MAR 19 1991

Identification No. _____

Application No. 57-1147

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

Church of Jesus Christ of Latter-day Saints (TYPE OR PRINT IN INK)

1 Name of applicant GRAND VIEW IDAHO Phone: 834-2717
post office address GRAND VIEW IDAHO, 83624, Box 321

2 Source of water supply WELL which is a tributary of _____

3 a Location of point of diversion is NW 1/4 1/4 of SW 1/4 1/4 of Section 36 Township 5S
Range 3E B.M. Owyhee County, additional points of diversion if any: _____

b If water is not consumed, it will be discharged into septic system at a point in NW 1/4 of SW 1/4 of Section 36 Township 5S Range 3E B.M. _____

4 Water will be used for the following purposes:
Amount .06 cfs for LANDSCAPE (irrigation) purpose from FEB 15 to OCT 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 cfs for Building (domestic) purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated.

a .08 CFS. cubic feet per second and/or

b _____ acre feet per annum

6 Proposed diverting works

a Description of ditches, flumes, pumps, headgates, etc. PRESSURE SPRINKLER SYSTEM

b Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam. _____

Period of year during which storage will occur _____ to _____ inclusive.

c Proposed well diameter is 8 inches; proposed depth of well is 125 feet

7 a Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years

b Estimated construction cost is \$ 5,000

8 Description of proposed uses

a If water is not for irrigation

(1) Give the place of use of water NW 1/4 of SW 1/4 of Section 36 Township 5S
Range 3E B.M.

(2) Amount of power to be generated _____ hp under _____ feet of head

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served Church, or number of families to be supplied with domestic water 50

(5) If water is to be used for other purposes describe fire protection

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
55	3E	36									3								3

Total number of acres to be irrigated 3 ACRES

c. Describe any other water rights used for the same purposes as described above.

9 a. Who owns the property at the point of diversion GRAND VIEW L.D.S. Church


b. Who owns the land to be irrigated or place of use " " " "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

The Well will be Drilled By
Marvin Beundorfer Grand View RLB Box 340A

11 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Charles Raymond Sharp (Bishop)
(Applicant)

Proposed Priority 6-27-1975

JUN 27 1975

JUN 27 1975

Received by cla Date 6/27/75 Time 16 00
Preliminary check by PW/H Fee \$ 10.00
Receipted by cla Date 6/27/75 # 591
Publication prepared by cla Date 7-3-75
Published in Owyhee Nugget
Publication dates July 10 & 17
Publication approved gg Date 7-29-75
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by gg

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 57-7147, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 80.

c. Other: _____

2. Denial of said application is for the following reasons _____

Witness my hand this 1 day of August 19 75.


Director

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

} S.S.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 10 day of July, 1975, and the last publication being on the 17 day of July, 1975;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.


Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 17 day of July, 1975.

Lana S. Hawes
NOTARY PUBLIC

commission expires 9-10-76

NOTARY PUBLIC
(SEAL)



OK JG
7-29-75

March 11, 1991

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
C/O FRANK MILLET, BISHOP
P.O. BOX 458
GRAND VIEW, ID 83624

RE: WATER RIGHT NO. 57-07147

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED
MAR 10 1991

February 20, 1991

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
C/O FRANK MILLET, BISHOP
P.O. BOX 458
GRAND VIEW, ID 83624

RE: WATER RIGHT NO. 57-07147

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right. The draft reflects the actual use of water found by a representative of our department at the time of the field examination. Please review the draft and if you do not concur with the information or if you have any questions, let me know within 10 days.

The claim you filed on this right under the ongoing Snake River Basin Adjudication contains the same information that you listed on the original permit. Before the Department will issue a license reflecting the actual development occurring under this right, you should amend your claim to match the information on the proposed license. Enclosed for your signature is the Amended Claim form with the license information already listed.

Once I receive the signed amended claim, the water right license will be issued and your claim to this right will be included in the Director's Report summarizing the water uses in the Snake River Basin. (See the attached table for a summary of the water appropriation process.)

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

MAR 19 1991

LICENSE REVIEW CHECKLIST

Permit No. 57-7147

Name/Address change? ☒ ok ☐

Priority date Advance? yes ☐ no ☒

Memo to advance ☐

Order to reinstate needed? yes ☐ no ☒

Total cfs Limited by fee ☒ ok

Limited by capacity ☐

Total volume Limited by flow ☐

Chart checked for AF rate/ac ☒ 5.0

Capacity Actual measurement checked NONE

Theoretical checked ☒

If greater than permit, check for other rts ☐

Source Changed? yes ☐ no ☒

If so, is memo needed to clarify? ☐

P/D Verify with map ☒ permit ☒

More than one per 44? Remember remark ☐

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart

*landscape irrig. as
permit requested
02/15-10/15*

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44 ☐

Description of non-irrig uses ☒

Special overlap condition ☐

Conditions -

Measuring device ☐
W.Master control ☐
Overlap R33
Water quality ☐
Other ☐

Dates/Misc. -

Water Dist ☐
App Rec'd ☒
Proof Rec'd ☒

CHECK FOR ADJ. CLAIM

Needed according to proof filed ☐
Filed - needs amended ☒
Add'l fee required ☐
Not filed - ☐
Not needed ☐

NOT FILMED

Comments/Changes to Examiner's Recommendations:

MAR 19 1991

License ☐ 10-day ☒

30-day ☐

Back of field report signed? ☒

Reviewer S. Curtis Date 1/16/91 Review time 10 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with Conditions of Approval
- ☒ Well Inspection Form (If Needed)
- ☒ Aerial Photo Required? yes ☒ no If yes: copy attached
- ☒ SRBA Attachment A Submitted to Adjudication Section
SRBA Claim Check Received RL 8/23/90 (initial & date)
 N/A ☒ Applicable, See Attachment A
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of government plat 0
- ☒ Check of P/D index RL 8/23/90 (initial & date)
Overlap yes ☒ no If yes: copy of exam(s) attached?
Type of Overlap? Add acres or uses to existing system
 Increase rate of flow or volume
 Other:
- ☒ Check of P/U index RL 8/23/90 (initial & date)
Overlap? ☒ yes no If yes: copy of water right(s) attached? N/A
Type of Overlap? Increase rate of flow or volume
 Add P/D's
 Increase number of acres within tracts
☒ Other: other sources for other land
- ☒ Scheduling Letter Sent? N/A (initial & date)
- ☒ Appointment Made and Telephone Conversation Memo Attached per AS7-07147

B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Copy of SRBA Claim Verification Sheet / ☒ Original Returned to
Adjudication Section

C. Review and Processing:

- Exam Completed John Lester 8/24/90 (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent (initial & date)
Exam Reviewed by Manager of Regional Office DW 1/10/91 (initial & date)
Exam Sent to State Office 1-14-91 (initial & date)

ATTACHMENT A

SRBA CLAIM CHECK PER BENEFICIAL USE EXAM

EXAMINER Steve Lester DATE SUBMITTED 8/23/90
ADJUDICATION AGENT Ron Howerton RESPONSE DUE DATE 8/23/90
COUNTY Owyhee OWNER'S NAME LDS Church, Grand View

PERMIT DATA	T	R	S	Q/Q	T	R	S	Q/Q
P/D	<u>55</u>	<u>36</u>	<u>36</u>	<u>NWSW</u>				
P/U	<u>Same</u>							

ADJUDICATION DATA RELATING TO THIS PERMIT NUMBER

A. Check Permit Number for Adjudication Claim Filing

- ☐ Claim required for permit but not filed
(examiner needs to notify permit holder during exam)
☒ Claim filed for permit and copy attached *
☐ Claim filed although not required (proof filed after 11-19-87)
☐ No claim filed or required.

B. Check Adjudication Claims Relating to the Permit Holder but are Different Claims (new number - different right)

- ☐ Name index search
☐ Non-data entry claims search
☐ Claim found but large system no exam required *

See note below

Claims found requiring exam	Date field exam conducted	Exam data is in, Permit file	Attached
--------------------------------	------------------------------	---------------------------------	----------

<u>A57-07147</u> Adj No.	<u>8/24/90</u>	☒	☐
Adj No.		☐	☐
Adj No.		☐	☐

FILED

MAR 19 1991

* copies included only if pertinent to permit field exam

NOTE

A02-02380 Snake River to irrigate LDS welfare property just
South of LDS Church covered by permit 57-07147.
Irrigation in A02-02380 confirmed by visual
observation in exam 57-07147.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 15 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 57-07147


1. Owner: Church of Jesus Christ of L. D. S. Phone No. 834-2717
Current Address: % Bishop Frank Millet, P.O. Box 458, Grand View, ID. 83624
2. Accompanied by: BUB Baker EXAM. DATE: 8/24/90
Address: Box 488 Mt. Home ID. 83647 Phone No. 587-3617
Relationship to Permit Holder: Physical Facilities Rep.
3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: 02-02176 & 02-02380
☐ Copies Attached N/A
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
MAR 19 1991

System Description (continued)

- 3. Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

An 8", 460' well with a subm. 15 hp. pump & 2 1/2" mainline supplies water to LDS church and 1 acre of irrigated grounds around the church. No other water is used at church or on landscaped area. The wellhouse includes 4 pressure tanks operating at 40-60 psi. No well log was found but pump maint. company (Haddockton of Mt. Home) indicated shallow water table.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Berkelley	15	unknown	Berkelley Subm.	2 1/2" - no tag

***Code to correspond with No. on map and aerial photo**

- 5. Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	36	55	3E	Anyhee	ASGS 7 1/2' grid (1 ASGS photo in Adjut. claim A57-07147 file).
									Note well found in NWNWSW but
									license rec'd is to 40 acres as in permit.

- 6. Place(s) of Use:**

Indicate Method of Determination *AS in p/d +*

1/4	SW 1/4	SE 1/4	PACING
-----	--------	--------	--------

[illegible]

Do not use this space

CONFIDENTIAL

10-11-1961

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE POSSIBLE						

2. Measurements:

PER TELECON WITH BOB MANNING OF RIDGELTON DRILLING OF Mtn Home (587-9055),
PUMP MAINT. COMPANY FOR THIS WELL: 15 HP. BERKLEY PUMP, 460' well, pump set
at +336', 40 psi test showed 100 gpm, shallow water table as high as 8'.
Based on this is well logs for wells in area (show static levels from
13' - 115'), assume dynamic pumping level of 50'.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:
 $Q = \frac{(8.8)(6.7)(15)}{(2.31)(50) + 50} = .56 \text{ cfs}$
 HP req. where: $h_p = 15$ eff = .7
 $psi = 40 - \frac{60}{60}$ $Z = 50'$

2. Alternate Method for Checking Purposes:

NONE available

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1)(5.0) = 5.0$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.03)(242)(1.9835) = 14.4$
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 5.0$

2. Volume Calculations for Other Uses:

church with 2 bathrooms, kitchen, baptism unit.
 Assume 15 gpd/person.

sun days 400 people, Tues-SAT. 50 people/day, ~~monday~~ ~~people~~

$A F = \frac{(52 \times 400)(15) + (5)(52)(50)(15)}{725,850} = 1.6 \text{ a.f.}$

VS. $(.02)(365)(1.9835) = 14.5 \text{ a.f.}$

Permitting is
2/15-10/15

RECEIVED

MAR 19 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

USE ALSO INCLUDES FIRE PROTECTION AS NOTED IN PERMIT ITEM 8a(5).

Overlap - NONE ~~Significant~~ Significant:

PLN 02-02176 & 02-02380 Snake River, irrig. of other land.
02-02380 irrigates adjacent LOS property which is separate
from irrigation of church landscaping in 57-07147.

THIS REPORT CAN BE USED IN RECOMMENDATIONS FOR SRBA CLAIM
A57-07147.

System can produce the necessary flow & volume for
beneficial use that was found.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.02	1.6
Irrigation	2/15	10/15	.03	5.0
Totals:			.05	6.6

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name Steve Lester (accompanied by Ron Howerton, Sr. Agent)
Signature Steve Lester
Certification Date _____
Field Report Preparation Date 8/24/90 CONSULTANT SEAL


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

BY 1/16/91

RECEIVED

MAR 19 1991





Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 57-07147

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP____, Rge____, Sec.____, ____1/4____1/4
or Lot_____.

2. Owner: _____

Address_____, City_____, St_____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____
Plastic Plug

4. Access Port:	Yes ☒ No _____	Static Water Level:	<u>unknown</u>
Pressure Gauge:	Yes _____ No ☒	Casing Diameter:	<u>8"</u>
Flowing:	Yes _____ No ☒	Temperature:	<u>unknown</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____






PHOTO ONE- P/D WELL IN south end of church lot.
View is SE, p/m is within chain link fence



PHOTO TWO- P/M Looking NINE at church's part of
landscaping from well site.

PAID 11 11

RECEIVED

MAY 26 1987

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 27 1987

Fee Pd
\$521.87
\$5000
#42447
CCW

Department of Water Resources
Western Regional Office

FEE EXAM INFO.

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 57-7147

Name(s) of Permit Holder: Church of Jesus Christ of Latter Day Saints

Post Office Address: _____

Telephone No. 834-2717

Source of Water: Groundwater

Extent of Use:

Domestic Meeting House (number of households)

Stockwater _____ (number and type of stock)

Irrigation 2 (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: _____

Measuring Device Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

MICROFILMED

MAR 19 1991

Flow Measurement Port Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Bishop Frank Millet
(Name)

P.O. Box 458 Grandview 834-2777
(Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/21/87
Date

Bishop Frank Millet
Signature of Permit Holder (and Title, if appropriate)

Reg Wheeler

[REDACTED]

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

57-7147
CHURCH OF JESUS CHRIST LATTER DAY
C/O BISHOP HAROLD SIMPER
RT. 8, BOX 254
GRANDVIEW, ID 83624

138083

April 3, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information set showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and must pay the fee needed for the department to conduct the field examination. **RECEIVED** You may change to another certified examiner.

MAR 18 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V. EVANS

Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED

Director

(208) 384-2190

July 21, 1980

Grand View Church Of Jesus Christ
Of Latter-Day Saints
c/o Bishop Harold Simper
RT. 8 Box 254
Grand View, Idaho 83624

RE: Permit #57-7147

Dear Gentlemen:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for


If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 57-7147.

Name(s) of Permit Holder: Grand View Ward L.D.S. Church

Post Office Address: 1/2 Bishop Harold Simpson Rt. B. Box 254

Grand View, Idaho 83624 Tel. No. 834-2498

Source of Water: Well

Extent of Use. ☒ Domestic Church (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 3 acre (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6 July 1990
Date

Harold A. Simpson
Signature of Permit Holder

Br H. Simper

Rt B. Box 254

Grand View Id. 83624



RECEIVED

JUL 8

Department of



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
P.O. BOX 321
GRANDVIEW, ID 83624

138126

MAY 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 57-7147 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC:

MICROFILMED

August 4, 1975

Re: Permit No. 57-7147

Church of Jesus Christ of Latter Day Saints
Box 321
Grand View, ID 83624

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 57-7147. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 57-7147

☒ Source
☒ Point of Diversion
☒ County *quant. could be increase for domestic*
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) WLS 7/1/75

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) WLS 7/2/75

In form for advertising

(5) _____

Platted on Map No. _____

(6) NA

Located within Water District No. _____

(7) WLS 7-31-75

Critical groundwater area: yes _____ no ☒

(8) WLS 7-31-75

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) OK yg

Affidavit of Publication received(date) 7/29/75

(12) WLS 7-31-75

Final date for protests 7-28-75

Protests received: yes _____ no ☒

(13) NA

All requested information received from agencies or applicant: yes _____ no _____

(14) WLS 7-31-75

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction

_____ Measuring device required

_____ See attached sheet for other conditions of approval
Department of water Resources

☒ No special conditions for approval

(15) District Western

By M. Clayton Brown Date 7-31-75

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

Statehouse
Boise, Idaho 83720
(208) 384-2190

R. Keith Higginson
Director

July 1, 1975

Owyhee Nugget
Marsing, ID
83639

Re: Application for Permit No. 02-7197, Pot Hole Canal Association
57-7147, Grand View Church of Jesus Christ of
Latter-Day Saints

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(Signature of Claimant)

Bill Submitted
OK - jg - 7-29-75

Sincerely,

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that GRAND VIEW CHURCH OF JESUS CHRIS OF LATTER-DAY
SAINTS, Grandview, ID 83724
has on June 27, 1975 submitted Application No. 57-7147
for a permit to appropriate .08 cubic feet per second ~~acres feet~~
~~XXXXXX~~ of water from a groundwater source
by means of well, pump, and pressure and sprinkler systems
within the N1/4SW1/4, Sec. 36, T. 5 S, R. 3 E, B.M. Owyhee County

to be used from Jan. 1 to Dec. 31 for domestic purposes and from Feb. 15
for to Oct. 15 for irrigation of 3 acres

within the N1/4SW1/4, Sec. 36, T. 5 S, R. 3 E, B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Resources, Statehouse, Boise, Idaho, 83720, on or before
July 28, 1975.

R. KEITH HIGGINSON

Director

Published in the Owyhee Nugget, Marsing, ID
on July 10, 1975 and July 17, 1975.

RECORDED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

June 30, 1975

Church of Jesus Christ of
Latter Day Saints
Grand View Ward
Grand View, ID

Re: Application for Permit

Gentlemen:

Enclosed is your Receipt No. 591 in the amount of \$ 10.00 for
1 application for permit which was received in this office
on June 27, 1975.

Sincerely,

JANE GRIDLEY
Stenographer

JG:jg

Enclosure

RECEIVED
JUN 30 1975
WATER RESOURCES
DIVISION