


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

FOR: Grandview School District #365
(Applicant)
BY: John L. Hoffmann

PROOF OF PUBLICATION

STATE OF IDAHO }
County of Owyhee } s.s.

RECEIVED
Department of Water Resources
APR 28 1975

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 17 day of April, 1975, and the last publication being on the 24 day of April, 1975;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 24 day of April, 1975.

Leona S. Shaw
NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that JOINT SCHOOL DISTRICT NO. 365, P. O. Box 8, Grand View, ID 83624, has on April 7, 1975 submitted Application No. 57-7141 for a permit to appropriate 0.40 cubic feet per second of water from Underground by means of well, pump and pressure system within the SE $\frac{1}{4}$ -NW $\frac{1}{4}$, Sec. 4, T. 6 S., R. 4 E., B. M. Owyhee County to be used from Jan. 1 to Dec. 31 for Domestic School Use within the SE $\frac{1}{4}$ -NW $\frac{1}{4}$, Sec. 4, T. 6 S., R. 4 E., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before May 5, 1975.

R. KEITH HIGGINSON,
Director.

Published in the Owyhee Nugget, Marsing, ID on April 17, 1975, and April 24, 1975.

OK
4-28-75

MICROFILMED




Diagram of System

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 57-7141 Priority April 7, 1975 Amount 0.40 cfs

THIS IS TO CERTIFY, that Joint School District No. 365
of Grandview, Idaho, has complied with the terms and conditions of Permit
No. 57-7141 issued pursuant to Application for Permit dated April 7, 1975,
and has submitted proof to the Department of Water Resources on April 24, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.40 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	<u>from January 1 to December 31</u>	<u>0.40 cfs</u>	<u>and 8.3 acre feet</u>
_____	from _____	_____ cfs	_____ and _____
_____	from _____	_____ cfs	_____ and _____

(both dates inclusive)

Subject, however, to the condition that no more than 0.40 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
8.3 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 4,
Twp. 6S, Rge. 4E in the County of Owyhee

Description and location of place of use:

Twp.	Range	Section												Totals
		1	2	3	4	5	6	7	8	9	10	11	12	
6S	4E				X									

Total number of acres irrigated _____

Domestic use is for a high school.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 22 day of
October, 19 81.

Director

DRT

Identification No. _____

Application No. 57-7141

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Joint School District No. 365
post office address P.O. Box 8, Grandview, Idaho 83624
- 2 Source of water supply Underground which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 4 Township 6 S
Range 4 E B.M. Owhyee County; additional points of diversion if any: none

b If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
- 4 Water will be used for the following purposes:
Amount 0.40 for ^{Domestic} School Use purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a 0.40 cubic feet per second and/or
b _____ acre feet per annum.
6. Proposed diverting works:
a Description of ditches, flumes, pumps, headgates, etc. well, pump, and pressure system

b Height of storage dam N.A. feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c Proposed well diameter is 10 inches; proposed depth of well is 450 feet.
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 3 years
b. Estimated construction cost is \$ 10,000.
- 8 Description of proposed uses
a If water is **not** for irrigation
(1) Give the place of use of water: SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 4 Township 6 S
Range 4 E. B.M.
(2) Amount of power to be generated: N.A. hp under _____ feet of head
(3) List number of each kind of livestock to be watered N.A.

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: To supply needs of High School
students and faculty of approximately 400 students.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]


Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Joint School District #365
b. Who owns the land to be irrigated or place of use Same
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

FOR: Grandview School District #365

(Agent)

BY:

John L. Hoffmann

Proposed Priority 4-07-1975

Received by Ca Date 4-7-75 Time 2:55 p.m.

Preliminary check by CS Fee \$ 25.00

Received by Ca Date 4-7-75 # 481

Publication prepared by gg Date 4-10-75

Published in Owyhee Nugget

Publication dates April 17 + 24

Publication approved OK Date 4-28-75

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JSJ

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7141, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 78.

c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 12 day of _____ May 19 75.

R. Karl Higin
Director

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

Deposited in Court Records
APR 26 1975

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 17 day of April, 1975, and the last publication being on the 24 day of April, 1975;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 24 day of April, 1975.

Leona S. Hawes
NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)



CR 7-28-75
FJ

RECEIVED

RECEIVED

JUN 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name UNIVERSITY OF IDAHO WELL #7
Address MOSCOW IDAHO 83844-1231 FACILITIES Management
Drilling Permit No. 87-93-N-2-000
Water Right Permit No. 57-7141

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures
such as liners, screen, materials, plug depths, etc. in lithologic
log, section 9.)

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Monitor
☒ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary
☐ Cable ☐ Mud ☐ Other _____
(backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
.250 inches 16 inches + 1 feet 15 feet
.250 inches 14 inches 1.5 feet 70 feet
.250 inches 10 inches 2.0 feet 284 feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation? _____ inches by _____ inches
Number From To

_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☒ Yes ☐ No
Manufacturer Cook Type Stainless Tele-
Top Packer or Headpipe 283 to 285 scoping
Bottom of Tailpipe 349

Diameter 6 Slot size 20 Set from 290 feet to 300 feet
Diameter 6 Slot size 30 Set from 317 feet to 338 feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 70+ Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Pudding clay ☐ _____


Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded
☐ Solvent Weld ☐ Cemented between strata

Hole Plug 3/8 55 BAGS

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County LATAHAddress of Well Site AGRICULTURE RESEARCH FACILITY
(give at least name of road)SW. 1/4 SE 1/4 Sec. 12, T. 39 N ☒ or S ☐
R. 6 E ☐ or W ☒

7. WATER LEVEL

Static water level 183 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
200+		

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
16	0	15	CLAY MED BROWN		X
14	15	70	CLAY MED BROWN		X
12	70	81	BASALT BROKEN W/CLAY & SAND	X	
12	81	140	BASALT DARK GRAY MEDIUM		X
12	140	148	BASALT FRACTURED W/YELLOWSEMSX		
12	148	235	BASALT DARK GRAY HARD		X
12	235	260	SILT STONE BROKEN W/SAND		X
10	260	307	SAND W/WOOD W/W COURSE	X	
10	307	315	SILT STONE GRAY MED HARD		X
10	315	340	SAND MED COURSE W/WATER	X	
10	340	349	SAND STONE HARD		X

NOTE:

10"

2-K PACKER SET AT 283' TO 285'

36' OF 5" CASING W/SCREENS

14" CASING REMOVED

16" SURFACE PIPE REMOVED

RECEIVED

MAY 24 1993

NORTHERN REGION
IDWR

10.

Work started 04/15/93 finished 05/04/93

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name H2O WELL SERVICE Firm No. #448Address 582 W HAYDEN AVE Date 05/04/93Signed by Drilling Supervisor [Signature]and
(Operator) [Signature]
(If different than the Drilling Supervisor)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 2, 1981

RE: Permit No. 57-7141

Joint School District No. 365
Route B, Box 184A
Bruneau, ID 83624

Gentlemen:

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

1. Name of permit holder Joint School Dist. #365
Post office address Rt. B, Box 184A, BrunEAU, ID Phone 83624
Person to contact _____ Phone 834-2253
Source of water supply: Groundwater ☐ Surface water ☒ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes.

Amount 0.40 c.f.s for Dom (school) Rim Rock Sr. & Junior High
AF/Annum (nature of use) Schools

Period of Use: from 1/01 to 12/31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum _____ (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

- 4 Total amount to be appropriated:

Max Rate of Diversion 0.40 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion.

Township 6S N/S, Range 4E E/W, B.M., Section 4, Subdivision Se 1/4 Ne 1/4 Owyhee County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Other Points of Diversions. _____

Description of diverting works: 175 gpm, 15hp mtr, 10"x370' well

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**




Diagram of System

DATE OF EXAM 1 OCT 80

ACREAGE
Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q= ✓ c.f.s. V= 8.28 AF/Ann. from _____ to _____
Domestic Q= .40 c.f.s. V= ~~84.36~~ AF/Ann. from 1/1 to 12/31
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured .40 Method of measurement inline flow meter

Total Q recommended .40 Meter No. 75-9-413 Type Mc Clellan Condition GOOD

Total V recommended ~~84.36~~ 8.28 RC

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None X

MEASUREMENT CALCULATION:
✓ 180 GPM = .40 CFS capacity
 ~~$V = 25 \text{ gal/person} \times 400 \text{ people} = 10,000 \text{ gal/day} \times 270 \text{ days} = 2,700,000 \text{ gal} \div 325,900 \text{ 1/ACFT} = V = 84.36 \text{ I.J.}$~~
 $V = 25 \text{ gal/person} \times 400 \text{ people} = 10,000 \text{ gal/day} \times 270 \text{ day} = 2,700,000 \text{ gal} \div 325,900 = 8.28 \text{ AF}$

SYSTEM DESCRIPTION:
Domestic water HD sprinkler system
well pump into press. tank system with demand of
press tanks

MICROFILMED

REMARKS: _____

Examiner's Signature Carl E Mann Date 3 OCT 1980
Checked by DBS Date 10/11/80
Approved by Robyn Date 9/28/81

May 3, 1978

Joint School Dist. #365
Route 8, Box 184A
Bruneau, ID 83624

RE: 57-7141

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Boise, Idaho.

Sincerely,

JANICE RENK
Water Rights

MICROFILMED

Identification No. _____

Permit No. _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

APR 24 1978

Department of Water Resources

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE


1. a) Name of Permit Holder Joint School District NO. 365
b) Post Office Address P.O. Box 8, Grandview, Idaho RTB Box 184A Brunau, ID
83604
2. Permit Number 57-7141
3. Date of Priority that you are prepared to establish April 7, 1975
4. a) Source from which water was appropriated Underground well
b) Location of the point of diversion: SE ¼ NW ¼, Section 4
Township 6S, Range 4E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 0.39 c.f.s. for domestic purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.39 c.f.s. cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:
Use of meter. 175 G.P.M. measured by John L. Hoffmann, P.E., No. 575 Aug. 23, 1976
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use.
N. A.
b) Describe the agreement or understanding by which you take water from the works:
N. A.
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 175 G.P.M., Gould Pump; 15 horse power motor;
10" casing; well is 370' deep
b) Describe the type and size of measuring device which you have installed at your point of diversion:
Meter
4" McCrometer, Model MCC-500 at well
c) Give well driller's name and address and the date the well was completed:
Pete Cope Drilling Co., Inc. P.O. Box 561, Meridian ID 83642
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:
This well is used for water supply for Rim Rock Senior and Junior High Schools.

MICROFILMED

Exam typed 5/3/78

Consulting

JOHN L. HOFFMANN
CHARLES C. FISKE
D. RICHARD WYATT



Engineers

2500 KOOTENAI STREET
TELEPHONE (208) 344-5509
BOISE, IDAHO 83705

101 THAIN ROAD
TELEPHONE (208) 746-2661
LEWISTON IDAHO 83501


April 10, 1978

RECEIVED

APR 24 1978

Department of Water Resources

I hereby certify that I observed the flow from
the well as indicated by the installed meter on
August 23, 1976 and observed a flow of 175 G.P.M.



PROPERTY



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 31, 1978

CERTIFIED MAIL

138601

Re: Permit No. 57-7141

Joint School District No. 365
P.O. Box 8
Grandview, Idaho 83624

Gentlemen:

One of the conditions of approval of your water Permit No. 57-7141 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before June 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

Norman C. Young
NORMAN C. YOUNG
Administrator,
Resources Administration Division

NCY:jfr

Encl: Proof affidavit

MICROFILMED

May 12, 1975

Re: Permit No. 57-7141

Joint School District No. 365
Box 8
Grandview, Idaho 83624

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 57-7141. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

RECEIVED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 57-~~4046~~ ⁷¹⁴¹

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature (See power of atty letter dated Apr 9, 1975)
☒ Fee

(1) R.W.H. 4-9-1975
(2) R.W.H. 4-9-1975

In form to receipt

Send Copies to:

☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) NA

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) R.W.H. 4-9-75

In form for advertising

(5) NA

Platted on Map No. NA

(6) NA

Located within Water District No. NA

(7) CB 5-5-75

Critical groundwater area: yes NA no ☒

(8) CB 5-5-75

Groundwater levels:

NA Declining, ☒ Stable, NA Increasing

(comment) NA

(9) NA

Other rights on the same place of use

(10) NA

Comments: NA

(11) CB 5-5-75

Affidavit of Publication received(date) 4-28-75

(12) CB 5-5-75

Final date for protests May 5, 1975
Protests received: yes NA no ☒

(13) NA

All requested information received from agencies or applicant: yes NA no NA

(14) CB 5-5-75

Action recommended:

☒ Approve NA Deny

NA Proposed Priority

NA Reason for Reduction

☒ Measuring device required **RECEIVED**

NA See attached sheet for other conditions of approval **MAY 6**

NA No special conditions for Department of Water Resources

(15) District Western By M. Clayman Date 5-5-75

MICROFILMED

STATE OF IDAHO

STATEHOUSE, BOISE, 83720

James A. Bax, director

RECEIVED

JU 29 1975

Department of Water Resources

APR 30 1975

DIVISION OF ENVIRONMENT
April 28, 1975

department of health and welfare

Mr. Kenneth H. Foit
Western District Engineer
Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Application for Permit No. 57-7141 - Joint School
District No. 365

Dear Mr. Foit:

We have reviewed the above referenced application for
permit, and we have no comment at this time.

Sincerely,

DEPARTMENT OF HEALTH AND WELFARE

David Sanders

H. David Sanders
Environmental Engineering Spec. II

cc: Central District Health Dept.
Joint School District No. 365

HDS/dj

MICROFILMED

4-11-1975

JOINT SCHOOL DISTRICT NO. 365

OWYHEE AND ELMORE COUNTIES

OFFICE OF THE SUPERINTENDENT

DENNIS BRANDON—Superintendent
FRANCES FIELD—Clerk of the Board of Trustees

BOX 8, GRAND VIEW, IDAHO 83624
PHONE—GRAND VIEW 834-2253

April 9, 1975

State of Idaho Water Resources
506 N. 5th
Boise, Idaho 83702

Gentlemen:

The Joint School District No. 365, Grand View, Idaho hereby authorizes power-of-attorney to John L. Hoffman, Consulting Engineer, Boise, Idaho to sign the application for Permit for a well in SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 4 T. 6 S., R. 4 E., Owyhee County for the school district.

Yours truly,

Antonio J. Urquidi
Antonio J. Urquidi
Chairman

RECEIVED

April 11, 1975

David Sanders, E.I.T.
Environmental Engineering Spec. II
Environmental Services
Department of Health & Welfare
Statehouse
Boise, ID

Re: Application for Permit No. 57-7141 - Joint School District No. 365

Dear Mr. Sanders:

We are enclosing a copy of the above referenced application for permit which may be of interest to your agency. Please review the application and if you have any comments, please submit them to our department as soon as possible.

We normally complete the processing of an application within a six week period and we are required to take final action shortly thereafter.

If we may be of any assistance to you in the meantime, please do not hesitate to contact this department.

Sincerely,

KENNETH H. FOIT, P.E.
Western District Engineer

KHF:cla

Enclosure

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN DISTRICT — ANNEX 3

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2190

April 11, 1975

Owyhee Nugget
Marsing, ID 83639

RE: Application for Permit No. 57-7141 - Joint School District No. 365

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear in the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(Signature of Claimant)

Sincerely,

Bill submitted 79
4-28-75

RECEIVED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that ~~JOINT SCHOOL DISTRICT No. 363~~
~~P.O. Box 8, Grandview, ID 83624~~
has on ~~April 7, 1975~~ submitted Application No. ~~57-7141~~
for a permit to appropriate ~~0.40~~ cubic feet per second ~~acre feet~~
per annum of water from ~~XXXXXXXX~~ ~~Underground~~
by means of ~~well, pump and pressure system~~
within the ~~SE1/4, Sec. 4, T. 6 S, R. 4 E, B.M. Owyhee County~~

to be used from ~~Jan. 1 to Dec. 31~~
for ~~Domestic School Use~~

within the ~~SE1/4, Sec. 4, T. 6 S, R. 4 E, B.M.~~

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, Statehouse, Boise, Idaho, 83720, on or before

~~May 5, 1975~~

R. KEITH HIGGINSON

Director

Published in the ~~Owyhee Nugget, Marsing, ID~~
on ~~April 17, 1975~~ and ~~April 28, 1975~~

RECORDED