


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Grandview water & sewer assn.

by - *x Ben Johnson*
(Applicant)

Chairman

57 7059

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Grandview Water & Sewer Assn,
by Ben Johnson Chairman
(Applicant)

57 7959

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

S.S.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 24 day of Feb, 1972, and the last publication being on the 2 day of March, 1972;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 2 day of March, 1972.

Lois L. Hawes
NOTARY PUBLIC

My commission expires 9-10-72

(SEAL)

RECEIVED

MAR 6 1972

Department of Water Administration

NOTICE OF APPLICATION FOR WATER PERMIT


Notice is hereby given that Grand View Water & Sewer Association, Grand View, Idaho, has on February 15, 1972, submitted Application No. 57-7059 for a permit to appropriate .70 cubic feet per second of water from a groundwater source by means of a well, pump and motor within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, T. 5 S., R. 3 E., B. M., Owyhee County, to be used from January 1 to December 31 for municipal purposes within the SW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 15; E $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 16; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 21; N $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T. 5 S., R. 3 E., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before March 13, 1972.

R. KEITH HIGGINSON,
Director.

Published in the Owyhee Nugget, Marsing, Idaho on February 24th and March 2nd, 1972.

57 7059



BADGER

Red	Green	Purple	Blue
FLOW	TEMP	TEMP	TEMP
PRESS	PRESS	PRESS	PRESS
AIR	TEMP	TEMP	TEMP
TEMP	TEMP	TEMP	TEMP
TEMP	TEMP	TEMP	TEMP
TEMP	TEMP	TEMP	TEMP


DATE

CHART NO. 47509
8:05 AM
SOLD NO. 01434

0117659
0110568
7091

BADGER METER MFG. COMPANY, MILWAUKEE, WIS.

7091
337355
30545500
2 weeks






Diagram of System

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 57-7059 Priority February 15, 1972 Amount 0.50 cfs

THIS IS TO CERTIFY, that Grand View Water & Sewer Association
of Grand View, Idaho, has complied with the terms and conditions of Permit
No. 57-7059 issued pursuant to Application for Permit dated February 15, 1972,
and has submitted proof to the Department of Water Resources on April 7, 1978,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 0.50 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Municipal</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.50</u> cfs and <u>n/a</u>	
	from _____ to _____	at _____ cfs and _____	
	from _____ to _____	at _____ cfs and _____	

(both dates inclusive)

Subject, however, to the condition that no more than 0.50 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
n/a acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Section 22,
Twp. 5S, Rge. 3E in the County of Owyhee

Description and location of place of use:

Twp	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31ST day of
October, 19 81.

Acting for the Director

Norman C Young

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

RECEIVED

MAY 11 1973

APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of ADA)

Permit No. 57-7059

Grand View Water & Sewer Association of Grand View, Idaho
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 57-7059.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before June 1, 19 73.

That he has heretofore performed the following work described under said permit:
Well has been drilled, pump installed, distribution system installed.

Costing \$ 150,000

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: System is installed but use has not been made as yet:

use will begin in mid-summer.

Wherefore, he asks that the Department of Water Administration extend the time for the completion of obligations under said permit to June 1, 19 78.

Ben Johnson - Chairman
(signature) *

Subscribed and sworn before me this 9th day of May, 19 73.

seal

D. E. Bula
(notary public)

My commission expires 11-29-75

ACTION OF THE DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Idaho Department of Water Administration, State of Idaho, hereby approve the above application for extension of time for Permit No. 57-7059 to June 1, 1978.

Witness my hand this 11 day of May, 19 73.

R. Keith Higginson
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Administration, Statehouse - Annex 2, Boise, Idaho, 83707.

57 7059

Identification No. _____

Application No. 57-7059

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1 Name of applicant GRAND VIEW WATER & SEWER ASSOCIATION
post office address Grand View, Idaho

2. Source of water supply ground water which is a tributary of _____

3. a Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 22 Township 5 S
NE NW
Range 3 E B.M. Owyhee County, additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4 Water will be used for the following purposes

Amount 0.70 for municipal purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated

a 0.70 cubic feet per second and/or

b _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump & water

b Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo Day) (Mo Day)

c Proposed well diameter is 12 inches, proposed depth of well is 200 feet.

7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years

b. Estimated construction cost is \$ 15,000

8 Description of proposed uses.

a If water is **not** for irrigation

(1) Give the place of use of water SW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 15; E $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 16;
NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 21; N $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T. 5 S, R. 3 E, B.M.

(2) Amount of power to be generated _____ hp under _____ feet of head

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served Grand View & vicinity, or number of families to be
supplied with domestic water 125

(5) If water is to be used for other purposes describe _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP.	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

c Describe any other water rights used for the same purposes as described above _____


9 a. Who owns the property at the point of diversion Sheldon Burghardt

b. Who owns the land to be irrigated or place of use _____

c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Grandview water & sewer assn.

by - x Ben Johnson
(Applicant)

1-26-1972
 Received by ef Date 2-15-72 Time 8:00 PM
 Preliminary check by FE Fee \$ No fee rec'd 25.00
 Receipted by ef Date 2-7-72
 Publication prepared by bb Date 2-18-72
 Published in Owyhee Nugget
 Publication dates 2-24 & 3-2-72
 Publication approved CR Date 3-7-72
 Priority reduced to 2-15-72 Reason Incomplete application. 42-202, I.C.
 Protests filed by: _____
 Copies of protests forwarded by: _____
 Hearing held by: _____ Date: _____
 Recommended for approval denial by A ~~TSF~~

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7059, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1973.
- Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 17 day of May, 1972.


 Director

Identification No. 57-7059

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Grandview Water and Sewer Association
post office address Grandview, Idaho
2. Source of water supply ground water which is a tributary of _____
NW⁴ of NW⁴ and NE⁴ of NW⁴
3. a. Location of point of diversion is _____ of Section 22 Township 55 S
Range 3 E B.M. Owyhee County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.70 for domestic purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.70 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc _____

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years
b. Estimated construction cost is \$ 15,000.
8. Description of proposed uses
a. If water is **not** for irrigation.
SW⁴ & SW⁴NW⁴ Sec. 15; E²SE⁴ & SE⁴NE⁴ Sec. 16; NE⁴NE⁴ Sec. 21; N²NW⁴ & 5 S.
(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
NW⁴NE⁴ Sec. 22
Range 3 E B.M.
(2) Amount of power to be generated _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served Grandview & vicinity, or number of families to be
supplied with domestic water 125.
(5) If water is to be used for other purposes describe: _____

b If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Sheldon Burghardt

b. Who owns the land to be irrigated or place of use _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Grandview Water & Sewer Assn.
 by Ben Johnson Chairman
 (Applicant)

57 7430

2-1-72 200A

Received by ej Date 1/26/72 Time 10:00
Preliminary check by 75 Fee \$ 25.00
Received by ej Date 2-7-72
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____ 19____.

Director

6502 25

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 57-7059 Name Grand View Water & Sewer Association

Source groundwater

Point of Diversion NW 1/4, NE 1/4, Sec. 22, T. 5S, R. 3E, B.M., Owyhee County

Quantity .70 Use municipal Period Jan. 1 - Dec. 31

Quantity Use Period

Quantity Use Period

Well Size Diameter 12 Proposed Depth 200 Feet

Use Grand View and vicinity (125 families) for municipal

Date Forwarded 2-18-72 Date Returned 2-23-72 Received by SS

COMMENTS: Wells to the south about 5-7 miles showed
steady declines amounting to as much as 5 feet per year
until last year, at which time a 3 ft. increase was
noted.

RECOMMENDED:

Applied: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved ☒ Denied ☐

Conditions of approval or reason for denial:

INVESTIGATION By Paul M. Casteln Title W.R.I.-I

Date Feb. 23, 1972

57 7059

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.

I, **RODNEY A. HAWES**, being first duly sworn, on oath says that he is the Publisher of the **OWYHEE NUGGET**, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 24 day of Feb, 1972, and the last publication being on the 2 day of March, 1972;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 2 day of March, 1972.

James L. Ladd
NOTARY PUBLIC

My commission expires 9-10-73

(SEAL)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Grand View Water & Sewer Association, Grand View, Idaho, has on February 15, 1972, submitted Application No. 57-7059 for a permit to appropriate .70 cubic feet per second of water from a groundwater source by means of a well, pump and motor within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, T. 5 S., R. 3 E., B. M., Owyhee County, to be used from January 1 to December 31 for municipal purposes within the SW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 15; E $\frac{1}{2}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 16; NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 21; N $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T. 5 S., R. 3 E., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before March 13, 1972.

R. KEITH HIGGINSON,
Director.

Published in the Owyhee Nugget, Marsing, Idaho on February 24th and March 2nd, 1972.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 19, 1961

RE: Permit No. 57-7049

Grand View Water & Sewer Association
P.O. Box 46
Grand View, ID 83624

Gentlemen:

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

Jim Johnson

JIM JOHNSON
Water Distribution Supervisor

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 14, 1981

RE: Permit No. 57-7059

Grand View Water & Sewer Association
P.O. Box 46
Grand View, ID 83624

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 57-7059, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.50 cfs Source: groundwater

The maximum quantity diverted shall not exceed n/a acre feet per year.

Point(s) of diversion: NW $\frac{1}{4}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, Twp. 5S, Rge. 3E, Owyhee
County

Beneficial use: Municipal purposes within the City limits of Grand View.

Priority date established: February 18, 1972

Conditions (if any):


if you do not concur with these findings please contact us within 10 days, otherwise
water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

REPROFILED

NOV 11 1971



7091
35455
4250
30545000

NOV 11 1971

AUG 27-74

0138936

0133593

5343

X 500

2671,500

START

11 days

HIGH PEAK MONTHS

FLOW METER ON A DEMAND SYSTEM
DID NOT HAVE CURRENT RECORDS
ON AMNT. PUMPED, HOWEVER THESE
RECORDS SHOW HOW MUCH HAS BEEN
PUMPED OVER THE YEARS & MR. BEN
JOHNSON, MAYOR, STATED THE AMOUNT
IS THE SAME, THEY JUST HAVEN'T
KEPT MATERIALS IN THE FLOW METER.

TOTAL ACREAGE

Permit No 57-7059

Examination for B/L




Diagram of System

DATE OF EXAM 10/15/80

ACREAGE

Found _____

Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

MUNICIPAL - 0.50 V = N/A

Is water co-mingled? yes _____ no _____

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no _____

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 0.50 cfs Method of measurement BADGER METERS

Total Q recommended 0.50 cfs Meter No. _____ Type BADGER Condition GOOD

Total V recommended N/A

Recommended Amendments:

P.D. _____

Place of Use _____

Other _____

None

MEASUREMENT CALCULATION:

225 gpm = 450 (0.50 cfs)
No additional amt. needed.

capacity

SYSTEM DESCRIPTION:

(2) 20 h.p. MOTORS w/ JOHNSON elec. pumps 3 phase, 6" pipe-
line-demand systems. WATER IS PUMPED TO A WATER TOWER
ABOVE WELLS & THEN GRAVITY FLOW TO CITY. (150,000 gallons)

REMARKS:

There were no other meters on 2nd well however, it is a
back-up well for the water well only. Ricks on when
the other well is off. The 225 gpm is the maximum ever
put out between the two wells.

Miner's Signature Gian Giover Date 10/28/80

Checked by DBS Date 11/11/80

Approved by Ricky Date 10/5/81

RECEIVED

April 11, 1978

Re: Permit No. 57-7059

Mayor Ben Johnson
Grandview Water & Sewer Assn.
P.O. Box 46
Grandview, Idaho 83624

Dear Mayor Johnson:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Boise.

Sincerely,

JANICE RENK
Water Rights

MICT-71110

Identification No. _____

Permit No. 57-7059

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

APR 7 1978

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of Permit Holder GRAND VIEW WATER & SEWER ASSN.
b) Post Office Address P.O. BOX 46, GRANDVIEW
2. Permit Number 57-7059
3. Date of Priority that you are prepared to establish JUNE 1 - 1973
4. a) Source from which water was appropriated UNDERGROUND - FOR CITY WELL
b) Location of the point of diversion: N. 2 1/4 NW 1/4, Section 22
Township 5-S, Range 3-E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

Amount 400 GPM for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated APPX. 50,000,000 GAL. PER ANNUM and/or acre-feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: THE FLOW IS DETERMINED BY A FLOW METER. STORAGE IS 150,000 GAL TANK. (TUDOR ENGINEERING SET UP STANDARDS.)

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works:

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) PUMP SIZE = 6" (20 HP. SUBMERSIBLE)
PIPING REDUCED TO 4" - WELL IS 138' DEEP - 24" WELL CASING

b) Describe the type and size of measuring device which you have installed at your point of diversion:

RADDER FLOW METER (TO 400 GPM.)

c) Give well driller's name and address and the date the well was completed:

PETE COPE (DRILLER)
COMPLETED JUNE 4, 1973

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

DOMESTIC WATER FOR THE CITY OF GRANDVIEW
IDAHO

MICROFILMED

4/11/78

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

10. Remarks: THE GRAND VIEW WATER & SEWER ASSN. IS A NON PROFIT
IREINAZATION - RUN BY THE CITY OF GRAND VIEW - WATER IS
METERED TO ALL HOMES IN LOTS

The above information is a true statement of the extent to which the above numbered permit has been developed.

April 5, 1978
(Date)

Ben Johnson
(Signature)

State of Idaho)
) ss.
County of Owyhee)

On this 5th day of April, 1978, personally appeared before me
the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Donna Carothers
Notary Public residing at Grand View, Id.

My commission expires April 1, 1981

May 14, 1973

Re: Permit No. 57-7059

Grand View Water & Sewer Association
Grand View,
Idaho 83624

Gentlemen:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:jc
Enclosure

57 7059

RECEIVED

APR 7 1978

April 5, 1978

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

Dear Sirs,

In answering your letter pertaining to Permint NO. 57-7059. I had presumed that this permit had been taken care of.

I am not sure that you know that the City now has a second well.

Both of these wells were drilled by Pete Cope. Our second well is approximately 280 feet from the first well. It is strickly a back-up well in case of trouble with well #1.

They are connected together in a well house and would flow through the same Flow Meter.

If there is any further questions please connect me.

Sincerely,



Mayor-Ben Johnson

BJ/dc



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 31, 1978

CERTIFIED MAIL

138603

Re: Permit No. 57-7059


Grand View Water & Sewer Assn.
Grand View,
Idaho 83624

Gentlemen:

One of the conditions of approval of your water Permit No. 57-7059 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before June 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


NORMAN C. YOUNG
Administrator,
Resources Administration Division

NCY:jfr

Encl: Proof affidavit

May 24, 1972

C
Re: Permit No. 57-7059

O
Grand View Water & Sewer Association
Grand View,
Idaho 83624

Gentlemen:

P
Enclosed is a copy of your approved Application for Permit No. 57-7059. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at the points of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Y
The approval of this permit does not in any way convey or establish a right-of-way over private land. Any right-of-way or easement must be obtained by the permit holder through action outside of the water right proceeding.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Copy of permit
Information letter

bc: Western District Office

57 7059

February 18, 1972

Re: Application No. 57-7059 - Grand View Water & Sewer Association

Mrs. Irene Kanta, Acting Director
Southwestern District Health Dept.
706 Main Street
Caldwell, Idaho 83605

Dear Mrs. Kanta:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 6-week period and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM/BB

Enclosure

57 7059

February 9, 1972

Re: Application for Permit No. 57-7059

Grand View Water and Sewer Association
Grand View,
Idaho 83624

Gentlemen:

During the processing of your application, a question has come up as to the exact nature of use on the above referenced permit.

You have indicated the use to be domestic for the municipality of Grand View. We feel that the use should actually be listed as municipal, rather than domestic use. We have, therefore, re-typed your application, incorporating the change mentioned. If you agree with this change, please sign the form and return it to our office. We are enclosing a copy of the original permit form for your reference.

Very truly yours,

James Booker
Appropriation Examiner

JB:cs

Enc: copy of original permit
re-typed permit form

57 7059

14
January 27, 1972

Grandview Water and Sewer Association
Grandview,
Idaho 83624

Gentlemen:

We are returning your original application for permit, with check #92-320, for \$25.00, in order for you to make an addition to the application.

We have also taken the liberty of re-typing your application on a new form, for reasons of clarification.

Please indicate under item #8a,1, the 40 acre tracts that water from this permit will be used on.

Please sign the re-typed application and return it to this office along with the proper filing fee, so that we may continue processing.

If you have any questions regarding this application, please feel free to contact this Department.

Very truly yours,

James Booker
Appropriation Examiner

JB:cs

Enc: check #92-320 (\$25.00)
original application for permit
re-typed application for permit

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



Postmark of Delivering Office



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.



- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.



**RETURN
TO**

**DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE • ANNEX #2
BOISE, IDAHO 83707**

57 7059

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)



Show to whom, date and address
where delivered



Deliver **ONLY**
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

24417

1

Grand View Water & Sewer Assn

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

2

By Sharon Johnson / Sec. Treas.

INSURED NO.

DATE DELIVERED

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

3/31/73

3

57 7055

March 30, 1973

CERTIFIED MAIL

#24417

Re: Permit No. 57-7059


Grand View Water & Sewer Association
Grand View,
Idaho 83624

Gentlemen:

One of the conditions of approval of your water Permit No. 57-7059 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before June 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

57 7059

February 18, 1972

Re: Application for Permit No. 57-7059 - Grand View Water & Sewer Association

Owyhee Nugget
Marsing,
Idaho 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Appropriation Examiner

FE/BB
Enc: legal notice

Bill submitted 3-7-72

57 7059

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Grand View Water & Sewer Association
Grand View, Idaho
has on Feb. 15, 1972 submitted Application No. 57-7059
for a permit to appropriate .70 cubic feet per second ~~zero feet per second~~
of water from a groundwater source
by means of a well, pump and motor
within the NW1/4, NE1/4, Sec. 22, T. 5S, R. 3E, B.M., Owyhee County

to be used from Jan. 1 - Dec. 31
for municipal purposes

within the SW1/4, SW1/4, Sec. 15; E1/4, SE1/4, Sec. 16; NE1/4, Sec. 21; NW1/4,
NW1/4, Sec. 22, T. 5S, R. 3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before March 13, 1972.

R. KEITH HIGGLISON

Director

Published in the Owyhee Nugget, Marsing, Idaho
on February 24th and March 2nd, 1972.

57 7059

February 7, 1972

Grandview Water & Sewer Company
Grandview,
Idaho 83624

Gentlemen:

Attached herewith is your receipt No. 8002 in the amount of \$ 25.00
for your application for permit
which was received in this office.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure: Receipt

57 7059

RALPH A. TUDOR (1902-1963)
LOUIS W. RIGGS
STANLEY H. FROID
CARL W. OTTO
DAVIS C. TOOTHMAN
ROBERT N. JANOPAUL

TUDOR ENGINEERING COMPANY
CONSULTING ENGINEERS

1802 NORTH 33RD STREET
BOISE, IDAHO 83703
TELEPHONE (208) 343-4669

MAIN OFFICE
149 NEW MONTGOMERY ST
SAN FRANCISCO
CALIFORNIA 94105

TELEPHONE
(415) 982-8338
CABLE "TENCGO"

Mr. James Booker
Appropriation Examiner
Department of Water Administration
Idaho State House - Annex 2
Boise, Idaho 83707

February 3, 1972

427-7108

Grandview Water Project


Dear Sir:

We are forwarding the re-typed application for appropriation of public waters with the added information requested in your letter of January 27, 1972.

We hope this will complete the information required to process the application.

Very truly yours,

TUDOR ENGINEERING COMPANY



Leslie L. Ankenman

LLA:mr

Enc: Check #9 - (\$25.00)

Application

cc: Ben Johnson, Grandview

57 7059