



TYPICAL PROFILE

HT.



PLAN

HT.



TYPICAL CROSS-SECTION

N-S

U. S. DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	
TYPICAL STOCKWATER DAM	
DESIGNED BY C. D.	RECOMMENDED BY C. D.
DRAWN BY C. D.	RECOMMENDED BY C. D.
CHECKED BY C. D.	APPROVED BY C. D.
SCALE 1" = 10'	
DATE 10-1-70	
DRAWN BY 10-1-70	

MICROFILMED

State of Idaho
Department of Water Resources



WATER RIGHT LICENSE

License No. 55-7323 Priority 05/27/1983 Amount CFS 1.7 AF

THIS IS TO CERTIFY, that U.S. Dept. of Interior, Bureau of Land Management

of Boise, Idaho, has complied with the terms and conditions of
Permit No. 55-7323 issued pursuant to Application for Permit dated 05/27/1983, and has
submitted proof to the Department of Water Resources on 02/21/1984, that he has applied water to a
beneficial use; and examination by the Department indicates that the works have a capacity for the
storage of 1.7 af of water from unnamed stream
tributary to sinks, and that the permit holder has
applied to a beneficial use and established a right to use water as follows:

RATE OF DIVERSION	VOLUME	BENEFICIAL USE	PERIOD OF USE
n/a	1.4 af	Storage for Stockwater	01/01 - 12/31
n/a	0.3 af	Storage for Wildlife	01/01 - 12/31
n/a	1.4 af	Stockwater from Storage	01/01 - 12/31
n/a	0.3 af	Wildlife from Storage	01/01 - 12/31

Location of point of diversion: NW1/4 NE1/4, Section 26, Twp 9S, Rge 5W, Owyhee County

Location of place of use:

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	5W	26		X															

Total number of acres irrigated _____

NOTE: Modifications to or variance from the use of water as shown on this license must be made in accordance with Section 42-222, Idaho Code, or the applicable Idaho law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho this 15th day of JUNE, 1984

MICROFILMED

Acting for the

Director

Norman C Young

6724 Lowe. Cliffs
Res.

Form 202
3/78

Ident. No. 55-7323

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

112
APPROVED

To appropriate the public waters of the State of Idaho

MAY 23 1963

1. Name of applicant Bureau of Land Management (See Remarks) Phone 337-1582
Post office address 3948 Development Ave., Boise, Idaho 83705
2. Source of water supply unnamed stream which is a tributary of sink
3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 9S
Range 5W B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.4 for Storage For Stockwater purposes from 1-1 to 12-31 (both dates inclusive)
(acre-feet per annum)

Amount 0.3 for Storage For Wildlife purposes from 1-1 to 12-31 (both dates inclusive)
(acre-feet per annum)

Amount 1.4 for From Storage Stockwater purposes from 1-1 to 12-31 (both dates inclusive)
(acre-feet per annum)

Amount 0.3 for From Storage Wildlife water purposes from 1-1 to 12-31 (both dates inclusive)
(acre-feet per annum)

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or b. 1.7 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. earthen dam to retain run off from snow melt and rain

b. Height of storage dam 15' feet, active reservoir capacity 1 acre-feet; total reservoir capacity 1.4 acre-feet, materials used in storage dam: earthen dam

Period of year when water will be diverted to storage 1-1 to 12-31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 26 Township 9S

Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 100 Cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

McGOWAN

Total number of acres to be irrigated _____

- _____

10. Remarks The applicants include the Bureau of Land Management and permittees in the Cliffs Allotment. The permittees cooperating on this project include: Mike Stanford Cliffs Stage Rt. Jordan Valley OR 97910 Don McKay Jordan Valley OR 97910 Jeff Anderson Estate Jordan Valley OR 97910

Project 6724 Lower Cliffs Reservoir

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Handwritten "R5W" is written above the top row of the grid.

Handwritten "T9S" is written to the right of the grid.

A handwritten "26" is written in the lower-middle section of the grid.

A small handwritten mark resembling a triangle or arrow is located in the lower-middle section of the grid, above the number "26".

Scale 2 inches equal 1 mile.

NOTARIAL PUBLIC

IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of State of Idaho as herein set forth.

Mark D. Secrist
(Applicant)

Owyhee Area Mgr (acting)

Proposed Priority 5/27/1983

Received by SR

Date

5/27/83

Time

2:07

Preliminary check by CLS

Fee \$ 30.00

ID-910-BP3-0003

Receipted by SR

Date

8-4-83

30173

Publication prepared by SR

Date

6/9/83

Published in Crowhee Nugget

Publication dates

6/16 & 6/23/83

Publication approved SR

Date

6/25/83

Protests filed by: None

Copies of protests forwarded by

Hearing held by

Date

Recommended for approval

denial

by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 55-7323, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: The storage of water is contingent upon certification by the Department of Water Resources, of the applicant's dam under the dam safety provisions of the Idaho Code, authorizing storage.

Witness my hand this 30th day of August, 1983.

L. Glen Saxton
Chief, Operations Bureau

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.

I, MICK HODGES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by MICK HODGES, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 15 day of June, 1983, and the last publication being on the 27 day of June, 1983;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.

PUBLISHER

Subscribed and sworn to before me this 22 day of

June, 1983.

Mick Hodges
NOTARY PUBLIC

My commission expires 3-86

(SEAL)

MICROFILMED

RECEIVED

JUN 21 1983

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

55-7322

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED
STREAM trib. to SINKS
Date Filed: 05/27/1983
Diversion Pt: SENE Sec 34 T 07
S R 04W

Use: STOCKWATER STORAGE
(1.4 AF)
STOCKWATER FROM
STORAGE (1.4 AF)
WILDLIFE STORAGE (0.2
AF)
WILDLIFE FROM STORAGE
(0.2 AF)
In: SENE Sec 34 T 07S R 04W
55-7323 / 1P

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED
STREAM trib. to SINKS
Date Filed: 05/27/1983
Diversion Pt: NWNE Sec 26 T
09S R 05W

Use: STOCKWATER STORAGE
(1.4 AF)
STOCKWATER FROM
STORAGE (1.4 AF)
WILDLIFE STORAGE (0.3
AF)
WILDLIFE FROM STORAGE
(0.3 AF)
In: NWNE Sec 26 T 09S R 05W
55-7324

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.,
IDAHO STATE OFFICE, 3380
AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED
STREAM trib. to SINKS
Date Filed: 05/27/1983
Diversion Pt: SWSE Sec 11 T
08S R 02W

Use: STOCKWATER STORAGE
(2.7 AF)
STOCKWATER FROM
STORAGE (2.7 AF)
WILDLIFE STORAGE (0.3
AF)
WILDLIFE FROM STORAGE
(0.3 AF)
In: SWSE Sec 11 T 08S R 02W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, Statehouse, Boise, Idaho 83720 on or before JULY 5, 1983.

KEN DUNN, Dir.

Published in the Owyhee
Nugget, Marsing, Owyhee
County, Idaho 06/15 & 06/22/
1983.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 6, 1983

RE: Permit Nos. 55-7163/7175/7298/7319/7323/7324/7325/
7326/7328/7329/7330/7331/7332/7336/7338
57-7295/7298/7373/7374/7375

U.S. Dept. of Interior
Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

Enclosed herewith are copies of your Water Right Licenses issued on the above referenced permits.

Should you have any questions concerning these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc
Enclosures

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

BLM

55-7323
Permit No.

Department of water resources

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☒ Appointment letter mailed:	3/13/84	rf	
☒ Telephone call made (List Telephone No. used)	3/12/84 334-1582	JG	
☒ Appointment scheduled for: (Date, time, location)	3/13/84	JG	
Bureau Resource Area Baker District - Kim Schuttebauer			

EXAMINATION

Date 3/13/84 Accompanied by Kim S. Total Q measured 1.7 AF - EST.
Source unn. stream Tributary to sinks Supp annubar measurement sheet used?
If source is surface water, estimate total flow of source
Methods of measurement estimated Meets permit requirements?

Measurement calculations.

1.4 af - stor - stockwater - 100 hd.
0.3 af - " Wildlife - misc

WELL/DIV NO *	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS

System Description see attachment.


*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = _____ AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
<u>stor for stock - 100 hd</u>		<u>1.4 af</u>	<u>1-1</u>	<u>12-31</u>
<u>stock from storage</u>		<u>1.4 af</u>	<u>1-1</u>	<u>12-31</u>
<u>stor for wildlife - misc.</u>		<u>0.3 af</u>	<u>1-1</u>	<u>12-31</u>
<u>wildlife from storage</u>		<u>0.3 af</u>	<u>1-1</u>	<u>12-31</u>
Total		<u>1.7 AF</u> ✓		

Remarks



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NW 1/4, S. 26, T. 9S, R. 5W, B.M.

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	5W	26		X															

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other _____

Examiner's Signature Jan G. Jover

Checked by 6/8

Approved by Ray Walker



Date 3/29/84

Date 4/12/84

Date 5-24-84

TYPICAL PROFILE

WTS




TYPICAL CROSS-SECTION

N-5

PLAN

WTS



U. S. DEPARTMENT OF THE INTERIOR	
BUREAU OF LAND MANAGEMENT	
TYPICAL STOCKWATER DAM	
DESIGNED BY	IN CHARGE
EXAMINED BY	SIC DAM
CHECKED BY	APPROVED
DATE	1911
PROJECT NO.	1

MICROFILMED

March 13, 1984

Bureau of Land Management
3940 Development Avenue
Boise, ID 83705

Gentlemen:

Re: Permit Nos. 55-7192, 55-7194 to 55-7196, 55-7201 to 55-7203, 55-7209, 55-7210, 55-7212 to 55-7217, 55-7224, 55-7237, 55-7248, 55-7252 to 55-7276, 55-7278 to 55-7280, 55-7282, 55-7284 to 55-7286, 55-7287 to 55-7308, 55-7310 to 55-7312, 55-7323 to 55-7325, 55-7327 to 55-7332, 55-7334 to 55-7336, 55-7338, 57-7204, 57-7300, 57-7305, 57-7306, 57-7321, 57-7327, 57-7341, 57-7342 to 57-7354, 55-7340 (old No. 57-7355), 57-7347 55-7341 (old No. 57-7358) 57-7359, 57-7361 to 57-7366, 57-7371 to 57-7375, 57-7378, 57-7384, 57-7386, 57-7387

This office acknowledges receipt of the statement of beneficial use postcards submitted for the above-referenced permits.

Before a license can be issued, a field examination must be made by a representative of this department. Based upon the findings of the field examiner, a water right license will be issued.

If you have any questions, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

cc: Western Region

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No 55-7323

Name(s) of Permit Holder: Bureau of Land Management

Post Office Address: Boise District Office

3948 Development Ave.

Boise, Idaho 83705

Tel. No 4-1582

Source of Water: Unnamed Stream

Extent of Use

☐ Domestic

(number of households)

☒ Stockwater 100 Cattle

(number and type of stock)

☐ Irrigation

(acres)

☒ Other Wildlife

Measuring Device

Required?

☐ Yes ☐ No

Installed?

☐ Yes ☐ No

Access Port.

Required?

☐ Yes ☐ No

Installed?

☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2-15-84

Date

Gwynne Area Manager
Robert Anderson
Signature of Permit Holder

Bureau of Land Management
Boise District Office
3948 Development Ave.
Boise, Idaho 83705

PLACE
13 CENT
STAMP
HERE

RECEIVED

FEB 21 1984



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 21, 1983

RE: Permit Nos. 55-7252, 55-7253, 55-7254, 55-7255, 55-7256, 55-7257, 55-7258, 55-7259, 55-7260, 55-7261, 55-7262, 55-7263, 55-7264, 55-7265, 55-7266, 55-7267, 55-7268, 55-7272, 55-7276, 55-7277, 55-7282, 55-7288, 55-7289, 55-7290, 55-7291, 55-7292, 55-7293, 55-7294, 55-7295, 55-7296, 55-7297, 55-7298, 55-7299, 55-7300, 55-7301, 55-7305, 55-7306, 55-7307, 55-7308, 55-7311, 55-7314, 55-7317, 55-7322, 55-7323, 55-7324, 55-7325, 57-7341, 57-7342, 57-7356, 57-7358, 57-7359, 57-7362, 57-7373, 57-7375, and 57-7378

Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

Enclosed are copies of your approved applications for permit as referenced above. We direct your attention to the conditions of approval on the fourth pages.

If the diversion dams are 10 feet or more in height, or have an impounding capacity of 50 acre-feet or more, certain dam safety requirements must be met. Please contact the regional office nearest you for details.

We have enclosed instructions entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop these permits. Also enclosed for your convenience are the statement of beneficial postcards that must be submitted when your projects are completed.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Inclosures

NOTIFIED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6h5

APPLICATION NUMBER: 55-7323

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: July 5, 1983
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/24/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 301
☒ Publication dates and paper, recorded on application. Swanee suggest
☐ Protests, dates, withdrawal, etc., recorded on application. 6/16 & 6/23/83
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5/27/83 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

Hold for fee

By: DBS Date: 7/5/83

STATE OFFICE REVIEW:

SLW/L16, L09 18

- ☐ See attached sheet for more information.

By: John Date: 8/26/83

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

55-2323-

U.S. DEPT. OF INTERIOR

BUREAU OF LAND MGMT., IDAHO STATE OFFICE, 3380 AMERICANA TERRACE,
BOISE, ID 83706

Source: UNNAMED STREAM trib. to SINKS

Date Filed: 05/27/1983

Diversion Pt: NWNE Sec 26 T 09S R 05W

Use: STOCKWATER STORAGE	(1.4 AF)
STOCKWATER FROM STORAGE	(1.4 AF)
WILDLIFE STORAGE	(0.3 AF)
WILDLIFE FROM STORAGE	(0.3 AF)

In: NWNE Sec 26 T 09S R 05W

UNPROCESSED