


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED

Margaret J. Harris
(Applicant)

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.


I, MICK HODGES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by MICK HODGES, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 28 day of July, 1982, and the last publication being on the 4 day of August, 1982;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.


PUBLISHER

Subscribed and sworn to before me this 4 day of

August, 1982.

NOTARY PUBLIC

My commission expires 3-86

(SEAL)

RECEIVED

AUG 10 1982

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following applications have been submitted for permit to appropriate the public waters of the State of Idaho: / 48

55-7220

HARRIS, MARGARET
BACHMAN, WAYNE &/or
MERLE K.
P.O. BOX 127, GRANDVIEW,
ID 83624

Source: SPRINGS tributary to
JOSEPHINE CREEK

Date Filed: 07/02/1982

Amount: 0.05 CFS

Diversion Point: SWSE Sec 31
T 08S R 02W LOT 01 Sec 06 T
09S R 02W LOT 06 Sec 05 T 09S
R 02 W, OWYHEE Co.

Use: STOCKWATER (0.05
CFS) from 05/01 to 11/01

Place of Use: SWSE Sec 31 T
08S R 02W LOT 01 Sec 06 T
09S R 02W LOT 06 LOT 04 Sec
05 T 09S R 02W

Diversion Means: DITCH

55-7221

HARRIS, MARGARET J.
BACHMAN, WAYNE J. &/or
MERLE K.
P.O. BOX 127, GRANDVIEW,
ID. 83624

Source: SPRINGS tributary to
JOSEPHINE CREEK

Date Filed: 07/02/1982

Amount: 0.05 CFS

Diversion Point: LOT 03 Sec 06
T 09S R 02 W, OWYHEE Co.

Use: STOCKWATER (0.05
CFS) from 05/01 to 11/01

Place of Use: LOT 03 Sec 06 T
09S R 02W

Diversion Means: DITCHES

55-7222

HARRIS, MARGARET J.
BACHMAN, WAYNE J. &/or
MERLE K.
P.O. BOX 127, GRANDVIEW,
ID 83624

Source: SPRINGS tributary to
SINKS

Date Filed: 07/02/1982

Amount: 0.05 CFS

Diversion Point: SENW Sec 31
T 08S R 02W, OWYHEE Co.

Use: STOCKWATER (0.05
CFS) from 05/01 to 11/01

Place of Use: SENW Sec 31 T
08S R 02E

Diversion Means: DITCHES

55-7223

MORNING STAR MINE
P.O. BOX 23, MURPHY, ID
83874

Source: JORDAN CREEK tri-
butary to OWYHEE RIVER

Date Filed: 07/12/1982

Amount: 0.20 CFS

Diversion Point: NESW Sec 06
T 05S R 03W, OWYHEE Co.

Use: MINING (0.20 CFS) from
06/01 to 11/31

Place of Use: SWNE Sec 06 T
05S R 03W


Diversion Means: PUMPS &
FIREHOSE

If issued, the permits will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before August 16, 1982.

A. KENNETH DUNN
Director

Published in the Owyhee
Nugget, Marsing, Owyhee
County, Idaho 7/28 & 8/4/82.

2669 11 NW
(WICKIUP CREEK)




T
9
S

360 000
FEET

MICROFILMED

Township N^o 9 South , Range N^o 2



● Township N° 9 South , Ra



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 55-7220 Priority July 2, 1982 Amount 0.05 cfs

THIS IS TO CERTIFY, that Craig A. Moore & Georgene Moore
of Meridian, Idaho, has complied with the terms and conditions of Permit
No. 55-7220 issued pursuant to Application for Permit dated July 2, 1982,
and has submitted proof to the Department of Water Resources on July 6, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.07 cfs of water from a spring,
tributary to Josephine Creek, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Stockwater	from <u>May 1</u> to <u>November 1</u>	at <u>0.05</u> cfs and	<u>1.4</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.05 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.4 acre feet per year, said waters to be diverted within the Gov. Lot 6 (NE1/4NW1/4)
Section 5, Twp 9S, Rge 2W in the County of Oneida

Description and location of place of use:

Twp.	Range	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
9S	2W	5					GL 6												
		5		X															

Total number of acres irrigated _____

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29TH day of OCTOBER, 19 85.

Acting for the

Director

Norman C. Young

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	55-7220	Margaret J. Harris &/or Wayne J. Bachman &/or Merle K. Bachman	0.05 cfs
Full Assignment	55-7220	Craig A. Moore & Georgene Moore	0.05 cfs

RECEIVED
JUN 10 1964
WATER RIGHTS DIVISION
SALT LAKE CITY, UTAH

RECEIVED

MAR 7 1984

ASSIGNMENT OF PERMIT

Department of Water Resources

We, MARGARET J. HARRIS and ROBERT HARRIS, hereby assign to
CRAIG A. MOORE and GEORGENE MOORE, of P.O. Box 5828, Boise, Idaho,
all our right, title and interest in and to Permit Nos. 55-7220,
55-7221 and 55-7222.

DATED This *1st* day of *March*, 1984.

Margaret J. Harris

Permit Holder

Robert W. Harris

Spouse of Permit Holder

STATE OF IDAHO,)
COUNTY OF *Owyhee* ss.

On this *1st* day of *March*, 1984, personally appeared
before me the signers of the above instrument, who duly acknowledged
to me that they executed the same.

Alice E. McLeon

Notary Public for Idaho
Residing at *Grand View, Id.*
My Commission expires: *July 17, 1984*

RECORDED

OK to process -
EW
3/8/84

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Margaret J. Harris
and/or
Wayne E. Bachman Phone 834-2307
Murle H. Bachman
Post office address P.O. Box 127 Grand View, Idaho 83624
2. Source of water supply Springs which is a tributary of Josephine Creek
3. Location of point of diversion is S.W. $\frac{1}{4}$ of S.E. $\frac{1}{4}$ of Section 31 Township 8 S.
Range 2 N. B.M. Owyhee County, additional points of diversion if any: _____
GL 1 Sec. 6 + 9 S. R. 2 N., GL 6 Sec. 5 T 9 S. R. 2 N.

4. Water will be used for the following purposes:

Amount 0.5 for Stock Water purposes from 5/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.5 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Gravity

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is One years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: S.W. $\frac{1}{4}$ of S.E. $\frac{1}{4}$ of Section 31 Township 8 S.
Range 2 N. B.M. GL 1 Sec. 6 + 9 S. R. 2 N., GL 6 Sec. 5 T 9 S. R. 2 N.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 200 range cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]**Total number of acres to be irrigated**

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion

Applicants

b. Who owns the land to be irrigated or place of use


applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILM

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale. 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Margaret J. Harris
(Applicant)

Proposed Priority 7/2/1982

7-7-82

10:00 am

Received by RC Date 7/2/82 Time 12:53 pm

Preliminary check by CLS Fee \$ 30⁰⁰

Receipted by ry Date 7-2-82 # 24435

Publication prepared by hp Date 7/22/82

Published in Camden Register

Publication dates 7/29 & 8/5/82

Publication approved hp Date 8/11/82

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DBS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 55-7220, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 26th day of August, 1982.

L. Glen Saxton
Chief, Operations Bureau

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO, County of Owyhee, s.s.


I, MICK HODGES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by MICK HODGES, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 28 day of July, 1982, and the last publication being on the 4 day of August, 1982;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.


PUBLISHER

Subscribed and sworn to before me this 4 day of

August, 1982.

NOTARY PUBLIC

My commission expires 3-86

(SEAL)

RECEIVED

AUG 10 1982

Department of Water Resources
Western Regional Office

October 30, 1985

RE: Permit No. 55-7220

Craig A. & Georgene Moore
4760 Rambling Rose Dr.
Meridian, ID 83642

Dear Mr. and Mrs. Moore:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

October 7, 1985

RE: Permit No. 55-7220

Craig A. & Georgene Moore
4760 Rambling Rose Dr.
Meridian, ID 83642

Dear Permit Holder(s):

A representative of this Department made an examination of the works covered by your Permit No. 55-7220 and has found the following:

Amount of water that can be recognized as beneficially used
under Idaho law: 0.05 cfs Source: a spring trib to
Josephine Creek

The maximum quantity diverted shall not exceed 1.4 acre feet per
year.

Point(s) of diversion: Gov. Lot 6(NENW), Sec. 5, Twp 9S, Rge 2W

Beneficial Use: Stockwater within N1/2NW1/4, Sec. 5, Twp 9S,
Rge 2W

Priority date established: July 2, 1982

Conditions (if any):

If you do not concur with these findings, please contact us within 10 days;
otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

SEP 27 1985

55-7220
Permit No

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

370 slope using PVC chart "n".012 = 32 GPM X
.002229 = .07655 Total capacity

$$\frac{200 \text{ hd/range} \times 12}{2 \text{ hr period}} = \frac{2400}{5400} = .04444$$

Recommend .05 as per permit ✓

- b) Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

- c) Volume Calculations for Other Uses:

5/1 - 11/1
 $200 \text{ hd/range } 2400 \times .001118 = \frac{2.68 \text{ AFB}}{1.40} \checkmark$

2. Overlap Review

- a) Other water rights with same place of use: none
- b) Other water rights with same point of diversion: none
- c) Analysis:

MICROFILMED

RECOMMENDED AMOUNTS

10 day

MICROFILMED

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	Maximum Capacity
	55-7220	7-2-1982	.05	7-2-1982	7-6-1983	0.07 cfs ✓

4. Permit Holder: Craig A. Moore and Georgene Moore

Address: 4760 Rambling Rose Dr. Mendocino Co. CA 93642

5. Source: 2 Spring tributary to Josephine Creek

6. Beneficial Use Period of Use Rate of Diversion Annual Volume
From To Q (cfs) V (afa)

Stockwater ✓ 5/1 ✓ 11/1 ✓ 0.05 ✓ cfs 1.4 ✓ AF

Allowable Maximums: 0.05 ✓ cfs 1.4 ✓ AF

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
	6	(NE)	(NW)		5	9S	2W	Shasta

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
							✓	✓											
9S	2W	5					L-6	L-4	~~SE~~										
							X	~~SE~~	~~SE~~										
Lot 9 has no 1/4 designation ✓ Total Acres _____																			

Let 4 has no 1/4 designation Total Acres

9. Recommended Conditions/Remarks: none

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature John K. Noyes Date 11/8/84

Checked in Regional Office by GLS Date 9/26/85

Approved in State Office by R. Walker Date 10-3-85

RECEIVED
SEP 27 1965

Department of Water Resources
Permit No. 55-7220

1. Owner: Craig & Lorayne Moore Phone No. 375-4971
Current Address: 4760 Hambling Road Dr. Meridian, Idaho 83642
2. Accompanied by: Georgene Moore EXAM. DATE: 9/27/88
Address: _____ Phone No. _____
Relationship to Permit Holder: applicant
3. Source: Spring tributary to Josephine creek

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
- Fenced spring - 6" pipe inlet - 2" PVC to tank -
721 gallon tank - 3% slope 2" PVC = 32 GPM x .002228 = 1.07
c.s. Recommend .05 c.s.s Gravity -
200 lbf range x 12 = 2400 = .044 c.s.s
2. Engineered 54000 2400 x .001118 = 2.67 c.s.s

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

7. Measurements ☐ Additional data/computation sheets attached

Section #6

- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]

9. **Place(s) of Use:** _____ **Irrigation - give acres served by system at time of exam.**
Indicate Method of Determination _____

[illegible]

Let q has no $\frac{1}{q}$ designation

Total Acres

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.

6" PVC inlet in spring
2" PVC pipeline to oval tank

13. ☐ Photo of Diversion & System Attached
- ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks Topog map.


15. Recommended Amendments
- ☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None
- ☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other
16. Examiner's/Consultant's Signature John W. Meyer Date 11/8/94
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct
- Beneficial Use Examination _____



T
9
S

MICROFILMED

Private Range No 2



March 9, 1984

RE: Permit Nos. 55-7220, 55-7221 & 55-7222

Craig A. & Georgene Moore
Box 5828
Boise, ID 83705

Dear Mr. and Mrs. Moore:

This office acknowledges receipt of the Assignment of the above referenced permits to you.

Enclosed for your records are copies of the permits. Be sure to note the special conditions of approval on the fourth pages that identify requirements necessary for developing the permits into licensed water rights.

In reviewing the permits, we find that the requirement for submitting proof of construction of works and application of water to beneficial use has been met. The next step towards licensing of the permits will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc
Enclosures

KPM
Craig A. Moore
P.O. Box 5821
(208) 345-7030

Boise, Idaho 83706

RECEIVED
MAR 7 1984

Department of Water Resources

March 6, 1984

Dept. of Water Resources
Statehouse
Boise, Idaho 83720

Gentlemen,

Enclosed is an Assignment of Permit for your records. I will contact you sometime this Spring for an inspection of the springs.

Sincerely,



Craig A. Moore

CAM/lw

enclosure

UNRECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

DECEMBER 30, 1983

MARGARET HARRIS
P.O. BOX 127
GRAND VIEW ID 83624

RE: Permit No. 55-7220

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 55-7220

Name(s) of Permit Holder: Margaret J Harris

Post Office Address: P.O. Box 127

Grand View, Idaho Tel. No. 834-2307

Source of Water: Spring

Extended Use: ☒ Domestic (number of households)
☒ Stockwater 200 range (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7/5/83
 Date

Margaret J Harris
 Signature of Permit Holder

Margaret J. Harris
P.O. Box 137
Grand View, Ida 83624



REGISTERED

JUL 6 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

11-1071171



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

HARRIS, MARGARET
P.O. BOX 127
GRANDVIEW, ID 83624

138740

PROOF DUE NOTICE

JUNE 30, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 55-7220 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HARRIS, MARGARET
P.O. BOX 127
GRANDVIEW, ID 83624

SEPTEMBER 15, 1982

RE: PERMIT NO. 55-7220

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: [Signature]
CHECK:

APPLICATION NUMBER: 55-7220

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None
☒ Yes ☐ No In form for advertising.
Final date for protests: 8/11/82 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/10/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 30/24435
☒ Publication dates and paper, recorded on application. 7/29 & 8/5/82 complete request
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
7/27/82 Date of priority recommended.
✓ Special conditions of approval or cover letter. _____

By: DBS Date: 8/17/82

STATE OFFICE REVIEW:

Shw/ocord
☒ See attached sheet for more information.
By: [Signature] Date: 8/24/82

RECEIVED
AUG 18 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

Date: 8/17/82

File: 55-7220
55-7221
55-7222

Subj: Spring diversion vs direct Josephine Creek diversion

Visited with Robyn Carlson regarding the applications as she assisted the applicants with the filings. She indicated that the source of water was definitely springs and the water was piped directly to troughs. No direct flow Josephine Creek water is utilized.

Lee

MICROFILMED

55-2220..

HARRIS, MARGARET
BACHMAN, WAYNE &/or MERLE K.

P.O. BOX 127, GRANDVIEW, ID 83624

Source: SPRINGS tributary to JOSEPHINE CREEK

Date Filed: 07/02/1982

Amount: 0.05 CFS

Diversion Point: SWSE Sec 31 T 08S R 02W LOT 01 Sec 06 T 09S R 02W LOT 06
Sec 05 T 09S R 02W, ONYHEE Co.

Use: STOCKWATER (0.05 CFS) from 05/01 to 11/01

Place of Use: SWSE Sec 31 T 08S R 02W LOT 01 Sec 06 T 09S R 02W LOT 06
LOT 04 Sec 05 T 09S R 02W

Diversion Means: DITCH

MICROFILMED