




Illustration 1

NOTES:

1. Pit & Embankment Slopes & Dimensions Shall Be As Shown On The Work Summary Chart
2. Embankment May Be "U" Or "L" Shape Or Straight Line. Construct As Indicated On The Work Summary Chart.



ALWAYS THINK SAFETY

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT DIVISION OF ENGINEERING DENVER SERVICE CENTER	
TYPICAL WATER RETENTION PIT	
DESIGNED <i>Donald C. Voss</i>	
REVIEWED <i>John S. Smith</i>	
APPROVED <i>Richard E. Green</i>	
DRAWN J. SEDILLO	SCALE NONE
DATE APRIL 12, 1983	SHEET OF
DRAWING NO. 02204	

BLM MANUAL

NOTE: PIT RESERVOIRS ARE USED IN FLAT AREAS WHERE THERE IS A LOW SPOT IN THE TERRAIN. THE WATER COLLECTED IS MAINLY RAINFALL, MAYBE SOME RUN-OFF.

10/27/83



WATER RIGHT LICENSE

License No. 55-7202 Priority 05/28/1982 Amount n/a CFS 0.3 AF

THIS IS TO CERTIFY, that U.S. Dept. of Interior, Bureau of Land Mgmt.

of Boise, Idaho, has complied with the terms and conditions of Permit No. 55-7202 issued pursuant to Application for Permit dated 05/28/1982, and has submitted proof to the Department of Water Resources on 02/21/1984, that he has applied water to a beneficial use; and examination by the Department indicates that the works have a capacity for the storage of 0.3 af of water from an unnamed stream tributary to sinks, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

RATE OF DIVERSION	VOLUME	BENEFICIAL USE	PERIOD OF USE
n/a	0.3 af	Storage for Stockwater	01/01 - 12/31
n/a	0.3 af	Stockwater from Storage	04/01 - 11/15
n/a	0.3 af	Storage for Wildlife	01/01 - 12/31
n/a	0.3 af	Wildlife from Storage	01/01 - 12/31

Location of point of diversion: NESE, Sec. 18, Twp 16S, Rge 2W, Owyhee Co.

Location of place of use:

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
16S	2W	18													X				

Total number of acres irrigated _____

Also known as North State Line Reservoir.

Subject to all prior water rights.

NOTE: Modifications to or variance from the use of water as shown on this license must be made in accordance with Section 42-222, Idaho Code, or the applicable Idaho law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho this 25TH day of JULY, 1986.

Acting for the Director

MICROFILMED

Norman C. Young
Director

Kew

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant BUREAU OF LAND MANAGEMENT Phone 534-1582
Post office address 3948 DEVELOPMENT AVENUE, BOISE, ID. 83705
2. Source of water supply UNNAMED (STREAM) (RUN OFF) which is a tributary of "SINKS"
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 18 Township 16 S
Range 2 W B.M. OWYHEE County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .25 for STORAGE FOR STOCK WATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .25 for STORAGE FOR WILDLIFE purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .25 for STOCK WATER FROM STORAGE purposes from 11-1 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .25 for WILDLIFE FROM STORAGE purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or b. .25 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. EARTHEN DAM + RESERVOIR

b. Height of storage dam 5 feet, active reservoir capacity .25 acre-feet; total reservoir capacity .5 acre-feet, materials used in storage dam: EARTHEN FILL

Period of year when water will be diverted to storage 1-1 to 12-31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 18 Township 16 S
Range 2 W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 200 CATTLE

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion U.S. GOVERNMENT


b. Who owns the land to be irrigated or place of use 4. 5 GOVERNMENT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks SMALL PIT RESERVOIR AND EARTHEN DAM TO
RETAIN SPRING RUN OFF FROM MELTING SNOW
AND SPRING RAINS. NORTH STATE LINE RESERVOIR.
PROJECT NO. GARAT ALLOTMENT NO. 0584

MICROFILM

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Oscar Anderson
(Applicant)
OWYHEE RESOURCE AREA MGR.

Range 10/19/81

Proposed Priority 5/28/1982 6-9-82 10:30
Received by mm Date 1-27-82 Time 830
ID-910-PH2-0018
Preliminary check by js Fee \$ 30.00
Receipted by mg Date 7-1-82 # 24423
Publication prepared by SR Date 6/24/82
Published in anual budget
Publication dates 7/1 & 7/2/82
Publication approved SR Date 7/13/82
Protests filed by: one

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DBS RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 55-7202 , and said application is hereby APPROVED .

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1 , 19 84 .
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 3rd day of August, 1982.

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED

PROOF OF PUBLICATION

Department of Water Resources
Western Regional Office

STATE OF IDAHO, County of Owyhee, a.s.

I, MICK HODGES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by MICK HODGES, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho:

That the annexed notice was published in said newspaper once a week and every week for 2 consecutive weeks, the first publication being on the 30 day of June, 1982, and the last publication being on the 7 day of July, 1982;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy - eight consecutive weeks prior to the first publication of the attached notice.

Mick Hodges
PUBLISHER

Subscribed and sworn to before me this 7 day of

July, 1982

Kyle S. Hodges
NOTARY PUBLIC

My commission expires

3-86

SEAL)

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following applications have been submitted to appropriate the public waters of the State of Idaho:

55-7200

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
FEDERAL BLDG. BOX 042
550 W. FORT ST., BOISE, ID
83724

Source: SPRING tributary to SINKS

Date Filed: 05/28/1982

Amount: 0.01 CFS

Diversion Point: NESW Sec 28

T 07S R 03W, OWYHEE Co.

Use: STOCKWATER (0.01

CFS) from 5/01 to 10/31

WILDLIFE (0.01 CFS) from

01/01 to 12/31

Place of Use: NESW Sec 28 T

07S R 03W

Diversion Means: PIPE &

THROUGH

55-7201

U.S. DEPT. OF INTERIOR

BUREAU OF LAND MGMT.

FEDERAL BLDG. BOX 042

550 W. FORT ST., BOISE, ID

83724

Source: UNNAMED STREAM

tributary to SINKS

Date Filed: 05/28/1982

Amount: 0.25 AC-FT

Diversion Point: NWSW Sec

21 T 11S R 03W, OWYHEE Co.

Use: STOCKWATER STORAGE

(0.25 AC-FT) from 01/01

to 12/31

STOCKWATER FROM STORAGE

(0.25 AC-FT) from 05/01

to 10/31

WILDLIFE STORAGE (0.25

AC-FT) from 01/01 to 12/31

WILDLIFE FROM STORAGE

(0.25 AC-FT) from 01/01 to

12/31

Place of Use: NWSW Sec 21 T

11S R 03W

Diversion Means: EARTHEN

DAM & RES

55-7202

U.S. DEPT. OF INTERIOR

BUREAU OF LAND MGMT.

FEDERAL BLDG. BOX 042

550 W. FORT ST., BOISE, ID

83724

Source: UNNAMED STREAM

tributary to SINKS

Date Filed: 05/28/1982

Amount: 0.25 AC-FT

Diversion Point: NESE Sec 18

T 16S R 02W, OWYHEE Co.

Use: STOCKWATER STORAGE

(0.25 AC-FT) from 01/01

to 12/31

STOCKWATER FROM STORAGE

(0.25 AC-FT) from 04/01

to 11/15

WILDLIFE STORAGE (0.25

AC-FT) from 01/01 to 12/31

WILDLIFE FROM STORAGE

(0.25 AC-FT) from 01/01 to 12/31

Place of Use: NESE Sec 18 T 16S

R 02W

Diversion Means: EARTHEN

DAM & RES

If issued, the permits will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before July 19, 1982.

A. KENNETH DUNN

Director

Published in the Owyhee
Nugget, Marsing, Owyhee
County, Idaho 6/30 & 7/7/82.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 29, 1986

RE: Permit Nos. 37-8047/8049, 51-7189/7203/7204, 51-7206 thru
51-7209, 51-7211/7212/7214/7217/7218/7219/7223/
7224/7227/7228/7232/7234, 51-7236 thru 51-7243,
51-7246/7248/7249/7250/7252/7254/7256/7257/7258/
7259, 55-7167/7192/7194/7201/7202/7203/7209/7210/
7230/7231/7233/7234/7235/7238/7239/7240/7241/7242/
7243/7245/7246/7248/7249/7250, 55-7252 thru 55-7256,
55-7258 thru 55-7264, 55-7266 thru 55-7270, 55-7293
thru 55-7295, 55-7297/7304/7308/7314/7334/7337,
57-7294/7300/7305/7306/7315/7327/7330/7335/7342/
7343/7354/7364/7378/7386/7387

U.S. Dept. of Interior
Bureau of Land Mgmt.
Idaho State Office
3380 Americana Terrace
Boise, ID 83706

Gentlemen:

Enclosed herewith are copies of the Water Right Licenses issued on the
above referenced permits.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosures

MICROFILMED

RECEIVED

JAN 30 1985

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT55-7202
Permit No.

Department of Water Resources

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☒ Telephone call made (List Telephone No. used)	3-2-84 334-1582	JG	
☒ Appointment scheduled for: (Date, time, location)	3-12-84	JG	BOISE DIST. OFF. - BLM

EXAMINATION

Date 3/12/84 Accompanied by KIM SCHULTSDIEFER Total Q measured .25 af - est.
Source unn. stream Tributary to sinks Supp. annubar measurement sheet used?
If source is surface water, estimate total flow of source
Methods of measurement estimated Meets permit requirements? yes

Measurement calculations:

Stockwater - .25 af storage - good
Wildlife - misc. amnt. - .25 af - storage

WELL/DIV NO.*	HP	MOTOR MAKE	MOTOR SERIAL NO	PUMP MAKE	PUMP SERIAL NO	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
			N/A					

System Description Small earth dam w/ reservoir. See attached diagram.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =			AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO	
Stor. for stockwater ✓	ALLOW 0.3	.25 af	1-1	12-31	
Stockwater from stor. ✓	0.3	.25 af	4-1 ✓	11-15 ✓	
Stor. for Wildlife ✓	0.3	.25 af	1-1	12-31	
Wildlife from stor. ✓	0.3	.25 af	1-1	12-31	
Total	N/A - 0.3 .25 af				
Remarks	AKA NORTH STATELINE RES.				

MICROFILMED

MAP (Attach Aerial Photo)

MICROFILMED

RGE. SW

TWP. 10S 18

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 SE 1/4, S. 18, T. 16S, R. 2W, B. 1N.

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

☒ None☐ Other

Examiner's Signature

Checked by

Approved by


Date _____

Date _____

Date _____

Examiner's Signature Jan Grover
Checked by 6h5
Approved by R. Walker

Date 1/17/85
Date 1/29/85
Date 7-16-86



BLM MANUAL

NOTE: PIT RESERVOIRS ARE USED IN FLAT AREAS WHERE THERE IS A LOW SPOT IN THE TERRAIN. THE WATER COLLECTED IS MAINLY RAINFALL, MAYBE SOME RUN-OFF.

10/27/83

March 13, 1984

Bureau of Land Management
3948 Development Avenue
Boise, ID 83705

Gentlemen:

Re: Permit Nos. 55-7192, 55-7194 to 55-7196, 55-7201 to 55-7203, 55-7209, 55-7210, 55-7212 to 55-7217, 55-7224, 55-7237, 55-7248, 55-7252 to 55-7276, 55-7278 to 55-7280, 55-7282, 55-7284 to 55-7295, 55-7297 to 55-7308, 55-7310 to 55-7312, 55-7323 to 55-7326, 55-7328 to 55-7332, 55-7334 to 55-7336, 55-7338, 57-7294, 57-7300, 57-7305, 57-7306, 57-7321, 57-7327, 57-7341, 57-7342 to 57-7354, 55-7340 (old No. 57-7355), 57-7347 55-7341 (old No. 57-7358) 57-7359, 57-7361 to 57-7366, 57-7371 to 57-7375, 57-7378, 57-7384, 57-7386, 57-7387

This office acknowledges receipt of the statement of beneficial use postcards submitted for the above-referenced permits.

Before a license can be issued, a field examination must be made by a representative of this department. Based upon the findings of the field examiner, a water right license will be issued.

If you have any questions, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

cc: Western Region

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 55-7202.

Name(s) of Permit Holder: Bureau of Land Management
Boise District Office

Post Office Address: 3948 Development Ave.
Boise, Idaho 83705 Tel. No. 4-1582

Source of Water: Unnamed Stream

Extent of Use:

☐ Domestic	(number of households)
☒ Stockwater <u>200 Cattle</u>	(number and type of stock)
☐ Irrigation	(acres)
☒ Other <u>Misc. Wildlife</u>	

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above-numbered permit has been developed.

2-15-84
 Date

Owyhee Area Manager
Oscar Anderson
 Signature of Permit Holder

Bureau of Land Management
Boise District Office
3948 Development Ave.
Boise, Idaho 83705

PLACE
13 CENT
STAMP
HERE

RECEIVED

FEB 21 1984



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

INTER-DEPARTMENT MEMO — 1

FROM Dave Tuthill *DT*

DATE June 7, 1982

TO Southern, Eastern, Western Regions

SUBJECT BLM Filings of Water Rights

P. O. ID-910-PH2-0018 for BLM filings of water rights was received May 28, 1982. This would place the proposed priority date of May 28, 1982, for applications received on or before May 28, 1982, under P. O. ID-910-PH2-0018.

MICROFILMED

SIGNATURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 18, 1982

RE: Permits No. 41-7060, 55-7190 through 55-7197, 55-7199 through 55-7213,
and 57-7320 through 57-7325

State Hydrologist
Bureau of Land Management
Idaho State Office
Box 042, Federal Bldg.
550 W. Fort Street
Boise, ID 83724

Gentlemen:

Enclosed are copies of your approved applications for permit as referenced above. We direct your attention to the conditions of approval as listed on the fourth pages.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and must proceed diligently until the project is completed. The enclosed blue cards must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permits were approved.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop these permits into licenses.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosures

MICROFILMED

Rolyn

INTER-DEPARTMENT MEMO — 1

FROM Dave Tuthill *DET*

DATE June 7, 1982

TO Southern, Eastern, Western Regions

SUBJECT BLM Filings of Water Rights

P. O. ID-910-PH2-0018 for BLM filings of water rights was received May 28, 1982. This would place the proposed priority date of May 28, 1982, for applications received on or before May 28, 1982, under P. O. ID-910-PH2-0018.

SIGNATURE

RECEIVED
JUN 10 1982
BUREAU OF LAND MANAGEMENT
U.S. DEPARTMENT OF THE INTERIOR

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Grove

APPLICATION NUMBER: 35-7202

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee. P.O. Rec'd 5/28/82 (PROP. PRIORITY)
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/19/82
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/13/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 301
☒ Publication dates and paper, recorded on application. 7/18/82 Owyhee Project
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5/28/82 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: DBS

Date: 7/19/82

STATE OFFICE REVIEW:

SLW/L12 26

- ☐ See attached sheet for more information.

By: [Signature]

Date: 7/28/82

RECEIVED

JUL 22 1982

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

1512
25700

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

55-7202

U.S. DEPT. OF INTERIOR

BUREAU OF LAND MGMT., FEDERAL BLDG. BOX 042, 550 W. FORT ST., BOISE, ID 83724

Source: UNNAMED STREAM tributary to SINKS

Date Filed: 05/28/1982

Amount: 0.25 AC-FT

Diversion Point: NESE Sec 18 T 16S R 02W, OMYHEE Co.

Use: STOCKWATER STORAGE	(0.25 AC-FT)	from 01/01 to 12/31
STOCKWATER FROM STORAGE	(0.25 AC-FT)	from 04/01 to 11/15
WILDLIFE STORAGE	(0.25 AC-FT)	from 01/01 to 12/31
WILDLIFE FROM STORAGE	(0.25 AC-FT)	from 01/01 to 12/31

Place of Use: NESE Sec 18 T 16S R 02W

Diversion Means: EARTHEN DAM & RES.

MICROFILMED