


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

T5N T5S R3W S6



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
			Model #	Shur Flow 2088-403-144	2.8 GPM

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Orange peel/stopwatch						

2. Measurements: Average flow rate = .01 cfs, the flow was not completely captured in the tarp dam and flow pipe.

NOT RECORDED

FEB 17 2000


55-7457
Cont. Inv. 40 ft
55 3W 6



PRODUCED BY THE UNITED STATES GEOLOGICAL SURVEY
CONTROL BY USGS, NOS/NOAA
COMPILED FROM AERIAL PHOTOGRAPHS TAKEN 1963
FIELD CHECKED 1965
LIMITED REVISION FROM AERIAL PHOTOGRAPHS TAKEN 1984
FIELD CHECKED 1987 MAP EDITED 1990
PROJECTION TRANSVERSE MERCATOR
GRID: 1000-METER UNIVERSAL TRANSVERSE MERCATOR ZONE 11
10,000-FOOT STATE GRID TICKS IDAHO, WEST ZONE
UTM GRID DECLINATION 0°13' EAST
1990 MAGNETIC NORTH DECLINATION 16°30' EAST
VERTICAL DATUM NATIONAL GEODETIC VERTICAL DATUM OF 1929
HORIZONTAL DATUM 1927 NORTH AMERICAN DATUM
To place on the predicted North American Datum of 1983,

55-07457
55 3W 6

PROVISIONAL MAP
Produced from original
manuscript drawings. Infor-



SILVER CITY

68 x's = service to
units via city pipeline
system. 67 units plus
1 public fountain.

MARKER map to 55-07011

UNITS SERVED BY
"City Spring" via
city distribution system

MICROFILMED
FEB 17 2000



Shur-Flo travel trailer pump
Model # 2088-403-144
Looking SE'ly at front trough

Center trough



Front Trough; looking SE'ly
1/2 Vinyl hose used to divert
the water from the basement
upstairs approx. 20 ft to home


MICRO
FEB 17 2000

Grant & Carol Danner

5 August, 1998

Examiner: Cindy Bird

55-07457



Place of Use looking NE'ly

Grant & Carol Danner
05 August, 1998
Examiner: Cindy Bird
55-07457

MICROFILMED
FEB 17 2000

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 55-07457

Priority: November 10, 1993 Maximum Diversion Rate: 0.01 CFS
Maximum Diversion Volume: 0.6 AF

This is to certify, that GRANT E DANNER
CAROL JO DANNER

6812 CENTER LN
NAMPA ID 83687

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 10, 1993; and
has submitted Proof of Beneficial Use on December 31, 1996. An examination indicates
that the works have a diversion capacity of 0.010 cfs of water from:

SPRING tributary to LONG GULCH

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	0.6 AF


LOCATION OF POINT(S) OF DIVERSION: NWNESE , Sec. 6, Township 05S, Range 03W
OWYHEE County

PLACE OF USE: DOMESTIC
TWN RGE SEC
05S 03W 6 NESE

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.
2. Place of use is located within BLM Lot No. 69, Silver City Townsite.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
The water right confirmed by this license is subject to all prior water rights
and shall be administered in accordance with Idaho law and applicable rules of
the Department of Water Resources. Signed and sealed this 31ST day of
DECEMBER, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

DEC 31 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 55-07457 Telephone No. (208) 467-3073

2. Name(s) of Permit Holder(s): GRANT E & CAROL JO DANNER

3. Mailing Address: 6812 CENTER LANE, NAMPA ID 83687

4. Source of Water: SPRING If GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - - -

b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock):

Irrigation (No. of acres): Other:

6. Total rate of diversion and/or volume for which proof is submitted: cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No X

Has the measuring device been installed? Yes or No X

Flow Measurement Port: Is a flow measurement port required? Yes or No X

Has the measurement port been installed? Yes or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system. (208) 880-6535 (cell)

Name: GRANT DANNER Telephone Number (208) 467-4409 (work)

Address: 6812 CENTER LANE NAMPA, ID 83687

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Grant E. Danner Date: 12/28/96
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 55-07457

Proposed Priority: November 10, 1993 Maximum Diversion Rate: 0.04 CFS

This is to certify, that GRANT E DANNER
CAROL JO DANNER
6812 CENTER LN
NAMPA ID 83687

has applied for a permit to appropriate water from:

SPRING tributary of LONG GULCH

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNESE , Sec. 6, Township 05S, Range 03W
OWYHEE County

PLACE OF USE: DOMESTIC
TWN RGE SEC
05S 03W 6 NESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1997.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Domestic use is for one home.
5. Place of use is located within BLM Lot No. 69, Silver City Townsite.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

10th day of February, 1994.

[Signature]
for R. Keith Higginson, Director

FEB 22 1994

RECEIVED

FEB 08 1994

Ident. No. 55-07457

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GRANT E DANNER 208-467-3073
Address: 6812 CENTER LN
NAMPA ID 83687
AND/OR
Name: CAROL JO DANNER 208-467-3073
Address: 6812 CENTER LN
NAMPA ID 83687
2. Source: SPRING Trib. to: LONG GULCH
3. Location of Point of Diversion: NWNESE Sec. 6, Township 05S, Range 03W
OWYHEE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		
5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
PUMP IN SPRING TO PRESSURIZED DELIVERY
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 year(s).

2 2 1994

8. Place of Use: DOMESTIC

TWN RGE SEC
05S 03W 6 NESE

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Domestic use is for one home.
Place of use within BLM lot no. 69, Silver City Townsite.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Grant E. Danner
Applicant

Received by GH Date 11/10/93 Time 1200 Preliminary check by JL

Fee \$ 30- Receipted by GH # W016940 Date 11/10/93

Publication prepared by st Date 12-8-93 Published in Payson Standard

Publication approved st Date 1-11-94

See Comments

SD-0420-2
ADD COMMENT

Idaho Department of Water Resources
Modify Comment

Date: 11/10/93
Time: 11:48:35


Water Right Number: 55-07457

Comment Date: 11/10/1993 User ID: HODGES

Subject: SUPPLEMENTAL SUPPLY

Domestic use at this location is also supplied water from City
Spring under the town system. This application is to utilize
a private spring during periods where the town system is shut
down.

(ENTER=Add) (Gold4=Prev) (Gold5=Next) (Gold7=Return to Comment Selection)




PRODUCED BY THE UNITED STATES GEOLOGICAL SURVEY
 CONTROL BY USGS NOS/NOAA
 COMPILED FROM AERIAL PHOTOGRAPHS TAKEN 1963
 FIELD CHECKED 1965
 LIMITED REVISION FROM AERIAL PHOTOGRAPHS TAKEN 1984
 FIELD CHECKED 1987 MAP EDITED 1990
 SPECIAL

55-7457

NO GOVT LOTS
 NESE -82

12/3/93

FEB 22 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 3, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

GRANT E DANNER
CAROL JO DANNER
6812 CENTER LN
NAMPA ID 83687

RE: WATER RIGHT NO. 55-07457

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

RECEIVED MED
JAN 10 2000

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of January, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 55-07457

GRANT E DANNER
CAROL JO DANNER
6812 CENTER LN
NAMPA ID 83687


Kari Lynn Townsend
Secretary

MICROFILMED
FEB 17 2003

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
FEB 1 1998

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

FEB 17 2000

MEMORANDUM

TO: File 55-07457

FROM: Kay and Sharla

DATE: December 30, 1999

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 55-07457 are as follows

H RECOMMENDATIONS

Domestic	1/1 – 12/31	0.01 cfs	0.6 af
----------	-------------	----------	--------

The examiner measured 0.01 cfs and showed no justification for allowing the permitted rate. The license will be issued for the measured amount.

MICROFILMED
SEP 17 2000

LICENSE REVIEW CHECKLIST

Permit No. 55-07457 Date 12/30/99 Reviewer Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion OK

Does change clarify original intended source? If no, void permit

Change (P39/P49) Add (P45/P44) Feds (P43)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s) Sioux

File reviewed city spring for portion of year. Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.04 cfs

Fee Limit 0.04 cfs

Measured 0.04 cfs

Theoretical _____ cfs

Recommended Total Diversion Rate 0.01 cfs as

Water Uses _____

Change (P46)

Irrigation _____ cfs _____ af

Stockwater _____ cfs _____ af

Domestic 0.01 cfs 0.01 af

_____ cfs _____ af

_____ cfs _____ af

Total 0.01 cfs 0.01 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp Gw (WB7/065/079)

overlap spec combined rts (W35)

>1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Volume Determination

_____ cfs x 1 9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks: WB5

Additional Conditions NO

Watermaster Control

NO GW Measurement/Measuring Device

NO Other

Trust (052/R55 - remove 051)

Non-trust (048/049)

Government Lots? NO

Advance Priority? yes

no

If yes, explain why below

SRBA Claim? N/A

Adjust memo YES

Amend Letters _____

P87, S06

Second Amendment Notice _____

S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 08 1999
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 55-07457

1. Owner: Grant E. & Carol Jo Danner Phone No. 208-467-3073

Current Address: 6812 Center Ln. Nampa, ID 83687

2. Accompanied by: Grant Danner EXAM DATE: 8/5/98

Address: Same Phone No. Same

Relationship to Permit Holder: permit holder

3. Source: Spring tributary to Long Gulch

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 55-07011, 55-07409

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NE	SE	6	5S	3W	Owyhee	USGS MAP & Exam.

2. Place(s) of Use:


Indicate Method of Determination USGS MAP & EXAM.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5S	3W	6																P/I	
								</											

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

T5N T5S R3W S6



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
			Model #	Shur Flow 2088-403-144	2.8 GPM

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No	Size	Calib. Date
Orange peel/stopwatch						

2. Measurements: Average flow rate = .01 cfs, the flow was not completely captured in the tarp dam and flow pipe.

E. NARRATIVE/REMARKS/COMMENTS

On August 5th 1998 at 8:00 Am, I met with Grant Danner to conduct a field exam on the domestic permit. The water source is a spring that is tributary to Long Gulch.

The spring flows out of the south east basement wall. The stone wall is 3 ft thick. The spring flows from the wall to a trough that runs the length of the house. Then the trough channels the water to an addition trough that flows down the center of the house. The spring exits under the house at the back door, running behind the house where it joins an addition spring and runs into Long Gulch.

We measured the spring by using a tarp to dam up the water and diverting it through a 1 1/2" diameter PVC pipe, 42" long. Using the orange peel method to time the flow in the pipe, the average flow was 2.14 seconds. The pipe was 1/2 full.

The water is diverted from the front trough with a Shur Flo, travel trailer pump, to the house with approximately a 20 ft lift. The pump's model # 2088-403-144, and it max's at 45 psi. The water travels from the front trough in a 1/2 Vinyl tube to the house.

The permit holder uses the town water system from June 1 to September 31. Because the town system is transit, it is off October 1 to May 31, and permit holder uses the house year round as a retreat cabin.

Have conditions of permit approval been met? ☒ yes ☐ no

MAINTAINED
2000

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: Orange peel / using a 1 1/2" diam PVC pipe, 3.5 ft Long
 Ave time: $\frac{2.19 + 2.16 + 2.08}{3} = 2.14 \text{ sec}$

Radius = .75 in.

$$\frac{1}{2} \text{ Area} = \frac{\pi R^2}{2} = \frac{\pi (.75 \text{ in})^2}{2} = .88 \text{ in}^2 \text{ (pipe was } \frac{1}{2} \text{ full)} \Rightarrow 6.136 \times 10^{-3} \text{ ft}^2$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{11 \text{ A}}{1} = 11 \text{ A}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{6.136 \times 10^{-3} \text{ ft}^2 \times 2 \times 3.5 \text{ ft}}{2.14 \text{ sec}} = .01 \text{ cfs}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = .01 \text{ cfs}$$

2. Volume Calculations for Other Uses:

Domestic internal use = .6 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/01	12/31	.04 cfs	.6
Totals:			.04	.6

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Cindy C. Bud Date 8/17/98

Reviewer _____ Date _____


SEAL

MAILED

55-7457

Cont. Inv. 40 ft


5S 3W 6




PRODUCED BY THE UNITED STATES GEOLOGICAL SURVEY
 CONTROL BY USGS, NOS/NOAA
 COMPILED FROM AERIAL PHOTOGRAPHS TAKEN 1963
 FIELD CHECKED 1965
 LIMITED REVISION FROM AERIAL PHOTOGRAPHS TAKEN 1984
 FIELD CHECKED 1987 MAP EDITED 1990
 PROJECTION TRANSVERSE MERCATOR
 GRID: 1000-METER UNIVERSAL TRANSVERSE MERCATOR ZONE 11
 10,000-FOOT STATE GRID TICKS IDAHO, WEST ZONE
 UTM GRID DECLINATION 0°13' EAST
 1990 MAGNETIC NORTH DECLINATION 16°30' EAST
 VERTICAL DATUM NATIONAL GEODETIC VERTICAL DATUM OF 1929
 HORIZONTAL DATUM 1927 NORTH AMERICAN DATUM
 To place on the predicted North American Datum of 1983,

55-07457
 5S 3W 6
 FEB 17 2000
 1000
 1000 0


PROVISIONAL MAP
 Produced from original





Center trough

Shur-Flo travel trailer pump
Model # 2088-403-144
Looking SE'ly at front trough




Front Trough; looking SE'ly
1/2 Vinyl hose used to divert
the water from the basement
upstairs approx. 20 ft to home

Grant & Carol Danner

5 August, 1998

Examiner: Cindy Bird

55-07457



Place of Use looking NE'ly

Grant & Carol Danner

05 August, 1998

Examiner: Cindy Bird

55-07457

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 55-0745-7 Reviewed by [Signature] Date 1-2-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
✓ Drilling permit required?
✓ Copy in the file? Drilling Permit No. _____
✓ Amount paid for permit _____ Correct?
✓ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
✓ Installed?
✓ Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [X] Proof Made 12-31-96

January 7, 1997

GRANT E DANNER
CAROL JO DANNER
6812 CENTER LN
NAMPA ID 83687

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 55-07457

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

100-10000

100-10000

November 30, 1996

GRANT E DANNER
CAROL JO DANNER
6812 CENTER LN
NAMPA ID 83687

PROOF DUE NOTICE

RE: PERMIT NO. 55-07457

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1997. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 10, 1994

GRANT E DANNER
CAROL JO DANNER
6812 CENTER LN
NAMPA ID 83687

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 55-07457

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

A handwritten signature in black ink, appearing to read 'JJ', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

FEB 22 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 55-7457 Date: 2/8/94 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____
SYSTEM COMPLETED:
No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - NA
GROUNDWATER:
+ 0.2 cfs <flo-ch> - 01G-P03 (new), 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>
Drilling Permit:
Included w/permit - Permit No. _____, P99
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-46A<Irr>-46B-P23 (if drilled after 7/1/87)
SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>
LOCATION:
Water District - WD No. _____
Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; NMR
Groundwater - P05 (if well has not been drilled)
In stream channel - 030 (stream channel alteration)
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - B <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA
RIVER BASINS (Surface): Water District Control Condition (005) &....
Boise (63) - 05A (req), 11E (non-domestic use), NA
Payette (65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA
USE:
Fish Propagation - 010/06A/09E-P10(WQ) & 07A-042 (req)
044 (N 1000 Spr)
Irrigation - 803(if GW use SW 1st)(+5A do POU comp.), NA
Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 06A/010/09E-P10 & 054 (req)
Storage(✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R + L Peak), 27A(Payette R), NA
OWNERSHIP:
Non land owner - 004 (P/D or P/U)
PROTESTED:
Prehearing agreement- 020
OTHER CONDITIONS: -
REMARKS: -
① woi(1)
② P/U located w/in BLM lot #69, Silver City Townsite.
BENEFICIAL USE DUE: - 2-1-1997
COMMENTS: - ① See Desc.

WR0749NP
No. P55-07457

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/09/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GRANT E DANNER	11/10/1993	DOMESTIC	01-01 12-31	0.04 CFS	
C	CAROL JO DANNER					
	6812 CENTER LN					
	NAMPA ID 83687					
	(208) 467-3073					
				TOTAL DIVERSION:	0.04 CFS	

Water Source: SPRING

Tributary to: LONG GULCH

Stage: PERMIT

Point(s) of Diversion:

T05S R03W S06

NWNESE

OWYHEE County

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
05S	03W	6	:																	:
			:																	:

Pou County: OWYHEE

Other Water Rights Listing Overlapping Place(s) of use:
55-07409 55-07411

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
- date of permit issuance and shall proceed diligently to
- completion unless it can be shown to the satisfaction of the
- Director of the Department of Water Resources that delays were
- due to circumstances over which permit holder had no control.

Remarks: Domestic use is for one home.
Place of use is located within BLM Lot No. 69, Silver City
Townsite.

Dates: App. Received: 11/10/1993 Priority Date: 11/10/1993
Proof Due Date: 02/01/1997 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 11/10/1993 User-ID: HODGES Subject: SUPPLEMENTAL SUPPLY
Domestic use at this location is also supplied water from City
Spring under the town system. This application is to utilize
a private spring during periods where the town system is shut

WR0749NP
No. P55-07457

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/09/94
PAGE: 2

=====

Comments: Date: 11/10/1993 User-ID: HODGES Subject: SUPPLEMENTAL SUPPLY
down.

Date: 02/09/1994 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
Pump in spring to pressurized delivery.

Audit: 02/08/94 ZIMMERMA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JL DATE: 12/3/93 APPLICATION: 55-07457

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No* ☐ In form to receipt:

Gov't. Lots:

1/ P/D
P/U

RECEIVED
FEB 08 1994

ADDITIONAL INFORMATION

Department of Water Resources

YES NO ← d/h was
N/A
Overlapping place of use: (Describe source & relationship to present application on the back.)
Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
1992 moratorium
Copy to SCA staff (perennial stream, non-pump diversion):
Send dam safety information:
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT
DATE REQUESTED: _____
Additional information on reverse side:

PROCESSING

APPLICATION NO.

55-07457

YES NO

☒ ☐

☐ ☒

☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒

☐ ☒

☐ ☒

☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒

☐ ☒

☐ ☒

☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐

☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest 1-3-94

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Deny

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

26A (Allow 3 years), 4b (Surface water)

See below for additional information

Recommended Date or Priority 11/10/1993

Recommended by:

Date 2/2/1994

STATE OFFICE REVIEW

See below for additional information. By Date

ADDITIONAL INFORMATION

55-07457

DANNER, GRANT E
DANNER, CAROL JO
6812 CENTER LN
NAMPA, ID 83687

Source: SPRING

Tributary: LONG GULCH

Diversion Pt: NWNESE Sec 6 T 05S R 03W in OWYHEE County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 11/10/1993

In: OWYHEE County
T05S R03W S06 NESE

RECEIVED
FEB 22 1994

THE OWYHEE AVALANCHE

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of **The Owyhee Avalanche**, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in said newspaper, in two (2)

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

December 15 & 22, 1993

Signed

Joe E. Aman

Subscribed and sworn to before me this 22nd day of Dec. A.D., 1993

Carina B. Bunting

Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires October 1997

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

02-07459

WILSON, GEORGE

RT 1 BOX 788

MARSING, ID 83639

Source: SNAKE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 3 (NESW)

Sec 26 T 02N R 04W in

OWYHEE County.

Use: IRRIGATION (.150 CFS)

Total Diversion: (.150 CFS)

Date Filed: 11/10/1993

In: OWYHEE County

T02N R04W S26 Lot 3

(NESW)

5.0 ACRES TOTAL

55-07457

DANNER, GRANT E

DANNER, CAROL JO

6812 CENTER LN

NAMPA, ID 83687

Source: SPRING Tributary:

LONG GULCH

Diversion Pt: NWNESE Sec 6

T 05S R 03W in OWYHEE

County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 11/10/1993

In: OWYHEE County

T05S R03W S06 NESE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JANUARY 3, 1994.

R. KEITH HIGGINSON,
Director

Publish December 15 & 22, 1993

DEC 22 1994