




117°00' 42°37'30" 501000m E. JORDAN VALLEY, OREG (U.S. 95) 30 MI. 503 57'30"



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



S



MICROFILMED
MAY 18 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 55-07406

Priority: November 28, 1989

Maximum Diversion Rate:
Maximum Diversion Volume:

0.05 CFS
4.0 AF

This is to certify, that US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 28, 1989; and
has submitted Proof of Beneficial Use on June 18, 1990. An examination indicates
that the works have a diversion capacity of .050 cfs of water from:

UNNAMED STREAM tributary to DOUGHERTY CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.05 CFS	3.0 AF
STOCKWATER STORAGE	01/01 to 12/31		1.0 AF
WILDLIFE	01/01 to 12/31	0.05 CFS	3.0 AF
WILDLIFE STORAGE	01/01 to 12/31		1.0 AF
	Totals	0.05 CFS	4.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 25, Township 09S, Range 06W
OWYHEE County

PLACE OF USE: STOCKWATER
TWN RGE SEC

09S 06W 25 SESE

PLACE OF USE: WILDLIFE, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

RECORDED
MAY 18 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 55-07406

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right, when considered with all other rights common to the same grazing allotment, shall be limited to the quantity of water beneficially used by the number of stock within the allotment.
6. Stockwater use is for 225 range cattle.
7. Place of use is also known as Anderson Reservoir #8432.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6TH day of MAY, 1992.


Acting for R. Keith Higginson, Director

6 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 55-07406

Proposed Priority: November 28, 1989 Maximum Diversion Rate: 0.07 CFS

This is to certify, that **U.S. DEPT. OF INTERIOR**
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

has applied for a permit to appropriate water from:

UNNAMED STREAM tributary of **DOUGHERTY CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.07 CFS	
STOCKWATER STORAGE	01/01 to 12/31		1.0 AF
WILDLIFE	01/01 to 12/31	0.07 CFS	
WILDLIFE STORAGE	01/01 to 12/31		1.0 AF
	Totals	0.07 CFS	

LOCATION OF POINT(S) OF DIVERSION: SWSESE Sec. 25, Township 09S, Range 06W
OWYHEE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

09S 06W 25 SESE

PLACE OF USE: STOCKWATER STORAGE, same as STOCKWATER use

PLACE OF USE: WILDLIFE, same as STOCKWATER use

PLACE OF USE: WILDLIFE STORAGE, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1993**.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. Stockwater use is for 225 head.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

3rd day of April, 1990

RECORDED

APR 18 1990

[Signature]
for **R. Keith Higginson, Director**

Revised application,
See original pg 1, 2

12/21/89

Form 202
6/85

Ident. No. 55-07406

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Bureau of Land Management
Boise District Office Phone 334-1582
Post office address 3948 Development Ave. Boise, Id. 83705
2. Source of water supply unnamed stream which is a tributary of Dougherty Creek
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 25 Township 9S Range 6W B.M. Owyhee County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
- | | | |
|---|--|------------------------|
| Amount <u>.07</u> for <u>Stockwater</u> | purposes from <u>1/1</u> to <u>12/31</u> | (both dates inclusive) |
| ~~(at _____ acre-feet per annum)~~ | | |
| Amount <u>.07</u> for <u>Wildlife</u> | purposes from <u>1/1</u> to <u>12/31</u> | (both dates inclusive) |
| ~~(at _____ acre-feet per annum)~~ | | |
| Amount <u>1.0</u> for <u>Stockwater</u> | purposes from <u>1/1</u> to <u>12/31</u> | (both dates inclusive) |
| ~~(at _____ acre-feet per annum)~~ | | |
| Amount <u>1.0</u> for <u>Wildlife</u> | purposes from <u>1/1</u> to <u>12/31</u> | (both dates inclusive) |
| ~~(at _____ acre-feet per annum)~~ | | |
5. Total quantity to be appropriated is (a) .07 and/or (b) 1.0
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. capture dam for on-stream
runoff storage
- b. Height of storage dam 8 feet; active reservoir capacity 1.0 acre-feet; total
reservoir capacity 1.0 acre-feet; period of year when water will be diverted to storage:
1/1 to 12/31 inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

MICROFILMED

APR 18 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW _____
- b. Stockwatering, list number and kind of livestock. 225 cows
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Misc. wildlife

9. Description of place of use

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
95	6W	25																S/W	—

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____


11. a. Who owns the property at the point of diversion? BLM
- b. Who owns the land to be irrigated or place of use? BLM
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks Anderson dugout pit reservoir #8432 in the Anderson FFR 0454.

RECORDED

APR 18 1990

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number

(66)

9
S

25

APPROVED

APR 7 1980

Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Connie L. Kingston
(Applicant)

Owyhee Area Manager

Received by RW Date 11-28-89 Time 10:00 Am Preliminary check by JL
Fee \$ 30.00 Receipted by RW # W0006796 Date 11-28-89
Publication prepared by GG Date 12-27-89 Published in Owyhee Avalanche
1/3 & 1/10/90
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e Other:

RECEIVED

APR 16 1990

Anderson Dugout Pit Res.
#8432

Form 202
6/85

Ident No _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Bureau of Land Management
Boise District Office Phone 334-1582
Post office address 3948 Development Ave.
Boise, Idaho 83705

2. Source of water supply unnamed stream which is a tributary of Dougherty Creek *per top*

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt Lot _____
Sec. 25 Township 9S Range 6W B.M. Dougherty County; additional
points of diversion if any: _____

4. Water will be used for the following purposes.

Amount 4.1 for Storage for stockwater purposes from 1-1 to 12-31 (both dates inclusive)
(acre-feet per annum)

Amount 2 for Wildlife water purposes from 1-1 to 12-31 (both dates inclusive)
(acre-feet per annum)

Amount 4.1 for Storage for stockwater from Wildlife water purposes from 1-1 to 12-31 (both dates inclusive)
(acre-feet per annum)

Amount 2 for from Storage purposes from 1-1 to 12-31 (both dates inclusive)
(acre-feet per annum)

5. Total quantity to be appropriated is (a) _____ and/or (b) 4.3
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. earthen dam to run-off from snow melt and rain

b. Height of storage dam 8 feet; active reservoir capacity $\frac{1}{2}$ acre-feet; total
reservoir capacity 1 acre-feet; period of year when water will be diverted to storage
1-1 to 12-31 inclusive

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

ORIGINAL APPL. PG. 1 & 2,
Revised per telecon with Paul Serowkski
12-21-89. -SL

225 kL =
.07 cfs
1 A.F./24 hrs.

8 Description of proposed uses (if irrigation only, go to item 9):

- a Hydropower, show total feet of head and proposed capacity in KW _____
- b Stockwatering, list number and kind of livestock 225 Cows
- c Municipal, show name of municipality. _____
- d Domestic; show number of households _____
- e Other, describe fully. Miss Wildlife

9 Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below See instructions for standard symbols.

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	6W	25																C/W	225 Cow Miss Wildlife

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above _____

- 11 a Who owns the property at the point of diversion? U.S. Government
- b Who owns the land to be irrigated or place of use? U.S. Government
- c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12. Remarks. Project Anderson August Pt. Reservoir in the Anderson FFR
0454

APR 18 1990

RE THE **OWYHEE AVAL**
P.O. BOX 97 • HOMEDALE, ID 83628 • 208

Department of Water Resources
Western Regional Office
AFFIDAVIT OF PUBLICATION
STATE OF IDAHO)
)ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, as mentioned was and now over the age of twenty-one years, and in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereof now am the publisher of **The Owyhee Avalanche**, a newspaper printed and published weekly, on Wednesday of each and Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed and uninterruptedly in said County during a period of more prior to the first publication of the attached notice

4. That said notice of which a printed copy, taken from said newspaper, was published in the regular issue thereof, and not a supplement,

newspaper, in twice (2)
(consecutive) calendar weekly issue(s) of said newspaper, in

Jan 3 & 10

Signed

Subscriber

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

51-07325
U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: UNNAMED STREAM Tributary: WICKAHONEY CREEK
Diversion Pt: LOT 1 (NWNWNW) Sec 7 T 12S R 04E
Use: STOCKWATER (.090 CFS)
WILDLIFE (.090 CFS)
STOCKWATER STORAGE (.60 AF)
WILDLIFE STORAGE (.60 AF)
Total Diversion: (.090 CFS) (.60 AF)
Date Filed: 11/29/1989
In: T12S R04E S07 Lot 1 (NWNWNW)

51-07327
U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706
Source: UNNAMED STREAM Tributary: CRAB CREEK
Diversion Pt. SWNWNE Sec 13 T 12S R 03E
Use: STOCKWATER (.090 CFS)
WILDLIFE (.090 CFS)
STOCKWATER STORAGE (.60 AF)
WILDLIFE STORAGE (.60 AF)
Total Diversion: (.090 CFS) (.60 AF)
Date Filed: 11/29/1989
In: T12S R03E S13 NWNE

51-07327
U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706
Source: UNNAMED STREAM Tributary: WICKAHONEY CREEK
Diversion Pt: LOT 2 (NENWNE) Sec 3 T 12S R 04E
Use: STOCKWATER (.090 CFS)
WILDLIFE (.090 CFS)
STOCKWATER STORAGE (.60 AF)
WILDLIFE STORAGE (.60 AF)
Total Diversion: (.090 CFS) (.60 AF)
Date Filed: 11/29/1989
In: T12S R04E S03 Lot 2 (NWNE)

51-07328
U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706
Source: UNNAMED STREAM Tributary: CHINA CREEK
Diversion Pt: SWSWNW Sec 11 T 12S R 04E
Use: STOCKWATER (.090 CFS)
WILDLIFE (.090 CFS)
STOCKWATER STORAGE (.60 AF)
WILDLIFE STORAGE (.60 AF)
Total Diversion: (.090 CFS) (.60 AF)
Date Filed: 11/29/1989
In: T12S R04E S11 SWNW

51-07329
U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706
Source: UNNAMED STREAM Tributary: LOUSE CREEK
Diversion Pt: SESESE Sec 29 T 12S R 04E
Use: STOCKWATER (.090 CFS)
WILDLIFE (.090 CFS)
STOCKWATER STORAGE (.60 AF)
WILDLIFE STORAGE (.60 AF)
Total Diversion: (.090 CFS) (.60 AF)
Date Filed: 11/29/1989
In: T12S R04E S29 SESE

3380 AMERICANA TERRACE
BOISE, ID 83706
Source: UNNAMED STREAM Tributary: COW CREEK
Diversion Pt: NWSNW Sec 35 T 03S R 06W
Use: STOCKWATER STORAGE (5.40 AF)
STOCKWATER FROM STORAGE (5.40 AF)
WILDLIFE STORAGE (.40 AF)
WILDLIFE FROM STORAGE (.40 AF)
STOCKWATER (.090 CFS)
WILDLIFE (.090 CFS)
Total Diversion: (.090 CFS) (5.80 AF)
Date Filed: 11/28/1989
In: T03S R06W S35 SENW

55-07406
U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706
Source: UNNAMED STREAM Tributary: DOUGHERTY CREEK
Diversion Pt: SWSESE Sec 25 T 09S R 06W
Use: STOCKWATER (.070 CFS)
WILDLIFE (.070 CFS)
STOCKWATER STORAGE (1.00 AF)
WILDLIFE STORAGE (1.00 AF)
Total Diversion: (.070 CFS) (1.00 AF)
Date Filed: 11/28/1989
In: T09S R06W S25 SESE

57-07510
U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706
Source: SPRING Tributary: DRY CREEK
Diversion Pt: SWSESE Sec 19 T 02S R 05W
Use: STOCKWATER (.090 CFS)
WILDLIFE (.090 CFS)
STOCKWATER STORAGE (.50 AF)
WILDLIFE STORAGE (.50 AF)
Total Diversion: (.090 CFS) (.50 AF)
Date Filed: 11/28/1989
In: T02S R05W S19 SESE

57-07512
U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706
Source: SPRING Tributary: MURPHY CREEK
Diversion Pt: SWNESE Sec 8 T 02S R 04W
Use: STOCKWATER (.200 CFS)
WILDLIFE (.200 CFS)
STOCKWATER STORAGE (.50 AF)
WILDLIFE STORAGE (.50 AF)
Total Diversion: (.200 CFS) (.50 AF)
Date Filed: 11/28/1989
In: T02S R04W S08 NESE
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before January 22, 1990.
R. KEITH HIGGINSON, Director
Published Jan. 3 & 10, 1990

May 7, 1992

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

RE: WATER RIGHT NOS. 47-08035, 47-08048, 47-08049, & 55-07406

Dear Water Right Holders:

Enclosed herewith are copies of the Water Right Licenses issued on the above referenced permits.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED

MAY 10 1992

April 17, 1992

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

RE: WATER RIGHT NO. 55-07406

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

MAY 18 1992

LICENSE REVIEW CHECKLIST

Date 04-14-92

Permit # 55-07406

28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
	☒	☐	Disagree with Theoretical? <u>225 x .00022 = .049 = .05 cfs</u>
	☐	☒	Limited by Capacity? <u>.05 cfs</u>
			<i>Reduced Rate</i>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
			<u>225 x .0134 = 3.02 = 3.0 AFA Storage = 6 AFA</u>
	☐	☒	Limited by Flow? <u>.05 x 365 x 19835 = 36.2 AFA</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Changes required to be compatible with Maps, Data Entry Standards, etc?
	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irrigation Uses <u>Stock / 225 cattle</u>
	☐	☒	Special Overlap Condition
	☒	☐	Other <u>P/U</u>
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>B37</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☐	App Rec'd
		☐	Exam Made

COMMENTS/MEMOS NEEDED:

License 10-Day ☒ 15-Day Special Correspondence

[Handwritten signature]

2. ☐ Copy of U S G S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required)

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The unnamed stream in Dougherty Creek holds a total of 1.0 acre-foot in 25 rows. It has an earlier dam of about 8 ft. that collects run-off from above & below.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	SE	25	9S	6W	Ozarks	Blm maps / Aerials / Co. Information

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	6W	25																SW	
																		WS	
																		SS	

MICROFILMED

MAY 18 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

$225 \text{ cows} \times 12 \text{ gallons} \times 365 \text{ days} \times \frac{3.0689}{1,000,000} = 3.02 \text{ af.}$

$225 \text{ cows} \times .00022 = .05$

$.05 \times 1.9835 \times 365 = 36.2 \text{ AF} \rightarrow 3 \text{ AF (WILDLIFE)}$

MICROFILMED
MAY 18 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

None.

THE DIVERSION VOL IS LIMITED TO 3 AFA FOR
STOCK + WILDLIFE. ^{lw}

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	1-1	12-31	.05	3.0 AF
Stockwater storage	1-1	12-31		1.0
Wildlife	1-1	12-31	.05	3.0 AF
Wildlife storage	1-1	12-31		1.0
Totals:			.05 cfs	10 AF
				4.0 AFA

2. Recommended Amendments

- | | | |
|---|--|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name DAVID GRAY ^{lw} 12/11/91
Signature [Signature]
Certification Date 6-20-91
Field Report Preparation Date 6-21-91




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

NOT COVERED

MAY 18 1992

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



42° 31' 30"

4716 000m N

4717

4716

4715

35'

4714



May 18 1998

March 22, 1991

DENNIS R. HOYEM
BRUNEAU AREA MANAGER
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVENUE
BOISE, ID 83705

Dear Mr. Hoyem:

Re: Permit Nos. 55-7405, 55-7406, 55-7407, & 55-7408

On November 1, 1990, the department sent you a letter for each of the above-referenced permit stating that there was a need for a lockable device to be installed. In answer to these letters, you asked the department to remove this condition from these permits and subsequent filings.

For the department to require the installation of a lockable device, the permit has to be conditioned with such condition when approved. These permits do not have this condition. The paragraph addressing the installation of the lockable device was generated in error. You can disregard this requirement.

I apologize for any inconvenience this matter may have caused you.

If you still have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: region

MAY 18 1992



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Boise District Office
3948 Development Avenue
Boise, Idaho 83705



IN REPLY REFER TO

7250

MAR 11 1991

Rita Fleck, Secretary/Records Manager
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

RECEIVED
MAR 12 1991

Department of Water Resources

Dear Ms. Fleck:

I am writing in response to four (4) "Proof Acknowledgment Letters" dated November 1, 1990, that were received by our State Office and subsequently forwarded to us here at the Boise District. Each of the projects referred to in your letter are small spring developments that entail diversion of spring water to a trough. They are: Upper Slide Spring #6671, Lower Savage Spring #6677, Upper Goodman GU Spring #6676, and North Slope Spring #6675. The corresponding Water Permit Numbers are: 55-07405, 55-07406, 55-07407, and 55-07408, respectively.

In your letters you referred to a permit stipulation that would require the BLM to install lockable measuring devices, at each project, to allow your department to measure the rate of diversion. Upon consideration of this stipulation, we believe that, although well-intended, it would be an expensive undertaking and would not provide the desired results. Therefore, we request that the stipulation be removed from the permits in question, as-well-as any other similar projects currently under your consideration. Our reasons are as follows: 1) these are small projects that are easily measured at the trough location with the aid of a pail and a stop watch; 2) many such projects have float valves in place so that when livestock are not drinking, the spring water is returned to the natural system (others cycle water through the trough and out the overflow pipe back into the natural water course when livestock are not drinking) and 3) the cost of expensive measuring devices is prohibitive on these small projects especially considering the low return in accurate data concerning "rates of diversion". In these cases the actual rate of diversion is best reflected by the rate of consumption, and the rate of consumption is dependent on the number of animals utilizing the system. Our applications for water rights, on these projects and others like them, tie the rate of diversion to the maximum consumptive demand.

MICROFILMED


MAY 18 1992

-2-

It is our belief that expensive measuring devices on these small spring projects will not accurately reflect our consumptive use, and will add unnecessarily to the overall cost of project development and maintenance. The Boise District has literally hundreds of water projects, such as this, in place right now, and to my knowledge none have ever been subject to this stipulation.

We look forward to your cooperation in this matter. Should you have questions or if you would like to discuss this further please call Jerry Taylor or me at 384-3300. We would appreciate a formal response for the record.

Sincerely,


Dennis R. Hoyem
Bruneau Area Manager

RECEIVED
MAY 18 1992

November 1, 1990

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 55-07406

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

NOV 2 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

55-7405
55-7406
55-7407
Permit No. 55-7408

Date: 10-31-90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
Y Waiver or modification of measuring device requested

Remarks: Proof acceptable

n/a Priority Calculation:

Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUN 13 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources
Boise Regional Office

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P55-07406

Name(s) of Permit Holder: Bureau of Land Management

Post Office Address: Boise District Office
3948 Development Ave.
Boise, Idaho 83705

Telephone No. 334-1582

Source of Water: Unnamed stream

Extent of Use:

Domestic _____ (number of households)

Stockwater 225 Cows (number and type of stock)

Irrigation _____ (acres)

Other/Remark Misc Wildlife

Total rate and/or volume for which proof is submitted _____ cfs 4.3 acre-feet

Show the date water was first diverted and beneficially used under this permit: 10/89

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Kim Schultze
(Name)

208-334-1582
(Telephone Number)

3948 Development Ave. Boise, Idaho 83705
(Address)

RECORDED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Signature of Permit Holder (and title, if appropriate)

for Owyhee Area Manager

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 3, 1990

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P55-07406

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

INDEXED

APR 18 1990

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 12/21/89 APPLICATION: 55-07406

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

N/A Starkwater { Overlapping place of use: (Describe source & relationship to present application on the back.)
W. divide { Overlapping point of diversion:
 Field check required: Field check by:
 Field report attached:
 Critical groundwater area:
 Groundwater management area:
 Diversion within interim protected river area
 Send dam safety information:
 Send power requirement letter:
 Send fish farm requirement letter:
 Power residency affidavit:
 Power efficiency form:
 Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
 Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
 *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT
clarify cfs/af figures - tele request
 DATE REQUESTED: 12/21/89 reply 12/21/89
 Additional information on reverse side:

PROCESSING

APPLICATION NO. 55-07406

YES NO

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest *January 22, 1990*

Protest dates, resolution of protest recorded on application:

Recommendations attached: *Appendix One*

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 11/28/1989

Recommended by:

Date _____

STATE OFFICE REVIEW

See below for additional information. By

By _____

Date _____

ADDITIONAL INFORMATION

Outside S.F. area -
OK to allow 3 yrs. to develop

CONVERSATION MEMORANDUM

DATE 12/21/89

FILE _____

NAME OF PARTY Paul Serenko - BLM Boise Dist.EMPLOYEE Steve LestaRE: Recent BLM applications for permit (follow up to 12/7/89 request for information)(1) application where "PIT TYPE RESERVOIRS 50' x 100' "
are shown:use 5 1/2' as mean depth to calculate
actual volume stored. Each appl. = 1 reservoir,
want 1 appl. for each reservoir (v. combining
several into 1 appl.).(2) Also -OK to modify water use descriptions based on
info in appl. & add appropriate cfs based on
hd. if applicable.For example:if 225 hd cattle shown, rate = .07 cfs from
IDWR chart. $(.07)(1.9835) = .1 \text{ A.F./24 hrs. can be stored}$ Reservoir = $50' \times 100' \times 5.5' = 27,500 \text{ ft}^3 = .6 \text{ A.F.}$ Thus, appl. should include:a) .07 cfs Stockwaterb) 0.6 A.F. Stockwater Storagec) also show same amounts for wildlife althoughd) not addition.e) Not necessary to show use from storage since
water will not be diverted from reservoir.

Does not represent
an increase in
amount of
water in application,
just clarifies & re-describes
based on application info.

MICROFILMED

APR 18 1990

55-07406

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: UNNAMED STREAM

Tributary: DOUGHERTY CREEK

Diversion Pt: SWSESE Sec 25 T 09S R 06W

Use: STOCKWATER	(.070 CFS)	
WILDLIFE	(.070 CFS)	
STOCKWATER STORAGE		(1.00 AF)
WILDLIFE STORAGE		(1.00 AF)
Total Diversion:	(.070 CFS)	(1.00 AF)

Date Filed: 11/28/1989

In: T09S R06W S25 SESE

MICROFILMED

APR 18 1990