




P/D SWSW $\frac{1}{4}$ Sec 10, T14N, R19E
looking NE'ly



looking w'ly GPS tag on opposite side
of Service Pole.



looking due east

MICROFILMED
APR 14 1999

Enzenauer, Everett and Mary

72-07533

2/2



NORTH

P/U all in SESW $\frac{1}{4}$ of Sec 10, T14N, R19E



SOUTH

16 Sprinklers
Rainbird
9" $\frac{1}{64}$ Nozzles 30L
40 PSI
 $5.2 \text{ gpm}(16) = 83.2 \text{ gpm}$
 $= 0.19 \text{ cfs}$

MICROFILMED
APR 14 1999

Enzenauer, Everett & Mary

72-07533

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 72-07533

Priority: August 16, 1995

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 35.0 AF

This is to certify, that MARY E ENZENAUER
EVERETT P ENZENAUER

PO BOX 1776

HEALDSBURG CA 95448-1776

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 16, 1995; and has submitted Proof of Beneficial Use on October 14, 1997. An examination indicates that the works have a diversion capacity of 0.390 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.20 CFS	35.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 10, Township 14N, Range 19E
CUSTER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	19E	10	SESW	10		10

Total number of acres irrigated: 10

CONDITIONS OF APPROVAL AND REMARKS

1. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 26TH day of NOVEMBER, 1998.

Acting for

KARL J. DFEHR, Director

RECORDED

APR 14 1999

RECEIVED

NOV 16 1998

Department of Water Resources
Southern Region

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 72-07533

RECEIVED

NOV 17 1998

Department of Water Resources

Date of Priority: August 16, 1995

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

35.0 AF

Comes now

MARY E ENZENAUER
EVERETT P ENZENAUER

PO BOX 1776

HEALDSBURG CA 95448-1776

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 72-07533, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.20 CFS	35.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 10, Township 14N, Range 19E
CUSTER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	19E	10	SESW	10		10

Total number of acres irrigated: 10

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, Idaho, this 16 day of Nov., 19 98.

MICROFILMED

APR 14 1999

Mary E. Enzenauer
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 72-07533

FOR DEPARTMENT USE ONLY

Preliminary check by SUK Fee = 50 Receipted by JY # 421628 Date 11/16/98


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 72-07533 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 20TH day of NOVEMBER, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

APR 14 1999

RECEIVED

DEC 08 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

OCT 14 1997

Department of Water Resources

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 72-07533 Telephone No. (707) 942-1026

2. Name(s) of Permit Holder(s): EVERETT P. ENZENAUER

3. Mailing Address: P.O. Box 1776 HEALDSBURG, CA 95448

4. Source of Water: WELL If GROUNDWATER (well), Date Drilled: mo. 8 / yr. 96

a. Well Driller: GUTHRIE DRILLING Drilling Permit Number: 72-96-0023 000

b. OPTIONAL:
Pump Horsepower: 10 Pressure (psi): 75 Dynamic pumping level (ft): 53

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 10 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No _____

Has the measuring device been installed? Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? Yes X or No _____

Has the measurement port been installed? Yes X or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: EVERETT P. ENZENAUER Telephone Number: (707) 942-1026

Address: P.O. Box 1776 HEALDSBURG, CA 95448

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 10-7-97
(include your title, if on behalf of company or organization)

JAN 12 1998

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 72-07533

Proposed Priority: August 16, 1995 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **EVERETT P ENZENAUER**

MARY E ENZENAUER

PO BOX 1776

HEALDSBURG CA 95448-1776

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/15 to 10/15	0.20 CFS
------------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	SESW , Sec. 10, Township 14N, Range 19E CUSTER County
---	--

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N 19E 10	SESW 10.0			10.0

Total number of acres irrigated: 10.0

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1997**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Construction of the well must comply with Idaho well construction standards.
7. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

RECORDED

NOV 15 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 72-07533

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

1st day of November, 1995

Karl J. Dreher
for Karl J. Dreher, Director

RECEIVED
NOV 15 1995

RECEIVED

AUG 21 1995

RECEIVED

OCT 30 1995

Form 202
10/95Department of Water Resources
Southern RegionSTATE OF IDAHO
Department of Water ResourcesIdent. No. 72-0 7533

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Everett P. & Mary E. Enzenauer Phone 207-433-0532
Post office address PO Box 1776, Healdsburg, CA 95448
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 10 Township 14N Range 19E B.M. Custer County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.20 for Irrigation purposes from 4-15 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well & pump, sprinklers
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 10 inches; proposed depth of well is 200 feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? No
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
Two years (minimum 1 year).

NOV 15 1995

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
14N	19E	10												10					10

Total number of acres to be irrigated 10

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicants

b. Who owns the land to be irrigated or place of use? "


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED
NOV 15 1995

NOV 15 1995

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

NOV 15 1995

Cherry P. Pyman
(Applicant)

Received by J. F. Johnston Date 8-16-95 Time 1:40 pm Preliminary check by _____
Fee \$ 50.00 Received by JF # 5018387 Date 8-16-95
Publication prepared by MB Date 9/19/95 Published in Challis Messenger
Publication approved M. Baldwin Date 10/13/95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED
NOV 15 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 30, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MARY E ENZENAUER
EVERETT P ENZENAUER
PO BOX 1776
HEALDSBURG CA 95448-1776

RE: WATER RIGHT NO. 72-07533

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED
APR 14 1999

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


³
APR 14 1979

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of November, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 72-07533

MARY E ENZENAUER
EVERETT P ENZENAUER
PO BOX 1776
HEALDSBURG CA 95448-1776


Kari Lynn Townsend
Secretary

MICROFILMED

APR 16 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 9, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MARY E ENZENAUER
EVERETT P ENZENAUER
PO BOX 1776
HEALDSBURG CA 95448-1776

RE: WATER RIGHT NO. 72-07533

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point(s) of diversion developed is in a location other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

The enclosed Application for Amendment form depicts the point(s) of diversion and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

RECORDED

APR 14 1999

MEMORANDUM

TO: File 72-07533

FROM: Sharla

DATE: November 6, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 72-07533 are as follows:

H. RECOMMENDATIONS

Irrigation	4/15 - 10/15	0.20 cfs	35.0 afa
------------	--------------	----------	----------

The standard irrigation volume for this area is 3.5 af/acre; the volume has been adjusted accordingly.

Exam Date: July 23, 1998
Examiner: Georgia Satterlee

MICROFILMED

APR 14 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 72-07533 DATE 10/30/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK Box 1776
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV chg Change (P39/P47) Add (P45/P42) Feds - P40
 W32 (multiple in 1/4/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .20 cfs
 Fee limit .20 cfs \$50⁰⁰
 Measured .19 cfs
 Theoretical .39 cfs

Recommended Total Div Rate .20 cfs

WATER USES	<u>OK</u>	Change (P46)	
<u>Irr.</u>	<u>.20</u> cfs	<u>10x35</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
_____	_____ cfs	_____ af	supp. gw (WB7/065/079)
_____	_____ cfs	_____ af	overlap spec. combined rts (W35)
_____	_____ cfs	_____ af	<1acre (W31)
_____	_____ cfs	_____ af	Domestic (W01/WB5/070/071/075)
TOTALS	<u>.20</u> cfs	<u>35.0</u> af	Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate _____ cfs X 184 days X 1.98 = _____ af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device

OIM Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes _____ no SRBA Claim N/A Adjust Memo 3.5 af/ac
 Amend letters P39, P38
P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 29 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 72-07533

1. Owner: EVERETT & MARY ENZENAUER Phone No. (208) 433-0532

Current Address: PO BOX 1976, HEALDSBURG, CA. 95448

2. Accompanied by: (above) EXAM DATE: 23 July 1998

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: " "

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	SW	10	14N	19E	CUSTER	FIELD/GPS A0007824


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N	19E	10												10					10

SEP 14 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

* NONE AVAILABLE ASCS ARCO, ID.

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 GPS A0007824		10			NONE AVAILABLE

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PITOT TUBE						

2. Measurements: SPRINKLER SIZE, PSI, AMOUNT OF SPRINKLER HEADS OPERATING, OUTPUT

MICROFILMED

APR 14 1989

E. NARRATIVE/REMARKS/COMMENTS

Well pumps into mainline which is running E-W.
Lateral (N-S) has 16 sprinklers per line, 2
lines alternate sprinkling. Alfalfa/oats are
grown on land.

All elements of permit are appropriate and
w/ exception of P/D actually being in SE SW/4
I recommend as permitted.

Have conditions of permit approval been met? ☒ yes ☐ no

MONITORING
APR 14 1999

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Measured Sprinklers Operating = 0.19 cfs
Theoretical Calculated = 0.39 "

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 10(3) = 30$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.20(184)1.9835 = 73$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 30$$

2. Volume Calculations for Other Uses:

Exam Fee Limit 0.20 cfs
Permit Rate 0.20 cfs
Recommend 0.20 cfs

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/15	10/15	0.20	30 af
Totals:				

SESWSW 1/4 Verified in field

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

I. AUTHENTICATION


Field Examiner's Name

George Satterlee Date 7 Aug 98

Reviewer

Date

SEAL
MICROFILMED
APR 14 1999



GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 72-07533

DATE: 07 AUG 98

BY: SATTERLEE

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (10) \times (0.70)}{[(65) + (40 \times 2.31)]} = \frac{61.6}{157.4} = 0.39 \text{ cfs}$$

LIFT FROM:

measurement ()

owner ()

area estimate ()

well logs ()

Booster (Y) (N)

PSI FROM:

measurement ()

owner ()

estimate ()

owner gage ()

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season)	(days)
3/15 - 11/15	246
4/1 - 11/1	215
4/15 - 10/15	184
3/1 - 12/1	276

POTENTIAL = $\frac{(\dots) \times (1.98) \times (\dots)}{(\dots)}$

POTENTIAL =

REQUIRED Acre Feet/Acre/Annum =

(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()


IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

RECORDED
APR 14 1999



P/D SWSW $\frac{1}{4}$ Sec 10, T14N, R19E

looking NE'ly



looking w'ly GPS tag on opposite side
of Service Pole.




looking due east

RECORDED
APR 14 1900

Enzenauer, Everett and Mary


72-07533

2/2



NORTH

P/U all in SESW $\frac{1}{4}$ of Sec 10, T14N, R19E



SOUTH

16 Sprinklers
Rainbird
 $\frac{9}{16}$ " Nozzles 30L
40 PSI
 $5.2 \text{ gpm} (16) = 83.2 \text{ gpm}$
 $= 0.19 \text{ cfs}$

MICHOIGAN
APR 14 1989

Enzenauer, Everett & Mary

72-07533

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 72-07533 Reviewed by [Signature] Date 11-18-97

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dr.

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 72-96-S-0023-000

200- Amount paid for permit

yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

50- Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

1 Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

~~Proof~~ Return for Signature
Proof Received + Signed.
Proof acceptable

DATA ENTRY

New Address X Proof Made 10-14-97



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 2, 1998

Everett and Mary Enzenauer
PO Box 1776
Healdsburg CA 95448-1776

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 72-07533

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's Southern Regional Office in Twin Falls at (208)736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED
JAN 12 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 20, 1997

Everett P Enzenauer
Mary E Enzenauer
PO Box 1776
Healdsburg CA 95448-1776

RE: Permit No. 72-07533

Dear Permit Holder:

I have returned is the Proof of Beneficial Use statement you submitted in connection with the above referenced water right permit. Before the department can accept the form, it needs to be signed on line ten by the permit holder or an authorized representative.

Please sign the proof form, and return it to my attention within (30) days of receipt of this mailing.

If you have any questions regarding this matter, please contact me at (208)327-7953.

Sincerely,

A handwritten signature in cursive script that reads "Julie L. Yarbrough".

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

Enclosure

MICROFILMED

JAN 12 1998

August 31, 1997

EVERETT P ENZENAUER
MARY E ENZENAUER
PO BOX 1776
HEALDSBURG CA 954481776

PROOF DUE NOTICE

RE: PERMIT NO. 72-07533

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

JAN 12 1998



Use Typewriter or Ballpoint Pen

Office Use Only
Inspected by _____
Twp _____ Rge _____ Sec _____
_____ 1/4 _____ 1/4 _____ 1/4
Lat: : : Long: : :
☒ Air ☐ Flowing Artesian


1. DRILLING PERMIT NO. 72-96-S-0023-000
Other IDWR No. 72-07533

2. OWNER:

Name EVERETT P. & MARY ENZENAGER
Address P.O. BOX 1776
City HEALDSBURG State CA Zip 95448

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.


 Twp. 14 North ☒ or South ☐
 Rge. 19 East ☒ or West ☐
 Sec. 10 SE $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ NW $\frac{1}{4}$
 Gov't Lot _____ County CLUSTER
 Lat. : : Long. : :
 Address of Well Site JOBE LANE
 City CHALLIS
 (Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
BENTONITE	0	32	250	OVERBURE

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 100'
Was drive shoe seal tested? ☐ Y ☒ N How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
8"	1	100	250	STEEL	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☒ Perforations Method TORCH
☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
62	98		36	1/2x4	STEEL	☒	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

28' ft. below ground Artesian pressure MICROFILMED
Depth flow encountered ft. Describe access port or
control devices: TOP OF WELL 4000

11. WELL TESTS:

☐ Pump ☐ Bailer

Yield gal./min.	Drawdown	Pumping Level	Time
150	95		

Water Temp. COLD Bottom hole temp. COLD

Water Quality test or comments: Clear - Good
Depth first Water Encountered 42

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

[illegible]

Completed Depth 100' (Measurable)
Date: Started 8-15-96 Completed 8-19-96

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name CYNTHIE DRILLING Firm No. 226
Firm Official J. T. Guthrie Date 9-20-98
and
Supervisor or Operator _____ Date _____

(Sign once if Firm Official & Operator)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 1, 1995

EVERETT P ENZENAUER
MARY E ENZENAUER
PO BOX 1776
HEALDSBURG CA 95448-1776

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 72-07533

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

NOV 15 1995

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman**

No.: 72-7533 Name: Enzenauer Date: 10/31/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: 5018387 Priority: 8/16/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? guaranteed - No/Yes S/C Mor GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

- + 0.2 cfs - 01M
- =/- 0.2 cfs - No MD
- =/+ 5 a. - 01M, 065(if GW use SW 1st) no overlaps

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

~~SURFACE WATER~~ <✓ FLO-CH>(Surface water that doesn't sink is regulated):

Water District(dom) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

```
Snake R      (01)      - 11A-P04, NA
              (02/03)   - 007-P07 (w/remark WB9), NA
Boise R      (63)      - 05A (if WB), 11E (not 42-111 use), NA
Payette R    (65)      - 064(regulated uses), 047-P04(Payette Lake), NA
```

USE:

Domestic (surface) - 021(Boise R ↑ L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
 + 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
 +25 cfs-P18; 17G(FERC) or 17M(FERE); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo	-	058 (-85° GW temp only)
In-stream dev.	-	P52 (stream channel alteration)
Irr Dist/Canal Co.	-	023 (Twin Falls area)
Swan Falls Flag	-	<u>B</u> <SEE CODE CHART>
Trust	-	051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1>	-	048-049 (Consumptive Uses), NA

OWNERSHIP:Non-land owner

OTHER CONDITIONS:

~~STANDARD REMARKS:~~

BENEFICIAL USE DUE:

COMMENTS:

Enzmauer

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY C. SKINNER DATE 08/28/, 1995
APPLICATION NO. 72 - 07533

RECEIVED
OCT 30 1995
Department of Water Resources

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (see USGS quad for names of water sources)
☒ Point of diversion (10 Acres for spring, lot & block descriptions for subdivisions, local name, flow &/or volume.)
☒ County
☒ Quantity (flow &/or volume)
☒ Period of use
☒ Nature of proposed use (include description of use)
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

++++PROPOSED PRIORITY DATE
08/16, 1995

ADDITIONAL INFORMATION

- None Overlapping place of use(Describe source & relationship to present application on the back.
None Overlapping point of diversion.
☐ Yes ☒ No Field check required
☐ Yes ☒ No Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical Ground water area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send Dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit.
☐ Yes ☒ No Power efficiency form
☐ Yes ☐ No Within trustwater boundary(If yes, attach trustwater supplementary analysis sheet.
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.

See reverse side for additional information.

* REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

_____ Date Requested _____, 19____

PROCESSING ☒ Yes ☐ No In form for Advertising
☐ Yes ☒ No No Statewide Advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on app.

SEND COPIES TO: ☐ Idaho Dept of Health & Welfare ☐ USDI BLM
☐ Idaho Dept of Fish & Game ☐ USFS
☐ Idaho Dept of Lands ☐ Water Dist.
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received.
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates and paper, recorded on App.
☐ Yes ☒ No Protests received
Final date for Protest _____
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on app.
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

026 , 046

See below for additional information

Date of priority recommended 8/16/95, 19
By AD Date 10/27, 19 95

STATE OFFICE REVIEW

See below for additional information

By _____ Date _____, 19 _____

ADDITIONAL INFORMATION:

LOCAL PUBLIC INTEREST

Comments recieved from:

_____ City	_____ Idaho Fish & Game	_____ Irrigation Dist.
_____ County	_____ Idaho Health & welfare	_____ Canal Company
_____ Reservations	_____ Div. of Enviromental Quality	_____ Other _____

PROJECT IMPACTS/IMPLICATIONS REPORT

COMMENTS:

DATE _____, 19____

AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, Ruth E. Burchill, representing the
Challis Messenger, a weekly newspaper, pub-
lished at Challis, Idaho, do solemnly swear that
the notice hereto attached and made a part here-
of, was published in the regular and entire issue
of the Challis Messenger for 2
consecutive weeks, commencing with the issue
dated Oct 5 1995 and ending with
the issue dated Oct 12 1995.

Ruth E. Burchill

STATE OF IDAHO

COUNTY OF CUSTER

On this 12th day of Oct. in the
year of 1995 before me, a Notary Public,
personally appeared Ruth E. Burchill
known or identified to me to be the person
whose name subscribed to the within instru-
ment, and being by me first duly sworn, declared
that the statements therein are true, and ac-
knowledgeed to me that he executed the same.

Evel M. Peck
Notary Public for Idaho
Residing at Challis
My commission expires: 3-19-98

NOTICE OF APPLICATIONS FOR WATER PERMIT

The following applications have been
filed to appropriate the public waters of
the State of Idaho:

KENNETH SMITH
4033 BROOKSIDE LN
BOISE ID 83703
71-07174
Source: groundwater
Diversion Pt: NE1/4SW1/4, S3, T10N,
R13E; Custer County.
Use: Heating (0.06 cfs) 1/1-12/31
Date Filed: 8/7/95
In: NW1/4SE1/4, S3, T10N, R13E.

✓ EVERETT P. &/OR MARY E.
ENZENAUER
PO BOX 1776
HEALDSBURG, CA 95448
72-07533

Source: groundwater
Diversion Pt: SW1/4SE1/4SW1/4, S10,
T14N, R19E; Custer County.
Use: irrigation (0.20 cfs) 4/15-10/15
Date Filed: 8/16/95
In: SE1/4SW1/4, S10, T14N, R19E.
The permit will be subject to all prior
water rights. Any protest must be filed
with the Director, Dept. of Water
Resources, Southern Region, 222
Shoshone Street East, Twin Falls, ID
83301 together with a protest fee of
\$25.00 on or before October 23, 1995.
The protestant must also send a copy of
the protest to the applicant.
Karl J. Dreher, Director

Pub: Oct. 5 & 12, 1995.

RECEIVED

OCT 13 1995

Department of Water Resources
Southern Region

OK
MB
10/13/95

RECEIVED

NOV 15 1995

STATEMENT

**Custer Publishing, Inc.**

Phone 879-4445

P.O. Box 405

Challis, Idaho 83226

Dept of Water
 222 Shoshone St. East
 Twin Falls, Id 83301-6105

Job No.	Date	DESCRIPTION	Amount
	10-12-95	Notice of Application for Water Permit 10/5 + 12/95 - 36 lines 71-07174 72-07533	\$ 37.26 OK MA 10/13/95

RECEIVED
 OCT 13 1995
 Department of Water Resources
 Southern Region

A finance charge of 1½ percent (annual percentage rate of 18%) with a minimum charge of 50¢ will be charged to all accounts not paid within 30 days of billing.

PAID
 NOV 14 1995

NOV 15 1995

**NOTICE OF APPLICATIONS FOR
WATER PERMIT**

The following applications have been
filed to appropriate the public waters of
the State of Idaho:

**KENNETH SMITH
4033 BROOKSIDE LN
BOISE ID 83703
71-07174**

Source: groundwater
Diversion Pt: NE1/4SW1/4, S3, T10N,
R13E; Custer County.
Use: Heating (0.06 cfs) 1/1-12/31
Date Filed: 8/7/95
In: NW1/4SE1/4, S3, T10N, R13E.

**EVERETT P. &/OR MARY E.
ENZENAUER
PO BOX 1776
HEALDSBURG, CA 95448
72-07533**

Source: groundwater
Diversion Pt: SW1/4SE1/4SW1/4, S10,
T14N, R19E; Custer County.
Use: irrigation (0.20 cfs) 4/15-10/15
Date Filed: 8/16/95
In: SE1/4SW1/4, S10, T14N, R19E.

The permit will be subject to all prior
water rights. Any protest must be filed
with the Director, Dept. of Water
Resources, Southern Region, 222
Shoshone Street East, Twin Falls, ID
83301 together with a protest fee of
\$25.00 on or before October 23, 1995.
The protestant must also send a copy of
the protest to the applicant.
Karl J. Dreher, Director

✓ Published in The Challis Messenger on
10/5 & 10/12/95.

RECORDED
NOV 15 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301-6105 (208) 736-3033
Fax (208) 736-3037

September 22, 1995

PHILIP E. BATT
Governor

KARL J. DREHER
Director

CUSTER PUBLISHING CO
PO BOX 405
CHALLIS ID 83226

Gentlemen:

Enclosed you will find a legal notice which we wish to have published in your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

We have attempted to submit this legal as camera ready. Please call me at your earliest convenience and prior to your staff re-typing the legal if it does not meet your specifications so I can possibly make adjustments.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Sr. Secretary

Enclosure



NOV 1 1995

NOTICE OF APPLICATIONS FOR WATER PERMIT

The following applications have been filed to appropriate the public waters of the State of Idaho:

KENNETH SMITH
4033 BROOKSIDE LN
BOISE ID 83703

71-07174

Source: groundwater

Diversion Pt: NE1/4SW1/4, S3, T10N, R13E; Custer County.

Use: Heating (0.06 cfs) 1/1-12/31

Date Filed: 8/7/95

In: NW1/4SE1/4, S3, T10N, R13E.

EVERETT P. &/OR MARY E. ENZENAUER
PO BOX 1776
HEALDSBURG, CA 95448

72-07533

Source: groundwater

Diversion Pt: SW1/4SE1/4SW1/4, S10, T14N, R19E; Custer County.

Use: irrigation (0.20 cfs) 4/15-10/15

Date Filed: 8/16/95

In: SE1/4SW1/4, S10, T14N, R19E.

The permit will be subject to all prior water rights. Any protest must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 together with a protest fee of \$25.00 on or before October 23, 1995. The protestant must also send a copy of the protest to the applicant.

Karl J. Dreher, Director

Published in The Challis Messenger on 10/5 & 10/12/95.

RECORDED

NOV 15 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301-6105 (208) 736-3033
Fax (208) 736-3037

September 19, 1995

PHILIP E. BATT
Governor

KARL J. DREHER
Director

EVERETT P &/OR MARY E ENZENAUER
PO BOX 1776
HEALDSBURG CA 95448

Re: Application for Permit No. 72-07533

Dear Applicants:

The Department of Water Resources acknowledges receipt of your water right applications for permit. The applications have been assigned the above referenced identification numbers. Please refer to this number in all further correspondence.

This office has scheduled advertising the applications in the Challis Messenger for 10/5 & 10/12/95. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely yours,

Corey Skinner, E.I.T.
Safety of Dams Engineer

cs:mb

NOV 15 1995