


A fraction of Lot 6, Section 30, Township 11 North, Range 17 East, Boise Meridian, Custer County, Idaho, described as:

Beginning at the Section Corner common to Sections 25 and 36, Township 11 North, Range 16 East, Boise Meridian, and Sections 30 and 31, Township 11 North, Range 17 East, Boise Meridian; thence North along the Section line common to said Sections 25 and 30, 1170 feet; thence South $81^{\circ}24'$ East, 29 feet to the TRUE POINT OF BEGINNING; thence continuing South $81^{\circ}24'$ East, 130 feet; thence South $0^{\circ}48'$ East, 200 feet, more or less, to a point on the meander line of the Salmon River; thence Westerly along said meander line 130 feet, more or less, to a point which bears South $0^{\circ}48'$ East from the True Point of Beginning; thence North $0^{\circ}48'$ West, 204 feet to the True Point of Beginning.

ATTACHMENT - FOR APPLICATION

FOR PERMIT - GLENN C. THURSTON

AUG 12, 1992



MICROFILMED
MAY 25 1993

72-07504

T-11N-R-17E

72-07504

Saturday Mtn
7892'

Mile 353
Clayton
Ranger Sta

SALMON


RIVER

SALMON R


NATIONAL
FOREST

French
TRAIL

SEALING
N45 111 E97




This is the pump FOR the POINT OF DIVERSION



MICROFILMED

This is the POINT OF DIVERSION FOR this PERMIT. Water is Pumped out OF the salmon River Through a 1HP Pump INTO a PRESSURE TANK. The water is THEN sent THROUGH the SPRINKLING SYSTEM



This is the place of use
 The place of use runs from the raised area of
 the lawn to the rock border on the east side

MICROFILMED
 MAR 11 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 72-07504

Priority: August 17, 1992

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.7 AF

This is to certify, that GLENN CONRAD THURSTON
1900 PARKWOOD ST APT A 107
IDAHO FALLS ID 83401

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 14, 1992; and
has submitted Proof of Beneficial Use on August 18, 1994. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

SALMON RIVER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.02 CFS	0.7 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6(SWSW), Sec. 30, Township 11N, Range 17E
CUSTER County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N 17E 30	Lot 6(SWSW)	0.2		0.2

Total number of acres irrigated: 0.2

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 0.7 afa for the land described above.


MICROFILMED
MAR 11 1987


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 72-07504

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19TH
day of FEBRUARY, 1997.


Acting for KARL J. DREHER, Director



105507111

20211111

RECEIVED
AUG 30 1994

Department of Water Resources

RECEIVED
AUG 18 1994

Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 8-30-94
Receipt No. 003116
Receipt by RA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 72-07504 Telephone No. DAY 208-526-8271
HOME 208-522-5719
2. Name(s) of Permit Holder(s): GLENN CONRAD THURSTON
3. Mailing Address: 1900 PARKWOOD ST, APT A107, IDAHO FALLS, ID 83401
4. Source of Water: SALMON RIVER

If GROUNDWATER, Well Driller's Name: NA Date Drilled: _____

OPTIONAL:

Pump horsepower: 1 HP Pressure (psi): 50 Dynamic pumping level (ft.): 30'

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation .5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .02 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

RALPH HOLMES 208-838-2234
Name Telephone No.

CLAYTON, IDAHO, (NEAR BY NEIGHBOR AT THOMPSON CREEK & SALMON
Address RIVER)

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8/16/94
Date

[Signature]
Signature (and title, if on behalf of a company or organization)

RECEIVED

FEB 14 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$15 Fee Received by _____
Date 2/14/94
Receipt No. 0296711

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

* NEW ADDRESS

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 72-07504Zip 83401Name(s) of Permit Holder: GLENN CONRAD THURSTON* Mailing Address: 1900 PARKWOOD ST. APT # A-107, IDAHO FallsDate Proof is Due APRIL 1, 1994Telephone No. 208-526-8271 (w)
208-522-5719 (H)Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)PUMP HAS BEEN OBTAINEDCosting \$ 396.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

ORDER PUMP IN MAY BUT DID NOT RECEIVE
UNTIL JULY, THEN HAD TO HAVE A HERNIA
OPERATION AND WAS UNABLE TO DO MUCH UNTILPermit holder(s) request an extension to AUGUST 15, 19 94 OCT.FEE: \$15.00 ENCLOSED
CHECK # 1534

(Signature)*

*If other than permit holder, Power of Attorney must be supplied

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to April 1, 1995.

Signed this

15TH day February 19 94J. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 72-07504

Proposed Priority: August 17, 1992 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **GLENN CONRAD THURSTON**
2843 NEWMAN DRIVE
IDAHO FALLS ID 83402

has applied for a permit to appropriate water from:

SALMON RIVER tributary of **SNAKE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 6(SWSW), Sec. 30, Township 11N, Range 17E
CUSTER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
11N	17E	30	Lot 6(SWSW)	0.5		0.5

Total number of acres irrigated: 0.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1994.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. Irrigation use authorized under this permit is in conjunction with a domestic use.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

5th day of March, 1993

for R. Keith Higginson, Director

MICROFILMED

MAY 25 1993

STATE OF IDAHO

Ident. No. 72-07504

RECEIVED

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

AUG 26 1992 To appropriate the public waters of the State of Idaho

Department of Water Resources

Southern Region Office

1. Name of applicant GLENN CONRAD THURSTON Phone 526-8271 (W)
522-5719 (H)

Post office address 2843 NEWMAN DRIVE, IDAHO FALLS, ID 83402

2. Source of water supply SALMON RIVER which is a tributary of SNAKE RIVER

3. Location of point of diversion is (SEE ATTACHED)
NEW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot 6

Sec. 30 Township 11 North Range 17 East B.M. CLUSTER County; additional

points of diversion if any: NONE

4. Water will be used for the following purposes:

Allow 0.02 cfs by 8-27-92

Amount 0.02 for LAWN IRRIGATION purposes from MAY 1 to OCT 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Allow 0.02 cfs 8-27-92 by

5. Total quantity to be appropriated is (a) 0.02 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1 1/2" PIPE FROM
EDGE OF RIVER TO A CENTRIFUGAL PUMP AND
THEN DISCHARGE TO A SPRINKLER SYSTEM

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 YEAR years (minimum 1 year).

MAY 25 1993

* Standard season

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11N	17E	30											*.75						*.75 1/2
		~~30~~											~~1/2~~						
													1/2						
													1/2						

* Per letter dated 10-15-92


Total number of acres to be irrigated .75 1/2

10. Describe any other water rights used for the same purposes as described above. NONE

- Who owns the property at the point of diversion? GLENN C. & ISABEL C. THURSTON
- Who owns the land to be irrigated or place of use? GLENN C. & ISABEL C. THURSTON
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)
[Signature] Conrad

Received by pf WM Date 8/26/92 Time 9:50 Check # 1044
Date 8/14/92 Time 1:15 Preliminary check by WAV J. F. Stanton
Fee \$ 30 Received by Jo # E017731 Date 8-17-92
Publication prepared by MB Date 11/17/92 Published in Challis Messenger
Publication approved M. Baldwin Date 12-15-92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

MAY 25 1993

A fraction of Lot 6, Section 30, Township 11 North, Range 17 East, Boise Meridian, Custer County, Idaho, described as:

Beginning at the Section Corner common to Sections 25 and 36, Township 11 North, Range 16 East, Boise Meridian, and Sections 30 and 31, Township 11 North, Range 17 East, Boise Meridian; thence North along the Section line common to said Sections 25 and 30, 1170 feet; thence South $81^{\circ}24'$ East, 29 feet to the TRUE POINT OF BEGINNING; thence continuing South $81^{\circ}24'$ East, 130 feet; thence South $0^{\circ}48'$ East, 200 feet, more or less, to a point on the meander line of the Salmon River; thence Westerly along said meander line 130 feet, more or less, to a point which bears South $0^{\circ}48'$ East from the True Point of Beginning; thence North $0^{\circ}48'$ West, 204 feet to the True Point of Beginning.

ATTACHMENT - FOR APPLICATION

FOR PERMIT - GLENN C. THURSTON

AUG 12, 1992



RECORDED

MAY 25 1993

72-07504

AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, Margaret Parks, Publisher of the Challis Messenger, a weekly newspaper, published at Challis, Idaho, do solemnly swear that the notice hereto attached and made a part hereof, was published in the regular and entire issue of the Challis Messenger for 2 consecutive weeks, commencing with the issue dated Dec 3 1992 and ending with the issue dated Dec 10 1992

Margaret Parks

STATE OF IDAHO

COUNTY OF CUSTER

On this 10th day of Dec in the year of 1992, before me, a Notary Public,

personally appeared Margaret Parks known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Edith M. Beck

Notary Public for Idaho

Residing at Challis

My commission expires: 3-19-98

RECEIVED

DEC 11 1992

Department of Water Resources
Southern Region Office

NOTARY PUBLIC
Edith M. Beck
Challis, Idaho
My commission expires 3-19-98

OK
NB
12-15-92

MAY 25 1993

STATEMENT

**Custer Publishing, Inc.**

Phone 879-4445

P.O. Box 405

Challis, Idaho 83226

Dept. of Water
 222 Shoshone St. East
 Twin Falls, Id 83301

Job No.	Date	DESCRIPTION	Amount
	12-10-92	Notice of application for Water Permit # 72-07504 12/3/92 12/10/92 33 lines	~~\$34.16~~ \$34.16
		RECEIVED DEC 11 1992 Department of Water Resources Southern Region Office	OK MB 12-15-92

A finance charge of 1½ percent (annual percentage rate of 18%) with a minimum charge of 50¢ will be charged to all accounts not paid within 30 days of billing.

MAY 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 26, 1997

GLENN CONRAD THURSTON
1900 PARKWOOD ST APT A 107
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 72-07504

Dear Water Right Holders:

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration within fourteen (14) days after issuance as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED

MAR 11 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or

iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have questions, please contact me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen". The signature is written in dark ink and is positioned above the printed name and title.

Shelley W. Keen
Water Rights Supervisor

c: Southern Region

Enclosures

3
MICROFILMED
MAR 11 1997

CERTIFICATE OF MAILING

I hereby certify that on the 26th day of February, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 72-07504

**GLENN CONRAD THURSTON
1900 PARKWOOD ST APT A 107
IDAHO FALLS ID 83401**



Sharla Curtis

Water Resource Agent

MICROFILMED

4

MAR 11 1997

B/U FIELD EXAM REVIEW

Cindy Zimmerman

Permit #: 72-7504 Name: Thurston Date: 2/13/97 ✓ Lots ✓

NAME	Chng	Same	Or Address Change?
SOURCE		✓	Clarify source _____ Prelim. Order to Void - Source change.
P/D		✓	Amendment Needed? <u>None</u> <u>None</u> P39 Overlap(s) <u>None</u>
P/U		✓	Amendment Needed? <u>reduce to 0.2 ac.</u> P41 Overlap(s) <u>None</u> (Gov't use special T's) *P/D & P/U Amend? P37
RATE		✓	Permit/proof fee limits <u>0.02</u> / <u>0.20</u> Measured Quantity = _____ cfs Theoretical Quantity = <u>0.04</u> cfs <u>allow 0.02 cfs as permitted</u> (HP) $\frac{8.8 \times 0.70 \times 1}{20' + (2.31 \times 35)} = 0.04$ cfs Recommended capacity <u>0.04</u> cfs Recommended rate <u>0.02</u> cfs
VOLUME		✓	Season: (<u>B</u> / <u>3.5</u>) <u>4/15 - 10/15</u> = <u>184</u> days Calculations: <u>$0.2 \text{ ac} \times 3.5 \text{ AF/ac} = 0.7 \text{ AF}$</u> Flow limit: <u>0.02</u> cfs x <u>184</u> days/yr. x <u>1.9835</u> = <u>7.3</u> AF Recommended volume <u>0.7</u> AF
USES		✓	Same Nature of Use? _____ P46 Amendment Needed? _____
REMARKS			Multiple p/d's in same 1/4? Use W32 <u>① W31 / 0.02 = 0.7</u>
CONDITIONS			Measuring Device (R01) or Lockable Controlling Works (R02) Watermaster Control (R04) - WD # _____ Irrigation rate/annual volume overlap GW irrigation replaces surface water (050) GW irrigation supplements surface water (065) Water Quality Other _____
PRIORITY	App Rcd	<u>8/17/92</u>	Due <u>4/1/95</u> Rcd <u>8/30/94</u> Receipt# <u>00316</u> Fee OK? <u>Yes</u> No Order to Reinstate Needed? <u>Yes</u> No Done? _____ Advanced to: _____ Priority <u>8/17/92</u> Examined <u>8/15/96</u>
COMMENTS:	<u>reduce acreage.</u>		

USE	CFS	VOLUME
<u>irr.</u>	<u>0.02</u>	<u>0.7</u>
<u>TOTAL</u>	<u>0.02</u>	<u>0.7</u>

SRBA Overlap None
Adjustment Memo —
LICENSE LTR: P49
#1 AMEND LTR: — /P38
#2 AMEND LTR: P42/P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 11 1996
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 72-070504

1. Owner: Glenn Conrad Thurston Phone No. (208) 522-5719

Current Address: 1900 Parkwood St., Apt. A107, Idaho Falls, Idaho 83401

2. Accompanied by: Glenn Conrad Thurston EXAM DATE: August 15, 1996

Address: Same as above Phone No. same as above

Relationship to Permit Holder: Owner

3. Source: Salmon River tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: none

2. Other water rights with the same point of diversion: none

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt Lot	¼	¼	¼	Sec.	Twp.	Rge	County	Method of Determination/Remarks
P/D	6	N W	S W	S W	30	11N	17E	CUSTER	VISUAL AND USGS QUADRANGE MAP

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	17E	30											.2						.2 AC

MICROFILMED

MAR 11 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET

YES Copy of USGS Quadrange attached showing location(s) of point(s) of diversion and place(s) of use (required).

NO Aerial photo attached (required for irrigation of 10+ acres).

YES Photo of diversion and system attached.

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P/D	MAGNETEK	1 Hp	BHI 1-124	McDONALD	E93B

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: See attached theoretical sheet

E. NARRATIVE/REMARKS/COMMENTS

The water for this permit is pumped out of the Salmon River in the NW 1/4 - SW 1/4 - SW 1/4 of section 30 in township 11N - range 17E. A 1 Hp motor pulls the water from the river then diverts it into a pressure tank. The water then leaves the pressure tank travels through underground pipe to feed 11 sprinkler heads on .2 acres of land.

Have conditions of permit approval been met? X yes ___ no

MICROFILMED
MAR 11 1997

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Theoretical -- .04 cfs (see attached theoretical sheet)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = .2 \times 3.5 = .7 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 184 \times 1.9835 = 7.3 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = .7 \text{ afa}$$

B

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>APRIL 15</u>	<u>OCT. 15</u>	<u>.02 cfs</u>	<u>.7 afa</u>

Totals: .02 cfs .7 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Daniel A. Nelson Date 10-9-96

Reviewer _____ Date _____

SEAL

MICROFILMED

MAR 11 1997

RECOMMENDATION:

I recommend that this permit be licensed under the following conditions:

1. That this permit be licensed for .02 cfs which is the diversion rate listed on the permit. This will put this permit over the .04 cfs per acre but is used for irrigation of a lawn and not used every day. The pump also pumps .04 cfs which would make it difficult to lower the diversion rate and maintain the pressure needed to run Mr. Thurston's sprinkler system. However if more acres are added to this point of diversion they must follow the .04 cfs per acre maximum diversion rate requirement.
2. That this permit be limited to .2 acres which the total amount acres being irrigated under this system.

MICROFILMED

MAR 11 1997

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 72-07504
DATE: 8-15-96
BY: Daniel A. Nelson

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (1.4 \text{ H.P.}) \times (0.70)}{[(20') + (55 \text{ PSI} \times 2.31)]} = \frac{6.16}{147.05} = 0.04 \text{ CFS}$$

LIFT FROM:	PSI FROM:	NOTES ON PUMP:
measurement (X)	measurement ()	Motor Make, Serial or ID
owner ()	owner ()	
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs ()	owner gage (X)	
Booster (Y) (N)		

REMARKS

ANNUAL VOLUME ANALYSIS

$$\text{POTENTIAL Acre Feet/Acre/Annum} = \frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$$


(season)	(days)	
3/15 - 11/15	246	POTENTIAL = $\frac{(\dots) \times (1.98) \times (\dots)}{(\dots)}$
4/1 - 11/1	215	
4/15 - 10/15	184	
3/1 - 12/1	276	

POTENTIAL =

REQUIRED Acre Feet/Acre/Annum =
(AF/Ann/Ac irrigation requirement from chart for area)
NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()
IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

REPROFILMED
MAR 11 1997



SCALE: 1 inch = 30 feet

DIVERSION WORKS


.2 Acres Being irrigated.

MICROFILMED


MAR 11 1997

TRAIN-RITE



72-07504




FOURTH GUIDE MERIDIAN EAST NORTH



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100




This is the Pump FOR the POINT OF DIVERSION



This is the POINT OF DIVERSION FOR this Permit. Water is Pumped out of the Salmon River Through a 1 HP Pump INTO a PRESSURE TANK. The water is THEN sent THROUGH the SPRINKLING system.

S
E — W
N



This is the place of use

The place of use runs from the raised area of
the lawn to the rock border on the east side

MICROFILMED
MAR 11 1967

September 15, 1994

GLENN CONRAD THURSTON
1900 PARKWOOD ST APT A 107
IDAHO FALLS ID 83401

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 72-07504

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

OCT 31 1994

RECEIVED
AUG 30 1994
Department of Water Resources

1900 PARKWOOD ST
APT A107

IDAHO FALLS, ID 83401

AUG 28, 1984

STATE OF IDAHO
DEPT OF WATER RESOURCES
BOISE, ID


DEAR SIRs:

I AM RETURNING MY PROOF OF BENEFICIAL USE
FORM ALONG WITH THE \$500 APPLICATION FEE.

I AM SORRY THAT I MISS READ THE INSTRUCTIONS
AND FAILED TO ENCLOSE THE FEE THE
FIRST TIME -

THANK YOU

GLENN C. THURSTON

 C. Thurston

OCT 31 1994

August 25, 1994

Glenn Conrad Thurston
1900 Parkwood St. Apt. A107
Idaho Falls, ID 83401

RE: Permit No. 72-07504

Dear Permit Holder:

Returned is the proof of beneficial use you submitted in connection with the above referenced permit. Unfortunately, it can not be accepted as filed.

The Department has determined, from pertinent sections of the Idaho Code, that the permit holder must meet two requirements in order to be exempt from the license exam fee. They are:

1. The water right must use a groundwater (well) source.
2. The rate of diversion must be .04 cfs or 4.0 AF or less.

As you can see, you do not meet requirement #1 since you use the Salmon River (surface) for your source. Therefore, a license examination fee of \$50.00 applies to the permit.

Please return the original proof form and license examination fee within thirty (30) days of receipt of this letter.

If you have any questions or if I can be of any further assistance, please feel to contact me.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

OCT 01 1994

February 16, 1994

Glenn Conrad Thurston
1900 Parkwood St. Apt. A-107
Idaho Falls, ID 83401

RE: Permit No. 72-07504

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to April 1, 1995. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

RECEIVED
FEB 21 1994

January 31, 1994

GLENN CONRAD THURSTON
2843 NEWMAN DRIVE
IDAHO FALLS ID 83402

PROOF DUE NOTICE

RE: PERMIT NO. 72-07504

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MAILED

OCT 31 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 8, 1993

GLENN CONRAD THURSTON
2843 NEWMAN DRIVE
IDAHO FALLS ID 83402

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 72-07504

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in cursive script that reads "Brenda L. Miller".

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

MICROFILMED

MAY 25 1993

NOTICE OF APPLICATION FOR WATER
PERMIT

The following application(s)
have been filed to appropriate
the public waters of the State
of Idaho:

72-07504

GLENN CONRAD THURSTON
2843 NEWMAN DRIVE
IDAHO FALLS ID 83402

Source: Salmon River tributary
to Snake River

Diversion pt: Lot 6,
(NW1/4SW1/4), S30, T11N,
R17E; Custer County.

Use: irrigation
(0.02 cfs) from 5/1 to 10/1

Total Diversion: 0.02 cfs

Date Filed: 8/14/1992

In: .50 acres within Lot 6
(SW1/4SW1/4), S30, T11N, R17E;
Custer County.

The permit (s) will be subject
to all prior water rights.
Protests must be filed with the
Director, Dept. of Water
Resources, Southern Region, 222
Shoshone Street East, Twin
Falls, ID 83301 on or before
December 21, 1992.

R. Keith Higginson, Director

Published in The Challis
Messenger on 12/03 & 12/10/92.

RECEIVED

MAY 25 1993

**NOTICE OF APPLICATION
FOR WATER PERMIT**

The following application(s)
have been filed to appropriate
the public waters of the State
of Idaho:

72-07504

GLENN CONRAD THURSTON
2843 NEWMAN DRIVE
IDAHO FALLS ID 83402

Source: Salmon River tributary
to Snake River

Diversion pt: Lot 6,
(NW1/4SW1/4), S30, T11N,
R17E; Custer County.

Use: Irrigation
(0.02 cfs) from 5/1 to 10/1

Total Diversion: 0.02 cfs

Date Filed: 8/14/1992

In: .50 acres within Lot 6
(SW1/4SW1/4), S30, T11N, R17E;
Custer County.

The permit (s) will be subject
to all prior water rights.
Protests must be filed with the
Director, Dept. of Water
Resources, Southern Region, 222
Shoshone Street East, Twin
Falls, ID 83301 on or before
December 21, 1992.

R. Keith Wigginton, Director

Pub. Inv. 3 & 10, 1989.

OK
NB
12-9-92

MAY 25 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

18-Nov-1992

R. KEITH HIGGINSON
Director

CUSTER PUBLISHING COMPANY
PO BOX 405
CHALLIS ID 83226

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the required publication dates. If time allows, please submit a galley proof for review before publication.

We have attempted to submit this legal as camera ready. Please call me at your earliest convenience and prior to your staff re-typing the legal if it does not meet your specifications so I can possibly make adjustments.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

NOV 25 1992

NOTICE OF APPLICATION FOR WATER PERMIT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

72-07504

GLENN CONRAD THURSTON
2843 NEWMAN DRIVE
IDAHO FALLS ID 83402

Source: Salmon River tributary to Snake River

Diversion pt: Lot 6, (NW1/4SW1/4SW1/4), S30, T11N, R17E;
Custer County.

Use: irrigation (0.02 cfs) from 5/1 to 10/1

Total Diversion: 0.02 cfs

Date Filed: 8/14/1992

In: .50 acres within Lot 6 (SW1/4SW1/4), S30, T11N, R17E;
Custer County.

The permit (s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, ID 83301 on or before December 21, 1992.

R. Keith Higginson, Director

Published in The Challis Messenger on 12/03 & 12/10/92.

RECEIVED
MAY 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

16-Nov-1992

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

GLENN CONRAD THURSTON
2843 NEWMAN DRIVE
IDAHO FALLS ID 83402

Re: Application for Permit No. 72-07504

Dear Mr. Thurston:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in The Challis Messenger on 12/3 & 12/10/92. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

MAY 25 1993

RECEIVED

OCT 19 1992

Department of Water Resources
Southern Region Office

October 15, 1992
2843 Newman Drive
Idaho Falls, ID 83402


State of Idaho
Department of Water Resources
222 Shoshone Street East
Twin Falls, ID 83301

Attention: James E. Stanton

Dear Sirs:

In reference to your letter of October 13, 1992 regarding my Application permit 72-07504, I am willing to reduce the proposed irrigation area to 1/2 acre.

Yours Truly,
Glenn C. Thurston

A handwritten signature in black ink, appearing to read "Glenn C. Thurston", with a large, sweeping flourish underneath.

RECEIVED

OCT 25 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

RECEIVED

OCT 19 1992

October 13, 1992

Glenn C. Thurston
2843 Newman Drive
Idaho Falls, ID
83402

Department of Water Resources
Southern Region Office

RE: Application for Permit 72-07504

Dear Mr. Thurston;

The above-referenced application proposes to irrigate land in the recently-enacted Salmon River Moratorium Area. This area has been closed to new consumptive uses of surface water effective May 15 of this year. Minor stockwater and domestic uses can still be allowed, however. Irrigation of up to 1/2 acre can be allowed under the domestic criteria.

While your application proposes to water 3/4 of an acre, the actual land area covers about 6/10ths of an acre. If all this will be irrigated, we must hold your application without further processing at this time. If you are willing to reduce the proposed irrigation to 1/2 acre, your application can be processed. Please let us know your decision in this matter so that the proper action can be taken by this office.

Sincerely,

James E. Stanton

James E. Stanton
Sr. Water Resource Agent

MAILED

MAY 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Glenn C. Thurston
2843 Newman Drive
Idaho Falls, ID
83402

October 13, 1992

RE: Application for Permit 72-07504

Dear Mr. Thurston;

The above-referenced application proposes to irrigate land in the recently-enacted Salmon River Moratorium Area. This area has been closed to new consumptive uses of surface water effective May 15 of this year. Minor stockwater and domestic uses can still be allowed, however. Irrigation of up to 1/2 acre can be allowed under the domestic criteria.

While your application proposes to water 3/4 of an acre, the actual land area covers about 6/10ths of an acre. If all this will be irrigated, we must hold your application without further processing at this time. If you are willing to reduce the proposed irrigation to 1/2 acre, your application can be processed. Please let us know your decision in this matter so that the proper action can be taken by this office.

Sincerely,

James E. Stanton

James E. Stanton
Sr. Water Resource Agent

MAY 25 1993

CHECKLIST FOR APPLICATION ACKNOWLEDGEMENT LETTER

Please check each specialized paragraph to INCLUDE

>

>

Re: Application for Permit No. >

Dear >:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

>1) Enclosed is a copy of an Order establishing a Moratorium on the issuance of new consumptive use permits in the Salmon River drainage. This Order affects your application; therefore, it will be held without action for the foreseeable future.

>2) However, your application may be exempt from the moratorium if it meets one of the following criteria:

-Drought relief-to replace existing surface water supply for a limited time.

-Application represents existing development which occurred prior to November 19, 1987.

Please complete and return the enclosed questionnaire regarding the proposed project to aid in reviewing your application.

>3) From the information contained in your file, it is not possible to determine whether any of these exemptions apply. If you wish to proceed with your application at this time you must provide additional information about the proposed project. The attached questionnaire is intended to aid in reviewing your application.

>4) We acknowledge receipt of the Moratorium Questionnaire which you have submitted regarding the above referenced application. It will be reviewed to determine if your application qualifies for a moratorium exemption.

>5) If you wish to withdraw the application, please date, sign and return the enclosed withdrawal form. The filing fee will be refunded.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

RECEIVED

MAY 25 1993

Property Measure
58 Acres
Max. right 200 ft
per 10/5/92