



LAND USE PLAT - LOT 2



YANKEE FORK Addition
ACCESS ROAD

LOT 2 7,482 ACRES

893.24 Feet Length TOTAL

LOT 2 ACCESS ROAD

980.09 Feet Length TOTAL

560 feet

LOT 3

LOT 1

ROOM AREA
INDICATED
WITH SPARKLERS - Access about 425 feet x 235 feet - 92.2 Acres
(Less Buildings, Road, & PARKING AREAS)

KITCHEN-
DINING
BUILDING

SHOWER
HOUSE
BATH ROOMS

PARKING
AREA
CABIN #2

PARKING
AREA
CABIN #1

MAIN WATER LINE
SERVING BUILDING

390 Feet This side

Holding TANK

WATER LINE TO SPAING

J.R. SIMPLOT
PROPERTY

MICROFILMED

APR 14 1999

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

114°45' 22'30" 680000m.E. **RISE** 681 CUSTER 1.8 MI. 682 42'30" 683 684

WEST FORK CAMPGROUND 0.1 MI.


914000m.N.

4913

4912

20'

4911



P/U
inside
forest

1/3



entrance gate at the road
photo looking west

Photo looking S'ly
from
collection box
toward the spring

SPRING
UP HERE



approximately 1/2 mile of buried
pipeline to the spring

photo looking SE'ly




collection box GPS'd location
SWSW 1/4 Section 20, T12N, R15E

→ A0007829
GPS Tag on tree 6ft. S. of
collection box

MICROFILMED

APR 14 1999

2/3



From collection box, looking @ the back
of most W'ly cabin on property



middle of camp, looking E'ly @ the
most easterly cabin on property




Play area, looking S'ly

MICROFILMED
APR 14 1999

3/3

back of the most e'ly cabin on property



photos looking W'ly+
irrigated areas 1.5 acres ±



Photo looking W'ly; cabin is the most
westerly cabin on property, the
collection box is 300 ft.± west from
this cabin...

MICROFILMED
APR 14 1999

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 72-07420

Priority: March 22, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

5.9 AF

This is to certify, that BERT L CHESNEY

16 RONDEL DR

WEWOKA OK 74884

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 22, 1989; and has submitted Proof of Beneficial Use on June 18, 1990. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPRING

tributary to **SALMON RIVER, YANKEE FORK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 09/30	0.02 CFS	5.3 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.02 CFS	5.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 29, Township 12N, Range 15E
CUSTER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
12N	15E	20	SWSW	2		2

Total number of acres irrigated: 2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
2. Domestic use is for 2 homes and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 8TH day of

DECEMBER, 1978.

MICROFILMED

APR 14 1999

Acting for

KARL J. DREHER, Director

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 72-07420

Date of Priority: March 22, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

5.9 AF

Comes now

BERT L CHESNEY

~~PO BOX 1636~~

16 RONDEL DRIVE

~~STILLWATER OK 74076~~

WEWOKA, OK 74884 and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 72-07420, and requests that the permit be changed as follows:

Source: SPRING

tributary to SALMON RIVER, YANKEE FORK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 09/30	0.02 CFS	5.3 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.02 CFS	5.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 29, Township 12N, Range 15E
CUSTER County

PLACE OF USE: IRRIGATION

TWN RGE SEC

12N 15E 20

ACRES

SWSW

1.5

2.0

ACRES

ACRES

TOTAL

1.5

2.0

Total number of acres irrigated:

1.5

2.0

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

MICROFILMED

APR 14 1999

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at WEWOKA, OKLAHOMA, this 24th day of NOVEMBER, 1998.

Bert L. Chesney
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 72-07420

FOR DEPARTMENT USE ONLY

Preliminary check by SWC Fee = 50⁰⁰ Receipted by BG # C044013 Date 12/1/98

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 72-07420 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
2. Domestic use is for 2 homes and does not include lawn, garden, landscape, or other types of irrigation.

Witness my hand this 8TH day of DECEMBER, 1998.


Acting for KARL J. DREHER Director

MICROFILMED

APR 14 1999

RECEIVED

JUN 18 1990

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 72-07420Telephone No. 405-624-2722 (Res.)
405-624-4210 (Off.)Name(s) of Permit Holder(s): BEAT L. CHESNEYPost Office Address: P.O. Box 1636, STILLWATER, OK 74076Source of Water: Spring

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:

Domestic 2 (No. of households)Irrigation 6200-41101, 200 AC. (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted 0.04 cfs NA acre/feetShow date water was first diverted and beneficially used under this permit: August 1989

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ NoFee Enclosed: \$ N/A (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

JOE FROST
NameRes: 208-879-2481 Bus: 208-838-2200
Telephone No.HC 67 Box 2049, Challis, ID 83226
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

NOV 27 1990

6-12-90
DateBeat L. Chesney
Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant BERT L. CHESNEY Phone 405-624-2722

Post office address P.O. BOX 1636, STILLWATER, OK 74076

2. Source of water supply SPRING which is a tributary of N/A Sinks to

3. Location of point of diversion is SE $\frac{1}{4}$ of SE ~~1/4~~ $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____

Sec. 29 Township 11 N Range 15 E B.M. CUSTER County; additional

points of diversion if any: NONE

4. Water will be used for the following purposes:

Allow 0.06 cfs 0.08 for Domestic (Household) purposes from April 1 to November 1 (both dates inclusive)
go 3-30-89 Amount 0.1 for Domestic (Household) purposes from January 1 to December 31 (both dates inclusive)

Amount 0.06 for Irrigation (Law) purposes from May 1 to September 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.1 0.25 1/2 and/or (b) 4 1/2 1 Not needed at this time
cubic feet per second acre feet per annum go 3-30-89

6. Proposed diverting works:

*kw 7/6/89

a. Description of ditches, flumes, pumps, headgates, etc. 20 gallon collector tank to be
installed at head of spring. two inch water line to be connected to collector
tank, buried and run to households.

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

1 years (minimum 1 year).

MICROFILMED

SEP 12 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. N/A
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. two
- e. Other; describe fully. Lawn irrigation periodically.

205 18 1988

UNRECORDED

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
11 N	15 E	20												D					
11 N	15 E	20												2					2

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? U.S. Forest Service

b. Who owns the land to be irrigated or place of use? BERT L. CHESNEY


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

UNRECORDED

SEP 14 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bert J. Schoney
(Applicant)

Proposed Priority 3/22/89

3/22/89 10:30

✓ attached

Received by AC Date 3/14/89 Time 10:00 Preliminary check by J. F. Stanton

Fee \$ 30.00 Receipted by M. Baldwin # 500 6674 Date 3/24/89

Publication prepared by M. Baldwin Date 5/5/89 Published in Challis Messenger

Publication approved M. Baldwin Date 6/5/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 72-7420, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.


e. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 10th day of July, 1989.

J. Glen Saylor

MICROFILMED

SEP 12 1989



AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, Margaret Parks, Publisher of the Challis Messenger, a weekly newspaper, published at Challis, Idaho, do solemnly swear that the notice hereto attached and made a part hereof, was published in the regular and entire issue of the Challis Messenger for 2 consecutive weeks, commencing with the issue dated May 18 1989 and ending with the issue dated May 25 1989.

Margaret Parks

RECEIVED

STATE OF IDAHO

MAY 31 1989

COUNTY OF CUSTER

Department of Water Resources
Southern Region Office

On this 30th day of May in the year of 1989, before me, a Notary Public,

personally appeared Margaret Parks known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Ethel M. Peck
Notary Public for Idaho

Residing at Challis

My commission expires: 2-21-92

MICROFILMED

SEP 12 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

71-07124

C/O NELSON, ROSHOLT, ROBERTSON, TOLMAN, & TUCKER, ATTORNEYS

MC KAIN, JOHN M.
253 MARTIN STREET
TWIN FALLS, ID 83301

Source: VALLEY CREEK Tributary: SALMON RIVER
Diversion Pt: NWSE Sec 25 T 11N R 12E

Use: IRRIGATION (.100 CFS)
Date Filed: 4/10/1989
In: T11N R12E S25 NWSE SWSE

5.0 ACRES TOTAL

72-07417

ROWLAND, MARY
ROWLAND, CARROLL
P.O. BOX 3086
ELKO, NV 89801

Source: CHALLIS CREEK Tributary: SALMON RIVER
Diversion Pt: NWNWNW Sec 10 T 14N R 19E

Use: IRRIGATION (.140 CFS)
Date Filed: 3/22/1989
In: T14N R19E S10 NWNW

7.2 ACRES TOTAL

72-07418

ELKHORN PLACER ASSOC.
C/O D. H. SCHOONEN
1364 12TH ST.

IDAHO FALLS, ID 83404
Source: TREON CREEK Tributary: SALMON RIVER
Diversion Pt: NENESE Sec 25 T 11N R 15E

Use: DOMESTIC (.070 CFS)
Date Filed: 3/29/1989
In: T11N R15E S25 SENE

72-07420

CHESNEY, BERT L.
P.O. BOX 1636
STILLWATER, OK 74076

Source: SPRING Tributary: SINKS
Diversion Pt: SESENW Sec 29 T 11N R 15E

Use: DOMESTIC (.060 CFS)
IRRIGATION (.060 CFS)
Date Filed: 3/22/1989
In: T11N R15E S20 SESW

2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JUNE 5, 1989.

R. KEITH HIGGINSON,
Director

Publish: May 18 & 25, 1989.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 9, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

BERT L. CHESNEY
16 RONDEL DR
WEWOKA OK 74884

RE: WATER RIGHT NO. 72-07420

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 14 1999

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:


- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

APR 14 1999

CERTIFICATE OF MAILING

I hereby certify that on the 9th day of December, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 72-07420

BERT L CHESNEY
16 RONDEL DR
WEWOKA OK 74884



Kari Lynn Townsend
Secretary

MICROFILMED

MEMORANDUM

TO: File 72-07420

FROM: Sharla

DATE: December 2, 1998

RE: Recommendation Adjustment(s)

On this date Shelley Keen spoke with Georgia Satterlee concerning the changes the right holder made to the licensing amendment. After discussing the changes, it was agreed that the two cabins although sharing the shower/bath house and kitchen/dining facility can be recognized as "2 homes". The rate and volume recommended by Georgia will remain the same.

As for the irrigation of 2 versus 1.5 acres, Georgia indicated on the phone that the boundaries of the "irrigated" area are indefinite and a total of 2.0 acres is reasonable.

RECORDED

APR 14 1999

16 Rondel Drive
Wewoka, OK 74884

November 24, 1998

Mr. Shelley W. Keen
Water Rights Supervisor
Idaho Department of Water Resources
P.O. Box 83720
Boise, ID 83720

RE: Water Right No. 72-07420 RECEIVED
Application For Amendment
NOV 30 1998

Dear Mr. Keen:

Department of Water Resources

I apologize for being this long in responding to your November 9, 1998 letter concerning the Water Permit information. However, the letter was mailed to my old address and I only received it in the mail yesterday. My address changed in March of 1992. That change had been given to your Staff in response to other correspondence I have received since that time and I also advised Ms. Satterlee of the need to correct the address in conjunction with the Field Exam. I guess the needed correction fell through the cracks, so to speak. That's okay, I understand how that can happen. Also, I hasten to add, the various people in your office that I have had occasion to visit with while going through this water permit process have provided me with excellent and thoughtful assistance. I appreciate that very much.


With respect to the Application for Amendment, I have checked back in my records and found I made an error in listing the Township location as being 11, rather than 12 as you have noted. I regret the oversight. I also would like to petition for the following changes with respect to two items noted in the Application for Amendment:

Item 1 The acres irrigated should be 2.0 acres. The irrigated (sprinkler type system) acreage encompasses an area averaging about 425 feet by 225 feet. That would be 2.18 acres. However, after subtracting the areas occupied by the buildings, driveways, and parking area, there would be about 2.0 acres. I have prepared, and have enclosed for your file, a Plat of Land Use for Lot 2 that shows the approximate location of the buildings, roads, and area requiring irrigation. In retrospect, I should have taken the time to specifically point out the irrigation perimeters to Ms. Satterlee during her visit, rather than explaining the "general area".

Item 2 Under the Section Entitled, "Conditions of Approval and Remarks", I notice that the "Domestic Use" reflects "1 home". It should reflect "2 homes" as my original application noted. You will note from the enclosed Land Use Plat for Lot 2 that the water line from the holding tank serves two cabins, a shower/bath house, and kitchen/dining facility. The reason for the separate shower/bath room and kitchen/dining facility buildings was because of the small size of the cabins. Both cabins have only a small cook stove and lavatory/sink.

I have noted the requested correction of acres irrigated and signed the page related thereto. I have also enclosed a check for the \$50.00 filing fee in the hopes that there will not be a problem with my request with respect to the two items noted in this letter.

Sincerely,


Bert L. Chesney

MICROFILMED

APR 14 1999

Enclosures

LAND USE PLAT - LOT 2

LOT 2 7,482 ACRES

YANKEE FORK Addition
ACCESS ROAD

893.24 Feet Length TOTAL

LOT 2 ACCESS ROAD

980.09 Feet Length TOTAL

560 feet

LOT 3

LOT 1

IMPROVED
SALICATED
WITH SPRINKLERS - Access Road 4.5 feet x 13.5 feet
(best buildings, roads, parking areas)

KITCHEN-
DINING
BUILDING

SHOWER
HOUSE
BATH ROOMS

CABIN
#2

CABIN
#1

PAVING
AREA
SEWAGE BUILDING

Holding Tank

WATER LINE TO SPRING

390 Feet This side

J.R. SIMPLOT
PROPERTY

MICROFILMED

APR 14 1999

MEMORANDUM

DATE: November 25, 1998
TO: File No. 72-07420
FROM: Cindy Zimmerman *CS*
SUBJECT: Telephone Conversation

I received a telephone call today from Bert Chesney concerning the licensing amendment and letter sent November 9, 1998. Mr. Chesney identified a number of issues he has with the amendment as proposed.

1. Incorrect address. When Mr. Chesney accompanied Georgia on her exam, he informed her of his current address. The new address was not noted on the exam. The letter was sent to the wrong address which happened to be a relative, then forwarded on to him. He received the letter today. Mr. Chesney requested that all correspondence to him be addressed to 16 Rondel Dr., Wewoka, OK 74884.
2. Acres Irrigated. As noted in the exam, water is used to irrigate or keep things green around all structures not just the one cabin at the end of the water line. Mr. Chesney feels that all of the 2 acres permitted are irrigated.
3. Number of Domestics. As noted on the exam's hand-drawn map in the exam, domestic use includes 2 cabins as well as shower and kitchen cabins.

I advised Mr. Chesney to write this concerns down and mail them to Shelley Keen. Mr. Chesney stated that he would mail it today, and requested we hold processing on this file until the end of November. I agreed.

MICROFILMED
APR 14 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 9, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

BERT L CHESNEY
PO BOX 1636
STILLWATER OK 74076

RE: WATER RIGHT NO. 72-07420

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point(s) of diversion and place(s) of use developed are in locations other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the point(s) of diversion and place(s) of use and other information as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

APR 14 1999

MEMORANDUM

TO: File 72-07420

FROM: Sharla

DATE: November 6, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 72-07420 are as follows:

A. GENERAL INFORMATION

3. Source: Spring tributary to Salmon River, Yankee Fork

H. RECOMMENDATIONS

Irrigation	5/1 - 9/30	0.02 cfs	5.3 afa
Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
	TOTALS	0.02 cfs	5.9 afa

The tributary is a fork of the Salmon River so the correct listing of the tributary is Salmon River, Yankee Fork.

The standard irrigation season for this area is 5/1 - 9/30.

Exam Date: July 29, 1998
Examiner: Georgia Satterlee

MICROFILMED

APR 14 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 72-07420 DATE 10/30/98 REVIEWER: SHARLA

NAME OK Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV chg ☒ Change (P39/P47) ☐ Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE chg ☒ Change (P41/P47) ☐ Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .10 cfs
 Fee limit .04 cfs NO FEE PD.
 Measured .02 cfs
 Theoretical — cfs

Recommended Total Div Rate .02 cfs

WATER USES OK Change (P46) 5.3
Dom .02 cfs 1.5x3.5 af Irrig - overlap (R58-R61, R62-R65, R66-R69)
Dom .02 cfs .16 af supp. gw (WB7/065/079)
 _____ cfs _____ af overlap spec. combined rts (W35)
 _____ cfs _____ af <1acre (W31)
 _____ cfs _____ af Domestic (W01/WB5/070/071/075)
 TOTALS .02 cfs 5.9 af Power (W42 or W43/025/027/R22 or R23)
 Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .02 cfs X 153 days X 1.98 = 6.1 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes ☒ no SRBA Claim NA Adjust Memo trib
 Amend letters P37, P38
P47

Season
 = 5/1 - 9/30

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 72-67420
Phone No. (405) 257-3084

1. Owner: Bert Chesney
Current Address: PO Box 1636 Stillwater, OK 74076

2. Accompanied by: same as above EXAM DATE: 29 July 1998

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Yankee Fork

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A
2. Other water rights with the same point of diversion: "

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NW		29	T12N	R15E	CUSTER	Applicant's knowledge, GPS'd collection box bearing/distance from the collection box.


2. Place(s) of Use:

Indicate Method of Determination field exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
12N	15E	20											D						
"	"	"											1.5						

MICROFILMED
APR 14 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

Collection box only

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
GPS A0007829					
on tree 6's. of collection box					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: BUCKET/STOPWATCH = 0.02 cfs ±

MICROFILMED

APR 14 1999

E. NARRATIVE/REMARKS/COMMENTS

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee
DATE: 28 August 1998
RE: 72-07420

On 29 July 1998 I met with Mr. Bert Chesney. The permit is for domestic and irrigation from a spring. The majority of this area has not been surveyed. For this examination I interpolated the section, township, and range lines on the 7.5 minute Sunbeam quad.

The point of diversion is a spring south of the collection box. The collection box (size of box 2'x4'x2') is on the south-west portion of Chesney's property. Mr. Chesney's son constructed the 2" pvc pipeline. He vividly remembers the underground pipe being approximately $\frac{1}{2}$ mile long.

The measurement (bucket and stopwatch) was taken at the collection box. According to Chesney, the flow from the spring fluctuates. The measurement recorded is approximately 11 gallons per minute.

The site for the collection box was located with GPS. After downloading and correcting the data, I plotted the longitude and latitude on the quad. I have included the longitude and latitude data in the file.

One of two uses is for domestic. It appears to be more like a campground, i.e. communal affair. There are two cabins for sleeping. Each cabin has one sink. There is an open air (no permanent walls) kitchen and dining hall. There is one industrial size sink in this room. The shower cabin is obviously the major water use and is included with 2 sinks, 2 toilets, and 2 showers.

The irrigation use is accomplished by sprinkler(s). Nothing too sophisticated but it gets their needs met. Mr. Chesney says his main concern is to keep the perimeter green in case of fire.

The recommended diversion rate for domestic will be based on what is normally recommended for one domestic household without a yard. The recommendation for irrigation is based on the rate not exceeding 0.02 cfs per acre for 1.5 acres.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 14 1999

F. FLOW CALCULATIONS

Measured Method:

____ Additional Computation Sheets Attached

* It appears applicant did not pay exam fee (Proof filed 6/12/90) *

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1.5) 3 = 4.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.02(215)1.9835 = 8.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.5$$

2. Volume Calculations for Other Uses:

Condition C. "... irrigation shall not exceed 0.02 cfs/acre ..."

* EXAM FEE LIMIT 0.20 cfs *

Permit Rate	0.10 "
Recommended "	0.02 "
Measured "	0.02 cfs

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	01/01	12/31	0.02	0.6
Irrigation	04/01	11/01	0.02	4.5
Totals:			0.02	5.1 af

SYSTEM CAPACITY

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

→ field verification of property descriptions for P/d & P/u

I. AUTHENTICATION

Field Examiner's Name

Georgia Sutterlee

Date

28 Aug 1998

Reviewer

Date

SEAL

MICROFILMED
APR 14 1999

IN RE
DAN


114°45'

680000 m. E.

215E

CLUSTER 1.8 MI.

42'30"




MICROFILMED

APR 14 1999 33

Sunbeam 471
7.5' Quad (1964)

72-07420



Cabins 1 sink (each)
 Kitchen 1 sink
 Shower Room { 2 sinks
 2 toilets
 2 showers

MICROFILMED
 APR 14 1999

Chesney, Bert
 72-07420

P/4
inside
forest

1/3

Photo looking S'ly
from [redacted]
collection box
toward the [redacted] spring

entrance gate at the road
photo looking west

SPRING
UP HERE...

photo looking SE'ly

approximately 1/2 mile of buried
pipeline to the spring

→ A0007829
GPS Tag on tree 6ft. S. of
collection box

collection box GPS'd location
SWSW 1/4 Section 20, T12N, R15E

MICROFILMED


APR 14 1999

2/3




From collection box, looking @ the back

of most W'ly cabin on property



middle of camp, looking E'ly @ the
most easterly cabin on property



Play area, looking S'ly

MICROFILMED
APR 14 1999

3/3

back of the most e'ly cabin on property

photos looking W'ly+
irrigated areas 1.5 acres ±

Photo looking W'ly; cabin is the most
westerly cabin on property, the
collection box is 300 ft. ± west from
this cabin...

MICROFILMED

APR 14 1999

Chesney, Bert

72-07420

72-07420

latlongascii.txt

114 16 41.206522279 -,44 12 56.244609667 +, , 1720.461,GeoExplorer,07/29/98,06:27:43PM,r073000a.cor,198,1.436965
114 18 19.797823959 -,44 26 58.550333484 +, , 2361.354,GeoExplorer,07/22/98,11:38:04AM,r072217a.cor,201,8.963606
114 18 22.83758579 -,44 27 32.247061031 +, , 2308.681,GeoExplorer,07/22/98,12:25:49PM,r072218a.cor,189,1.940853
114 18 30.929882722 -,44 28 01.405230744 +, , 2324.966,GeoExplorer,07/22/98,12:59:35PM,r072218b.cor,335,1.548513
114 04 44.874089417 -,44 07 52.332074733 +, , 2494.576,GeoExplorer,07/22/98,04:16:56PM,r072222a.cor,201,1.090532
114 12 28.508446234 -,44 33 02.175941184 +, , 1531.201,GeoExplorer,07/23/98,09:27:58AM,r072315a.cor,197,1.289094
114 11 49.547402498 -,44 34 45.68096834 +, , 1534.682,GeoExplorer,07/23/98,10:47:56AM,r072316a.cor,187,0.478596
114 10 21.753412613 -,44 28 40.017817691 +, , 1553.931,GeoExplorer,07/23/98,12:19:50PM,r072318a.cor,295,4.013724
114 14 49.333223736 -,44 26 31.303463315 +, , 1721.741,GeoExplorer,07/24/98,08:47:48AM,r072414a.cor,188,6.30825
114 10 10.574666791 -,44 28 28.635211542 +, , 1559.276,GeoExplorer,07/24/98,09:37:13AM,r072415a.cor,303,1.44934
114 43 28.325619216 -,44 20 21.394609931 +, , 1936.664,GeoExplorer,07/29/98,02:44:24PM,r072920a.cor,267,4.715036
114 43 52.422501889 -,44 20 59.276817029 +, , 1978.860,GeoExplorer,07/29/98,04:44:25PM,r072922a.cor,186,8.255863
114 13 37.286528475 -,44 26 26.822259158 +, , 1573.474,GeoExplorer,07/22/98,08:44:51AM,r072214a.cor,289,0.43561

72-0744

72-07420

MICROFILMED
APR 14 1999

November 1, 1990

BERT L. CHESNEY
P.O. BOX 1636
STILLWATER, OK 74076

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 72-07420

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

NOV 27 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 72-7420

Date: 10-19-90

General Considerations:

y Name same as permit
y Signature the same as permit holder
N Address change If yes, prepare a data entry
y Proof received timely
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

130850
~~130850~~
May 31, 1990

BERT L. CHESNEY
P.O. BOX 1636
STILLWATER, OK 74076

PROOF DUE NOTICE

RE: PERMIT NO. 72-07420

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
July 12, 1989

BERT L. CHESNEY
P.O. BOX 1636
STILLWATER, OK 74076

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 72-07420

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 12 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Chasney, Bert

JS

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY J. F. Stanton DATE 2-30-89 APPLICATION NUMBER 72-07420

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources) *See APP. PROC (Memo #20)*
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

WATER District _____

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☒ Yes ☐ No Field check required
Field check by _____
☐ Yes ☐ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

JUN 21 1989

Department of Water Resources

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM, District _____
☐ Idaho Dept. of Fish & Game, Region _____ ☒ U.S. Forest Service, Forest Challis
☐ Idaho Dept. of Lands ☐ Water District # _____
☐ Adjudication Bureau Unit ☐ Other _____

AL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 6/5/89
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

☐ See below for additional information

Date of priority recommended 3-22-1989

By Karen O'Hara Date 6/12/89

STATE OFFICE REVIEW

P16 04

☐ See below for additional information

By KW Date 7-6-89

ADDITIONAL INFORMATION

09-May-1989

Challis National Forest
Attention: Jerry Hinz
P.O. Box 404
Challis, ID 83226

Re: Application for Permit

Gentlemen:

Please find enclosed a copy of an Application for Permit for your information and files.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

James E. Stanton
Sr. Water Agent

JS:MB

Enclosure

RECORDED

SEP 12 1989

09-May-1989

Bert L. Chesney
P.O. Box 1636
Stillwater, OK 74076

Re: Application for Permit No. 72-07420

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Challis Messenger on 5/18 & 5/25/89. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

James E. Stanton
Sr. Water Resource Agent

JS:MB

NOTIFIED

SEP 12 1989

STATE OF IDAH
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

MAY 5, 1989

CUSTER PUBLISHING COMPANY
P.O. BOX 405
CHALLIS, ID 83226

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 5, 1989.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

RECEIVED

SEP 12 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

Mineral

SEP 12 1989

72-07420

CHESNEY, BERT L.
P.O. BOX 1636
STILLWATER, OK 74076

Source: SPRING

Tributary: SINKS

Diversion Pt: SESENW Sec 29 T 11N R 15E

Use: DOMESTIC (.060 CFS)
IRRIGATION (.060 CFS)

Date Filed: 3/22/1989

In: T11N R15E S20 SESW

2.0 ACRES TOTAL

MICROFILMED

SEP 12 1989

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before JUNE 5, 1989.

R. KEITH HIGGINSON, Director

Published 5/18/1989 & 5/25/1989

MICROFILMED

SEP 12 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 2148 4th Ave. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

March 14, 1989

R. KEITH HIGGINSON
Director

Bert or Joyce Chesney
P.O. Box 1636
Stillwater, OK 74076

RECEIVED

MAR 22 1989

Department of Water Resources
Southern Region Office

Dear Applicant:

Returned herewith is your application for a water permit and any fees submitted.

Preliminary review of the application indicates that some of the information required to make the application acceptable for receipt by the department needs to be completed or clarified.

The attached checklist shows which items need to be completed.

If you need assistance in completing an application, please feel free to contact this office at (208) 734-3578 or visit us at 2148 4th Ave. East, Twin Falls.

Very Truly yours,

Loren O. Holmes, P. E.
Southern Region Manager

The application has been corrected as suggested, thank you for your assistance. I was not sure how to estimate the water needs.

Bert J. Chesney
3/17/89

MICROFILMED

SEP 12 1989

P.S. If the \$30.00 estimate fee check enclosed is not adequate for the revised application, please advise.

72-07420

DEPARTMENT OF WATER RESOURCES - SOUTHERN REGION
APPLICATION PRELIMINARY REVIEW REPORT

Applicant Chasney, Bert

Correction or completion of the following items is required before the application can be accepted for processing by the department:

() Name _____

() Address _____

() Source of water _____

() Point of Diversion _____

() County _____

(x) Quantity (Flow and/or Volume) Recommended amount for 1 acre
is .04 cfs (189pm) - Amount for 2 Acres is .06 cfs

(x) Period of use For this area April 1 - November 1 is recommended.

() Nature of proposed use _____

() Description of diverting works _____

() Time required for beneficial use _____

() Place of use _____

() Map _____

() Signature (If applicant is a corporation, partnership, or municipality, title of signator is required) _____

() Fee Check 3410 for \$45⁰⁰ enclosed

ENCLOSURES

The following are enclosed for your use in making a complete application

() Application form

() Instructions

() Map (For use as the required application map)

Reviewed by LH