

(M-BAR LIVESTOCK RANCHES)

Twp. 14 N
Rge 19 E.

27 26
34 35

C.R. BOGE


C.W. WUNSCH

C.R. BOGE

25

MICROFILMED

Robert M. Swager
(Applicant)




UNITED STATES GEOLOGICAL SURVEY
 PHOTOGRAPHS TAKEN USGS, NOS/NOAA
 1984
 1986 MAP EDITED 1989
 TRANSVERSE MERCATOR
 TRANSVERSE MERCATOR ZONE 11
 ID TICKS IDAHO, CENTRAL ZONE
 1°58' EAST
 DECLINATION 16°30' EAST
 NATIONAL GEODETIC VERTICAL DATUM OF 1929
 1927 NORTH AMERICAN DATUM
 North American Datum of 1983,
 as shown by dashed corner ticks
 meters east)
 Holdings within the boundaries of any
 shown on this map
 have not been established

PROVISIONAL MAP
 Produced from original
 manuscript drawings. Informa-
 tion shown as of date of
 photography.

1

MICROFILMED
SEP 16 1992

SCALE 1:24 000




CONTOUR INTERVAL 40 FEET
 SUPPLEMENTARY CONTOUR INTERVAL 20

To convert feet to meters multiply by .3048
 To convert meters to feet multiply by 3.2808

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY
 FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, CO
 OR RESTON, VIRGINIA 22092

2027
3334



MICROFILMED
SEP 16 1992

72-7377



Ditch & Check Dams



Pasture

MICROFILMED
SEP 16 1992



Water drains off of these
lands and collects in a ditch that runs between the
fence and the road

MICROFILMED
SEP 16 1992



water goes
under the
road through
this pipe.
It is 18" in dia.



It then
goes in
the ditch
this side
off the
mounds of
dirt. Then
over and
onto Mr. Savage's
pasture ground

MICROFILMED
SEP 16 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 72-07377

Priority: July 5, 1984

Maximum Diversion Rate: 0.17 CFS
Maximum Diversion Volume: 29.8 AF

This is to certify, that ROBERT N SAVAGE
BERTHA J SAVAGE

PO BOX 743

CHALLIS ID 83226

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 2, 1984; and has submitted Proof of Beneficial Use on January 1, 1900. An examination indicates that the works have a diversion capacity of .170 cfs of water from:

WASTE WATER tributary to GARDEN CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.17 CFS	29.8 AF

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 27, Township 14N, Range 19E
CUSTER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14N	19E	27	SESE	8.5		8.5

Total number of acres irrigated: 8.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.

MIDDELMED

SEP 16 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 72-07377

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of SEPTEMBER, 1992.


Acting for R. Keith Higginson, Director

SEP 16 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO


IN THE MATTER OF PERMIT TO	)	
	)	
APPROPRIATE WATER NO. 72-07377)	)	ORDER REMOVING MEASURING
	)	DEVICE REQUIREMENT
IN THE NAME OF ROBERT N &/OR	)	
	)	
<u>BERTHA J SAVAGE</u>	)	

A field examination for Permit No. 72-07377 was conducted by the Department of Water Resources in 1990. The water flow was not measured, but the examiner simply used the turbine rating as the maximum flow rate.

A condition of the permit required installation of a measuring device. No measuring device is presently in place for the project. The field examiner indicates that installation of a measuring device would be physically impossible unless the system is redesigned and reconstructed.

IT IS HEREBY ORDERED that the condition requiring installation of a measuring device and lockable control works is rescinded and removed as a condition on the permit.

Dated this 6th day of AUGUST, 1992.


L. GLEN SAXTON,
Chief, Water Allocation Bureau

MICROFILMED
SEP 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

JUL 1984

APPROVED
Department of Water Resources
Southern District Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert N. And/or Bertha J. Savage Phone 879-2238

Post office address Box 743, Challis, Id. 83226

2. Source of water supply Wastewater which is a tributary of * Salmon River

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 14 N

Range 19 E B.M. Custer County, additional points of diversion if any: _____

* Per conversation w/applicant 7-5-84 ga

4. Water will be used for the following purposes:

Amount 0.20 cfs for Irrigation purposes from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Earth ditch gravity irrigation

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 10

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Calvin Helm

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILMED

(M-BAR LIVESTOCK BRANDS)

Twp. 14 N
Rge 19 E

C.R. BOGE

C.W. MUNSCH

MICROFILMED

Robert M. Savoy
(Applicant)

Proposed Priority 7/2/84

Received by marva Date 7/2/84 Time 8:00 a

Preliminary check by Q Fee \$ 30.00 # 33136

Receipted by marva Date 7/3/84

Publication prepared by marva Date 7/1/84

Published in Custer Publishing Co.

Publication dates 7/1 + 7/26/84

Publication approved marva Date 7/20/84

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ADM kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 72-7377, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 85.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water under this permit is subject to control by the watermaster of State Water District No. 72B, Garden Creek.

Witness my hand this 26th day of September, 1984.

A. Glen Sayton
Chief, Operations Bureau

MICROFILMED

T-83-93

Robert N. or Bertha J. Savage

167010

A portion of Sec. 26, 27, & 34, T14 N. R19 EBM, Custer County
Idaho described as:

Beginning at a point that is N. $0^{\circ}01'05''$ W. along the Sec. line
659.76 ft. from the SE corner of Sec. 27, T14 N., R19 E. of the
Boise Meridian said point being on the Northerly boundary of Wild
River Estates, Div. no. 1, a subdivision located in Custer County,
Idaho; running thence N. $62^{\circ}15'53''$ E. along said boundary 54.22 ft. to
an angle point in said boundary; thence continuing along said
boundary N. $64^{\circ}23'19''$ E., 29.93 ft.; thence N. $83^{\circ}07'43''$ W.,
493.53 ft.; thence S. $77^{\circ}23'20''$ W. 881.31 ft.; thence S. $0^{\circ}53'05''$
W. 580.00 ft. to the Northerly boundary of said subdivision; thence
N $62^{\circ}15'53''$ E. on and along said boundary 1450.69 ft. to the point
of Beginning and containing 10.62 acres, more or less.

T-83-93 to come out of T-324

MICROFILMED

AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, MARGARET PARKS

Publisher of the Challis Messenger, a weekly newspaper, published at Challis, Idaho, do solemnly swear that the notice hereto attached and made a part hereof, was published in the regular and entire issue of the Challis Messenger for 2 consecutive weeks, commencing with the issue dated JULY 19 1984 and ending with the issue dated JULY 26 1984.

Margaret Parks
Subscribed and sworn to before this 27 day of July 1984

Ed M. Beck
Notary Public, residing at Challis, Idaho. My commission expires on Life

RECEIVED
JUL 30 1984

DEPARTMENT OF WATER RESOURCES
SALMON RIVER DIVISION

RECEIVED
SALMON RIVER DIVISION

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

72-7374

ANDREWS, RICHARD J.
SUNBEAM STORE, STANLEY,
ID 83278

Source: SUNBEAM HOT SPRINGS trib. to SALMON RIVER
GROUNDWATER SPRINGS trib. to SINKS

Date Filed: 06/11/1984
Diversion Pt: NESW NENE SENE
Sec 19 T 11N R 15E NWNW SWNW
Sec 20 T 11N R 15E

Use: COMMERCIAL (0.04 CFS)
HEATING (0.05 CFS)
In: NENE SENE Sec 19 T 11N R 15E NWNW SWNW Sec 20 T 11N R 15E

72-7375

INGRAM WARM SPRINGS
RANCH
H/C 61, BOX 3020, CHALLIS, ID
83228

Source: WARM SPRINGS CREEK trib. to SALMON RIVER

Date Filed: 04/19/1984
Diversion Pt: NWSW Sec 10 T 12N R 20E

Use: FISH PROP. (100.00 CFS)
POWER (100.00 CFS)
In: NENE NWNE Sec 32 T 13N R 20E

72-7376

IVES, FREDRICK T.
BOX 53, ELLIS, ID 83235
Source: SPRING trib. to SINKS
Date Filed: 06/22/1984
Diversion Pt: NWNE Sec 10 T 15N R 20E

Use: STOCKWATER (0.02 CFS)
DOMESTIC (0.02 CFS)
In: LOT 10 Sec 03 T 15N R 20E

72-7377

SAVAGE, ROBERT N. &/or
BERTHA J.
BOX 743, CHALLIS, ID 83226
Source: WASTE WATER trib. to SALMON RIVER

Date Filed: 07/02/1984
Diversion Pt: SESE Sec 27 T 14N R 18E

Use: IRRIGATION (0.20 CFS)
In: SESE Sec 27 T 14N R 18E FOR 10 ACRES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before AUGUST 6, 1984.

A. KENNETH DUNN
Director

Published 7/19 & 26/1984.

September 10, 1992

ROBERT N SAVAGE
BERTHA J SAVAGE
PO BOX 743
CHALLIS ID 83226

RE: WATER RIGHT NO. 72-07377

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
SEP 16 1992

August 6, 1992

ROBERT N SAVAGE
BERTHA J SAVAGE
PO BOX 743
CHALLIS ID 83226

RE: WATER RIGHT NO. 72-07377

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
SEP 16 1992

LICENSE REVIEW CHECKLIST

Permit # 72-07377

Date 8-4-92
28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u> </u>	Address Change?
PRIORITY DATE	<u> </u>	<u> </u>	Advance? <u>Exam Notice 8-12-86 / Fee Sheet 10-14-86</u>
	<u> </u>	<u> </u>	Memo to Advance to <u>76-84</u>
	<u> </u>	<u> </u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u> </u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
			<u>8.5 x .02 = .17 cfs (IRR)</u>
	<u>NA</u>	<u> </u>	Disagree with Theoretical?
	<u> </u>	<u> </u>	Limited by Capacity? <u>.17 cfs</u>
TOTAL VOLUME			Rate/ac <u>3.5</u> AFA Irr. Season <u>B</u>
			<u>4-15 to 10-15</u> Standard Irr. Season
			<u>Same / Reduced from Permit</u> Season Recommended
	<u> </u>	<u> </u>	Disagree with Examiner's Calculations?
			<u>8.5 x 3.5 = 29.75 x 29.84 cfs (IRR)</u>
	<u> </u>	<u> </u>	Limited by Flow? <u>.17 x 183 x 1.9835 = 61.7 > 29.8</u>
SOURCE	<u> </u>	<u> </u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u> </u>	<u>Intended</u> source <u>change trib from Salmon R. to</u>
	<u> </u>	<u> </u>	Notice of Intent to Void. <u>Garden Creek.</u>
P/D			Verify with Map
	<u> </u>	<u> </u>	Amendment Needed?
	<u> </u>	<u> </u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u> </u>	<u> </u>	Amendment Needed?
	<u> </u>	<u> </u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u> </u>	Change(s) in Nature of Use?
	<u> </u>	<u> </u>	Amendment Needed?
REMARKS	<u> </u>	<u> </u>	Multiple P/Ds in 1/4 1/4?
	<u> </u>	<u> </u>	Non-Irr. Uses
	<u> </u>	<u> </u>	Special Overlap Condition
	<u> </u>	<u> </u>	Other
CONDITIONS	<u> </u>	<u> </u>	Measuring Device
	<u>R04</u>	<u> </u>	W/Master Control
	<u>R30</u>	<u> </u>	Overlap
	<u> </u>	<u> </u>	Water Quality
			DATES/MISC
	<u> </u>	<u> </u>	<u>72B</u> Water Dist.
	<u> </u>	<u> </u>	App Rec'd
	<u> </u>	<u> </u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate, acres, season
F.E. recommends removal of M.D. & W.M. Conditions (See H*)

License 10-Day 15-Day Special Correspondence

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/04/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	ROBERT N SAVAGE	07/05/1984	IRRIGATION	04-15 10-15	0.17 CFS	29.8 AFA
C	BERTHA J SAVAGE					
	PO BOX 743					
	CHALLIS ID 83226					
	(208) 879-2238					
				TOTAL DIVERSION:	0.17 CFS	29.8 AFA

Water Source: WASTE WATER

Tributary to: GARDEN CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.17 CFS

Point(s) of Diversion: T14N R19E S27 SE SE

Place of use Legal Description for: IRRIGATION

NE						NW				SW				SE								
T	R	S	: Lt Ac	NENE Lt Ac	SWNE Lt Ac	SENE Lt Ac	: NENW Lt Ac	NWNW Lt Ac	SWNW Lt Ac	SENW Lt Ac	: NESW Lt Ac	NWSW Lt Ac	SWSW Lt Ac	SESW Lt Ac	: NESE Lt Ac	NWSE Lt Ac	SWSE Lt Ac	SESE Lt Ac	: SUM			
14N	19E	27	:				:				:				:				:	8.5		
																			08	:	8.5	
																			TOTAL ACRES		:	8.5

Pou County: CUSTER

Other Water Rights with Same Point(s) of Diversion and Source:
72-07377

Other Water Rights Listing Overlapping Place(s) of use:
72-04080 72-04149 72-07263 72-07377

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.
- R30 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 3.5 afa per acre for the
- lands above.

Dates: App. Received: 07/02/1984 Priority Date: 07/05/1984
Proof Due Date: 10/01/1985 Proof Made Date: 01/01/1990
Exam Made Date: 08/16/1990 Exam Sent to S.O.: 02/25/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 08/04/92 SKAGGS

MEMORANDUM

TO: FILE 72-07377

FROM: PAM SKAGGS *PS*

RE: REMOVING CONDITIONS

DATE: 01-JUL-1992

=====

The permit holder originally requested that the measuring device and water master conditions be removed 11-16-84. There was some concern because of prior difficulties in WD 72B and regional recommendations were requested.

The field examiner after viewing the system has recommended removal of the measuring device and water master conditions (See H* on the exam). An order to remove the conditions will be prepared for consideration.

MICROFILMED

SEP 16 1992

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 72-7377

FROM: PAM SKAGGS *PS*

RE: PRIORITY ADVANCE REVIEW

DATE: 4-AUG-1992

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	JULY 02 1984	183
EXAM FEE NOTICE		
Exam Fee Notice Date:	AUGUST 12 1986	224
Exam Fee/Info Sheet Received Date:	OCTOBER 14 1986	287
Exam Fee or Info Due Date:	OCTOBER 11 1986	284
Days Late:		3 DAY(S)
 NEW PRIORITY DATE		
Original Priority Date:	JULY 02 1984	183
Total Days Late:		3 DAY(S)
 New Priority Date:	JULY 05 1984	186

RECORDED

SEP 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 72-7377

1. Owner: Robert Savage
Current Address: P.O. Box 743, Challis, ID 83226
Phone No. 877-2238 or 2325
2. Accompanied by: Mr. Savage EXAM. DATE: 8-16-90
Address: _____ Phone No. _____

Relationship to Permit Holder: _____


3. Source: Waste Water tributary to Garden Cr.

B. OVERLAP REVIEW

1. Other water rights with same place of use: 72-7263 (groundwater), A72-10480-10482 (Salmon R. via Gini Ditch) ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

SEP 16 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Waste water goes under road, then via dirt ditch 1' deep x 4-5' wide. Gravity irrigation of 8-9 acres of pasture. Checks in waste ditch. Wastewater will irrigate this property whenever there is water in the ditch. water availability depends on when & how much the farm west of the road irrigates.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	27	14N	19E	Custer	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14N	19E	27																8.5	8.5

Do not use this space

SEP 16 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

Allow 8.5 ac. x .02 cfs/ac. = 0.17 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 8.5 \times 3.0 = 25.5 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

RECEIVED

SEP 16 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Land also has ~~Garden Cr.~~^{Salmon R.} water rights via Gini Ditch. Waste water flow estimated at 50-100" by Mr. Savage. It was obvious that the ditch has carried much more water than could be licensed under this permit, so I did not feel that a measurement was necessary. The ditch was moist, but not flowing, during my visit. Mr. Savage stated that the soil is very gravelly, requiring several inches of water per acre for proper irrigation. But since the permit was approved at 1 inch per acre, recommend the license be issued at that rate.

- * If this water has a surface connection to Garden Creek, it enters the stream below all other diversions. No other users of Garden Creek are affected by this diversion. Therefore requirements for lockable headgate & watermaster control of diversion should be removed from permit. Any kind of headgate simply would not work in this system. Domestic/irrig. well is only used once or twice a year to irrigate this land.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	11-1	0.17	25.5
Totals:			0.17	25.5

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None


☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name J. E. Stanton
Signature J. E. Stanton
Certification Date 4/10/91
Field Report Preparation Date 9-10-90



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SEP 10 1990




UNITED STATES GEOLOGICAL SURVEY
 PHOTOGRAPHS TAKEN USGS, NOS/NOAA
 1986 1984
 MAP EDITED 1989
 TRANSVERSE MERCATOR
 TRANSVERSE MERCATOR ZONE II
 ID Ticks IDAHO, CENTRAL ZONE
 1°58' EAST
 ECLINATION 16°30' EAST
 NATIONAL GEODETIC VERTICAL DATUM OF 1929
 1927 NORTH AMERICAN DATUM
 North American Datum of 1983,
 lines as shown by dashed corner ticks
 meters east)
 inholdings within the boundaries of any
 rations shown on this map
 es have not been established

PROVISIONAL MAP
 Produced from original
 manuscript drawings. Infor-
 mation shown as of date of
 photography.

1

MICROFILMED
 SEP 16 1992




SCALE 1:24 000
 CONTOUR INTERVAL 40 FEET
 SUPPLEMENTARY CONTOUR INTERVAL 20

To convert feet to meters multiply by .3048
 To convert meters to feet multiply by 3.2808

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY
 FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, CO
 OR RESTON, VIRGINIA 22092

2027
3334




MICROFILMED
SEP 16 1992

72-7377



Ditch & Check Dams



Pasture

MICROFILMED
SEP 16 1992



Water drains off of these
lands and collects in a ditch that runs between the
fence and the road

RECORDED
SEP 16 1952



water goes
under the
road through
this pipe.
It is 18" in dia.



It then
goes in
the ditch
this side
off the
mounds of
dirt. Then
over and
onto Mr. Savage's
pasture ground

UNRECORDED

SEP 16 1992



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

October 14, 1986

Robert N. Savage
Box 743
Challis, ID 83226

Re: Permit No. 72-7263, 72-7377

Dear Mr. Savage:

Please find enclosed receipt No. 38763 in the amount of \$100.00 for examination fee received in this office 10/14/86 for the above referenced permits; \$50.00 examination fee for each permit number listed above.

Please feel free to contact this office if you have any questions.

Very truly yours,

Mary A. Baldwin
Sec/Office Coord

Encl:

RECEIVED
SEP 16 1986

SEP 16 1986

FROM *Danen Knuteson*

DATE

TO *File #72-7377*

SUBJECT *while I was doing Robert Savage's other permit #72-7263, he showed me how the wastewater comes to him from his neighbors ground. I took pictures of how the water flows, when flowing. There was no water flowing in the ditch while I was there. A measurement needs to be taken.*

MICROFILMED

SEP 16 1992

SIGNATURE

RECEIVED

4/86

OCT 14 1986

Department of Water Resources
Southern Region Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received 50.00

Date 10/14/86

Receipt # 38763

Receipt by M. Baldwin

Sent to S.O. 10/14/86

RECEIVED

OCT 15 1986

1. Permit No. 72-7377

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Robert N or Bertha I Savage

3. Post Office Address: Box 743 Challis Id 83226

Telephone No. 208 879-2238

4. Source of Water: Waste water

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 10.60 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .20 cfs 5-20 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1960

8. Person to contact to accompany the department representative during the field examination:

Robert N Savage

(Name)

Box 743 Main St Challis

(Address)

208 879-2325

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner who has selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

10-10-86

Date

Robert N Savage SEP 16 1992
Signature of Permit Holder (and title, if appropriate)

Oct 1986

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second

AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

check # 313

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

72-7377
SAVAGE, ROBERT N.
SAVAGE, BERTHA J.
BOX 743
CHALLIS, ID 83226

138196

August 12, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers or geologists certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water

MICROFILMED

SEP 6 1992

right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department office.

Southern Region
Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Sincerely,


LOREN HOLMES
Southern Regional Manager

Enclosures

SEP 16 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Southern Region

1941 Blue Lakes Blvd. N.
Twin Falls, Idaho 83701
(208) 734-3578

APRIL 8, 1985

ROBERT OR BERTHA SAVAGE

BOX 743

CHALLIS

ID 83226

RE: Permit No. 72-7377

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1941 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,

s/Mary A. Newby

Secretary

RECEIVED

SEP 16 1992

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 92-7377.

Name(s) of Permit Holder: Robert or Bertha Savage

Post Office Address: Box 743

Challis Idaho 83226 Tel. No. 879 2238 or 222

Source of Water: Waste water

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

11-16-84
Date




Robert Savage
Signature of Permit Holder

Robert Savage

Box 743

Challis, Id. 83226




RECEIVED



NOV 19 1984

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources
CHALLIS, IDAHO 83720



MEMORANDUM

TO: Loren

FROM: Jim J.

DATE: December 7, 1984

RE: Request by Applicant to Remove M.D. Requirement & Watermaster
Control conditions on Right 72-7377

We have received a phone call from Mr. Savage stating that he does not believe he has control over the wastewater being dumped on his land from his neighbor and therefore a measuring device should not be required. Also, he does not believe that he should be subject to watermaster control because the water is no where close to Garden Creek.

Based upon past delivery problems of Garden Creek Water District, we are reluctant to issue an order removing said conditions without regional review of this matter.

Therefore, please advise us whether you believe the conditions are needed.

Thanks.

CONFIDENTIAL

INTER-DEPARTMENT MEMO — 1

FROM *Dave T*

TO *Jim*

SUBJECT *Attached*

DATE *12/6/81*

I agree. Let's get regional comments.

Dave

SIGNATURE

Memo

TO: DAVE DRT
FROM: Jim
RE: REMOVAL OF M.O. & Water MASTER
CONTROL.

BASED UPON PAST PROBLEMS w/ DISTRIBUTION
OF WTR IN W.D. 72B. I don't feel
comfortable removing the conditions
w/o the region confirming that this
night should be excluded from Wtr MSTR
control.

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVING THE LOCKABLE)
DEVICE REQUIREMENT AND THE WATERMASTER)
CONTROL REQUIREMENT IN CONNECTION WITH)
PERMIT NO. 72-7377 IN THE NAME OF)
ROBERT N. &/OR BERTHA J. SAVAGE)

ORDER

WHEREAS, on September 26, 1984, the Director of the Department of Water Resources issued Permit No. 72-7377 with conditions that:

A lockable device, subject to the approval of the Department shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion;

Use of water under this permit is subject to control by the watermaster of State Water District No. 72B, Garden Creek;

and,

WHEREAS, on November 16, 1984, the permit holder requested removal of the above conditions; and,

WHEREAS, pursuant to review of quad sheets for the area the Department has determined that it is not necessary to require a lockable device and watermaster control condition to determine the quantity of water put to a beneficial use;

IT IS, THEREFORE, HEREBY ORDERED that the conditions of approval requiring installation of a lockable device and watermaster control be REMOVED as conditions of the permit.

Dated this _____ day of December, 1984.

L. GLEN SAXTON
Chief, Operations Bureau

Order
Example/
Update

NAME OF PARTY

Bob Savage

EMPLOYEE

Ray Walker

RE:

Conditions of Approval on Permit

Mr. Savage called in regard to his permit and the conditions of approval we placed on it.

He says that this wastewater is dumped onto his land after being used on his neighbor's field and he has no control over it.

He also says that it should not be in Control of water district 72-B because it is no where close to Garden Creek. Because of this, he requested that we ~~not~~ remove the lockable device condition and the water master control condition.

After talking with him, I agree with his request.

MICROFILMED

October 5, 1984

RE: Permit No. 72-7377

Robert N. &/or Bertha J. Savage
Box 743
Challis, ID 83226

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control of your diversion.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use postcard that must be submitted when your project is completed.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

SAVAGE, Robert N. &/or Bertha

INITIAL REVIEW BY: JF Stanton

APPLICATION NUMBER: 72-7377

CHECK:

- ☐ Source.
☐ Point of diversion.
☐ County.
☐ Quantity of water and period of use.
☐ Description of diverting works.
☐ Time required for beneficial use of water.
☐ Place of use or acres irrigated.
☐ Map.
☐ Signature.
☐ Fee.
☐ Yes ☐ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: Gary Funderburg
Date: 8-30-1984 9:00 AM
Comments: there was waste water
seeping at the time I was
there. I was informed by the
neighbors that no waste water
from across right (Calvin Helmer).

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: JF Map No. T-25
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. Final date for protests: 9/6/84
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 72B
7/2/84 Date of priority recommended.
Special conditions of approval or cover letter. 04

By: ADN

Date: 9/14/84

STATE OFFICE REVIEW:

LOI KAAH, L16

OLD 04 05 (72-B, Yaden Creek)

- ☐ See attached sheet for more information.

By: KW

Date: 9-25-84

SEP 25 1984

MICROFILMED

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

22-2322-

SAVAGE, ROBERT N. &/or BERTHA J.

BOX 743, CHALLIS, ID 83226

Source: WASTE WATER trib. to SALMON RIVER

Date Filed: 07/02/1984

Diversion Pt: SESE Sec 27 T 14N R 19E

Use: IRRIGATION (0.20 CFS)

In: SESE Sec 27 T 14N R 19E FOR 10 ACRES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before AUGUST 6, 1984.

A. KENNETH DUNN

Director

Published 7/19 & 7/26/84.

MICROFILMED

72-7377

SAVAGE, ROBERT N. &/or
BERTHA J.

BOX 743, CHALLIS, ID 83226

Source: WASTE WATER trib. to
SALMON RIVER

Date Filed: 07/02/1984

Diversion Pt: SESE Sec 27 T 14N R
19E

Use: IRRIGATION (0.20 CFS)

In: SESE SEc 27 T 14N R 19E FOR
10 ACRES

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of any
permit must be filed with the Direc-
tor of the Idaho Department of Water
Resources, 1041 Blue Lakes Blvd.
North, Twin Falls, Idaho 83301 and
received on or before AUGUST 6,
1984.

A. KENNETH DUNN
Director

Published 7/19 & 26/1984.

*ok
Mayer
7/20/84*

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JULY 12, 1984

Custer Publishing Company
P. O. Box 405
Challis, Idaho 83226

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 6, 1984.

Yours truly,

Mary A. Newby
Secretary

Encl.

RECEIVED
JUL 13 1984