


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Glendon H. Hunt
(Applicant)


MICROFILMED

T13N R19E S11

5025 72-7360

HUNT, Glendon H.






THIS IS THE
PLO FROM
Canal & mill
pump station


This is
the PLO
FROM warm
SPRING
CREEK


WARM SPRING CREEK

F-516
W.E. INGRAM
T-343


DIVERSION
WORKS









PID Challis irrigation company and main pumping area. The water from both Challis irrigation company and warm spring creek co-mingle in sump and is pumped into main line by a 15 HP pump.



PID Challis irrigation company sump
This is the pump and the meter boards used to regulate water entering sump from canal. Canal water can be controlled by use of the boards.



THIS IS THE POINT OF DIVERSION ON WARM SPRING CREEK
 THE WATER FLOWS INTO SUMP AND IS TRANSPORTED BY 10" PIPE
 UNDERGROUND TO CHALLIS IRRIGATION COMPANY SUMP BOX WHERE
 IT IS PUMPED INTO MAINLINE. BOARDS ARE USED TO METER THE
 AMOUNT OF FLOW INTO SUMP.



WATER
 ENTERS
 THROUGH SCREEN
 ↓ THIS WAY.

10" PIPE LEADS
 TO CHALLIS IRRIGATION COMPANY'S SUMP BOX
 AND IS PUMPED INTO MAINLINE

THIS IS THE SUMP BOX FOR WARM SPRING CREEK
 P/D. THE 10" PIPE IN THE BOTTOM OF BOX SENDS
 WATER TO CHALLIS IRRIGATION COMPANY'S SUMP BOX

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Glendon H. Hunt Phone 879-2592

Post office address H/C 61 Box 3021 - Challis, ID 83226

2. Source of water supply Warm Spring Creek which is a tributary of Salmon River

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 11 Township 13N

Range 19E B.M. Custer County, additional points of diversion if any:

NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13, T13N, R19E; NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 19, T13N, R20E

4. Water will be used for the following purposes:

Amount 6.0 for Irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 6.0 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pumps, pipelines, and/or gravity
sprinkler system

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: $\frac{1}{4}$ of $\frac{1}{4}$ of Section Township

Range B.M.

(2) Amount of power to be generated: horsepower under feet of head.

(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served , or number of families to be supplied with domestic water

(5) If water is to be used for other purposes describe:

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
13N	19E	11															39	32	71
		12									40	15	40	40					135
		13					40	40											80
		14	40																40

Total number of acres to be irrigated 326

c. Describe any other water rights used for the same purposes as described above.

72-0139 (decreed on NENW, Sec. 13) + Challis Irrig. Co. right from Salmon River


9. a. Who owns the property at the point of diversion Applicant & Ryon Hunt & Will Ingram

b. Who owns the land to be irrigated or place of use Applicant & Ryon Hunt

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing property to be jointly irrigated by owners

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Proposed Priority 12/2/83

RECEIVED

Received by LA Date 12/2/83 Time 2:40 PM
Preliminary check by ga Fee \$ 145.00 # 32945
Receipted by malya Date 12/2/83
Publication prepared by malya Date 12-16-83
Published in ruston publishing Co
Publication dates 12/2 + 1/5/84
Publication approved malya Date 1/9/84
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by ADA kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 72-7360, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

Witness my hand this 16th day of January, 1985.

L. Glen Sayton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho County of Custer ss.

I, MARGARET PARKS

Publisher of the Challis Messenger, a weekly newspaper, published at Challis, Idaho, do solemnly swear that the notice hereto attached and made a part hereof, was published in the regular and entire issue of the Challis Messenger for 2 consecutive weeks, commencing with the issue dated DEC 29 1983 and ending with the issue dated JAN 5 1984.

Margaret Parks
Subscribed and sworn to before this 6 day of January 1984
Edith M. Park
Notary Public, residing at Challis, Idaho. My commission expires on Life

RECEIVED
JAN 9 1984

Department of Water Resources
Salem Office

jk
memo

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

72-7359
INGRAM WARM SPRINGS RANCH, PARTNERSHIP
HC 61 BOX 3620, CHALLIS, ID 83226

Source: WARM SPRINGS CREEK trib. to SALMON RIVER

Date Filed: 11/21/1983
Diversion Pt: NESE Sec 32 T 13N R 20E NWSE Sec 19 T 13N R 19E SWNE Sec 04 T 12N R 20E NWSW Sec 10 T 12N R 20E NENE Sec 09 T 12N R 20E
Use: IRRIGATION (35.78 CFS)

In: NESE NWSE SWSE SESE Sec 12 T 13N R 19E NENE NWNE SWNE SENE SWNW SENW NESE NWSE Sec 13 T 13N R 19E SWNE SWNW SENW Sec 26 T 13N R 19E SENE Sec 27 T 13N R 19E NENE NWNE SWNE SENE NENW LOT 01 (NWNW) LOT 02 (SWNW) SENW NESW LOT 03 (NWSW) LOT 04 (SWSW) SESW NWSE Sec 18 T 13N R 20E NESE SWSE SESE Sec 19 T 13N R 20E NWNW SWNW SENW NESW NWSE SWSE Sec 29 T 13N R 20E NENE NWNE SENE Sec 30 T 13N R 20E NENE NWNE SENE NESE Sec 32 T 13N R 20E NWSW SWSW SESW Sec 30 T 13N R 20E SWNE LOT 03 (NENW) SENW NESW SESW NWSE SWSE Sec 04 T 12N R 20E NENE NWNE SENE NENW Sec 09 T 12N R 20E SWNW NESW NWSW SESW Sec 10 T 12N R 20E SWNE NENW SENW Sec 15 T 12N R 20E FOR 2491 ACRES

72-7360
HUNT, GLENDON H.
H/C 61 BOX 3071, CHALLIS, ID 83226

Source: WARM SPRING CREEK trib. to SALMON RIVER

Date Filed: 12/02/1983
Diversion Pt: SESE Sec 11 T 13N R 19E NENW Sec 13 T 13N R 19E NWSE Sec 19 T 13N R 20E

Use: IRRIGATION (6.00 CFS)
In: SWSE SESE Sec 11 T 13N R 19E NESW NWSW SWSW SESW Sec 12 T 13N R 19E NENW NWNW Sec 13 T 13N R 19E NENE Sec 14 T 13N R 19E FOR 326 ACRES

72-7361
MILLICK, WILLIAM L. &/or LUCILLE A.

CLAYTON, ID 83227
Source: THOMPSON CREEK trib. to SALMON RIVER

Date Filed: 06/30/1983
Diversion Pt: SESE Sec 25 T 11N R 16E

Use: IRRIGATION (0.20 CFS)
In: NESE Sec 25 T 11N R 16E FOR 1 ACRES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before JANUARY 16, 1984.

A. KENNETH DUNN
Director
Published 12/29 & 1/5/84.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 20 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 72-07360

1. Owner: Glendon H. Hunt Phone No. (208) 879-2592

Current Address: HC 61 Box 3021, Challis, Idaho 83226

2. Accompanied by: Glendon H. Hunt EXAM DATE : 8-16-96

Address: see above Phone No. see above

Relationship to Permit Holder: OWNER

3. Source: WARM SPRING tributary to SALMON RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: There are 30 shares of Challis Irrigation Company's water.

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt Lot	¼	¼	¼	Sec.	Twp.	Rge	County	Method of Determination/Remarks
P/D Warm Spring		N E	S E	S E	11	13N	19E	CUSTER	Visual inspection with the use of USGS Quadrangle map and Aerial photo.

2. Place(s) of Use:

Indicate Method of Determination planimeter used on Aerial Photo.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
13N	19E	11																35	35 AC
13N	19E	12											.5						.5 AC
13N	19E	13						1											1 AC
13N	19E	14	2																2 AC

TOTAL = 38.5 acres

3. **Delivery System Diagram:** Illustrate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET

YES Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

YES Aerial Photo attached (required for irrigation of 10+ acres).

YES Photo of diversion and system attached.

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
MAIN PUMP PLANT	MARATHON ELECTRIC	15 Hp	1174778	CORNELL	23265

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PSI PRESSURE GAGE						

2. **Measurements:** MEASUREMENTS WERE MADE BY GARY FUNDERBURG SEE ATTACHED SHEET FOR READINGS.
THE SYSTEM WAS NOT AT CAPACITY WHILE I WAS THERE, SO NEW READINGS COULD NOT BE USED

E. NARRATIVE/REMARKS/COMMENTS

The water for this permit is drawn out of Warm Spring Creek. The P/D for this permit is located in the NE 1/4 - SE 1/4 SE 1/4 of section 11, township 13N - range 19E. The water is drawn out of this P/D through a wooden sump box located on the bank of the creek. The water can be regulated by boards in the stream side of the wooden sump box. In the sump box for Warm Spring Creek there is a 10 inch plastic pipe that travels southwest to the main pump station located at the Challis Irrigation Company's (CIC) canal. The pipe enters the CIC sump box and is commingled with water from the CIC canal. This water is then pumped through a 15 Hp pump into a mainline system that feeds four sets of handlines with a total of 58 sprinkler heads.

This water is only used when it is available due to upstream user's prior rights. Therefore, this right is only used as a supplementary water source. The main source of water for this place of use comes from the CIC canal.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

.62 cfs (see attached sheet)**G. VOLUME CALCULATIONS****1. Volume Calculations for Irrigation:**

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 38.5 \times 3.5 = 134.75 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .62 \times 184 \times 1.9835 = 226.28 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 134.75 \text{ afa}$$

B**2. Volume Calculations for Other Uses:****H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>APRIL 15</u>	<u>OCT. 15</u>	<u>.62 cfs</u>	<u>134.75 afa</u>

Totals: .62 cfs 134.75 afa**2. Recommended Amendments**X Change P.D. as reflected above Add P.D. as reflected above NoneX Change P.U. as reflected above Add P.U. as reflected above Other**I. AUTHENTICATION**Field Examiner's Name Daniel A. Nelson Date 11-17-96

Reviewer _____ Date _____

SEAL

RECOMMENDATIONS:

I recommend that this right be licensed under the following conditions:

1. That this right be licensed for .62 cfs diversion rate with a annual volume of 134.75 afa and when combined with Challis Irrigation Company or any other rights does not exceed a maximum use of .02 cfs per acre.
2. That this right be licensed for supplemental use only. This will allow Mr. Hunt to use this water to irrigate lands before the Challis Irrigation Company turns their water into the canal for water sensitive crops or to irrigate pastures.
3. That this right does not allow Mr. Hunt to use this right if all of the water in the stream has been used by other users with a earlier priority date. This stream does not flow year round at the P/D due to the use of prior water rights that divert all the water from the stream.

FLOW CALCULATIONS

PERMIT #: 72-07360

PUMP

MEASUREMENTS WHERE MADE BY GARY FUNDERBURG:

FLows IN GALLONS PER MINUTE (GPM)

58 - 11/64 SPRINKLER HEADS AT AVERAGE PSI OF 30 PSI

30 PSI FOR 11/64 NOZZLE = 4.83 GPM (SEE EXHIBIT 9 FIELD EXAMINER'S HANDBOOK)

$4.83 \times 58 = 280.14 \text{ GPM}$


$280.14 \text{ GPM} / 448.8 = .62 \text{ CFS}$

SPRINKLER SYSTEM DISCHARGE


NOZZLE DISCHARGE - GALLONS PER MINUTE							
psi	3/32	1/8	9/64	5/32	11/64	3/16	13/64
20	1.17	2.09	2.65	3.26	3.92	4.69	5.51
25	1.31	2.34	2.96	3.64	4.38	5.25	6.16
30	1.44	2.56	3.26	4.01	4.83	5.75	6.80
35	1.55	2.77	3.50	4.31	5.18	6.21	7.30
40	1.66	2.96	3.74	4.61	5.54	6.64	7.80
45	1.76	3.13	3.99	4.91	5.91	7.03	8.30
50	1.85	3.30	4.18	5.15	6.19	7.41	8.71
55	1.94	3.46	4.37	5.39	6.48	7.77	9.12
60	2.03	3.62	4.50	5.65	6.80	8.12	9.56
65	2.11	3.77	4.76	5.87	7.06	8.45	9.92
70	2.19	3.91	4.96	6.10	7.34	8.78	10.32
75	2.27	4.05	5.12	6.30	7.58	9.08	10.66
80	2.35	4.18	5.29	6.52	7.84	9.39	11.02
85	2.42	4.31	5.45	6.71	8.07	9.67	11.35
90	2.49	4.43	5.61	6.91	8.31	9.95	11.69
95	2.56	4.56	5.76	7.09	8.53	10.20	11.99
100	2.63	4.67	5.91	7.29	8.76	10.50	12.32

AVERAGE APPLICATION RATE - INCHES PER HOUR

Spacing in Feet	Discharge From Each Sprinkler						
	2 gpm	3 gpm	4 gpm	5 gpm	6 gpm	7 gpm	8 gpm
20x20	0.48	0.72	0.96	1.20	1.44	1.70	1.95
20x30	0.32	0.48	0.64	0.80	0.96	1.12	1.28
20x40	0.24	0.36	0.48	0.60	0.72	0.84	0.96
30x30	0.21	0.32	0.43	0.54	0.64	0.75	0.88
30x40	0.16	0.24	0.32	0.40	0.48	0.56	0.64
30x50	0.13	0.19	0.25	0.32	0.38	0.45	0.51
40x40	0.12	0.18	0.24	0.30	0.36	0.42	0.48
40x50	0.1	0.14	0.19	0.24	0.29	0.34	0.38
40x60		0.12	0.12	0.20	0.24	0.28	0.32



DIVERSION WORKS SEE ATTACHMENT



PLEASE NOTE: WARM SPRING CREEK RUNS UNDERNEATH THE CANAL


WARM SPRING CREEK

WARM SPRING PID



WATER PASH N N

FARM LAND



CHALLIS IRRIGATION COMPANY

CHALLIS IRRIGATION COMPANY PID


MAINLINE


MAINLINE

The WATER FOR THIS PERMIT IS DRAWN FROM A WOODEN SUMP BOX LOCATED ON THE BANK OF WARM SPRING CREEK, THE WATER IS DIBATED OUT OF THE SUMP BOX THROUGH PLASTIC PIPE (8") TRAVELING SOUTHWEST THE SUMP BOX SITTING ON THE CHALLIS IRRIGATION COMPANY'S CANAL BANK. THIS SUMP REGULATES THE WATER COMING IN FROM THE CANAL AND ACTS AS A HOLDING AREA FOR THE PUMP. THE PUMP LIFTS THE WATER FROM THE SUMP BOX AND DIVERTS IT INTO THE MAINLINES.

5025 72-7360

HUNT, Glendon H.







THIS IS THE
OLD FROM
Canal & mid
pump station

THIS IS
THE PID
FROM WARM
SPRING
CREEK


F-51B
W.E. INGRAM
T-343

DIVERSION
WORKS









P/O Chellis Irrigation Company Sump
 This is the pump and the meter boards used
 to regulate water entering sump from canal.
 Canal water can be controlled by use of the boards.





P/O Chellis Irrigation Company and main pumping
 area, the water from both Chellis Irrigation Company
 and warm spring creek combine in sump and is
 pumped into main line by a 15 HP pump.





THIS IS THE POINT OF DIVERSION ON WARM SPRING CREEK
 THE WATER FLOWS INTO SUMP AND IS TRANSPORTED BY 10" PIPE
 UNDERGROUND TO CHALLIS IRRIGATION COMPANY SUMP BOX WHERE
 IT IS PUMPED INTO MAINLINE. BOARDS ARE USED TO METER THE
 AMOUNT OF FLOW INTO SUMP.

WARM SPRING CREEK SUMP BOX



WATER
 ENTERS
 THROUGH SCREEN
 ↓ THIS WAY.

10" PIPE LEADS
 TO CHALLIS IRRIGATION COMPANY'S SUMP BOX
 AND IS PUMPED INTO MAINLINE

THIS IS THE SUMP BOX FOR WARM SPRING CREEK
 P/D. THE 10" PIPE IN THE BOTTOM OF BOX SENDS
 WATER TO CHALLIS IRRIGATION COMPANY'S SUMP BOX.

July 18, 1990

GLENDON H. HUNT
H/C 61 BOX 3021
CHALLIS, ID 83226

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 72-07360

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

/ The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)734-3578.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 72-7360

Date: 7-16-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely NO
☐ Reinstated

Source of Water:

- ☒ Surface water
☐ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

flow measurement
Proof acceptable

Priority Calculation:

Date proof received	<u>N/A</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

STATE OF IDAHO

MAR 20 1990

DEC 1 1989

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 72-7365 Telephone No. 879-2542Name(s) of Permit Holder(s): GLENDON H. HUNTPost Office Address: HC 61 Box 3021 CHALLIS, ID 83226Source of Water: WARM SPRINGS CREEKIf ground water, well driller's name: - Date drilled: -

Extent of Use:

Domestic (No. of households)Irrigation 50 (No. of acres)Stockwater (No. and type of stock)Other Total rate and/or volume for which proof is submitted ONE cfs acre/feetShow date water was first diverted and beneficially used under this permit: MAY 1, 1984

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes X No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes X NoFee Enclosed: \$ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name GLENDON H. HUNT Telephone No. 879-2542Address HC 61 Box 3021 CHALLIS, ID 83226

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 11/20/89 Signature (and title if on behalf of a company or organization) Glendon H. Hunt

March 21, 1990

Glendon H. Hunt
HC 61, Box 3021
Challis, ID 83226

Dear Mr. Hunt:

Re: Permit No. 72-7360

Enclosed is a copy of my letter dated February 14, 1990.

Please respond to it within 15 days. If no response is received, I will notify you that the permit has lapsed.

If you have any questions, contact me. I can explain the application/permit/licensing process to develop a water right.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

February 14, 1990

Glendon H. Hunt
HC 61 Box 3021
Challis, ID 83226

Dear Mr. Hunt:

Re: Permit No. 72-7360

Returned is the proof of beneficial use form submitted on December 20, 1989. Also enclosed is the instruction sheet/fee schedule.

Note that for the diversion rate of 1 cfs, the filing fee is \$100.

Please return the proof of beneficial use along with the fee within 30 days.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

13937
October 31, 1989

Glendon H. Hunt
HC 61 Box 3021
Challis, ID 83226

Dear Mr. Hunt:

PROOF DUE NOTICE

RE: PERMIT NO. 72-7360

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time provided the delay is for reasonable cause as described in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 72-7360

Name(s) of Permit Holder(s): Stendon H. Hunt

Post Office Address: HC/61 Box 3021 CHALLIS IDAHO
83226

Tel. No. 879-2592

☒ I hereby certify that construction of diversion works for the above referenced permit began on 7/1/84. I understand that I must

continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

Date

Signature of Permit Holder

G. Hunt
HC/61 Box 30213
CHAILLIS, IDAHO 83426



RECEIVED



ENCLOSURE

JUL 27 1984

DEC 18 1984 IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources

February 27, 1985

RE: Permit No. 72-7360

Glendon H. Hunt
HC 61, Box 3021
Challis, ID 83226

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

You should be aware that a prior water right application to use water from Warm Springs Creek is on file with the Department under a Carey Act Project. Although this right has not yet been developed, the priority is senior to your right and may affect the amount of water available to fill your right when the diversion is initiated. You may want to consider this potential impact in the development of water use under your right.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc

Enclosures

cc: Bill & Peggy LaMunyan

MEMORANDUM

January 16, 1985

TO: L. Glen Saxton and files 72-7359, 72-7360, 72-7366 and 72-7367

FROM: Bob Fleenor *Bob*

These four applications are for the diversion and use of the water of Warm Springs Creek and were filed following the October 28, 1983 earthquake.

There are three other applications 72-7363, 72-7364 and 72-7365 to use water from Warm Springs Creek that are later in priority than 72-7359 and 72-7360 but earlier than 72-7366 and 72-7367. Application 72-7364 was originally protested, but the protest has since been withdrawn.

Loren Holmes says that the flow of Warm Springs Creek has been measured at about 70 cfs.

When we consider final action on these applications, we should note that the diversion and use of 35.78 cfs by application 72-7359 is near the spring and, therefore, any return flow would also be available to satisfy the downstream users.

There is also an application 72-7074 filed in 1979 for the diversion of 22.4 cfs to irrigate Carey Act lands. The application was filed about 4 years before the earthquake so there was a question of availability of water at the time of the application. I would suggest that when a permit is issued, the permit holder be informed of the existence of 72-7074.

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: J. E. Stanton

APPLICATION NUMBER: HUNT, Glendon H.
72-7360

CHECK:

- ☐ Source.
☐ Point of diversion.
☐ County.
☐ Quantity of water and period of use.
☐ Description of diverting works.
☐ Time required for beneficial use of water.
☐ Place of use or acres irrigated.
☐ Map.
☐ Signature.
☐ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☐ No Field check required.
☐ Yes ☐ No Critical groundwater area.
☐ Yes ☐ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: JA Map No. U-25
☒ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. denied water rights
Final date for protests: 1/16/84
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/5/84
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district?
Date of priority recommended: 12/2/83
Special conditions of approval or cover letter. OIF^{or}, 03, 04, 26

By: ADN Date: 6/7/84

STATE OFFICE REVIEW:

103, HI 217 26 OIC 04 03 12/2/83
By: KW Date: 6-13-84 RECEIVED
JUN 12 1984

- ☐ See attached sheet for more information.
By: _____ Date: _____

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

January 24, 1984

Bill and Peggy LaMunyan
HC 63 - Box 1740
Challis, Idaho 83226

Re: Applications for Permit No. 72-7359 - Hunt
72-7360 - Ingram

Dear Mr. & Mrs LaMunyan:

We are returning your protest against the above referenced applications for permit because it was received after the January 16, 1984 deadline for receiving protests specified in the published notice of the applications.

In issuing a water right permit, the Department must consider the following issues:

- 1) Will the proposed use reduce the quantity of water under existing water rights?
- 2) Is the proposed water supply insufficient for the purpose intended?
- 3) Is the application made in good faith or for delay or speculative purposes?
- 4) Has the applicant sufficient financial resources with which to complete the project?
- 5) Will the proposed use conflict with the local public interest?

In addition, a water user is responsible under the statutes for damages which may result from negligence in his use of water under his water right.

I would recommend that you contact the applicants directly to make them aware of your concern.

Page -2-
January 24, 1984

If you have any questions concerning this matter please feel free to contact this office.

Very truly yours,

Loren O. Holmes
Southern Region Supervisor

LOH:marya

Encl:

cc: Glen Hunt
Will Ingram

RECEIVED

JAN 20 1984

Department of Water Resources
Salem District Office

Concerned property owners of Custer County
Round Valley Area
Challis, Idaho 83226
January 13, 1984

Dear Mr. Dunn,

This letter is to formally protest the proposed water right stated in the Challis Messenger of January 5, 1984. Described as follows:

"PLEASE SEE ENCLOSED APPLICATIONS FOR WATER RIGHTS"

We would formally protest 72-7359 and 72-7360.
We protest these applications under the assumption that waste water from this water right has no return to the Salmon River and it runs directly through a subdivision of 7 homes.

We protest this water right for the following reason. The water being filed upon comes out of the Warm Springs Creek(or channel). This water that would be diverted HAS NO CHANNEL TO TAKE IT BACK TO THE RIVER. Presently this water runs right through a 7(seven) home sub division. With no channel or ditch to take this water back to the river, we feel that a users water right should not be granted. In fact, we feel strongly that the water right should be denied. If homes and property are damaged by this water diversion, then the user and the organization issuing the water right would surely be responsible.

THERE ARE NO PRESENT WATER RIGHTS ON THIS DIVERSION AND THERE SHOULD BE NONE ISSUED, UNTIL SUCH TIME THAT A CHANNEL TAKES THIS WATER BACK TO THE RIVER. I'm sure you will agree that you just can't use the water and dump it on the person below you!

Regardless of your decision, we would like to be notified as to whether the water right has been granted or denied.

Thank you for your consideration.

Respectfully,

Bill & Peggy Lamunyan
Bill & Peggy Lamunyan

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

22-2360

HUNT, GLENDON H.

PH/O 61 BOX 3021, CHALLIS, ID 83226

Source: WARM SPRING CREEK trib. to SALMON RIVER

Date Filed: 12/02/1983

Diversion Pt: SESE Sec 11 T 13N R 19E NENW Sec 13 T 13N R 19E NWSE
Sec 19 T 13N R 20E

Use: IRRIGATION (6.00 CFS)

In: SWSE SESE Sec 11 T 13N R 19E NESW NWSE SWSE SESE Sec 12 T 13N R 19E NENW
NNNW Sec 13 T 13N R 19E NENE Sec 14 T 13N R 19E FOR 326 ACRES

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before JANUARY 16, 1984.

A. KENNETH DUNN

Director

Published 12/9 & 1/5/84.

RECEIVED
JAN 11 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

DECEMBER 22, 1983

Custer Publishing Company
P. O. Box 405
Challis, Idaho 83226

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before JANUARY 16, 1984.

Yours truly,

Mary A. Newby
Secretary

Encl.

WATER RIGHT
DATA ENTRY LOG

Item

Original form entered

Edit Report Correct

Date Protested

Date of Hearing

Date Approved/Denied
(Proof due date, stage and/or status,
conditions of approval, water district)

Record Verified

Amendment Approved

Extension Approved

Partial Proof

Proof Complete

Field Exam Received

Field Exam Accepted
and changes entered

License Updated

Transfer Updated

Keypunched by State Office