


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 20 E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Fredrick T. Jones


(Applicant)

SCALE 2 IN. = 1 MILE

FOR SALE BY
CHAS. F. METSKER
514 S. W. OAK STREET, PORTLAND, OREGON
111 SOUTH 10TH ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 15 N., RANGE 20 E. B. M.


CUSTER COUNTY, IDAHO



MICROFILMED

MICROFILMED

T 15 N R 20 E



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

2/16/84
per phone conversation w/Gary Funderburg land
irrigated in Lot 10 is 23 acres - not 13 as
shown on map above. kw

✓ same as
permit

Point(s) of diversion: Lt 10 (SW SE,) Sec. 3; T 15 N R 20 E

Place(s) of Use ✓ same

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15N	20E	3															23	1	24

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature Gary Funderburg
Checked by Larry S. Olan
Approved by Ray Walker


Date 1-11-1983
Date 2-9-83
Date 2-16-84

24


(4-675d)

th, Range N° 20 East of the Boise Mer

F d D c C b H



Township 15N Range 20 E.B.M.



MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 72-7077 Priority May 4, 1979 Amount 0.48 cfs

THIS IS TO CERTIFY, that Fredrick T. Ives
of Ellis, Idaho, has complied with the terms and conditions of Permit
No. 72-7077 issued pursuant to Application for Permit dated May 4, 1979,
and has submitted proof to the Department of Water Resources on June 30, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.77 cfs of water from Salmon River,
tributary to Snake River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from April 1 to November 1</u>	<u>at 0.48 cfs and</u>	<u>72.0 acre feet</u>
	<u>from _____ to _____</u>	<u>at _____ cfs and</u>	<u>_____</u>
	<u>from _____ to _____</u>	<u>at _____ cfs and</u>	<u>_____</u>

(both dates inclusive)

Subject, however, to the condition that no more than 0.48 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
72.0 acre feet per year, said waters to be diverted within the Gov. Lot 10 (SW $\frac{1}{4}$ SE $\frac{1}{4}$)
Section 3, Twp 15N, Rge 20E in the County of Custer

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
15N	20E	3															10	11	24
																	23	1	

Total number of acres irrigated 24

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28TH day of
MARCH, 19 84.

Acting for the Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Fredrick T. Ives Phone Department of Water Resources
Salmon District Office
Post office address Box 53 Ellis, Idaho 83235
2. Source of water supply Salmon River which is a tributary of Snake River
3. Location of point of diversion is (SW ^{Lot 10} $\frac{1}{4}$ of SE) $\frac{1}{4}$ of Section 3 Township 15N
Range 20E B.M. Custer County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.48 for Irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.48 CFS cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 15 h.p. pump in Salmon mainline 150'
long to hand line

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

* Per letter from applicant 5-22-79 ⁹⁰ Total number of acres to be irrigated 24

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 20 E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frederick J. Jones
(Applicant)

Proposed Priority

5/4/79

Received by maaga dh 5-11-79 Date 5-4-79 Time 3:30 pm
Preliminary check by JH Fee \$ 35.00 92-297
Receipted by dh Date 5-4-79 #11853
Publication prepared by maaga Date 5-16-79
Published in Custer Publishing Co.
Publication dates 5/31 + 6/7/79
Publication approved maaga Date 6/19/79
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JH J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 72-7077, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 19 day of July, 19 79.

L. Glen Saxton


L. GLEN SAXTON
Chief, Operations Bureau

SCALE 2 IN. = 1 MILE

FOR SALE BY
CHAS. F. METSKER
814 S. W. OAK STREET, PORTLAND, OREGON
111 SOUTH 10TH ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 15 N., RANGE 20 E. B. M.

CUSTER COUNTY, IDAHO




AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, MARGARET PARKS.....
 Publisher of the Challis Messenger,
 a weekly newspaper, published at
 Challis, Idaho, do solemnly swear
 that the notice hereto attached and
 made a part hereof, was published
 in the regular and entire issue of
 the Challis Messenger for 2.....
 consecutive weeks, commencing with
 the issue dated JUNE 7.....,
 1979 and ending with the issue
 dated JUNE 14....., 1979..

Margaret Parks.....
 Subscribed and sworn to before
 me this 18 day of June.....,
 1979..

Sandra M. James.....
 Notary Public, residing at Challis,
 Idaho. My commission expires on
April 30, 1983.....



NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the
 following application ~~has~~ been
 submitted for permit to appropriate
 the public waters of the State of
 Idaho:

72-7077
 IVES, FREDERICK T.
 BOX 53, ELLIS, ID 83235
 Source: SALMON RIVER tributary
 to SNAKE RIVER
 Date Filed: 05/04/1979
 Amount: 0.48 CFS
 Diversion Point: LOT 10 (SWSE) Sec
 03 T 15N R 20E, CUSTER Co.
 Use: IRRIGATION (0.48 CFS) from
 04/01 to 11/01
 Place of Use: LOT 10 (SWSE) LOT 11-
 (SESE) Sec 03 T 15N R 20E FOR 24
 ACRES
 Diversion Means: PUMP AND
 PIPELINE

If issued, the permit will be subject
 to all prior water rights. Protests
 against the granting of any permit
 must be filed with the Director of the
 Idaho Department of Water
 Resources, 1041 Blue Lakes Blvd.
 North, Twin Falls, Idaho 83301 and
 received on or before JUNE 25, 1979.

C. SWEN ALLRED
 Director

Published 6/7/ & 6/14/1979

□□□

RECEIVED

Department of Water Resources

Microfilmed

March 28, 1984

RE: Permit No. 72-7077

Fredrick T. Ives
Box 53
Ellis, ID 83235

Dear Mr. Ives:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

APR 11 1984

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

72-7077

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
1 Appointment letter mailed:	8-25-82	AF	
1 Telephone call made: (List Telephone No. used)			
1 Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 9-10-82 Accompanied by Fredrick T. Ives Total Q measured 0.77 CFS
 f source is surface water, estimate total flow of source
 Methods of measurement pressure gage Meets Permit requirements? yes

Measurement calculations: Rainbird HEADS #30W, 5/32 No33 els 66 Hds @ 55 P.S.F.

$$5.22 \text{ gpm} \times 66 \text{ Hds} = 344.52 \div 448.8$$

$$= 0.767 = 0.77 \text{ c.f.s.}$$

$$\text{Volume } 72.0 \text{ AFA} = (\text{IRR Req } 3.0 \text{ AFA}) (24 \text{ Acres}) = \text{Allow } 0.48 \text{ CFS } 1''/\text{Ac.}$$

$$24 \times 0.02 = 0.48$$

$$V = 0.48 \times 1.9835 \times 214 = 203.7$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1	25	MARATHON	Electric 287414	peerless				

System Description pump is located on the Banks of the Salmon River.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 3.0 AFA/Acre

USE
IRRIGATION


Q (cfs) 0.48 cfs (afa) 72.0 AFA FROM April 1 TO Nov 1
214 days

Total

0.48 cfs 72.0 AFA

MCDONALD

T 15 N R 20 E



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

2/16/84
per phone conversation w/Gary Funderburg land
irrigated in lot 10 is 23 acres - not 13 as
shown on map above. kw

✓ same as permit

Point(s) of diversion: Lt 10 (SW SE,) Sec. 3; T 15 N R 20 E

Place(s) of Use ✓ Same

TWP.	RGE.	SEC.	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
15N	20E	3															75	Lt 11	
																	23	1	24

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Gary Funderburg
 Checked by Leann S. Olan
 Approved by Ray Walker

Date 1-11-1983
 Date 2-9-83
 Date 2-16-84

24



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

August 25, 1982

Fredrick T. Ives
Box 53
Ellis, Idaho 83235

Re: Permit No. 72-7077

Dear Mr. Ives:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.


Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Field examinations must be done while the system is in operation. For this reason we concentrate on irrigation permits during the summer months and do examinations on permits for other uses during the non-irrigating months.

If you have any questions regarding the field examination, please contact our office.

Sincerely,

Gary L. Funderburg
Sr. Water Resource Agent



RECEIVED

AUG 20 1982

Department of Water Resources

Fredrick I Ives
Box 53 Ellis, Id.
Aug 25, 1982

Idaho Dept of Water Resources
State house
Boise, Idaho, 83720

72-7077

Dear Sir;

I applied for a Water Permit for irrigation and received the Application for Permit 5-22-79, to take water from the Salmon River.

Since I have received the Application for Permit I have not received any new instructions as how to complete the application. When I applied for the permit and was at the Water Resources Office, I was told I could take the water from the river with whatever application I wished to use.

I have installed a 24" Culvert 8'-0" long on the river bank which leads into a 30" vertical Culvert where my pump is installed. This diversion system is on our property and was completed July 1980.

I have the irrigation system completed and in operation. I feel it is ready for inspection at your convenience.

Thank you.

Sincerely
Fredrick I Ives

Proof Rec'd.

No response req'd

DZT

RECEIVED



JUN 30 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



Fredrick T. Ives
P.O. Box 53
Ellis, Idaho 83235



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 72-7077.

Name(s) of Permit Holder: Fredrick T. Ives

Post Office Address: Box #53

Ellis, ID 83235 Tel. No. 879-4206

Source of Water: SALMON RIVER

Extent of Use: ☐ Domestic (number of households)

☐ Stockwater (number and type of stock)

☒ Irrigation 24 (acres)

☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Point Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8-28-82 Date Fredrick T. Ives Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

Fredrick T. Ives
Box 53
Ellis, ID 83235

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

July 19, 1979

Fredrick T. Ives

Box 53

Ellis, ID 83235

Dear Mr. Ives:

RE: Permit No. 72-7077

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.

Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

IVES, Fredrick T.

INITIAL REVIEW BY: JE Stanton

APPLICATION NUMBER: 72-7077

CHECK:

- 55 ✓ ☒ Source.
✓ ☒ Point of diversion.
✓ ☒ County.
✓ ☒ Description of diverting works.
✓ ☒ Time required for beneficial use of water.
✓ ☒ Place of use or acres irrigated.
✓ ☒ Map.
✓ ☒ Signature.
☒ Fee. LA
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:


- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: LA Map No. T-25
☐ Yes ☒ No Other rights on same place of use. None platted
☒ Yes ☐ No* In form for advertising. 6/18/79
Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6-19-79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5-4-79 Date of priority recommended.
Special conditions of approval or cover letter. _____



Department of Water Resources

By: Loren O. Halmer Date: 6-28-79

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: Jim Date: 7/13/79

Fredrick I Ivers
Box 53
Ellis, Id. 83235

RECEIVED

MAY 22 1979

Department of Water Resources
Southern District Office

May 20, 1979

State of Idaho
Dept. of Water Resources
Ref. application for Permit

Dear Sir:

We believe the attached sketch I have made is more accurate than the previously submitted one. I used a 15 minute Series Topographic map which gives a truer picture of how our property lies.

As the property on the R/H of highway #93 going North is very undulating, so had trouble putting it on paper.


We had the property surveyed in 1972, but the Surveyor made no distinction between lots #10 & #11. We didn't feel it was such a critical issue as it has apparently turned out to be with acreage to be irrigated.

As it appears now ~~that~~ most of if not all of the acreage to be irrigated lies in lot #10, so would you please change the wording so that all irrigated land will fall in lot #10.

Thank you.

Sincerely
Fredrick I Ivers

Township 15N Range 20 E.B.M.



REPRODUCED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

22-2022-

IVES, FREDERICK T.

BOX 53, ELLIS, ID 83235

Source: SALMON RIVER tributary to SNAKE RIVER

Date Filed: 05/04/1979

Amount: 0.48 CFS

Diversion Point: LOT 10 (SWSE) Sec 03 T 15N R 20E, CUSTER Co.

Use: IRRIGATION (0.48 CFS) from 04/01 to 11/01

Place of Use: LOT 10 (SWSE) LOT 11 (SESE) Sec 03 T 15N R 20E
FOR 24 ACRES

Diversion Means: PUMP AND PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before JUNE 18, 1979.

C. STEPHEN ALLRED

Director

Published 5/31 & 6/7/1979.

RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

MAY 16, 1979

Custer Publishing Company
P. O. Box 405
Challis, Idaho 83226

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before JUNE 18, 1979.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

May 16, 1979

Fredrick T. Ives
Box 53
Ellis, Idaho 83235

Re: Application for Permit

Dear Mr. Ives:

We have received your application for a permit to divert water from the Salmon River.

There is a discrepancy, however, in that the land list does not agree with the map you draw; the number of acres to be irrigated in each lot is reversed in the land list. Rather than return the application to you for clarification, we will assume that the map is correct and that the land list is wrong; that is, you plan to irrigate 14 acres in Lot 10 and 10 acres in Lot 11.

Your application will be changed and processed accordingly unless we hear from you by May 31, 1979.

Sincerely,

James E. Stanton
Senior Water Resource Agent

JES:marya

Encl:

MAILED 11 1979