


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ **Photo of Diversion & System Attached**
- ☒ **Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached**

14. Remarks _____

15. Recommended Amendments
- ☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None
- ☐ Change P.U. as reflected above


☐ Add P.U. as reflected above

☐ Other
16. Examiner's/Consultant's Signature Larry J. Anderson Date 12-11-85
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct
- Beneficial Use Examination _____

Date

MICROFILMED
MAR 17 1989
CONSULTANT SEAL

T 12N 1218E



72-7072
Clarence Leuzinger

(34) Hand Lines

inlet for
pump



MICROFILMED
MAR 17 1989

Motor Pump & Mainline



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 72-07072

Priority: December 26, 1978 Amount: 0.20 CFS 30.0 AFA

This is to certify, that CLARENCE LEUZINGER

P.O. BOX 271

CHALLIS, ID 83226

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated December 26, 1978, and has submitted proof to the Department of Water Resources on January 6, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .320 cfs of water from:

SALMON RIVER

tributary to SNAKE RIVER

source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	04/01 to 11/01	0.20 CFS	30.0 AFA

LOCATION OF POINT(S) OF DIVERSION: LOT 8(SESW), Sec. 25, Township 12N, Range 18E
CUSTER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
12N	18E	25	LOT 8(SESW)	10		10
Total number of acres irrigated:						10

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 7th day of MARCH, 1989.

APPROVED
DIRECTOR

Acting for the Director

MAR 17 1989

RECEIVED

DEC 27 1978

Identification No. 72-7072

Department of Water Resources
Southern District Office

Application No.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

RECEIVED
APPROVED
DEC 28 1978
Department of Water Resources

1. Name of applicant Clarence Leuzinger Phone: 879-2212
post office address Challis, Idaho 83226
2. Source of water supply Salmon River which is a tributary of Snake River
3. a. Location of point of diversion is Lot 8 $\frac{1}{4}$ of $\frac{1}{4}$ of Section 25 Township 12 N,
Range 18 E., B.M. Custer County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into N/A at a point in $\frac{1}{4}$
of $\frac{1}{4}$ of Section Township Range B.M.
4. Water will be used for the following purposes:
Amount .2 CFS for irrigation purpose from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purpose from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purpose from to (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .2 cubic feet per second and/or
b. acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. sump off river, 5 hp pump,
4 inch mainline and laterals
- b. Height of storage dam N/A feet, active reservoir capacity acre feet; total reservoir
capacity acre feet, materials used in storage dam:
Period of year during which storage will occur to inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is N/A inches; proposed depth of well is feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 3,000.00
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: $\frac{1}{4}$ of $\frac{1}{4}$ of Section Township
Range B.M.
(2) Amount of power to be generated: hp under feet of head.
(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served , or number of families to be
supplied with domestic water
(5) If water is to be used for other purposes describe:

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
12 N	18E	25												Lot 8 10					10 acres

Total number of acres to be irrigated 10

c. Describe any other water rights used for the same purposes as described above. NONE


9. a. Who owns the property at the point of diversion applicant

b. Who owns the land to be irrigated or place of use applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Applicant will need approximately 1 inch per acre for the approximate 10 acres of irrigatable land. Applicant anticipates having the system completed prior to the 5 year time proposed, but requests the full period for installation in the event difficulties are encountered.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clarence Geyser
(Applicant)

Proposed Priority 12-26-78

Received by ADH Date 12/26/78 Time 10:10 AM
Preliminary check by 20.00 Fee \$ 0160000.00 72-399
Received by maria Date 12-28-78 # 12650
Publication prepared by ADM Date 1/2/79
Published in curter publishing co.
Publication dates 1/8/79 + 1/25/79
Publication approved maria Date 1/18/79
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by ADH SS.
61.9

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 72-7072, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 84.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 9 day of March, 19 79.

L. Glen Saxton

Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, MARGARET PARKS
 Publisher of the Challis Messenger,
 a weekly newspaper, published at
 Challis, Idaho, do solemnly swear
 that the notice hereto attached and
 made a part hereof, was published
 in the regular and entire issue of
 the Challis Messenger for 2
 consecutive weeks, commencing with
 the issue dated JAN 18
1979 and ending with the issue
 dated JAN 25, 1979.

Margaret Parks

Subscribed and sworn to before
 me this 2 day of February,
 19 79.

Janet M. Jones
 Notary Public, residing at Challis,
 Idaho. My commission expires on
April 30, 1979.



NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the
 following application has been
 submitted for permit to appropriate
 the public waters of the State of
 Idaho:

72-7072
 LEUZINGER, CLARENCE
 CHALLIS, ID 83226
 Source: SALMON RIVER tributary
 to SNAKE RIVER
 Date Filed: 12/26/1978
 Amount: 0.20 CFS
 Diversion Point: Lot 08 Sec 25 T 12N
 R 18E, CUSTER CO.
 Use: IRRIGATION (0.20 CFS) from
 04/01 to 10/15
 Place of Use: LOT 08 (SESW) Sec 25
 T 12N R 18E FOR 10 ACRES
 Diversion Means: PUMP IN RIVER
 DIVERTING TO 4" MAINLINE
 AND LATERALS

If issued, the permit will be subject
 to all prior water rights. Protests
 against the granting of any permit
 must be filed with the Director of the
 Idaho Department of Water
 Resources, 1041 Blue Lakes Blvd.
 North, Twin Falls, Idaho 83301 on or
 before FEBRUARY 5, 1979.

C. STEPHEN ALLRED
 Director
 Pub. 1/18 & 1/25/79.

000

RECEIVED

FEB 5 1979

Department of Water Resources
 Southern District Office

MICROFILMED

March 13, 1989

CLARENCE LEUZINGER
P.O. BOX 271
CHALLIS, ID 83226

RE: PERMIT NO. 72-07072

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

FILED

MAR 17 1989

RECEIVED
MAR 8 1986

Department of Water Resources
Permit No. 72-7072
Phone No. _____

1. Owner: Clarence Leuzinger Phone No. _____
Current Address: Challis, Ida 83226
2. Accompanied by: Clarence Leuzinger EXAM. DATE: 7-24-85
Address: _____ Phone No. 6-12-85
Relationship to Permit Holder: _____ 10:00AM
3. Source: Salmon River tributary to Snake River

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Berkley	7.5		Century	7972611

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
~~#~~ 9/64 Nozzles, Weather Tex Hds 55 PSI Ave L34 Hdl)
 pump & motor at River, Intake 4" dia - main line 4" dia
 Sump-pump-

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

7. Measurements Pressure gage ☐ Additional data/computation sheets attached
9/64 Nozzles, 34 Hds, Weather-tec. Hds, Ave PSI - 55 = .32 cfs.
4" Main Lines & 4" Laterals


- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]

- | | | |
|----|------------------|---|
| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination |
|----|------------------|---|

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Gary J. Jorgensen Date 12-11-85

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____


Date

MICROFILMED

CONSULTANT SEAL

MAR 17 1989

T 12N R 18E



72-7072

Clarence Leuzinger

(34) Hand Lines

inlet for
pump



MICROFILMED

MAR 17 1989

Motor Pump & Mainline



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
MAR 3 1986

72-7072
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Pressure gage - 0.32 cfs

$$\frac{8.8(7.5)1.70}{6' + (55 \times 2.3)} = \underline{\underline{.35 \text{ cfs}}}$$

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 10 \times 3 = 30 \text{ AFA} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.20)(215)(1.98) = 85 \text{ AFA} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\underline{30 \text{ AFA}}} \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: None
- b) Other water rights with same point of diversion: _____
- c) Analysis: _____

MICROFILMED

MAR 17 1989

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	72-7072					

4. Permit Holder: Clarence Leuzinger

Address:

5. Source: Salmon River tributary to Snake River

6. Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
IRRIGATION	4-1	11-1	0.20 cfs	30.0 afa

Allowable Maximums: 0.20 C.F.S. 30.0 A.F.B.

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks:

MICROFILMED

MAR 17 1989

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Hans Jundenburg



Date 12-11-1985

Checked in Regional Office by J. J. [Signature]

Date: 12-11-85

Approved in State Office by Deanne Hartney

Date 11/14/88



Charles Longenecker
Box 271
Challis, ID 83226

MICROFILMED

MAR 17 1989

RECEIVED



JUL 6 1982

Department of Water Resources
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 72-7672

Name(s) of Permit Holder(s): Clarence Hanger

Post Office Address: Box 224 Challis, ID 83226

Tel. 208-879-2212

☒ I hereby certify that construction of diversion work ^(date) 4-3-79 APR 3 1979 above referenced permit began on 4-3-79. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control:

"Note: A financing difficulty is
not an acceptable reason."

7/2/82
Date

Clarence Hanger
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N.
Twin Falls, Idaho 83301
(208) 734-3578

MAY 15, 1984

CLARENCE LEUZINGER
BOX 271
CHALLIS ID 83226

RE: Permit No. 72-7072

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.



Sincerely,
s/Mary A. Newby
Secretary

Mary A. Newby

MICROFILMED

MAR 17 1989

Charles J. Jorgensen
Post 271
Charles Rd. 83226



JAN 6 1984



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 72-7072.

Name(s) of Permit Holder: Charles Deussen

Post Office Address: Box 271 Tel. No. 879-2212

Source of Water: Silver River

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 10 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date Jan 4-1984 Signature of Permit Holder Charles Deussen

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138328

LEUZINGER, CLARENCE
CHALLIS, ID 83226

PROOF DUE NOTICE

DECEMBER 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 72-7072 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

March 9, 1979

Re: Permit No. 72-7072

Clarence Leuzinger
Challis,
Idaho 83226

Dear Mr. Leuzinger:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

727072

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. S.W. Source
3. ✓ Point of Diversion
4. 0.2 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. N/A Place of Use for other than irrig.
8. 10 Place of Use for irrigation (add acres)
9. A. Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>NO</u> Idaho Fish & Game Dept.	<u>NO</u> Dept. of Lands
<u>NO</u> Bureau of Land Management	<u>NO</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ noOther rights on same land None plottedWithdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NOID Power Co. Letter - G.W. & Tribs. NOSnake River Condition NOPayette River Letter NOPriority Date 12/26/78Water Quality #16 NOWater Quality #10 NO
intrastate NO interstate NOMeas. Dev. or Sc. Meas. NOTotalizing meter NOSupplemental NORight-of-Way Cond. NOWatermaster Cond. NOWtr. Dist No. NOMeas. Dev. Cond. for apps within a Water Dist. NOJim Reviewer3/9/79 DateRECEIVED
MARCH 10 1979
STATE OF IDAHO

72-7072

Entered, 12/28/78 ADM

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 72-7072 - Clarence Leuzinger

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) ADM 12-28-78

In form to receipt.

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) ADM 12-28-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) mary 2/5/79

Affidavit of Publication received (date) 2/5/79

(12) mary 2/5/79

Final date for protests 2/5/79
Protests received: yes _____ no X

(13) LH 2-27-79

All requested information received from agencies or applicant: yes ✓ no _____

(14) LH 2-27-79

Action recommended:

☒ Approve _____ Deny

12-24-78 Proposed Priority

_____ Reason for Reduction

_____ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District S

By Loren O'Halloran Date 2-27-79

RECEIVED
MAR 02 1979

Department of Water Resources

MICROFILMED

PRE-PERMIT EXAM

Applic. No: 72-7022

Date: 2-21-79

Source: Salmon River

Trib. to: Snake River

Stream flow data: To my knowledge there has never been a shortage of water in this reach of the Salmon River.

Other uses in general area: Irrigation, Recreation, fishing

Special considerations: Because of the small amount applied for the abundance of water in the river I see no problem with the filing

Water District or Canal Company which may have jurisdiction: none

Explain: _____

Do all items on application appear to be correct? Yes ☒ No ☐

Explain: _____

Recommendation and other comments: _____

Signed: Larry R. Dean

Persons present during review of site:

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JANUARY 2, 1979

Custer Publishing Company
P. O. Box 405
Challis, Idaho 83226

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before FEBRUARY 5, 1979.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

22-2072

LEUZINGER, CLARENCE

CHALLIS, ID 83226

Source: SALMON RIVER tributary to SNAKE RIVER

Date Filed: 12/26/1978

Amount: 0.20 CFS

Diversion Point: LOT 08 Sec 25 T 12N R 18E, CUSTER Co.

Use: IRRIGATION (0.20 CFS) from 04/01 to 10/15

Place of Use: LOT 08 (SESW) Sec 25 T 12N R 18E FOR 10 ACRES

Diversion Means: PUMP IN RIVER DIVERTING TO 4" MAINLINE AND LATERALS

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 on or before

C. STEPHEN ALLRED FEBRUARY 5, 1979.

Director

Published 1/18 & 1/25/79.

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

72-7072

LEUZINGER, CLARENCE
CHALLIS, ID 83226

Source: SALMON RIVER tributary
to SNAKE RIVER

Date Filed: 12/26/1978

Amount: 0.20 CFS

Diversion Point: Lot 08 Sec 25 T 12N
R 18E, CUSTER CO.

Use: IRRIGATION (0.20 CFS) from
04/01 to 10/15

Place of Use: LOT 08 (SESW) Sec 25
T 12N R 18E FOR 10 ACRES

Diversion Means: PUMP IN RIVER
DIVERTING TO 4" MAINLINE
AND LATERALS

If issued, the permit will be subject
to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 1041 Blue Lakes Blvd.
North, Twin Falls, Idaho 83301 on or
before FEBRUARY 5, 1979.

C. STEPHEN ALLRED

Director

Pub. 1/18 & 1/25/79.

□□□

de m... 1/17/79
RECEIVED

JAN 17 1979

Department of Water Resources
Southern District Office



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

C. Stephen Allred
Director

December 28, 1978

James R. Bennetts
Attorney at Law
P. O. Box 36
Challis, Idaho 83226

Re: Application for Permit No. 72-7072 - Clarence Leuzinger

Dear Mr. Bennetts:

Enclosed is your receipt No. 12650 for check No. 92-297 in the amount of \$20.00 for the above referenced Application for Permit which was received in this office December 27, 1978.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

Mary A. Hill
Secretary

for

Loren O. Holmes
Southern Region Supervisor

Encl:

MICROFILMED

JAMES R. BENNETTS
ATTORNEY AT LAW
P. O. BOX 36
CHALLIS, IDAHO 83226

(208) 879-4488

December 20, 1978

RECEIVED

DEC 27 1978

Department of Water Resources
Southern District Office

RECEIVED
DEC 26 1978
Department of Water Resources

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Clarence Leuzinger-Application for Permit

Dear Sirs:

Please process the enclosed Application for Permit
for Clarence Leuzinger.

We have enclosed a check from Mr. Leuzinger in the
amount of \$20.00 to cover the filing fee.

Thank you.

Very truly yours,


James R. Bennetts

JRB:dl
Enclosures