


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Holley
(Applicant)

MICROFILMED
JUN 26 1990



FOREST BOUNDARY

TRACT 2
WM. DOBSON
5 AC

WM. DOBSON
4.77 AC
30-356

SEE LARGE SCALE
MAP OF STANLEY
T. 4
1.47 AC

TRACT 3
30.376

JASON G VAUGHT
TRACT 6 4.07 AC

NIP & TUCK CREEK
THOMPSON STREET

CLARA E VAUGHT
TRACT 7
4.14 AC

J. S. HAVEN & SONS
JOE WILLIAMS INC.
33-770

TRACT 9
4.39 AC
WM DOBSON
30-480

Lot 1
NE 1/4 - NE 1/4
SEC. 3

NW 1/4 NE 1/4
SEC. 3
Woodley
Lot 3

SW 1/4 NE 1/4
SEC. 3
Lot 7

MICROFILMED
JUN 2 1999

T1055
46.13A

NW 1/4 SE 4
SEC. 3

Chivers
157878

Lot 8


Lot 8

Lot 8

Lot 8

Lot 8

Lot 8



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 17 1994

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Roz & John Holley dba Knotty Pine Restaurant Permit No. 71-07133
Current Address: P.O. Box 113, Stanley, ID 83278 Phone No. 774-3448
2. Accompanied by: Permittees EXAM. DATE: 8-12-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



71-7133



Domestic P/U Behind Business



Domestic P/U To Be Licensed
Pressure Tanks In Rear

MICROFILMED
JUN 0 8 1995

71-7/33.



P/U, P/D at corner



Restaurant

MISSOURI
JUN 08 1995

AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, Margaret Parks, Publisher of the Challis Messenger, a weekly newspaper, published at Challis, Idaho, do solemnly swear that the notice hereto attached and made a part hereof, was published in the regular and entire issue of the Challis Messenger for 2 consecutive weeks, commencing with the issue dated Jan 18 1990 and ending with the issue dated Jan 25 1990

Margaret Parks
RECEIVED

STATE OF IDAHO JAN 26 1990

Department of Water Resources
COUNTY OF CUSTER Southern Region Office

On this 25th day of January in the year of 1990, before me a Notary Public,

personally appeared Margaret Parks, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Eckel M. Peck
Notary Public for Idaho
Residing at Challis
My commission expires: 3-21-92

NOTICE OF APPLICATION FOR WATER RIGHT

The following application have been filed to appropriate public waters of the State of Idaho:

71-07133

HOLLEY, JOHN
HOLLEY, ROZ
P.O. BOX 113
STANLEY, ID 83278
Source: GROUNDWATER
Diversi on Pt: NENWNE Sec 3 T 10N R 13E
Use: COMMERCIAL (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.100 CFS)
Date Filed: 1/03/1990
In: T10N R13E S03 NWNE

72-07449

SIMON, PETER A.
9888 BARNSDALE
BOISE, ID 83704
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversi on Pt: NESE Sec 25 T 11N R 16E
Use: IRRIGATION (.090 CFS)
FIRE PROTECTION (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 12/28/1989
In: T11N R16E S25 NESE
3.0 ACRES TOTAL

72-07452

ROSCELLEY, MICKY
ROSCELLEY, MAUREEN
P.O. BOX 511
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversi on Pt: SWNW Sec 28 T 13N R 19E
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 12/27/1989
In: T13N R19E S28 SWNW
10.0 ACRES TOTAL

72-07453

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversi on Pt: LOT 8 (SWNWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.080 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.100 CFS)
Date filed: 12/28/1989
In: T13N R19E S28 Lot 8 (NWSW)
2.7 ACRES TOTAL

72-07454

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversi on Pt: LOT 8 (NWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.080 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.100 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 8 (NWNW)
2.8 ACRES TOTAL

72-07455

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversi on Pt: LOT 8 (SENWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.080 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.100 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 8 (NWSW)
2.8 ACRES TOTAL

72-07456

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversi on Pt: LOT 8 (SENWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.080 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.100 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 8 (NWSW)
2.8 ACRES TOTAL

72-07457

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversi on Pt: LOT 8 (SENWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.080 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.100 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 8 (NWSW)
2.6 ACRES TOTAL

72-07458

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversi on Pt: LOT 3 (NESW) Sec 28 T 13N R 19E
LOT 8 (NWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.070 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.090 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 3 (NESW) Lot 8 (NWSW)
2.2 ACRES TOTAL

72-07459

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversi on Pt: LOT 4 (SWSWNE) Sec 28 T 13N R 19E
Use: IRRIGATION (.150 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.170 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 4 (SWNE) Lot 3 (SENW)
5.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before FEBRUARY 5, 1990.

R. KEITH HIGGINSON, Director
Pub: Jan. 18 & 25, 1990.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 71-07133

Priority: January 3, 1990

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that JOHN HOLLEY
ROZ HOLLEY

PO BOX 113

STANLEY ID 83278

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 3, 1990; and has submitted Proof of Beneficial Use on April 8, 1992. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.6 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2 (NWNE), Sec. 3, Township 10N, Range 13E
CUSTER County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

10N 13E 3 Lot 2 (NWNE)

PLACE OF USE:

DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Commercial use is for a restaurant.
6. Domestic use is for 1 home.
7. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

APR 8 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 71-07133

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25TH
day of MAY, 1995.

Acting for


KARL J. DREHER, Director

RECEIVED
APR 8 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 4-7-92
Receipt No. 0025126
Receipt by WLB

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 71-07133 Telephone No. 208 774-3448
2. Name(s) of Permit Holder(s): John & Roz Holley
3. Mailing Address: P.O. Box 113 Stanley Id. 83228-
4. Source of Water: Well

If GROUNDWATER, Well Driller's Name: Hiddleston Drilling Date Drilled: 4-23-87

OPTIONAL:
Pump horsepower: 1/2 Pressure (psi): 40 Dynamic pumping level (ft.): 75

5. Extent of Use (as authorized by the permit):
Domestic yes - 1 Reg 4/9/92 (No. of households) Stockwater _____ (No. and type of stock)
Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.08 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes _____ No

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name John Holley Telephone No. 208-774-3448
Address P.O. Box 113 Stanley Id. 83228-0113

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 4-6-92 Signature (and title, if on behalf of a company or organization) John Holley owner

MAY 21 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 71-07133

Proposed Priority: January 3, 1990

Maximum Diversion Rate:

0.10 CFS

This is to certify, that ROZ HOLLEY

JOHN HOLLEY

P.O. BOX 113

STANLEY, ID 83278

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.06 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENWNE

Sec. 3, Township 10N, Range 13E
CUSTER County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

10N 13E 3

NWNE

PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1992.
2. Subject to all prior water rights.
3. Commercial use is for a restaurant.
4. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

3 day of May, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED
JUN 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident No 71-07133

To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN HOLLEY or ROZ HOLLEY Phone 774-3448
Post office address P.O. Box 113 STANLEY, ID 83278
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 3 Township 10N Range 13E B.M. Custer County; additional
points of diversion if any _____
4. Water will be used for the following purposes:
- Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .06 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works
- a. Description of ditches, flumes, pumps, headgates, etc. 6" x 200' well
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 6" inches; proposed depth of well is 200' feet.
- d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year). Well is presently in use - since Sept. 1989

MICROFILMED

JUN 26 1990

a. Hydropower, show total feet of head and proposed capacity in kW.

c. Municipal, show name of municipality. _____

 $\frac{1}{a}$

Commercial - Restaurant seating 40 people

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

ponding place of use below. See instructions for standard symbols.

[illegible]

C

No 17

April 1997

Applicant


MICROFILMED

~~JUN 6 1990~~

Remarks: Well are present before use developed well will be relocated due to insufficient water available. P/U is lower strongly transverse

* Per telecon w/ Applicant, 1/3/99, by Mrs

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

John Holley
(Applicant)

MICROFILMED

JUN 26 1990

Received by SC Date 1/3/90 Time 11:30 AM Preliminary check by DRJ
Fee \$ 30 Receipted by DRJ # 5010821 Date 1/3/90
Publication prepared by M. Baldwin Date 1/5/90 Published in Challis Messenger
Publication approved M. Baldwin Date 2/5/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUN 26 1990

U.S. POSTAL SERVICE
PS FORM 3547

fee due 50¢

Y FOR PRIVATE
VOID PAYMENT
POSTAGE, \$300

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Bosse, Idaho 83706-2237

RETURN SERVICE
REQUESTED
RECEIVED

MAR 01 1999

Department of Water Resources

JOHN HOLLEY
ROZ HOLLEY
PO BOX 113
STANLEY ID 832780113

AUTO 83278



First-Class Mail
Postage & Fees Paid
USPS
Permit No. G-10

PS NETS
7076757 U.S. POSTAGE

HECLOS7 832783008 3698 04 02/24/99
HECLA MINING CO FORM 3547
PO BOX 647
CHALLIS ID 83226 0047



O

71-07133

)

T 10N, R 13E, S 03 NWNE Lot 2



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 25, 1995

JOHN HOLLEY
ROZ HOLLEY
PO BOX 113
STANLEY ID 83278

RE: WATER RIGHT NO. 71-07133

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

JUN 08 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 71-07133 DATE 5/15/95

NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: Order to reinstate needed? ☐
Incorrect fee for rate recommended? ☐

SOURCE Changes or just clarification of originally intended source? ☒
Notice of Intent to Void necessary? ☐

POINT OF DIV Amendment needed? Add Gov Lot 2
Overlaps? ☐

PLACE OF USE Amendment needed? Add Gov Lot 2
Overlaps? ☐

DIV RATE Permit/fee limits: .10 CFS
Meas Q = 1 dom. @ .02 Theo Q = .02 Recommend: .02
Commercial @ 60 people day/10 gal per day each = 600 gal/day
Combined rates exceed capacity Commercial/NEW 1-2 to 11-25

ANNUAL VOLUME Volume Limit: Season:
Calculations: 600 gal/day x 296 days = 177600 gal =
(therefore .6 cfs) .54 af
Flow limit: _____ cfs x _____ x 1.9835 = _____
Combined volumes exceed capacity/allowable ☐

USES Change in Nature of Use or additional uses? ☒
Amendment necessary? ☐

ADDITIONAL INFO Supplemental Groundwater ☐ PPU Scenario ☐
Irr/Dom Combination ☐ Shared G/W System ☐


NEW REMARKS Multiple p/d(s) in 1/4 1/4? ☐
Other ☐

NEW CONDITIONS Watermaster control - District ☐
Measuring/Locking Devices ☐
Irrigation Overlap ☐
Other ☐
Water Quality ☐ Heat/Cool/Fish verified ☐

COMMENTS: Reduce rate to capacity.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
<u>Commercial</u>	<u>.02</u>	<u>.6</u>	<u>NO</u>	<u>NO</u>
<u>Domestic</u>	<u>.02</u>	<u>.6</u>	<u>LICENSE</u>	<u>✓</u>
<u>Total</u>	<u>.02</u>	<u>1.2</u>	1ST AMEND LETTER	
			2ND AMEND LETTER	

Triship, Vol 10 North Range, Vol 3 East of the Boise



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 17 1994

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Roz & John Holley dba Knotty Pine Restaurant Permit No. 71-07132
Current Address: P.O. Box 113, Stanley, ID 83278 Phone No. 774-3448
2. Accompanied by: Permittees EXAM. DATE: 8-12-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED
JUN 08 1995

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

Well or Diversion No.*	Myers	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2			

*Code to correspond with No. on map and aerial photo

[illegible]

Indicate Method of Determination.

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Not measured.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 40 psi x 2.31 = 92.4 ft (1); Dynamic pumping level: 75 ft (2)

Total Head: (1) + (2) = 167.4 (3) ; Flow rate: 0.02 cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses

Domestic - allow 0.6 AFA home w/o lawn.

Commercial - allow same amount for home (≈ 60 people/day at 10 gpm/customer)

MISSOURI MCD

JUN 08 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Domestic use is for 1 home without town per permit, but 2 homes are actually served.
Restaurant closes from Thanksgiving to January 1.
Original well & restaurant went in 30-40 years ago. Old well was not purchased with property, so new well was dug about 4 years ago. Well only pumps 3-5 gpm according to owner, but is adequate with large pressure tank. ~~He had no idea of annual volume, but thought it would cover commercial use.~~

I. RECOMMENDATIONS

1 Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1-2	11-25	0.02	0.6
Domestic	1-1	12-31	0.02	0.6
Totals:			0.02	1.2

2. Recommended Amendments

- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION


Field Examiner's Name J. E. Stanton
Signature J. E. Stanton
Certification Date _____
Field Report Preparation Date 10-7-92

CONSULTANT SEAL


- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 08 1995



71-7133




Domestic P/U ~~is~~ Behind Business

Domestic P/U To Be Licensed
Pressure Tanks In Rear

MISSOURI
JUN 08 1935

7/-7/33.



P/U. P/D at corner

Restaurant

MICROFILMED

JUN 08 1995

April 10, 1992

ROZ HOLLEY
JOHN HOLLEY
P.O. BOX 113
STANLEY ID 83278

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 71-07133

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager


c: IDWR - Region

RECEIVED

MAY 21 1992

ROZ HOLLEY
JOHN HOLLEY
P.O. BOX 113
STANLEY ID 83278

March 31, 1992



RE: PERMIT NO. 71-07133 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

21 1992

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 3, 1990

ROZ HOLLEY
JOHN HOLLEY
P.O. BOX 113
STANLEY, ID 83278

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 71-07133

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

JUN 26 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
JUN 26 1990

08-Jan-1990

District 7 Health Dept.
Attention: Steve Adams
P.O. Box 280
SALMON ID 83467

Re: Application(s) for Permit

Dear Mr. Adams:

Please find enclosed copy(ies) of an Application(s) for Permit for your information and files.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

Enclosure(s)

INDEXED

JUN 26 1990

08-Jan-1990

John &/or Roz Holley
P.O. Box 113
STANLEY ID 83278

Re: Application for Permit No. 71-07133

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Challis Messenger on 1/18 & 1/25/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Douglas Jones, E. I. T.
Water Resources Engineer

DJ:MB

MICROFILMED

JUN 26 1990

AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, Margaret Parks, Publisher of the Challis Messenger, a weekly newspaper, published at Challis, Idaho, do solemnly swear that the notice hereto attached and made a part hereof, was published in the regular and entire issue of the Challis Messenger for 2 consecutive weeks, commencing with the issue dated Jan 18 1990 and ending with the issue dated Jan 25 1990

Margaret Parks
RECEIVED

STATE OF IDAHO JAN 26 1990

Department of Water Resources
COUNTY OF CUSTER Southern Region Office

On this 25th day of January in the year of 1990, before me a Notary Public,

personally appeared Margaret Parks, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Evelyn M. Peck
Notary Public for Idaho

Residing at Challis

My commission expires: 3-21-92

NOTICE OF APPLICATION FOR WATER RIGHT

The following application have been filed to appropriate public waters of the State of Idaho

71-07133

HOLLEY, JOHN
HOLLEY, ROZ
P.O. BOX 113
STANLEY, ID 83278
Source: GROUNDWATER
Diversión Pt: NENWNE Sec 3 T 10N R 13E
Use: COMMERCIAL (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversión: (.100 CFS)
Date Filed: 1/03/1990
In: T10N R13E S03 NWE

72-07449

SIMON, PETER A.
9888 BARNSDALE
BOISE, ID 83704
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversión Pt: NESE Sec 25 T 11N R 16E
Use: IRRIGATION (.090 CFS)
FIRE PROTECTION (.090 CFS)
Total Diversión: (.090 CFS)
Date Filed: 12/28/1989
In: T11N R16E S25 NESE
3.0 ACRES TOTAL

72-07452

ROSCELLEY, MICKY
ROSCELLEY, MAUREEN
P.O. BOX 511
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversión Pt: SWNW Sec 28 T 13N R 19E
Use: IRRIGATION (.200 CFS)
Total Diversión: (.200 CFS)
Date Filed: 12/27/1989
In: T13N R19E S28 SWNW
10.0 ACRES TOTAL

72-07453

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversión Pt: LOT 8 (SWNWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.080 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.100 CFS)
Date filed 12/28/1989
In: T13N R19E S28 Lot 8 (NWSW)
2.7 ACRES TOTAL

72-07454

C & D ENTERPRISES INC.
74 S 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversión Pt: LOT 8 (NWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.080 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.100 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 8 (NWNW)
2.8 ACRES TOTAL

72-07455

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversión Pt: LOT 8 (SENWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.080 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.100 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 8 (NWSW)
2.8 ACRES TOTAL

72-07456

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversión Pt: LOT 8 (SENWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.080 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.100 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 8 (NWSW)
2.8 ACRES TOTAL

72-07457

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversión Pt: LOT 8 (SENWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.080 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.100 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 8 (NWSW)
2.6 ACRES TOTAL

72-07458

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversión Pt: LOT 3 (NESW) Sec 28 T 13N R 19E
LOT 8 (NWSW) Sec 28 T 13N R 19E
Use: IRRIGATION (.070 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.090 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 3 (NESW) Lot 8 (NWSW)
2.2 ACRES TOTAL

72-07459

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tributary: SNAKE RIVER
Diversión Pt: LOT 4 (SWSWNE) Sec 28 T 13N R 19E
Use: IRRIGATION (.150 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.170 CFS)
Date Filed: 12/28/1989
In: T13N R19E S28 Lot 4 (SWNE) Lot 3 (SENW)
5.0 ACRES TOTAL
The permit(s) will be subject to all prior water rights. Protest must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before FEBRUARY 5, 1990.
R. KEITH HIGGINSON, Director
Pub: Jan. 18 & 25, 1990.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
2148 4th Avenue East
Twin Falls, ID 83301
(208)734-3578

JANUARY 5, 1990

CUSTER PUBLISHING COMPANY
P.O. BOX 405
CHALLIS, ID 83226

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 5, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

JUN 26 1990

71-07133

HOLLEY, JOHN
HOLLEY, ROZ
P.O. BOX 113
STANLEY, ID 83278

Source: GROUNDWATER

Diversion Pt: NENWNE Sec 3 T 10N R 13E

Use: COMMERCIAL (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.100 CFS)

Date Filed: 1/03/1990

In: T10N R13E S03 NWNE

MICROFILMED

JUN 26 1990

74

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

71-07133 ✓

JAN 18

HOLLEY, JOHN
HOLLEY, ROZ
P.O. BOX 113
STANLEY, ID 83278
Source: GROUNDWATER
Diversión Pt: NENWNE Sec 3 T
10N R 13E

Use: COMMERCIAL (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversión: (.100 CFS)
Date Filed: 1/03/1980
In: T10N R13E S03 NWNE

72-07449

SIMON, PETER A.
9888 BARNSDALE
BOISE, ID 83704
Source: SALMON RIVER Tribu-
tary: SNAKE RIVER
Diversión Pt: NESE Sec 25 T
11N R 16E

Use: IRRIGATION (.090 CFS)
FIRE PROTECTION (.090 CFS)
Total Diversión: (.090 CFS)
Date Filed: 12/28/1989
In: T11N R16E S25 NESE
3.0 ACRES TOTAL

72-07452

ROSCELLEY, MICKY
ROSCELLEY, MAUREEN
P.O. BOX 511
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversión Pt: SWNW Sec 28 T
13N R 19E

Use: IRRIGATION (.200 CFS)
Total Diversión: (.200 CFS)
Date Filed: 12/27/1989
In: T13N R19E S28 SWNW
10.0 ACRES TOTAL

72-07453

C & D ENTERPRISES INC.
74 S. 1ST EAST
TREMONTON, UT 84337
Source: SALMON RIVER Tribu-
tary: SNAKE RIVER
Diversión Pt: LOT 8 (SWNWSW)
Sec 28 T 13N R 19E

Use: IRRIGATION (.080 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.100 CFS)
Date filed: 12/28/1989
In: T13N R19E S28 Lot 8
(NWSW)
2.7 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before FEBRUARY 5, 1990.

R. KEITH HIGGINSON, Director
Pub: Jan. 18 & 25, 1990.

OK
1-19-90

MICROFILMED

JUN 26 1990

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Southern Region, 2148 4th Avenue East, Twin Falls, Idaho 83301 on or before FEBRUARY 5, 1990.

R. KEITH HIGGINSON, Director

Published 1/18/1990 & 1/25/1990

RECEIVED

JUN 2 1991