

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Map grid showing township and range information:

- Township: T 10 N
- Range: R 13 E
- Section: 9
- Point of Diversion (PD's) marked with coordinates: 2 x 3, 1 x 1

Red stamp: MICROFILMED

Red stamp: OCT 13 1987

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John P. Sanderson, president
(Applicant)

AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, Margaret Parks
Publisher of the Challis Messenger,
a weekly newspaper, published at
Challis, Idaho, do solemnly swear
that the notice hereto attached and
made a part hereof, was published
in the regular and entire issue of
the Challis Messenger for 2
consecutive weeks, commencing with
the issue dated August 20
1987, and ending with the issued
dated August 27, 1987.

Margaret Parks
Subscribed and sworn to before
me this 27th day of Aug.
1987.

Ethel M. Beck
Notary Public, residing at Challis,
Idaho. My commission expires on
3-21-92.

MICROFILMED
OCT 13 1987


**NOTICE OF APPLICATION
FOR WATER PERMIT**
The following application (s)
have been filed to appropriate the
public waters of the State of Idaho:
71-7111
STANHARRAH
P.O. Box 12968; Reno, NV 89510
SOURCE: Groundwater
Diversion Pt.: NENE, Sec. 9,
T10N, R13E, Custer County; in
Stanley.
Use: Domestic (.10 CFS)
Commercial (.08 CFS)
Date Filed: June 24, 1987
In: NENE, Sec. 9, T10N, R13E
The permit (s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources,
Southern Region, 2148 Fourth
Avenue East., Twin Falls, Idaho
83301 on or before September 8,
1987.
Norman C. Young,
Acting Director
Published: August 20 & 27, 1987.

RECEIVED

AUG 31 1987

Department of Water Resources
Southern Region Office

OK
MR
9/2/87




NE1/4 NE1/4 SECT. 9

NW1/4 NW1/4

MAR 21 1991

RECEIVED



71-7111



Well #2



Well #3

RECEIVED

MAR 21 1991

**NOTICE OF APPLICATION
FOR WATER PERMIT**

The following application (s)
have been filed to appropriate the
public waters of the State of Idaho:

71-7111

STANHARRAH

P.O. Box 12968; Reno, NV 89510

SOURCE: Groundwater

Diversion Pt.: NENE, Sec. 9,
T10N, R13E, Custer County; in
Stanley.

Use: Domestic (.10 CFS)

Commercial (.08 CFS)

Date Filed: June 24, 1987

In: NENE, Sec. 9, T10N, R13E

The permit (s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources,
Southern Region, 2148 Fourth
Avenue East., Twin Falls, Idaho
83301 on or before September 8,
1987.

Norman C. Young,
Acting Director

Published: August 20 & 27, 1987.

OK
MB
8/24/87

MICROFILMED

OCT 13 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 71-07111

Priority: June 24, 1987

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.18 CFS
7.7 AF

This is to certify, that STANHARRAH
P.O. BOX 12968

RENO, NV 895100000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 24, 1987; and
has submitted Proof of Beneficial Use on September 28, 1990. An examination indicates
that the works have a diversion capacity of .200 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.08 CFS	1.7 AF
DOMESTIC	01/01 to 12/31	0.10 CFS	6.0 AF
	Totals	0.18 CFS	7.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 9, Township 10N, Range 13E
CUSTER County

PLACE OF USE: COMMERCIAL
TWP RGE SEC

10N 13E 9 NENE

PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water controlled by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. 3 points of diversion located in the NENE, S9, T10N, R13E.
6. Commercial use is for 2 dormitories; domestic use is for 5 homes.

RECORDED

MAR 4 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 71-07111

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of FEBRUARY, 1991.

Acting for


R. Keith Higginson, Director

RECEIVED

MAR 1 1991

Should questions arise during the processing of this application please contact:

Form 200
6/86 10 S Orchard, Suite 144
Boise, ID 83705
344-6690

RECEIVED
JUL 02 1987

Ident No 71-7111

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Stanharrah Phone 702-852-6500

Post office address P.O. Box 12968, Reno, Nevada 89510

2. Source of water supply Ground water which is a tributary of ---

3. Location of point of diversion is --- $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot ---
Sec. 9 Township 10N Range 13E B.M. Custer County, additional
points of diversion if any: ---

4. Water will be used for the following purposes:

Amount .10 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .08 for Commercial purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount --- for --- purposes from --- to --- (both dates inclusive)
(cfs or acre-feet per annum)

Amount --- for --- purposes from --- to --- (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .18 and/or (b) ---
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Three wells equipped with submersible turbine pumps.

b. Height of storage dam N/A feet; active reservoir capacity --- acre-feet; total
reservoir capacity --- acre-feet; period of year when water will be diverted to storage
--- to --- inclusive

c. Proposed well diameter is 6" inches; proposed depth of well is 220' maximum feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

OCT 13 1987

Remarks	Water will be used to supply 5 individual single family residences
---------	--

11 a Who owns the property at the point of diversion?


Total number of acres to be irrigated -

[illegible]

9 Description of place of use.

8 Description of proposed uses (if irrigation only, go to item 9).

13. Map of proposed project. show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

John P. Sanderson, president
(Applicant)

Received by ms Date 7/8/87 Time 1:00 pm Proposed priority 6/24/87
Date 6-24-87 Time 3:00 pm Preliminary check by LH
Fee \$ 30.00 Receipted by AP # 44980 Date 7/1/87
Publication prepared by M. Baldwin Date 8/4/87 Published in Chellis Messenger
Publication approved M. Baldwin Date 9/2/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 71-7111, and said application is hereby APPROVED

1 Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Witness my hand this 22nd day of September, 1987.

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED

OCT 13 1987

AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer ss

I, *Margaret Parks*,

Publisher of the Challis Messenger,
a weekly newspaper, published at
Challis, Idaho do solemnly swear
that the notice hereto attached and
made a part hereof was published
in the regular and entire issue of
the Challis Messenger for 2

consecutive weeks commencing with
the issue dated *August 20* . . .
19*87* and ending with the issued
dated *August 27* . . . 1987

Margaret Parks . . .

Subscribed and sworn to before
me this *27th* day of *Aug.* . . .
19*87*


Evel M. Beck

Notary Public residing at Challis,
Idaho My commission expires on

3-21-92

MICROFILMED

OCT 13 1987



RECEIVED

AUG 31 1987

Department of Water Resources
Sawtooth Region

OK
MR
9/2/87

February 19, 1991

STANHARRAH
P.O. BOX 12968
RENO, NV 895100000

RE: WATER RIGHT NO. 71-07111

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

MAR 21 1991

LICENSE REVIEW CHECKLIST

Permit No. 71-7111

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A

Limited by capacity ☒ permit

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked date

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 44? Remember remark ☒ (3)

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44 ☒

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed - ☒

Not needed proof made 1990

Comments/Changes to Examiner's Recommendations:

Volume - dom. 6.0 5x1.2
Comm. (1.7) 100 gpd x 15 = 1500 gpd x 365 days / 325,850 = 1.7 AF

License ☒ 7.7 10-day 30-day

Back of field report signed? ☒

Reviewer J. Curtis Date 1/16/91 Review time 10 min.

MEMORANDUM

TO: File 71-7111
FROM: Sharla
DATE: January 22, 1991
RE: Volume Calculations

The volume recommended for licensing by the examiner is excessive.
The volume has been re-calculated as follows:

Domestic - 5 homes X 1.2 AF ea = 6.0 AF
Commercial - 2 dormitories - permit states 15 people served by
the dorms
15 X 100 gpd = 1500 gpd X 365 days = 547,500 gallons
325,850 = 1.7 AF

SEARCHED INDEXED

JAN 24 1991

Should questions arise during the processing of this application please contact:

Form 219
SHERL L. CHAPMAN
410 S. Orchard, Suite 144
Boise, ID 83705
344-6690

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

Department of Water Resources

RECEIVED
JAN 10 1991

A. GENERAL INFORMATION

- Permit No. 71-7111
1. Owner: Stanbarrah Phone No. 702-852-6500
Current Address: PO Box 12968 Reno NV 89510-0000
2. Accompanied by: Bill Lumpkin EXAM. DATE: 9/18/90
Address: Stanley Id Phone No. 1-800-843-5475
Relationship to Permit Holder: Manager
3. Source: Ground water tributary to NID

B. OVERLAP REVIEW

1. Other water rights with same place of use: None recorded ☐ Copies Attached
2. Other water rights with same point of diversion: None recorded ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

Scale: 1" = _____

2. ☒ Copy of U.S.G S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

MICROFILMED

MAR 21 1991

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water from these three wells is used for the following purposes:

- Well #1 - 4 bdrm dormitory, 3 single family residences, 1 student apt.
- Well #2 - reserve - no pump presently installed
- Well #3 - 8 bdrm dormitory, 2 single family residences, 1 duplex,

irrigation of $1\frac{1}{2}$ acre

picture of #1 well unavailable - buried in vault with a steel and soil cover. System is reportedly tied together but no plans or specs available due to the age of the system

See Remarks on page 4 for continuation

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	unknown	3/4	unknown	unknown	3/4"
2	-	-	-	-	-
3	unknown	3	unknown	unknown	1 1/2"

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

Indicate Method of Determination

6. Place(s) of Use:

[illegible]

Do not use this space

MAR 21 1961

NOT FILMED

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2 Measurements:

Flow was calculated due to lack of measuring access port.
 $Q = \frac{HP \times 8.8}{TDH}$ Well #1 TDH = 120 Q = .04 cfs
 Well #3 TDH = 135 Q = .16 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1 Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1 Volume Calculations for Irrigation

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses

$.18 \times 1.9835 \times 365 = 130 \text{ ac ft}$

REFILMED

MAR 21 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (af)
	From	To		
Domestic	Jan 1	Dec 31	.10	72
Commercial	Jan 1	Dec 31	.08	58
Totals:			.18	130

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name Sheri L. Chapman

Signature Sheri L. Chapman

Certification Date 4/16/90

Field Report Preparation Date 9/19/90




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

59/16/91


MICROFILMED

MAR 21 1991



NE1/4 NE1/4 SECT. 9

NW1/4 NW1,




WELL #13

UTVHOS

WELL #5


WELL #4

WELL #1



MIN 21 1001


71-7111



Well #2



Well #3



January 4, 1991

STANHARRAH
P O BOX 12968
RENO, NV 89510-0000

Gentlemen:

RE: Permit No. 71-7109, 71-7110 AND 71-7111

The department received the proof of beneficial use forms and the completed field inspection reports from Sherl L. Chapman.

The next step is for the department to complete review of the report and advise of the recommendations for licensing. I cannot tell just when the licensing process will occur, but you will be notified of the findings prior to the license being issued.

If you have questions, please contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: S. Region
Sherl Chapman

MICROFILMED

MAR 21 1991

Should questions arise during
the processing of this applica-
tion please contact:

SHERL L. CHAPMAN
410 S Orchard, Suite 144
Boise, ID 83705
344-6690

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 71-7111 Telephone No. 702-852-6500

Name(s) of Permit Holder(s): Stanharrah

Post Office Address: P.O. Box 12968, Reno, Nevada 89510-0000

Source of Water: Groundwater

If ground water, well driller's name: Unknown Date drilled: Unknown

Extent of Use:
Domestic 8 (No. of households) Irrigation 1/2 (No. of acres)
Stockwater _____ (No. and type of stock) Other Two dormitories, one
four bedroom, one eight bedroom

Total rate and/or volume for which proof is submitted .18 cfs 130 acre/feet

Show date water was first diverted and beneficially used under this permit: July, 1987

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

OR

Flow Measurement Port: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

RECEIVED
SEP 28 1990

Fee Enclosed: \$ -0- (See License Examination Fee Schedule)

Department of Water Resources
Western Regional Office

Person to contact to accompany the Department representative during the field examination:

Name _____ Telephone No _____

Address _____

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

MAR 21 1991

9/25/90 Randall C. Peubing, Operations Manager
Date Signature (and title if on behalf of a company or organization)

138/37

~~138/37~~

July 31, 1990

STANHARRAH
P.O. BOX 12968
RENO, NV 895100000

PROOF DUE NOTICE

RE: PERMIT NO. 71-07111

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
SEPTEMBER 25, 1987

STANHAMRAH
P.O. BOX 12968
RENO, NV 89510

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 71-7111

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE BE ADVISED THAT WATER QUALITY IS SUBJECT TO REGULATIONS OF THE IDAHO DEPARTMENT OF HEALTH AND WELFARE. WE SUGGEST THAT YOU CHECK WITH THEM BEFORE STARTING CONSTRUCTION.

A "DRILLING PERMIT" MUST BE OBTAINED FROM THE DEPARTMENT FOR ALL WELLS CONSTRUCTED AFTER JULY 1, 1987. A DRILLING PERMIT IS A SEPARATE PERMIT THAT MUST BE ISSUED IN ADDITION TO YOUR PERMIT TO APPROPRIATE WATER. COMMENCEMENT OF WELL CONSTRUCTION OR DIVERSION OF WATER UNDER YOUR PERMIT TO APPROPRIATE WATER IS PROHIBITED UNLESS A DRILLING PERMIT IS OBTAINED.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

RECEIVED

OCT 13 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LA APPLICATION NUMBER: 76 - 7111

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: MB Date: 8/4/87
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. V-19
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/24/87 Date of priority recommended.
Special conditions of approval or cover letter. 26, 43

OCT 13 1987

allow 3 yrs. for B/U development

By: ADK Date: 9/9/87

STATE OFFICE REVIEW

L10, L23, L17

43 26

RECEIVED

- ☐ See attached sheet for more information.

By: KW Date: 9/22/87 SEP 15 1987

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE 734-9520

DIVISION OF ENVIRONMENT
P. O. Box 1626
Twin Falls, ID 83303-1626

RECEIVED

August 17, 1987

AUG 18 1987

Department of Water Resources
Southern Region Office

Loren O. Holmes
Southern Region Supervisor
Department of Water Resources
2148 4th Avenue East
Twin Falls, Idaho 83301

Re: Applications for Water Permit Nos. 71-7107, 71-7108, 71-7109,
71-7110, 71-7111, and 71-7112

Loren,

These permits appropriate water for uses which may fall under the definition of "Public Drinking Water Systems" as referenced in the Idaho Regulations For Public Drinking Water Systems. If pertinent, construction of these facilities should not begin until our office has approved plans and specifications. The applicant should be informed of this requirement.

If you have any questions then please call.

Respectfully,


Gary R. Burkett, P.E.
Water Quality Engineer

GRB/ta

MICROFILMED

OCT 13 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

August 4, 1987

Gary R. Burkett
Idaho Dept. of Health & Welfare
P.O. Box 1626
Twin Falls, ID 83301

RE: Applications for Water Permit Nos. 71-7107, 71-7108,
71-7109, 71-7110, 71-7111, 71-7112

Dear Mr. Burkett:

Enclosed for your information are copies of applications for
water permit which has been filed with this office.

If you have any questions or need additional information
regarding these applications, please feel free to contact this
office.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Supervisor

LH:MB

Enclosures

MICROFILMED
OCT 15 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

August 4, 1987

Custer Publishing Co.
P.O. Box 405
Challis, ID 83226

Re: 71-7107, 71-7108, 71-7109, 71-7110, 71-7111, 71-7112

Gentlemen:

Enclosed you will find legal notices which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notices are correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notices on the proposed dates, please contact us immediately.

In order to receive payment, an affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

Mary A. Baldwin
Sec/Office Coord.

Encl:

MICROFILMED

OCT 13 1987

NOTICE OF APPLICATION FOR WATER PERMIT.

The following application (s) have been filed to appropriate the public waters of the State of Idaho:

71-7111

STANHARRAH

P.O. Box 12968; Reno, NV 89510

SOURCE: Groundwater

Diversion Pt: NENE, Sec. 9, T10N, R13E, Custer County; in Stanley.

Use: Domestic	(.10 CFS)
Commercial	(.08 CFS)

Date Filed: June 24, 1987

In: NENE, Sec. 9, T10N, R13E

The permit (s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 2148 Fourth Avenue East., Twin Falls, Idaho 83301 on or before September 8, 1987.


Norman C. Young, Acting Director

Published 8/20 & 8/27/87

RECORDED
OCT 13 1987

MICROFILMED
OCT 13 1987

OK
8/24/87





State of Idaho
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

CECIL D. ANDRUS
Governor

2148 4th Ave. E.
Twin Falls, Idaho 83301
(208) 734-3578

A. KENNETH DUNN
Director

August 4, 1987

Sherl L. Chapman
410 S. Orchard, Suite 144
Boise, ID 83705

Re: Applications for Permit Nos. 71-7107, 71-7108, 71-7109,
71-7110, 71-7111, 71-7112

Dear Mr. Chapman:

The Department of Water Resources acknowledges receipt of your water right applications for permit on behalf of your clients, Stanharrah and Verna Harrah. The application have been assigned identification Numbers as listed above. Please refer to these numbers in all further correspondence. Enclosed are corrected copies.

This office will be advertising the applications in the Challis Messenger on 8/20 & 8/27/87. The advertisements will be published correctly for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the applications are protested, you will be sent a copy of the protest. The protest must be resolved before the applications are approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find Receipt No. 44980 for the amount of \$200.00; 71-7107/\$30.00, 71-7108/\$45.00, 71-7109/\$65.00, 71-7110/\$30.00, 71-7111/\$30.00, and Receipt No. 44982 for the amount of \$30.00 for Application No. 71-7112.

Please feel free to contact this office if you have any questions regarding this procedure.

MICROFILMED

OCT 13 1987

Very truly yours,

Loren O. Holmes, P. E.
Southern Region Supervisor

LOH:mb

STAFF ANALYSIS SUPPLEMENT

1) Water District None Basin # 71

2) Local Description: (of one P/D)

☐

At the above street address

☐

_____ miles N/S _____ and _____ miles E/W _____
of _____ (City or landmark).

☒Other (describe) in Stanley