




AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

GORDON O. GLASMANN

, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho; that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication

of said advertisement was on the 3 day of July

19 80, and the date of the last publication was on the 10

day of July, 19 80

Subscribed and sworn to before me this 16th

day of July, 19 80.
(SEAL)

Robert McKenney

NOTARY PUBLIC

WOOD RIVER JOURNAL

Hailey, Idaho

COST OF PUBLICATION

Numer of Picas per Line 12

Number of Lines in Notice 37

Number of Insertions 2

Lines tabular at _____ 4¢ / Pica

37 Lines straight at 13.32 3¢ / Pica

37 Subsequent lines at 8.88 2¢ / Pica

TOTAL COST 22.20

COPY OF NOTICE

(Paste Here)

Permit 71-7061

TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF

Dept of Water Resources
104 Blue Lakes Blvd N
Twin Falls, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

NOTICE IS HEREBY GIVEN, That the following application has been submitted for permit to appropriate the public waters of the State of Idaho:

71-7061

JACOBS, BEN

Star Route, Ketchum, Idaho 83340

Source: SMILEY CREEK tributary to SALMON RIVER

Date Filed: 06/24/1980

Amount: 0.03 CFS

Diversion Point: SWNE Sec 27 T 07N R 14E, Blaine Co.

Use: IRRIGATION (0.03 CFS) from 0401 to 1101

FIRE PROTECTION (0.03 CFS) from 0401 to 1101

Place of Use: SWNE Sec. 27 T 07N R 14E FOR 1 ACRE.

Diversion Means: PIPELINE & PUMP.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received ON OR BEFORE JULY 21, 1980.

C. STEPHEN ALLRED

Director

Publish: Wood River Journal-July 3rd & 10th, 1980.

Department of Water Resources
Southern District Office

MICROFILMED

RECEIVED

SEP 26 1986

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Ben Jacobs Permit No. 71-2061
Current Address: Star Rte, Ketchum, Ida 83340 Phone No. 774-299
2. Accompanied by: Mrs Jacobs EXAM. DATE: 6-17-86
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Smiley Cr. tributary to Salmon River

B. OVERLAP REVIEW

1. Other water rights with same place of use: No ☐ Copies Attached
2. Other water rights with same point of diversion: No ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

JUL 07 1988



Deviation from Smiley Cr.
Pump & Motor



Trees being watered.



Lands being Irrigated



JUL 07 1988

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 71-7061

Priority: June 24, 1980

Amount: .02 CFS

1.5 AFA

This is to certify, that BEN JACOBS
STAR RT. BOX 9102
KETCHUM, ID 83340

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated June 24, 1980, and
has submitted proof to the Department of Water Resources on June 6, 1985, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .02 cfs of water from;

SMILEY CREEK

tributary to SALMON RIVER

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/15 to 10/15	.02 cfs	1.5 afa
Fire protection	01/01 to 12/31	.02 cfs	
Totals		.02 CFS	1.5 AFA

LOCATION OF POINT OF DIVERSION(S):

SWNE , Sec. 27, Township 7N, Range 14E
Blaine County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
7N	14E	27	SWNE	1			1

Total number of acres irrigated: 1

PLACE OF USE: Fire protection, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Actual acres irrigated = .5.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 11th day
of May, 1988.

MICROFILMED

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources
Southern District Office

1. Name of applicant Ben Jacobs Phone 774-2279

Post office address Star Route, Ketchum, Idaho 83340

2. Source of water supply Smiley Creek which is a tributary of Salmon River

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 27 Township 7N

Range 14E B.M. Blaine County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.03 cfs for irrigation purposes from Apr. 15 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum) 1-1 to 12-31 (both dates inclusive)

Amount 0.03 cfs for fire protection purposes from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.03 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 27 Township 7N

Range 14E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

Microfilm

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7N	14E	27			1														1

Total number of acres to be irrigated 1

c. Describe any other water rights used for the same purposes as described above.


domestic well

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Actual P. U. covers 1/2 acre. Stream diversion will supplement domestic well and will be cheaper to operate.



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A full-page sheet of white graph paper featuring a uniform grid of thin black lines. The grid consists of 20 columns and 20 rows, creating a total of 400 small squares. There are no margins, text, or other markings on the page.

Scale. 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

B. W. Jacobs
(Applicant)

Proposed Priority

6/24/80

Received by JA Date 6-24-80 Time 10 am

Preliminary check by ADM Fee \$ 20.00 # 16472

Received by marya Date 6/24/80

Publication prepared by mm Date 6/26/80

Published in Wood River Journal

Publication dates 7/3 + 7/10/80

Publication approved marya Date 7/21/80

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JA RH jin

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 71-7061, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 1st day of August, 19 80.

A. Glen Sayton

AFFIDAVIT of PUBLICATION

State of Idaho, }
County of Blaine } SS.

GORDON O. GLASMAN, being first duly sworn, deposes and says that he is the printer (publisher) of the Wood River Journal, a newspaper published every week in Hailey, County of Blaine, State of Idaho, that said newspaper has been continuously and uninterruptedly published for a period of seventy-eight consecutive weeks prior to the first publication of the annexed notice, and is a newspaper qualified to publish legal notices as provided by act of the 1919 session of the legislature of the State of Idaho, known as House Bill 145; that the annexed advertisement was published once

each week for 2 consecutive issues in said newspaper proper and not in a supplement; that the date of the first publication of said advertisement was on the 3 day of July 1980, and the date of the last publication was on the 10 day of July 1980

Subscribed and sworn to before me this 16th day of July 1980
(SEAL)

Robert McKenney
NOTARY PUBLIC

WOOD RIVER JOURNAL
Hailey, Idaho

COST OF PUBLICATION

Number of Picas per Line 12
Number of Lines in Notice 37
Number of Insertions 2
Lines tabular at _____ 4¢ / Pica
37 Lines straight at 13.32 3¢ / Pica
37 Subsequent lines at 8.88 2¢ / Pica
TOTAL COST 22.20

COPY OF NOTICE (Paste Here)


Permit 71-7061
TITLE OF NOTICE

PLAINTIFF ATTORNEY

DEFENDANT

PLAINTIFF


Dept of Water Resources
104 Blue Lakes Blvd N
Twin Falls, Idaho



Department of Water Resources
Southern District Office

MICROFILMED

B. W. Jacobs
Star Rt
Ketchum Ida 83340



MICROFILMED

JUL 25 1988



RECEIVED

JUL 27 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 71-7861
Name(s) of Permit Holder(s): B. W. Jacobs
Post Office Address: Star Pt. Ketchikan Id. 99340
P.O. 774-2279

☒ I hereby certify that construction of diversion works for the above referenced permit began on 7-15-1988 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note A financing difficulty is
not an acceptable reason

7-26-82
Date

BW Jacobs
Signature of Permit Holder

May 11, 1988

BEN JACOBS
STAR RT. BOX 9102
KETCHUM, ID 83340

RE: Permit No. 71-7061

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 07 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

b) Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: _____

c) Analysis:

RECEIVED
JUL 07 1988

10 day

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
71-7061	6-24-1980	0.02 cfs	6-24-1980	6-6-1985	0.02 cfs

Address: Star Rt., Box 9102, Ketchum, ID 83340

6. Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrig.	4-15	10-15	0.02 cfs	1.5 AFA
Fire Prot.	1-1	12-31	0.02 cfs	N/A

[illegible]

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	14E	27			X														1/2
Total Acres																			1/2

Ac. Irrig. = 0.5.

MEMPHIS

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

Checked in Regional Office by _____ Date _____

Approved in State Office by K. Walker Date 3/31/88

Date 3/31/88

April 15, 1988

BEN JACOBS
STAR RT. BOX 9102
KETCHUM, ID 83340

RE: Permit No. 71-7061

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

JUL 07 1988

RECEIVED

SEP 26 1986

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION

Permit No 71-2061

1. Owner Ben Jacobs

Phone No 774-279

Current Address Star Rte, Ketchum, Ida 83340

2. Accompanied by: Mrs Jacobs

EXAM. DATE 6-17-86

Address. _____ Phone No _____

Relationship to Permit Holder _____

3 Source Smiley Cr. tributary to Salmon River

B OVERLAP REVIEW

1. Other water rights with same place of use: No

☐ Copies Attached


2 Other water rights with same point of diversion No

☐ Copies Attached

☐ Copies of Field Exam's Attached

C SYSTEM DESCRIPTION

1 **Diversion System Diagram:** Indicate all major components and distances between components Indicate weir size/ditch size/pipe i.d. as applicable ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U S G S Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required)

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

JUL 07 1988

- 3 Narrative. Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Small motor & pump is used to divert water from
Slicky Cr. w/ 1" dia. Hose. 3/4" dia. is used to water
from the pump w/ (2) sprinklers lawn & Trees.

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Vaermotor	3/4	SK680		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SW	NE	27	7N	14E	Blaine	-

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	14E	27			x														1/2 Ac.
7N	14E	27																	

JUL 07 1988

Do not use this space

D. FLOW MEASUREMENTS☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage-						

2. Measurements:

(2) Sprinklers 25 AFP Rainbird Heads 40 PSI 9/64 Nozzles
 3.6 gpm ea = 7.2 gpm = 0.02 cfs.

E. FLOW CALCULATIONS☐ Additional Computation Sheets Attached

1. Measured Method

2. Alternate Method for Checking Purposes

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure. _____ psi x 2.31 = _____ ft (1); Dynamic pumping level _____ ft (2)

Total Head. (1) + (2) = _____ (3); Flow rate. _____ cfs (4)

Water HP (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x 0.01732 = _____ (6)

Panel Input HP. (6) x 1.34 = _____ (7) Efficiency (5)/(7) x 100 = _____ %

G VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (.5)(3.0) = 1.5$ $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.02)(1.9835)(184) = 7.3$ $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 1.5$

2. Volume Calculations for Other Uses

JUL 07 1988

1. Recommended Amounts

2. Recommended Amendments

- ## J. AUTHENTICATION

CONSULTANT SEAL

JUL 07 1988




Deviation from Smiley on
Pump & Motor



Trees being watered.

PERMIT 71-7061



Lands being irrigated

JUL 07 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

71-7061
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
SEP 26 1986

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index AD 8/12 (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index AD 8/12 (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed AD 8/12 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent JP 8-12-86 (Initial and date)

Exam Reviewed by Manager of Regional Office LA 9/16/86 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd. N
Twin Falls, Idaho 83301
(208) 734-3578

AUGUST 2, 1985

BEN W. JACOBS
STAR RT. BOX 9102
KETCHUM ID 83340

RE: Permit No. 71-7061

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 734-3578 or in person at our office at 1041 Blue Lakes Blvd. N. Twin Falls, Idaho.

Sincerely,
s/Mary A. Newby
Secretary

MICROFILMED

JUL 07 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JUN 6 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 71-7061

Name(s) of Permit Holder: BEN W JACOBS ✓

Post Office Address: STAR RT, Box 9102 ✓

Ketchum Ida Telephone No. 208-774-2279

Source of Water: SMILEY CREEK

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 1/2 (acres) ✓

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: Aug. 1982 ✓

Measuring Device. Required? ☐ Yes ☒ No ~
Installed? ☐ Yes ☐ No

Flow Measurement Port. Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

MICROFILMED

Person to contact to accompany the Department representative during the field examination.

B W Jacobs

(Name)
Star Rt. Ketchum Ida 774 2279
(Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-4-85 BW Jacobs ✓
Date Signature of Permit Holder (and Title, if appropriate)

Twin Falls Office was contacted two yrs ago that the system was in & working

B.W. Jacobs
State Rt. Box 9162
Ketchum, Ida 83340



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138055

JACOBS, BEN
STAR RT.
KETCHUM, ID 83340

PROOF DUE NOTICE

MAY 31, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 71-7061 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

JACOBS, BEN
STAR ROUTE
KETCHUM, ID 83340

AUGUST 07, 1980

RE: PERMIT NO. 71-7061

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

Jacobs, Ben

INITIAL REVIEW BY: ADM

APPLICATION NUMBER: 71-7061

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☐ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt

Field check by: ADM

Date: _____

Comments: Familiar with stream.
There is sufficient water in stream to
supply amt. applied for.

Other diversions upstream from
proposed P/D. listed on P/L report

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: ADM Map No. W-20
☐ Yes ☒ No Other rights on same place of use. None

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 7/21/80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7-21-80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6-24-80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Larry O'Halloran

Date: 7-21-80

STATE OFFICE REVIEW:

Car. Item 4

SLW/o cond

- ☐ See attached sheet for more information.

By: Robyn J. Jui

Date: 7/28/80

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JUNE 26, 1980

Wood River Journal
P.O.Box 988
Hailey ID 83333

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 21, 1980.

Yours truly,

Mary A. Hill
Secretary

Encl.

RECEIVED
JUN 27 1980
WATER RESOURCES
DIVISION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

21-2061

JACOBS, BEN

STAR ROUTE, KETCHUM, ID 83340

Source: SMILEY CREEK tributary to SALMON RIVER

Date Filed: 06/24/1980

Amount: 0.03 CFS

Diversion Point: SWNE Sec 27 T 07N R 14E, BLAINE Co.

Use: IRRIGATION (0.03 CFS) from 04/01 to 11/01
FIRE PROTECTION (0.03 CFS) from 04/01 to 11/01

Place of Use: SWNE Sec 27 T 07N R 14E

Diversion Means: PIPELINE & PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before JULY 21, 1980.

C. STEPHEN ALLRED

Director

Published 7/03 & 7/10.

NOT RECORDED