




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 21 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: City of Stanley Permit No. 71-7038
Current Address: P.O. Box 53, Stanley, ID 83278 Phone No. 774-2286 Wednesday only
2. Accompanied by: Laune Gunderson EXAM. DATE: 8-1-90
Address: _____ Phone No. _____
Relationship to Permit Holder: Mayor
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




RECEIVED

AUG 31 1993

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



71-7038

Well house
& church
looking SW.



Park

Ball Field

MISCELLANEOUS

AUG 31 1993

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Stanley Comm. Building

Address Stanley, Idaho

Owner's Permit No. _____

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

- ☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 149 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>149</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Factory ☐ Knife ☐ Torch

How perforated? _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____ Model No. _____

Type _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal ☐ Cement grout


☒ Pudding clay ☐ Well cuttings

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing

☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location. (71)



Subdivision Name _____

Lot No. _____ Block No. _____

County _____ Section 10 T. 10 N. R. 13 W.

7. WATER LEVEL

Static water level 105 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____ p.s.i.

Artesian closed-in pressure _____ p.s.i.

Control: ☒ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

- ☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>40</u>	<u>1'</u>	<u>2</u>

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water Yes No
	From	To		
8	0	6	granite gravel & topsoil	x
8	6	18	granite sand & clay	x
6	18	95	granite boulders & clay	x
6	95	100	decomposed granite	x
6	100	112	granite gravel	x
6	112	118	granite sand & clay	x
6	118	149	granite sand	x

10. Work started 9/22/77 finished 10/5/77

11. DRILLERS CERTIFICATION

Firm Name Ken Smith Well Drilling Firm No. 265

Address Box 1165 Hailley, Ida. Date 11/3/77

Signed by (Firm Official) Ken Smith

and Wayne Bell

FORWARD THE WHITE COPY TO THE DEPARTMENT

AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, MARGARET PARKS
 Publisher of the Challis Messenger,
 a weekly newspaper, published at
 Challis, Idaho, do solemnly swear
 that the notice hereto attached and
 made a part hereof, was published
 in the regular and entire issue of
 the Challis Messenger for 2
 consecutive weeks, commencing with
 the issue dated JAN 31,
 1980, and ending with the issue
 dated FEB 7, 1980.

Margaret Parks
 Subscribed and sworn to before
 me this 11 day of February,
 1980.

Claudia M. Jones
 Notary Public, residing at Challis,
 Idaho. My commission expires on

April 30, 1983



OK
 ADM
 2/21/80

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the
 following applications have been
 submitted for permit to appropriate
 the public waters of the State of
 Idaho:

71-7037

NICHOLSON, J.G. &/or FREDA
 P.O. BOX 43, STANLEY, ID 83278
 Source: GROUNDWATER
 Date Filed: 01/09/1980
 Amount: 0.03 CFS
 Diversion Point: NENE Sec 09 T 10N
 R 13E, CUSTER Co.
 Use: COMMERCIAL (0.03 CFS)
 from 01/01 to 12/31
 Place of Use: NENE Sec 09 T 10N R
 13E
 Diversion Means: EXISTING WELL
 & PUMP

71-7038

CITY OF STANLEY
 STANLEY, ID 83278
 Source: GROUNDWATER
 Date Filed: 01/09/1980
 Amount: 0.02 CFS
 Diversion Point: SENE Sec 09 T 10N
 R 13E, CUSTER Co.
 Use: MUNICIPAL (0.02 CFS) from
 01/01 to 12/21
 Place of Use: SENE Sec 09 T 10N R
 13E
 Diversion Means: WELL & PUMP

If issued, the permits will be
 subject to all prior water rights.
 Protests against the granting of any
 permit must be filed with the
 Director of the Idaho Department of
 Water Resources, 1041 Blue Lakes
 Blvd. North, Twin Falls, Idaho 83301
 and received on or before
 FEBRUARY 19, 1980.

C. STEPHEN ALLRED
 Director

Pub. 1/31 & 2/7/80.

□□□

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 71-07038

Priority: July 16, 1980

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

6.1 AF

This is to certify, that CITY OF STANLEY

PO BOX 53

STANLEY ID 83278

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 9, 1980; and has submitted Proof of Beneficial Use on August 8, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 09/30	0.02 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.1 AF
	Totals	0.02 CFS	6.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 9, Township 10N, Range 13E
CUSTER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	13E	9	SENE	2		2

Total number of acres irrigated: 2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 3.0 afa per acre for the lands above.

RECORDED

AUG 31 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 71-07038

CONDITIONS/REMARKS:

6. Irrigation use is for the Stanley ball field and park.
7. Domestic use is for a church building.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of AUGUST, 1993.

Acting for R. Keith Higginson, Director

AUG 31 1993

RECEIVED

AUG 11 1993

Department of Water Resources

State of Idaho
Department of Water Resources**APPROVED****APPLICATION FOR AMENDMENT**
(For Licensing Purposes)
WATER RIGHT NO. 71-07038

Date of Priority: July 16, 1980

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

6.1 AF

Comes now

CITY OF STANLEY

PO BOX 53

STANLEY ID 83278

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 71-07038, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 09/30	0.02 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.1 AF
	Totals	0.02 CFS	6.1 AF

LOCATION OF POINT(S) OF DIVERSION:SENE , Sec. 9, Township 10N, Range 13E
CUSTER CountyPLACE OF USE: IRRIGATION


<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	13E	9	SENE			

Total number of acres irrigated: 62-

PLACE OF USE: DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Harley, Idaho, this 9th day of August, 1993.


(Signature)

RECORDED

AUG 31 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 71-07038

FOR DEPARTMENT USE ONLY

Preliminary check by DC Fee = 20⁰⁰ Received by CA # C028340 Date 8-11-93 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 71-07038 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 3.0 afa per acre for the lands above.
6. Irrigation use is for the Stanley ball field and park.
7. Domestic use is for a church building.

Witness my hand this 23RD day of AUGUST, 1993.

Acting for R. Keith Higginson, Director

RECEIVED

AUG 31 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 71-7038 IN THE
NAME OF CITY OF STANLEY

ORDER OF REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before February 1, 1988; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, on February 1, 1988 the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 8, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 71-7038 be REINSTATED and the priority advanced to July 16, 1980.

Dated this 20th day of October, 1988.


L. GLEN SAXTON
Chief, Operations

MICROFILMED

DEC 13 1988

RECEIVED
AUG - 8 1988

no # encl *JD*
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by *JS*
Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 71-7038

Name(s) of Permit Holder: City of Stanley

Post Office Address: P. O. Box 53, Stanley ID 83278

Telephone No. 774-2286 - Wednesdays only.

Source of Water: Ground Water

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation City Park- 28 acres Other/Remark It will also supply the

Sawtooth Meditation Chapel with water.

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: June 15, 1988

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ - 0 -
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Launna Gunderson, Councilwoman
(Name)

774-3512
(Telephone Number)

P. O. Box 133, Stanley ID 83278
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

August 3, 1988

Date

Launna Gunderson
Signature of Permit Holder (and title, if appropriate)

, Mayor

MICROFILMED

DEC 13 1988

For Office Use Only
Fee Received <u>15.00</u>
Date <u>4-15-85</u>
Receipt # <u>36397</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

APR 15 1985

MAR 19 1985

Department of Water Resources

Department of Water Resources

CITY OF STANLEY

of

P.O. Box 53

Stanley, Idaho 83278

(Name)

(Address)

State of IDAHO, deposes and says

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of
the State of Idaho No 71-7038

That under the terms and conditions of said permit, work thereunder was required to be completed on or before
_____, 19 ____

That he has heretofore performed the following work described under said permit _____
(This must be filled out! If no work has been completed put none)

Costing \$ _____

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit

The new city council needs time to research the water supply and determine
classification and use.

4/10/85 To date the city park is declared an open area and no development in progress.

A pump has been installed on the well and a water line laid to the church, however,
the church has not installed their usery facilities. Their group is reorganizing
and think they can get development started this year.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations
under said permit to (3-years) 2/28/88, 19 ____
(1 yr minimum, 5 yrs maximum)

NOTE
AS OF JULY 1 1980
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME

City of Stanley - Linda Rieck, City Clerk
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit the proof of beneficial use is extended to February 1, 1988.

IT IS FURTHER ORDERED that the permit be REINSTATED and the priority advanced to
February 24, 1980, pursuant to Sec. 42-218a, Idaho Code.

Signed this 26th day of August, 19 85

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 71-7038

RECEIVED

APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources
Southern District Office

1. Name of applicant City of Stanley Phone 774-3543

Post office address Stanley, Idaho 83278

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 9 Township 10N

Range 13E B.M. Custer County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 cfs for Municipal purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 9 Township 10N
Range 13E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Water is for a city park and Christian church. There is no city water system as such.

APPROVED

—

TWP	RANGE
1	1
1	2
1	3
1	4
1	5
1	6
1	7
1	8
1	9
1	10
1	11
1	12
1	13
1	14
1	15
1	16
1	17
1	18
1	19
1	20
1	21
1	22
1	23
1	24
1	25
1	26
1	27
1	28
1	29
1	30
1	31
1	32
1	33
1	34
1	35
1	36
1	37
1	38
1	39
1	40
1	41
1	42
1	43
1	44
1	45
1	46
1	47
1	48
1	49
1	50
1	51
1	52
1	53
1	54
1	55
1	56
1	57
1	58
1	59
1	60
1	61
1	62
1	63
1	64
1	65
1	66
1	67
1	68
1	69
1	70
1	71
1	72
1	73
1	74
1	75
1	76
1	77
1	78
1	79
1	80
1	81
1	82
1	83
1	84
1	85
1	86
1	87
1	88
1	89
1	90
1	91
1	92
1	93
1	94
1	95
1	96
1	97
1	98
1	99
1	100
1	101
1	102
1	103
1	104
1	105
1	106
1	107
1	108
1	109
1	110
1	111
1	112
1	113
1	114
1	115
1	116
1	117
1	118
1	119
1	120
1	121
1	122
1	123
1	124
1	125
1	126
1	127
1	128
1	129
1	130
1	131
1	132
1	133
1	134
1	135
1	136
1	137
1	138
1	139
1	140
1	141
1	142
1	143
1	144
1	145
1	146
1	147
1	148
1	149
1	150
1	151
1	152
1	153
1	154
1	155
1	156
1	157
1	158
1	159
1	160
1	161
1	162
1	163
1	164
1	165
1	166
1	167
1	168
1	169
1	170
1	171
1	172
1	173
1	174
1	175
1	176
1	177
1	178
1	179
1	180
1	181

Total number of acres to be irrigated

9

b. Who owns the land to be irrigated or place of use

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A full-page sheet of white graph paper featuring a uniform grid of thin black lines. The grid consists of 20 columns and 20 rows, creating a total of 400 small squares. The lines are evenly spaced and extend across the entire page, leaving no margins or additional markings.

Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

J. E. Nicholson Mayor.
(Applicant)

(Applicant)

Proposed Priority 1/9/80

Received by JS Date 1-9-80 Time 10:40 am

Preliminary check by ADM Fee \$ 20.⁰⁰ # 17062

Receipted by maria Date 1/9/80

Publication prepared by ADM Date 1/16/80

Published in Buster Publishing Co

Publication dates 1/31 & 2/7/80

Publication approved ADM Date 2/21/80

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date, _____

Recommended for (approval) denial by ADM gmr

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 71-7038, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 25th day of February, 19 80.

L. Glen Saxton
Chief, Operations Bureau





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 23, 1993

CITY OF STANLEY
PO BOX 53
STANLEY ID 83278

RE: WATER RIGHT NO. 71-07038

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
AUG 31 1993

MEMORANDUM

TO: File 71-07038
FROM: Brenda Chapman *BC*
DATE: August 12, 1993
RE: Licensing Amendment

=====

The licensing amendment for the above referenced permit was mistakenly sent out without the acres listed in the place of use. The mayor of the city of Stanley (Launna Gunderson) signed the amendment and wrote in 6 acres; however, the exam reflected only 2 acres were being irrigated.

I called the mayor's office and discussed the examiner's findings with the secretary. She contacted the mayor who in turn stated that it would be acceptable for us to proceed with licensing the permit for 2 acres.

RECEIVED

AUG 31 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 3, 1993

CITY OF STANLEY
PO BOX 53
STANLEY ID 83278

RE: WATER RIGHT NO. 71-07038

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact me within the 15-day period.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
AUG 31 1993

WR0749NP
No. L71-07038

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/12/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CITY OF STANLEY PO BOX 53 STANLEY ID 83278 (208) 774-2286	07/16/1980	IRRIGATION DOMESTIC	05-01 09-30 01-01 12-31	0.02 CFS 0.02 CFS	6.0 AFA 0.1 AFA
TOTAL DIVERSION:					0.02 CFS	6.1 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T10N R13E S09 SE NE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE												
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		
10N	13E	9	:				02	:					:					:						2.0
TOTAL ACRES																							2.0	

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: CUSTER

~~Non-Irrigation Uses: M/ WATER FOR CITY PARK AND CHRISTIAN CHURCH~~

Other Water Rights with Same Point(s) of Diversion and Source:
71-07028 71-07038

Other Water Rights Listing Overlapping Place(s) of use:
71-07028

Conditions of Approval:

- R24 - This right when combined with all other rights shall provide no
- more than 3.0 afa per acre for the lands above.

Remarks: Irrigation use is for the Stanley ball field and park.
Domestic use is for a church building.

Dates: App. Received: 01/09/1980 Priority Date: 07/16/1980 (Priority Date Advanced.)
Proof Due Date: 02/01/1988 Proof Made Date: 08/08/1988 (Proof Received Late.)
Exam Made Date: 08/01/1990 Exam Sent to S.O.: 07/20/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 08/12/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 71-7038

Date 8-2-93

Brenda Chapman

NAME	Yes <u>Check</u> No	Or <u>Address</u> Change?
PRIORITY DATE	<u> </u> ☒ <u> </u> ☒	Advance? <u>DONE</u> Memo to Advance <u>DONE</u> Order to Reinstate Needed?
SOURCE	<u> </u> ☒ <u> </u> ☒	Changes? Clarification of <u>Originally Intended</u> source Notice of Intent to Void - Source change.
P/D	<u> </u> ☒ <u> </u> ☒	Amendment Needed? <u> </u> Is Overlap Analysis a Consideration?
P/U	<u> </u> ☒ <u> </u> ☒	Amendment Needed? <u> </u> Is Overlap Analysis a Consideration?
TOTAL CFS	<u>NA</u> ☒ <u> </u> ☒ <u> </u> ☒	Incorrect Fee for rate recommended? Disagree/Measurement <u>NONE DONE</u> Pumping Theoretical <u>8.8 x .70 x</u> <u>+ 2.31 x</u> System Capacity <u>.04 (city measurement)</u> Allowable Amount: <u>Permit limit of .02 CFS</u>
TOTAL VOLUME	<u> </u> ☒ <u> </u> ☒ <u> </u> ☒	Rate/ac <u>3.0</u> AFA Irr. Season <u>A</u> <u>5-1 to 9-30</u> Standard Irr. Season <u> </u> <u> </u> Season Recommended Disagree with Examiner's Calculations? <u>2 acres x 3.0 = 6 AF DOMESTIC = .1</u> Flow limit: <u>.02</u> x <u>365</u> x <u>1.9835</u> = <u>14.5</u> <u>(153)</u> = <u>6.06</u>
USES	<u> </u> ☒ <u> </u> ☒ <u> </u> ☒	Change(s) in Nature of Use? <u>TO DOMESTIC</u> IRR Amendment Needed? <u> </u>
REMARKS	<u> </u> ☒ <u> </u> ☒ <u> </u> ☒	Multiple P/Ds in 1/4 1/4? Non-Irr. Uses <u>DOMESTIC</u> Special Overlap Condition Other <u> </u>
CONDITIONS	<u> </u> ☒ <u> </u> ☒ <u> </u> ☒ <u> </u> ☒	Measuring/Locking Devices Misc/Dates W/Master Control ☒ Water Dist Irrigation Overlap ☒ App Rec'd Water Quality ☒ Exam Made

COMMENTS: Stanley has no municipal system; therefore, recommended uses, he specifically listed (by examiner)

RECOMMENDED	CFS	VOL
Irrigation	<u>.02</u>	<u>6.0</u>
Domestic	<u>.02</u>	<u>.1</u>
Stockwater	<u> </u>	<u> </u>
TOTAL	<u>.02</u>	<u>6.1</u>

LICENSE
AMEND ☒

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 21 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: City of Stanley Permit No. 71-7038
Current Address: P.O. Box 53, Stanley, ID 83278 Phone No. 774-2286 Wednesday only
2. Accompanied by: Laurna Gunderson EXAM DATE 8-1-90
Address: _____ Phone No. _____
Relationship to Permit Holder: Mayor
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

- 1 Other water rights with same place of use: _____
_____ ☐ Copies Attached
- 2 Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable ☐ Alternative diagram attached



RECEIVED

AUG 31 1993

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, submersible motor & pump, pipeline to church building, irrigation outlets in park/ball field.

[illegible]☐ See Remarks on page 4 for continuation

Well or Diversion Identification No. *	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. Model or Discharge Size
	R. d. Jacket	1/2		V9C4221	158541814-52

***Code to correspond with No. on map and aerial photo**

5. Point(s) of Diversion:

[illegible]

Indicate Method of Determination.

6. Place(s) of Use:

[illegible]

Do not use this space

AUG 3 1 1993

CONFIDENTIAL

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None. Measured at about 20 gpm by city in June of 1988.
Allow permitted amount of 0.02 cfs.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (8) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 3 = 6 \text{ AFA}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 153 \times 1.9835 = 6.1 \text{ AFA}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 6.0 \text{ AFA}$

2. Volume Calculations for Other Uses:

Domestic - 10 gal/day/person x 150 people/day x 22 days/inn = 0.10 AFA

AUG 31 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Used for church & for irrigation of ball field & trees in city park. Well was drilled in 1970 by Ken Smith drilling. Includes about 2 acres of irrigation in park. Church use for about 150 people 1 day a week. System is not used in cold weather. This is not a municipal water system; Stanley has no municipal system, as each resident must put in their own well. Recommend license be issued for the actual uses found.

City should file on the additional flow rate, and were so advised. Also, they may expand the use of this well in the future. There is no domestic water in the park now, but may be in the future.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	5-1	9-30	0.02	0.10
Irrigation	5-1	9-30	0.02	6.0
Totals:			0.02	6.1


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☐ None
☒ Other

J. AUTHENTICATION


Field Examiner's Name J.E. Stanton
 Signature J.E. Stanton
 Certification Date 3/31/93
 Field Report Preparation Date 8-9-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.




MICROFILMED

AUG 31 1993



71-7038

Well house
+ church
looking SW.



Park

Ball field

AUG 31 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

13-May-1993 14:51

City of Stanley
Attn: Launna Gunderson, Mayor
PO Box 53
Stanley, ID 83278

RE: Water Right for Ball Park

Dear Launna:

After our meeting on May 12, 1993 I returned to my office to determine if the city had a filing for the water use for the ballpark well. I discovered that the City of Stanley has filed for the use of the well under permit 71-07038. Our records indicate that the city filed for the permit in 1980; the required "proof of beneficial use" documents were filed in 1988 and that the Department has conducted a field review of the water uses in 1991. At present the water right is awaiting licensing. I reviewed the field exam report prepared in 1991 and the uses covered under the exam include watering of trees in a small park, irrigation of 2 acres at the ball park and domestic water for a church building. As the licensing procedure concludes you will receive more letters regarding this matter. As for this right being included in the Snake River Basin Adjudication, you are not required to file a SRBA claim for this right since the "proof of beneficial use" documents for the permit were not filed before November 19, 1987 which is the date the court case started. If you have further questions regarding this right I suggest you contact Loren Holmes, Regional Manager for the Southern Region of the Department.

Sincerely,

Allen D. Merritt, P.E.
Water Rights Supervisor

RECEIVED

AUG 31 1993

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 71-7038

Date: 10/20/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change If yes, prepare a data entry
N Proof received timely
Y Reinstated

Source of Water:

Y Surface water
Y Groundwater
N 1. well log in file
N/A 2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
Y Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Reinstate

Y Priority Calculation:
Date proof received Aug. 8, '88 220
Date proof due Feb. 1, '88 - 32
No. of days late -188
Priority date Jan. 9, '80 + 9
NEW PRIORITY DATE July 16, '80 -197

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

* ok to reinstate - no lapse notice ever sent

SC 10-26-88

FROM Jodi

DATE 11/9/87

TO Mr. Beal

SUBJECT

Colleen Nixon called - from City of Stanley
All she could find re: well drilling info.
is a receipt to Ken Smith Well Drilling
on 10/8/77 for \$1050).

One of these two is probably
the correct log.

MICROFILMED

DEC 13 1988



SIGNATURE

**USE TYPEWRITER OR
BALLPOINT PEN**

WELL DRILLER'S REPORT.
State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

[illegible]

State of Idaho
Department of Water Resources

State law requires that this report be filed with the Director, Department of Water Resources within 20 days after the completion or abandonment of the well.

[illegible]

September 14, 1988

City of Stanley
P. O. Box 53
Stanley, ID 83278

RE: Permit No. 71-7038

Dear Permit Holder:

The department received your Proof of Beneficial Use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information by October 14, 1988. Upon receipt of the information, the department will review the proof and reinstate the permit.

If you have any questions, feel free to call me.

Sincerely,

RITA FLECK
Secretary/Records Manager

c: S. Region

MICROFILMED

DEC 13 1988

*No reply 10/14/88
continue reviewing
proof*

To: File 71-7038

From: Groundwater Protection

Date: 9/6/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

Follow-up

☒ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987

MICROFILMED

DEC 13 1988

April 27, 1988

Larry Mulligan
Sawtooth Chapel
HC 64, Box 9936
Stanley, ID 83278

Dear Mr. Mulligan:

Re: Permit No. 71-7038

On January 25, 1988, you submitted a request for extension of time form. After I talked with you on the phone, I received the proof of beneficial use form. Both of the these forms are returned. The \$15 filing fee will be returned to you by the Auditor's Office. I have initiated the paper work to complete this process.

Before the department can accept the proof of beneficial use form, the permit needs to be assigned to the Sawtooth Meditation Chapel. The original application indicates the City of Stanley as the permit holder. Since a permit is as personal property, only the permit holder or authorized representative for the city can take action on the permit.

Enclosed is an assignment form. Please complete either by having the city of Stanley assign all right, title and interest in and to the permit to the Sawtooth Meditation Chapel or by putting both parties' name on the assignment with a representative of the city's notarized signature. Return the assignment and proof promptly, to keep the permit from losing priority.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,


RITA I. FLECK
Secretary/Records Manager

Enc.

MICROFILMED

DEC 13 1988


MEMORANDUM

DATE: April 27, 1988
TO: ACCOUNTING SECTION
FROM: RITA I. FLECH 
RE: REFUND - PERMIT NO. 71-7038

Attached are two copies of receipt No. 48313 in the amount of \$15 along with a copy of my letter to the permit holder which explains why a refund is necessary.

Please prepare the paperwork to make a refund to the permit holder. The return address is indicated on the attached letter.

Attachments: Letter
Receipts (2)



DEC 13 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 1301 North Orchard Street Boise, Idaho 83706-2237 • (208) 334-4440

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

EXTENSION OF TIME

January 25, 1988

City of Stanley & Sawtooth Meditation Chapel
P. O. Box 53
Stanley, ID 83278

PERMIT NO. 7107038

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 48313.

Roberta Garrett
Records Supervisor

Enclosure

MICROFILMED

DEC 13 1988

138109
CERTIFIED MAIL
November 30, 1987

CITY OF STANLEY
P.O. BOX 53
STANLEY, ID 83278

PROOF DUE NOTICE

RE: Permit No. 71-7038

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 13 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

September 4, 1985

City of Stanley
P. O. Box 53
Stanley, ID 83278

Gentlemen:

Re: Permit No. 71-7038

Enclosed is a copy of your approved request for extension of time. The time within which to submit proof of beneficial use is extended to February 1, 1988. The permit has been reinstated with an advance in priority since the extension was not received prior to proof due date.

Based on provisions of Sec. 42-203D, Idaho Code passed during the 1985 Legislative Session, your permit will also be reviewed under the public interest criteria. The code section reads as follows:

42-203D. Review of permits - Opportunity for hearing.

(1) The department shall review all permits issued prior to the effective date [July 1, 1985] of this section, except to the extent a permit has been put to beneficial use prior to July 1, 1985, to determine whether they comply with the provisions of chapter 2, title 42, Idaho Code. If the department finds that the proposed use does not satisfy the criteria of chapter 2, title 42, Idaho Code, then the department shall either cancel the permit or impose the conditions required to bring the permit into compliance with chapter 2, title 42, Idaho Code. If the department finds that the permit satisfies the criteria established in chapter 2, title 42, Idaho Code, then the department shall enter an order continuing the permit.

(2) The department shall provide an opportunity for hearing in accordance with section 42-1701A, Idaho Code, and sections 67-5209 and 67-5215, Idaho Code, for each holder of a permit that is proposed either to be cancelled or made subject to new conditions.

MICROFILMED

If you have any questions concerning these permits, please feel free to contact this office.

Sincerely,

A handwritten signature in cursive script, reading "L. Glen Saxton".

L. GLEN SAXTON
Chief, Operations Bureau

Enclosure

MICROFILMED

STAFF REVIEW OF REQUESTS FOR EXTENSION OF TIME

Permit Number 71-7038

Y Date received stamp
Y Fee received and receipted
Y Name on request same as on permit
Y Address same permit as on latest correspondence
Y Proof due date within six months of due date
N Signature same as permit
Y Source of water the same
Y Review conditions of approval
N Extensions previously approved
Y Proceed diligently -
N Is delay caused by litigation: Swan Falls
 Date lit. completed _____
 Date lit. began _____
 Period of delay _____
 New proof due date _____

ACTION: *Recommend approval based on due diligence.
Work completed - drilled well and constructed ~~an~~ water line to church*

N Is the extension timely received?
Y Reinstate: Extension received Mar. 19 78
 Proof due date Feb. 1 32
 Days late 46
 Priority date Jan. 9, 1980 9
 Adjusted priority date Feb. 24, 1980 55
Y Is there commencement of works?
 _____ Cover letter
 _____ Coding sheet
 _____ Rolodex card updated and refiled

MICROFILMED

Reviewed by *[Signature]* Date: 9-20-1985



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

April 15, 1985

City of Stanley
P. O. Box 53
Stanley, ID 83278

PERMIT NO. 71-7038

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 36397.

Roberta Garrett
Records Supervisor

Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 22, 1985

City of Stanley
Attn: Ruth Niece, City Clerk
P.O. Box 53
Stanley, ID 83278

Re: Permit No. 71-7038

Dear Ms. Niece:

Thank you for responding to our lapse notice mailed February 25, 1985, by submitting a request for an extension of time, received March 19, 1985, in which to submit proof to beneficial use of water under Permit No. 71-7038.

However, Idaho Code allows the Director to approve requests for extension of time if the permit holder can show that he has made reasonable diligence toward permit development. You indicated on your request form that no work had been done.

Approval of extensions of time may also be granted if the permit holder can show that he has been prevented from developing the permit, through no fault of his own, by a government agency or by litigation. You stated on your request that the new city council needs time to research the water supply and determine classification and use. However, this statement in itself is not basis enough to grant an extension of time. Therefore, based upon the information you provided, we are returning your \$15 check, No. 2178, 92-6/1241.

If you have been prevented in proceeding with the development of the permit by the city council, you must provide this Department with a proper showing and convincing evidence of the existence of any such condition.

If you wish us to act officially on your extension request, please return the form and check with the additional information concerning the permit on or before April 16, 1985. If you have any questions concerning the requirements, please do not hesitate to contact this office.

MICROFILMED

Ruth Niece, City Clerk
March 22, 1985
Page 2

We will extend the proof due date until April 16, 1985, with no further loss in date of priority, proof was due February 1, 1985, to enable you to respond to this letter.

Sincerely,

ROBERTA GARRETT
Records Supervisor

RG/lis

Enclosures: Extension form
Check

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CITY OF STANLEY
STANLEY, ID 83278

LAPSE NOTICE

FEBRUARY 05, 1985

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 71-7038 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE NOTICE THAT YOU HAVE COMPLETED THE PROJECT (PROOF OF BENEFICIAL USE) BY THE DATE REQUIRED ON YOUR PERMIT OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED NOVEMBER 30, 1984.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE FORM OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED FORM OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST AND THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

CERTIFICATION OF MAILING

I hereby certify that on 2-25-1985
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138486

CITY OF STANLEY
STANLEY, ID 83278

PROOF DUE NOTICE

NOVEMBER 30, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 71-7038 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

February 26, 1980

City of Stanley
Stanley,
Idaho 83278

Dear Sirs,

RE: Permit No. 71-7038

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

AFFIDAVIT OF PUBLICATION

State of Idaho, County of Custer, ss:

I, MARGARET PARKS

Publisher of the Challis Messenger,
a weekly newspaper, published at
Challis, Idaho, do solemnly swear
that the notice hereto attached and
made a part hereof, was published
in the regular and entire issue of
the Challis Messenger for 2

consecutive weeks, commencing with
the issue dated JAN 31, ,
19 80 and ending with the issue
dated FEB 7, , 19 80.

Margaret Parks.....

Subscribed and sworn to before
me this 11 day of February, ,
19 80.

Jessie M. Jones.....

Notary Public, residing at Challis,
Idaho. My commission expires on

April 30, 1983.....

OK
ADM
2/21/80

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

Z1-Z038

CITY OF STANLEY

STANLEY, ID 83278

Source: GROUNDWATER

Date Filed: 01/09/1980

Amount: 0.02 CFS

Diversion Point: SENE Sec 09 T 10N R 13E, CUSTER Co.

Use: MUNICIPAL (0.02 CFS) from 01/01 to 12/31

Place of Use: SENE Sec 09 T 10N R 13E

Diversion Means: WELL & PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1041 Blue Lakes Blvd. North, Twin Falls, Idaho 83301 and received on or before FEBRUARY 19, 1980.

C. STEPHEN ALLRED

Director

Published 1/31 & 2/7/80.

RECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region

1041 Blue Lakes Blvd N.
Twin Falls, Idaho 83301
(208) 734-3578

JANUARY 16, 1980

Custer Publishing Company
P. O. Box 405
Challis, Idaho 83226

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 19, 1980.

Yours truly,

Mary A. Hill
Secretary

Encl.

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

City of Stanley

INITIAL REVIEW BY:

ADM

APPLICATION NUMBER: 71- 7038

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____

In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☐ No

Platted by: ADM Map No. V 19

Other rights on same place of use. N/A

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 2/19/80

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/13/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
1/9/1980 Date of priority recommended.
Special conditions of approval or cover letter. None

By: ADM

Date: 2/21/80

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: [Signature]

Date: 2/22/80

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM Allen

DATE 1/10/80

TO File

SUBJECT P/U & P/D are located within city limits &
the city is incorp.

As per phone conversation Mrs. Nicholson.

ADM

SIGNATURE

MICROFILMED