


Pratt Springs

T11N R2E




0.4 0 0.4 0.8 Miles

- Springs
- ▭ Sections
- ▭ 1/4 1/4 lines

MICROFILMED
FEB 04 2002




NO GOV'T
LOTS
DAN
10-26-01



above ground stock tank is located
within 10' above buried collection
tank, all within the NWNE S35 T11N R2E.

MICROFILMED
JUN 05 2003


65-22629




0.4 0 0.4 0.8 Miles



P/U & P/D



Section Lines
1/41/4 Lines



MICROFILMED
JUN 05 2003



MICROFILMED
JUN 05 2003



NWNE 535

Buried line,
gravel and
2" collection
line

Discharge
from
buried
tank



MICROFILM

JUN 05 2003

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS
Reviewed by Sharla Curtis on 1/23/02

No. 65-22629 Name: Pratt Corp. Officers N/A Ad ok _____ Govt Lots _____

AREA OF CONCERN: No/Yes _____ Moratorium _____ GWMA _____ TRUST/NON-TRUST _____

GROUNDWATER: (✓/Flow Chart)

DRILLING PERMIT

All wells - 046
Basin 34 - 084 (if necessary)
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

~~WMD~~

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
Trust - 051 (consumptive uses)
Non-Trust - 048 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18C-01H-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/FS)-111 (instream stock)
MINING - 054-106
HEAT/COOL - R07 (injection well)
FIRE PROT - 077
COMMERCIAL/
INDUSTRIAL - 106-R07
DAIRY - 082-WD8
POWER - 17H or 17K (+uses)-17G (under FERC)
or 17M (not FERC regulated)
025-027-R22-08A

BENEFICIAL USE DUE: 2 / 01 / 2007

MISC CONDITIONS/REMARKS:

Protested - 020-W19
Development Period
> 1 yr - 26A
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

SURFACE WATER: (✓/Flow Chart)

F&G contacted - Yes/No Response
In/Above MSF - WB9
PLANNING REVIEW/RESPONSE
WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H, 01P or No MD
> 0.20 cfs - 01J

SPRINGS/SINK, INACTIVE WD or WD

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W23, N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - W23, 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
Future needs - 007,109
FISH PROP - 029 (70's only)-007-042-106
DOMESTIC
Surface water - WB5 (Big Wood/Boise above Star Bridge)
- 27A (Payette R)
- 070-071-075 (no parks/common areas)
> 1 in restricted area - WB5
Irr separate or none allowed - 065-104
GW w/irrigation from SW evident - W03 (2500 gpd - meets domestic def
Moratorium approvable i.e. D/convenience store)

IRRIGATION SEASON _____ - _____ (Per updated map)

IRR VOLUME/ACRE _____

OTHER CONDITIONS/REMARKS _____

COMMENTS _____

✓

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-22629

Priority: July 27, 2001

Maximum Diversion Rate 0.02 CFS
Maximum Diversion Volume 0.7 AF

It is hereby certified that KENNETH PRATT And/Or LANETTE PRATT
3868 CASSIE DR SW
TUMWATER WA 98512 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated July 27, 2001; and have
submitted Proof of Beneficial Use on June 03, 2002. An examination indicates that the works have a
diversion capacity of 0.02 cfs of water from

SOURCE

SPRING

Tributary: SINKS

and a water right has been established as follows.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF

LOCATION OF POINT OF DIVERSION:

SPRING NE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 35, Twp 11N, Rge 02E, B M., VALLEY County

PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	02E	35																	
				X															

CONDITIONS OF APPROVAL

- 1 Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 65.
- 2 Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 9th day of May, 2003.


KARL J. DREHER
for Director

MICHAEL J. JAMES

FOR OFFICE USE ONLY
Amt of Fee \$ 50.00
Receipt No 0262414
Receipt By FM
Date Received 6-5-02

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JUN - 1 2002

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner

1. Permit No 65-22629 Telephone No 360-705-6473
- 2 Name of Permit Holder(s) Kenneth L. & Lorette Pratt
- 3 Mailing Address 3868 Cassie Dr SW
City Tumwater State WA Zip 98512
- 4 Source of Water Spring If **GROUNDWATER** (well), Date Drilled. mo. _____ / yr. _____
Well Driller _____ Drilling Permit Number _____
5. Use(s) (as authorized by the water right permit)
Domestic (No. of households) _____ Stockwater (No. and type of stock) 50 cattle + 5 horses
Irrigation (No. of acres) _____ Other: _____
- 6 Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR _____ acre-feet
7. Measuring Device Requirement (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional** Please check either yes or no Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes NA or No NA
- 8 Fee Enclosed \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
- 9 Person to contact to accompany the Department representative during field examination of the water system
Name Kenneth L. Pratt Telephone Number: 360-705-6473
Address 3868 Cassie Dr SW Tumwater WA 98512
- 10 The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder. Kenneth L. Pratt
(include your title, if on behalf of company or organization)

Date 5/14/02

MICROFILMED

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 65-22629

Priority: 07/27/2001

Maximum Diversion Rate: 0.04 CFS

This is to certify, that KENNETH PRATT
3868 CASSIE DR SW
TUMWATER WA 98512

And/Or

LANETTE PRATT
3868 CASSIE DR SW
TUMWATER WA 98512

has applied for a permit to appropriate water from:

Source: SPRING

Tributary: SINKS

and a permit is APPROVED for development of water as follows

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SPRING NE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 35, Twp 11N, Rge 02E, B M. VALLEY County

PLACE OF USE: STOCKWATER


Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	02E	35				X													

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before February 1, 2007
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control
4. Stockwater use is for 50 range cattle and 5 horses

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 25th day of January, 2002

MICROFILMED


for KARL J DREHER, Director

RECEIVED

JUL 27 2001

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 65-22629

RECEIVED

JAN 18 2002

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant Kenneth and Lanette Pratt /or Phone 360-705-6473
Post Office address 3868 Cassie Drive SW, Tumwater WA 98512
2. Source of water supply Spring which is a tributary of Sinks
3. Location of point of diversion is NE 1/4 of NW 1/4 of NE 1/4, Govt. Lot Sec. 35 Township 11N Range 2E B.M. Valley County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
 Amount .04 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 cfs and/or (b) _____
 cubic feet per second acre feet per annum
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. Pipe, trough

 b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 d. Is ground water with a temperature of greater than 85°F being sought? _____
 e. If well is already drilled, when? _____; Drilling firm _____
 Well was drilled for (well owner) _____
7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 a. Hydropower; show total feet of head and proposed capacity if KW. _____
 b. Stockwatering; list number and kind of livestock. 5 Horses, 50 Range Cattle
 c. Municipal; show name of municipality. _____
 d. Domestic; show number of households. _____
 e. Other; describe fully. _____

MICROFILMED

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	2E	35		S															

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: This spring was located with GPS during the field exam for permit 65-13777.

13. MAP OF PROPOSED PROJECT ATTACHED X Show clearly the proposed point of diversion, place of use, section number, township and range number.


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Received by AK Date 7/27/01 Time 2:32 Preliminary check by OAN
 Fee \$ 100 Receipted by AK # W028090 Date 7/27/01
 Publication prepared by AK Date 11-24-01 Published in LONG VALLEY ADVOCATE
 Publication approved _____ Date 1-7-02 MICROFILMED

Pratt Springs

T11N R2E



0.4 0 0.4 0.8 Miles

● Springs

Proposed Spring

N

NO GOV'T
LOTS
OAN
10-26-01



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

May 9, 2003

KENNETH PRATT
LANETTE PRATT
3868 CASSIE DR SW
TUMWATER WA 98512

RE: License No. 65-22629 - Issuance of License

Dear Water Right Holder(s):


The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SWK:klr

Enclosure(s)

MICROFILMED
JUN 10 2003

CERTIFICATE OF SERVICE

I hereby certify that on May 9, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

65-22629

**KENNETH PRATT
LANETTE PRATT
3868 CASSIE DR SW
TUMWATER WA 98512**



**Kari Lynn Townsend
Secretary**

MILK

1.18

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01 01302 and 37 01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- I A hearing was held,
- ii The final agency action was taken,
- iii The party seeking review of the order resides, or
- iv The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

Comment Report

65-22629

1. Igraves 10/22/2002 Field Report Narrative

Comment: Spring water is collected via buried liner, gravel, 2 inch polypropylene pipe and 500 gallon rib tank. The buried tank is equipped with a 3/4ths inch overflow outlet which discharges to the natural drainage and a 3/4ths inch mainline that discharges into a standard aluminum stock tank. This is a gravity system. No pumps are involved. No other rights are used. Applicant plans to construct a barn in the near future at the site.

2. kwalker 5/9/2003 License Review

Comment: During license review I noticed there was a watermaster comment sheet that stated this right should be under watermaster control. That was not included on the permit but I have added to the proposed license along with condition that upon notification a measuring device will need to be installed.

3. dnelson 10/26/2001 Comment/Analysis

Comment: This application is for 0.04 cfs, but should be limited to 0.03 cfs per Idaho Dept. of Water Resources (IDWR) standards. 65-13777 overlaps the point of diversion, but is from a different source and is used for different uses. 65-12584 overlaps the place of use, but is from a different source and is a different system. Therefore, there should be no problem approving this permit with the reduction of the diversion rate to 0.03 cfs.

MICROFILMED

Permit No. 65-22629

RECEIVED
OCT 22 2002
Page 1

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-22629

Exam Date 10/15/02

1. Current Owner KENNETH PRATT
3868 CASSIE DR SW
TUMWATER WA 98512
360-705-6473

And/Or

LANETTE PRATT
3868 CASSIE DR SW
TUMWATER WA 98512
(360)705-6473

2 Accompanied by Kenneth
Phone No.
Address
Relationship to Permit Holder.

3 SOURCE

SPRING

TRIBUTARY

SINKS

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1 LOCATION OF POINT(S) OF DIVERSION:

SPRING NE1/4NW1/4NE1/4 Sec 35, Twp 11N, Rge 02E, B M
VALLEY County

Method of Determination: GPS, Arc View, Exam

2

PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
11N	02E	35		X															

MICROSOFT

2002

Method of Determination:

- 3 ☐ Y ☐ Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable
- ☐ Y ☐ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.
- ☐ Y ☐ Aerial Photo Attached (required for irrigation of 10+ acres)
- ☐ Y ☐ Photo of Diversion and System Attached

4

<u>Well or Diversion ID No.*</u>	<u>Motor Make</u>	<u>Hp</u>	<u>Motor Serial No.</u>	<u>Pump Make</u>	<u>Pump Serial No. or Discharge Size</u>
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1

<u>Measurement Equipment</u>	<u>Type</u>	<u>Make</u>	<u>Model No.</u>	<u>Serial No.</u>	<u>Size</u>	<u>Calib. Date</u>
5 Gal Bucket	_____	_____	_____	_____	_____	_____
Stopwatch	_____	_____	_____	_____	_____	_____

2 Measurements 5 gallons in 150 seconds = 2 gpm

E. FLOW CALCULATIONS

☐ N ☐ Additional Computation Sheets Attached

Measured Method:

$$\frac{5 \text{ gal} \times 60 \text{ sec}}{150 \text{ sec}} = 2 \text{ gpm} = .01 \text{ cfs (allow .02 cfs)}$$

MICAC
JUN 10 2003

F. VOLUME CALCULATIONS**1 Volume Calculations for Irrigation**

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2 Volume Calculations for Other Uses

$$50 \text{ range cattle} \times .0134 = .67 \text{ afa}$$

$$5 \text{ horses} \times .0134 = .067 \text{ afa}$$

G. NARRATIVE/REMARKS/COMMENTS

Spring water is collected via buried liner, gravel, 2 inch polypropylene pipe and 500 gallon rib tank. The buried tank is equipped with a 3/4ths inch overflow outlet which discharges to the natural drainage and a 3/4ths inch mainline that discharges into a standard aluminum stock tank. This is a gravity system. No pumps are involved. No other rights are used. Applicant plans to construct a barn in the near future at the site.

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS**1. Recommended Amounts**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.020 CFS	0.70 AF
<u>Totals:</u>		0.020 CFS	0.70 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION

Field Examiner's Name Loi Guzman Date 10/22/02

Reviewer _____ Date _____

MILONG

10/22/02




above ground stock tank is located within 10' above buried collection tank, all within the NWNE S35 T11N R2E.

RAILROAD

RAILROAD


65-22629




0.4 0 0.4 0.8 Miles

 P/U & P/D


Section Lines
1/41/4 Lines





1

1000



NWNE 535

Buried line,
gravel and
2" collection
line

Discharge
from
buried
tank





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 21, 2002

KENNETH L PRATT
LANETTE PRATT
3868 CASSIE DR SW
TUMWATER WA 98512

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-22629

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Western** Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office (w/encl.)

MICROFILMED

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No 65-22629

Reviewed By dgibson

Date. June 20, 2002

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No		W028090, C062414	Well driller's report filed?		X
Additional Amount Due			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		06/03/2002
Date proof due	-	02/01/2007
Lapse notice sent	-	
No of days late	=	0
Holiday allowance	+	
Priority date	+	07/27/2001
New priority date	=	07/27/2001

Deficiencies of Actions Items

Acknowledge proof



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

January 25, 2002

KENNETH PRATT
LANETTE PRATT
3868 CASSIE DR SW
TUMWATER WA 98512

RE Permit No. 65-22629

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed a least sixty days prior to the commencement of work in the stream.


MICROFILMED

1994

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, appearing to read "Shelley W. Keen".

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


FEB 04 2002

CERTIFICATE OF MAILING

I hereby certify that on January 25, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 65-22629

**KENNETH PRATT
LANETTE PRATT
3868 CASSIE DR SW
TUMWATER WA 98512**



**Kari Lynn Townsend
Secretary**

MICROFILMED

191 1. 2 2002

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Sharla Curtis on 1/23/02

No. 65-22629 Name: Pratt Corp. Officers N/A Ad ok _____ Govt Lots _____

~~AREA OF CONCERN~~: No/Yes _____ Moratorium _____ GWMA _____ TRUST/NON-TRUST _____

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046
Basin 34 - 084 (if necessary)
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067
~~WMD~~
Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
Trust - 051 (consumptive uses)
Non-Trust - 048 (consumptive uses or non-cons. > 1.0 cfs)

~~STOCK~~

STORAGE - 18C-01H-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
~~STOCKWATER~~ - R37 (BLM/FS)-111 (instream stock)
MINING - 054-106
HEAT/COOL - R07 (injection well)
FIRE PROT - 077
COMMERCIAL/
INDUSTRIAL - 106-R07
DAIRY - 082-WD8
POWER - 17H or 17K (+uses)-17G (under FERC)
or 17M (not FERC regulated)
025-027-R22-08A

~~UNOFFICIAL USE DUE~~: 2,01 2007

~~PERMITS~~ CONDITIONS/REMARKS:

Pretested - 020-W19
~~Permitted~~
~~100 yr~~
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

~~SURFACE WATER~~: (✓Flow Chart)

~~Permitted~~ Yes/No Response
In/Above MSF - WB9
PLANNING REVIEW/RESPONSE
WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H, 01P or No MD
> 0.20 cfs - 01J

~~SPRINGS/SINK~~, INACTIVE WD or WD

~~≤ 0.24 cfs/5 acres~~ - ~~001-101~~
> 0.24 cfs/5 acres - 01M or No MD

~~REVIEW~~ (SW special considerations)

Snake R (01) - W23, N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (05) - ~~W23, 047~~ (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

MUNICIPAL

Restricted area - 022,075
Irr, GW supp to SW - 102
Future needs - 007,109
FISH PROP - 029 (70's only)-007-042-106
DOMESTIC
Surface water - WB5 (Big Wood/Boise above Star Bridge)
- 27A (Payette R)
> 1 in restricted area - 070-071-075 (no parks/common areas)
Irr separate or none allowed - WB5
GW w/irrigation from SW evident - 065-104
Moratorium approvable - W03 (2500 gpd - meets domestic def
ie D/convenience store)

Multiple pd's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
~~Use~~
~~Development~~ - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON _____ - _____ (Per updated map)

IRR VOLUME/ACRE _____

OTHER CONDITIONS/REMARKS _____

COMMENTS _____

V9

January 2001

TO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

COMMENT
LETTERS

INITIAL REVIEW BY: DAN DATE: 10-26-01 APPLICATION: 65-22629

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume) Should be limited to 0.03 cfs Gov't. Lots: NO P/D
- ☒ Period of use: RECEIVED NO P/U
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works: JAN 18 2002
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated: Department of Water Resources
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- N/A Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

ADDITIONAL INFORMATION

NO ADVERTISE REMARK(S)
(Reviewer identify which remarks)

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on next page.) 65-12584 overlaps P/D, BUT IS FROM DIFFERENT SPRING AND SYSTEM.
- ☒ Overlapping point of diversion. THERE IS 1 OVERLAPPING RIGHT, BUT
- ☒ Critical groundwater area: IT IS FROM A DIFFERENT SOURCE FOR A
- ☒ Groundwater management area: DIFFERENT USE. (13777
- ☒ 1992 moratorium:
- ☒ Surface water source, IDFG letter needed.
- ☒ Protected river or minimum flow reach, notify water planning bureau.
- ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ Mitigation plan: Check any that apply. DOMESTIC/NON-CONSUMPTIVE USE.
- ☐ immediate = acceptable plan required and submitted.
- ☐ future = open areas, acceptance of condition of approval is in file.
- ☒ Send power requirement letter &/or fish farm requirement letter.
- ☒ Power residency affidavit:
- ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____ Date Response Received _____

PROCESSING

APP. NO. _____

YES NO

X In form for advertising:
 X Statewide advertising: (> 10 cfs &/or 1000 af)
X Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

YES NO

<u> </u>	<u>X</u>	I.D. Health & Welfare	<u> </u>	<u>X</u>	U.S. BLM
<u> </u>	<u>X</u>	I.D. District Health	<u> </u>	<u>X</u>	U.S. Forest Service
<u>X</u>	<u> </u>	I.D. Fish & Game	<u>X</u>	<u> </u>	Water Dist. # <u>65</u>
<u> </u>	<u>X</u>	I.D. Lands	<u> </u>	<u>X</u>	Water Planning Bureau
			<u> </u>	<u>X</u>	Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

✓ Affidavit of publication received:
✓ Application published correctly: If not, record action taken.

✓ Publication dates and paper recorded on application:
✓ Final date for protest 11-26-01
 X Protests received.
 X Recommendations attached:
 X Measuring device required:
X Water delivered by water master? District # 65
X Special conditions of approval or cover letter: STANDARD CONDITIONS
WATER MASTER LETTER

See below for additional information

Recommended Date or Priority 7-27-2001Recommended by: Daniel A. Nelson Date: 1-15-2008ADDITIONAL INFORMATION:See COMMENTS ON PROOF REPORT

01-99

State of Idaho
Department of Water Resources

RECEIVED
DEC 04 2001
WATER RESOURCES
WESTERN REGION

RECOMMENDATION OF WATERMASTER

Application No. 65-22629


Applicant's Name Kenneth and/or Lanette Pratt

Watermaster's Recommendation.

- a) ☐ I do not oppose approval of this application.
- b) ☒ I do not oppose approval of this application if it is conditioned as follows. Under control of Watermaster for Water District
No. 65.
- c) ☐ I oppose approval of this application for the following reasons:
- d) Additional Comment:

Dated this 30th day of November, 2001

Water District No. 65


Mark Limbaugh, Watermaster

Use reverse side of page if you need more space

MICROFILMED
FEB 04 2002

Affidavit of Publication

STATE OF IDAHO COUNTY OF VALLEY

I, Robin M. Simpson, being duly sworn deposes, and says, I am the Publisher of the McCall-Cascade Times Advocate, a weekly newspaper published at Cascade, in Valley County, Idaho, and having a general circulation therein and of legal status in said county

The 12th day of Nov, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication, and was published in the newspaper proper and not in a supplement, and that publication of notice began 11/17, 2001, and ended 11/18, 2001.

RECEIVED

DEC 14 2001

WATER RESOURCES
WESTERN REGION

Robin M Simpson

Robin M. Simpson

Signed this the 10 day of Dec, 2001

STATE OF IDAHO)
:SS.
COUNTY OF VALLEY)

On this the 10th day of Dec, 2001, before me, a Notary Public in and for said State, personally appeared Robin M. Simpson, known or identified to me to be the person whose name is subscribed to the within Instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.


Michael C. Stewart

Notary Public State of Idaho

Residing at

Commission Expires Cascade
10/20/2004

MICROFILMED



APPLICATION FOR WATER RIGHTS

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-22629

KENNETH PRATT

LANETTE PRATT

3868 CASSIE DR SW

TUMWATER WA 98512

Point(s) of Diversion

NENWNE S35 T11N R02E

VALLEY County Source SPRING

Tributary To SINKS

Use: STOCKWATER 01/01 To 12/31

0.04 CFS

Total Diversion 0.04 CFS

Date Filed: 07/27/2001

Place Of Use: STOCKWATER

T11N R02E S35 NWNE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy., Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 11/26/2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Publish 11/7, 11/14

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 6, 2001

STATE OF IDAHO
DEPT OF FISH & GAME
3101 S POWERLINE RD
NAMPA ID 83686

Re: Application for Water Right No. 65-22629 in the Name of Kenneth and/or Lanette Pratt.

Dear Sir:

Enclosed is a copy of the above-referenced application for permit that the proposed use is from surface water. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter. However, if your agency desires to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by November 26, 2001.

If you have any questions regarding the application, please contact this office.

Sincerely,

A handwritten signature in black ink that reads "Gary Spackman".

Gary Spackman

GS:lm

Encl.

MICROFILMED

FEB 04 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 6, 2001

MARK LIMBAUGH
WATER DISTRICT 65
102 N MAIN
PAYETTE ID 83661

Re: Application for Water Right No. 65-22629 in the Name of Kenneth and/or Lanette Pratt.

Dear Mr. Limbaugh:

Enclosed is the copy of the above-referenced application for permit. Also enclosed is the form for your recommendation concerning this application.

Please review the application. We must have your comments within two weeks.

If you have any questions or need information, feel free to contact this office.

Sincerely,

A handwritten signature in black ink that reads "Gary Spackman". The signature is written in a cursive, flowing style.

Gary Spackman

GS:lm

Encl: Copy of Application
Recommendation of Watermaster Form

MICROFILMED

FEB 04 2002

November 02, 2001

Legal Notice Department
LONG VALLEY ADVOCATE
PO BOX 1079
CASCADE ID 83611

RE: Application for Permit No. 65-22629

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 11/26/2001. Your cooperation is appreciated.

Sincerely

Sue Taylor
Senior Secretary

MICROFILMED

SEP 04 2002

The following application(s) have been filed to appropriate the public waters of the State of Idaho.

65-22629

KENNETH PRATT
LANETTE PRATT
3868 CASSIE DR SW
TUMWATER WA 98512

Point(s) of Diversion NENWNE S35 T11N R02E VALLEY County Source SPRING
Tributary To SINKS

Use: STOCKWATER 01/01 To 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed. 07/27/2001

Place Of Use: STOCKWATER

T11N R02E S35 NWNE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 11/28/2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in the Long Valley Advocate on November 7 and 14, 2001.

MICROFILMED

FEB 04 2002