

3

T7N R1W S3




P/D AND P/U

NWSE

MICROFILMED
SEP 18 2001

Corrected **65-22549**
Point of Diversion and Place of Use
by Dan Nelson
T7N R3W



0.3 0 0.3 0.6 Miles


*Rec'd
4/24/02-
rw*

- Water troughs
- Point of diversion
- Pipeline
- Pond

MICROFILMED
OCT 02 2002




65-22549
PLACE OF USE
T7N R3W
USGS QUADRANGLE MAP




0.3 0 0.3 0.6 Miles

- WATER TROUGH AND POND DISCHARGE
- POINT OF DIVERSION
- PIPELINE
- EXISTING POND
- SECTION LINES
- 1/4 1/4 LINES




MICROFILMED
OCT 02 2002

65-22549
PLACE OF USE
T7N R1W
1987 AERIAL PHOTO



0.3 0 0.3 0.6 Miles


-  WATER TROUGH AND POND DISCHARGE
-  POINT OF DIVERSION
-  PIPELINE
-  EXISTING POND
-  SECTION LINES
-  1/4 1/4 LINES



MICROFILMED
OCT 02 2002

65-22549⁰⁰

OVERLAP



0.3 0 0.3 0.6 Miles

- 65-8743 & 65-565 POINTS OF DIVERSION
- 65-8743 & 65-565 PLACE OF USE
- PLACE OF USE 65-115, 65-1999, 65-1998, & 65-13532
- POINT OF DIVERSION 65-115, 65-1999, 65-1998, & 65-13532
- WATER TROUGHS
- POINT OF DIVERSION
- ▲ PIPELINE
- EXISTING POND
- SECTION
- 1/4 1/4 LINES

MICROFILMED
OCT 02 2002



PHOTOGRAPHER AND DATE OF PHOTOS DANIEL A NELSON 9/20/2001

FILE NUMBER 65-22549



These are photos of
the spring and the
intake pipe used to
supply water to the
pipeline that delivers
water to the trough
and the pond





MICROFILMED

OCT 02 2002

PHOTOGRAPHER AND DATE OF PHOTOS DANIEL A NELSON 9/20/2001

FILE NUMBER 65-22549



MICROFILMED
OCT 02 2002

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NNW	SWNW	SESW	NESE	NWSE	SWSE	SESE	Total
Claim	65 1274	JUDITH A WOODIE, RONALD L WOODIE,	GROUND WATER	07N01W3													0
Right	65 1274	JUDITH A WOODIE, RONALD L WOODIE, GORDON THOMAS	GROUND WATER	07N01W3													0
Permit	65 22549	GORDON THOMAS LANHAM,	SPRING	07N01W3										X			0
Right	65 13165	RONALD WOODIE, JUDITH WOODIE,	SPRING	07N01W3					X								0
Right	65 13589	RON WOODIE, JUDY WOODIE,	SPRING	07N01W3													0
Right	65 13590	JUDY WOODIE, RON WOODIE,	SPRING	07N01W3					X								0
Right	65 8743	REX E LANHAM, H M LANHAM,	SPRING	07N01W3													5
Claim	65 8743	GORDON THOMAS LANHAM,	SPRINGS	07N01W3										X			0
Claim	65 8743	GORDON THOMAS LANHAM,	SPRINGS	07N01W3											5		5
Rec	65 8743	GORDON THOMAS LANHAM,	SPRINGS	07N01W3										X			0
Rec	65 8743	GORDON THOMAS LANHAM,	SPRINGS	07N01W3											5		5

MICROFILMED
OCT 02 2002

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SENW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Claim	65-1999	JERRY L RADANDT,	GROUND WATER	07N01W10															0
Claim	65-7067	GORDON THOMAS LANHAM,	GROUND WATER	07N01W10	X														0
Right	65-1999	ROBERT M ENGLISH, AMY E	GROUND WATER	07N01W10															0
Right	65-7067	GORDON THOMAS LANHAM,	GROUND WATER	07N01W10	X														0
Claim	65-115	ROBERT M ENGLISH, AMY E	SPRING	07N01W10															7
Claim	65-12222	RONNIE R LEGG, KAREN B LEGG,	SPRING	07N01W10															0
Claim	65-1998	ROBERT M ENGLISH, AMY E	SPRING	07N01W10															0
Claim	65-565	GORDON THOMAS LANHAM,	SPRING	07N01W10															3
Claim	65-565	GORDON THOMAS LANHAM,	SPRING	07N01W10															0
Claim	65-565	GORDON THOMAS LANHAM,	SPRING	07N01W10															0
Permit	65-13876	ROBERT M ENGLISH, AMY E	SPRING	07N01W10															0
Rec	65-115	ROBERT M ENGLISH, AMY E	SPRING	07N01W10															7
Rec	65-12222	KAREN B LEGG, RONNIE R LEGG,	SPRING	07N01W10															0
Rec	65-1998	ROBERT M ENGLISH, AMY E	SPRING	07N01W10															0
Rec	65-565	GORDON THOMAS LANHAM,	SPRING	07N01W10															3
Rec	65-565	GORDON THOMAS LANHAM,	SPRING	07N01W10															0
Rec	65-565	GORDON THOMAS LANHAM,	SPRING	07N01W10															0
Right	65-115	LEO RADANDT,	SPRING	07N01W10															7
Right	65-12222	BESSIE RADANDT, RONNIE R LEGG,	SPRING	07N01W10															0
Right	65-1310	WAYNE D HACKETT, GERTRUDE HACKETT,	SPRING	07N01W10															0
Right	65-1998	BESSIE RADANDT, LEO RADANDT,	SPRING	07N01W10															0
Right	65-565	VERN ARTHUR, WAYNE D HACKETT,	SPRING	07N01W10															3
Right	65-9266	GERTRUDE HACKETT,	SPRING	07N01W10															0
Right	65-12219	RONNIE R LEGG, ROBERT M ENGLISH, AMY E	SPRINGS	07N01W10															0
Right	65-13532	ENGLISH, AMY E	SPRINGS	07N01W10															6

MICROFILMED
OCT 02 2002

P/D SEARCH T7N R1W S3										
BASIN	Sequence Number	Split Suffix	Basis	Status	Priority Date	RATE	Source List	Water Use List	Owner List	Source Table
NO RESULTS FOUND										

MICROFILMED
OCT 02 2002

Idaho Department of Water Resources

Claim Number: 65-00565

Legal: T07N, R01W, S10

Reviewed By: *SS*



● Point of Diversion



Place of Use

Section Lines

Quarter Quarter Lines



aim No(s): 65-08743

7N, R1W, S 3

Prepared by: Sue Bock


Date: 3/20/2001

 Place of Use

 Point of Diversion

 Section lines

 1/4 1/4 lines





24E
12E
21E
21E
22E
17E
28E
16E
17E

T E

R. 2 W.

COUNT





Idaho Department of Water Resources

Claim Number: 65-00565

Legal: T07N, R01W, S10



Reviewed By: *SS*

● Point of Diversion

Place of Use

Section Lines

Quarter Quarter Lines



1987 Napp Photo


0 0.25 0.5 0.75 1 Miles

MICROFILMED
SEP 19 2001

Idaho Dept. of Water Resources

Claim No(s): 65-08743
T7N, R1W, S 3
Prepared by: Sue Bock
Date: 3/20/2001

- ☐ Place of Use
- ☒ Point of Diversion
- ☐ Section lines
- ☐ 1/4 1/4 lines



MICROFILMED
SEP 19 2001

1987 NAPP Photo

Idaho Department of Water Resources

Claim Number: 65-08746

Legal: T07N, R01W, S9



Reviewed By:

● Point of Diversion

□ Place of Use

□ Section Lines

□ Quarter Quarter Lines



MICROFILMED
SEP 19 2001

RECEIVED

JUN 28 2001

WATER RESOURCES
WESTERN REGION

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Gem)

DIXIE THOME
of Emmett, Gem County, Idaho, being first duly sworn,
deposes and says:

1. That I am a citizen of the United States, and at all times
hereinafter mentioned was over the age of eighteen years,
and not a party to the above entitled action.

2. That I am the Principal Clerk of the Messenger Index,
a weekly newspaper published in the City of Emmett in the
County of Gem, State of Idaho; that the said newspaper is
in general circulation in the said County of Gem, and in the
vicinity of Emmett, and has been uninterruptedly published
in said County during a period of fifty-two consecutive
weeks prior to the first publication of the notice, a copy
of which is hereto attached.


3. That the notice, of which the annexed is a printed copy,
was published in the newspaper two times in the regular and
entire issue of said paper, and was printed in the newspaper
proper, and not in a supplement.

4. That said notice was published the following:
June 20, 27, 2001

Dixie L. Thome

STATE OF IDAHO)
County of Gem)

On this 27th day of June in the year of 2001 before me a
Notary Public, personally appeared. Dixie Thome known
or identified to me to be the person whose name subscribed
to the within instrument, and being by me first duly sworn,
declared that the statements therein are true, and
acknowledge to me that she executed the same.

Marianna Chaney
Notary Public for Idaho
Residing at Emmett
My Commission expires
February 1, 2005


The following application(s) have been filed to appropriate the public
waters of the State of Idaho:
65-22554

JACK D &/OR BETTY MOOERS
PO BOX 70
OLA ID 836570070

Point(s) of Diversion L1 SWNENE S21 T10N R01E Gem County
Source SPRING

Tributary to SINKS

Use: STOCKWATER 01/01 To 12/31 0.05 CFS
Use: WILDLIFE 01/01 To 12/31 0.05 CFS

Total Diversion: 0.05 CFS

Date Filed: 06/04/2001
Place Of Use: STOCKWATER

T10N R01E S21 NENE Lot 1

Place Of Use: WILDLIFE

T10N R01E S21 NENE Lot 1

Permits will be subject to all prior water rights. Protests may be submitted
based on the criteria of Sec 42-203A, Idaho Code.

The following application(s) have been filed to appropriate the public
waters of the State of Idaho:
65-22549

GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617

Point(s) of Diversion SWNWSE S3 T07N R01W Gem County
Source SPRINGS

Tributary To HAW CREEK

Use: STOCKWATER 01/01 To 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 04/20/2001

Place Of Use: STOCKWATER

T07N R01W S3 NWSE

Permits will be subject to all prior water rights. Protests may be submitted
based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the
Director, Dept. of Water Resources, Western Region, 2735 Airport Wy, Boise
ID 83705 together with a protest fee of \$25.00 for each application on or
before 07/09/2001. The protestant must also send a copy of the protest to this
applicant.

KARL J DREHER, Director

Pub: 6-20, 27, 2001

Legal Notice No: 4328
Published in the Messenger Index

MICROFILMED

SEP 19 2001

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-22549

Priority: April 20, 2001

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 0.3 AF

It is hereby certified that GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated April 20, 2001, and has
submitted Proof of Beneficial Use on August 03, 2001. An examination indicates that the works have a
diversion capacity of 0.02 cfs of water from:

SOURCE

SPRING

Tributary: HAW CREEK

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.3 AF

LOCATION OF POINT OF DIVERSION:

SPRING SW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 3, Twp 07N, Rge 01W, B.M., GEM County

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N 01W 3														X	X		
07N 01W 10		X															

CONDITIONS OF APPROVAL

- 1 Use of water under this water right will be regulated by the watermaster of State Water District No. 65
- 2 Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.
- 3 When water is not available to fill this right, the right holder shall cease diversion, shall rent water from the Payette River Rental Pool, or shall otherwise mitigate the depletion of water caused by this water use

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 7th day of May, 2002.


Acting for KARL J. DREHER
Director

MICROFILMED

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)
WATER RIGHT NO. 65-22549

Date of Priority: April 20, 2001

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 0.3 AF

Comes now GORDON THOMAS LANHAM
3555 BUTTE RD

EMMETT ID 83617 and represents to the Director of the Idaho Department
of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 65-22549, and requests that the permit be changed as follows:

Source: SPRING

Tributary: HAW CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.3 AF

LOCATION OF POINT OF DIVERSION:

SPRING SW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 3, Twp 07N, Rge 01W, B.M., GEM County

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N 01W 3														X	X		
07N 01W 10		X															

Permit holder asserts that no one will be injured by such change and that such change will be made at
permit holder's own risk. Signed this 25th day of April, 2002.


(Signature)

MICROFILMED

1982

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 65-22549

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 50.00 Received by DAN # W029075 Date 4-25-02

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, Karl J. Dreher, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 65-22549 with the following:

CONDITIONS OF APPROVAL

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
2. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.
3. When water is not available to fill this right, the right holder shall cease diversion, shall rent water from the Payette River Rental Pool, or shall otherwise mitigate the depletion of water caused by this water use.

Witness my hand this 7th day of May, 2002.

Acting for


KARL J. DREHER
Director

MICROFILMED

APR 25 2002

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE)
LOCKABLE DEVICE CONDITION OF)
APPROVAL FOR PERMIT NO 65-22549)
IN THE NAME OF GORDON THOMAS)
LANHAM)
_____)

ORDER

WHEREAS, the Department of Water Resources (department) has issued the above captioned water right permit with a condition of approval requiring that upon specific notification by the department, the right holder shall install a lockable device of a type acceptable to the department in a manner that will provide the watermaster suitable control of the diversion; and

WHEREAS, the department has determined that the lockable device is not presently needed to provide the watermaster with suitable control of the diversion in question;

ORDER

IT IS THEREFORE HEREBY ORDERED that the condition of approval requiring the installation of a lockable device for the above captioned permit is **WAIVED**.

IT IS FURTHER ORDERED that the department retains jurisdiction to reinstate the condition in the future upon a finding of need by the department.

Dated this 13th of September, 2001.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

NOTED

AUG 3 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 65-22549 Telephone No. 208-365-1543

2. Name of Permit Holder(s): Gordon Thomas Lanham

3. Mailing Address 3555 Butte Road

City Emmett State Ida Zip 83617

4. Source of Water Spring If **GROUNDWATER** (well), Date Drilled: mo _____ / yr _____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): 20 Cows^{or} Horses

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes _____ or No X

8. Fee Enclosed. \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Gordon Lanham Telephone Number 208-365-1543

Address: 3555 Butte Road Emmett Ida 83617

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder. [Signature] Date Aug 4th 2001
(include your title, if on behalf of company or organization)

MICROFILMED

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 65-22549

Priority 04/20/2001

Maximum Diversion Rate

0 04 CFS

This is to certify, that GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617

has applied for a permit to appropriate water from

Source: SPRING

Tributary: HAW CREEK

and a permit is APPROVED for development of water as follows

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0 04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SPRINGS SW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 3, Twp 07N, Rge 01W, B.M GEM County


PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N	01W	3																X	

CONDITIONS OF APPROVAL

- 1 Proof of application of water to beneficial use shall be submitted on or before **August 1, 2002**
- 2 Subject to all prior water rights
- 3 Use of water under this water right will be regulated by the watermaster of State Water District No 65
- 4 Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion
- 5 When water is not available to fill this right, the right holder shall cease diversion, shall rent water from the Payette River Rental Pool, or shall otherwise mitigate the depletion of water caused by this water use
- 6 Stockwater use is for 20 range cattle and/or horses

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code Witness the signature of the Director, affixed at Boise, this 30th day of July, 2001


for **KARL J DREHER, Director**

MICROFILMED

SEP 19 2001

Ident No. ~~120~~ 65-22549
APPRO # 69183

RECEIVED

APR 20 2001

**WATER RESOURCES
WESTERN REGION**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- 1 Name of Applicant Gordon-Thomas-Lanham Phone 208 365-1543
Mailing address 3555 Butte Road Emmett Ida. 83617
- 2 Source of water supply spring which is a tributary of Haw Creek
- 3 Location of point of diversion is Township 7N Range 1W Sec 3, in the SW $\frac{1}{4}$,
NW $\frac{1}{4}$, NW $\frac{35}{8}$ Lot 8 B.M. 8 Gem County,
additional points of diversion if any stockwater
- 4 Water will be used for the following purposes
Amount .04 for cattle purposes from 12/31 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0 for year around purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0 for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0 for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0 for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated is (a) .04 and/or (b) 0
cubic feet per second acre feet per annum
- 6 Proposed diverting works stockwater
a Describe type and size of devices used to divert water from the source tee sewer
old 4" line to old galvanized steel trough
b Height of storage dam spring feet, active reservoir capacity 10 gal's acre-feet, total
reservoir capacity 10 gal's acre-feet
c Proposed well diameter is 0 inches, proposed depth of well is 0 feet
d Is ground water with a temperature of greater than 85°F being sought? 0
e If well is already drilled, when? 0, Drilling firm 0,
Well was drilled for (well owner) 0, Drilling Permit No 0
- 7 Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
- 8 Description of proposed uses (if irrigation only, go to item 9)
a Hydropower, show total feet of head and proposed capacity in kW 0
b Stockwatering, list number and kind of livestock 20 Head Cattle or there abouts
c Municipal, show name of municipality, 0
d Domestic, show number of households 0
e Other, describe fully 0

3. Description of place of use.

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7N	1W	3						X	2							X	2		

Total number of acres to be irrigated _____

10 Describe any other water rights used for the same purposes as described above. _____

- 11 a Who owns the property at the point of diversion? Gordon Thomas Lanham
- b Who owns the land to be irrigated or place of use? 11 11 11
- c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks This Spring is all on My Land
a Tributary to Haw Creek this Ranch
is the Head waters of Haw Creek

13 **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7 5 minute topographic quadrangle map is preferred)


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth

Gordon Thomas Lanham Owner
 Signature of Applicant (and title, if applicable)

Received by KG Date 4/20/01 Time 11:11 Preliminary check by DAZ
 Fee \$ 100.00 Receipted by KG # W027619 Date 4/20/01
 Publication prepared by AT Date 6-20-01 Published in MESSANGER INDEX
 Publication approved AT Date 7-9-01

MICROFILMED

1991 11 15



P/D AND P/U

CP
EP



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

May 10, 2002

GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617

RE: License No. 65-22549 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s) INCLUDE COPY OF APPLICATION FOR AMENDMENT

MICROFILMED


1 2002

CERTIFICATE OF SERVICE

I hereby certify that on May 10, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below

RE: WATER RIGHT NO. 65-22549

**GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617**



**Kari Lynn Townsend
Secretary**

MICROFILMED

MAY 14 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303)

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which.

- i A hearing was held,
- ii The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

1992

Comment Report

65-22549

1. kwalker 4/22/2002 Field Exam

Comment: The field exam identifies the point of diversion and place of use to be located within Range 3W. The maps attached to the exam and the place of use comparison identify the Range as 1W. Using range of 1W since that is where this property is located.

Exam says there is a p/u in NWSE, S3 but could not see on maps attached to exam. Only the p/d is located in that 40. Did not include on license. Talked with Dan Nelson 4/24/02 and he had omitted the location of this trough. He sent me a new map for file same day. Changes made to this right.

2 dnelson 6/1/2001 10:09.26 AM General Comments/Analysis

Comment: There are overlapping rights for the P/D and P/U, but they are from different springs owned by the applicant. Therefore overlap should not be a problem.

MICROFILMED

Corrected **65-22549**
Point of Diversion and Place of Use
by Dan Nelson
T7N R3W



0.3 0 0.3 0.6 Miles

- ☐ Water troughs
☒ Point of diversion
☒ Pipeline
☒ Pond





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 23, 2002

GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617

RE. Water Right Permit No 65-22549

Dear Mr. Lanham:

I sent an Application for Amendment to you yesterday, which did not accurately describe the place of use for your stockwater. Today, when I created the ArcView shapes for your troughs and pond, I found that the amendment I sent out yesterday was in error. Please discard the first amendment received; sign and return the amendment enclosed in this letter with your \$50.00 filing fee. The reason for the amendment is to add the place of use of the pond just south of your trough in the SWSE, Sec. 3. We found the pond located in the NWNE, Sec. 10. Our examiner found that the spring water is discharged to the pond if there was any overflow from the southerly trough. I am sorry for any confusion this error may have caused you.

If you have any questions, please feel free to call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED

APR 24 2002

4-24-02
Mr. Lanham called -
says ~~that~~ ^{they} has
wrong info on his
system. Will request
a re-exam. KW

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)
WATER RIGHT NO. 65-22549

Date of Priority: April 20, 2001

Maximum Diversion Rate 0.02 CFS
Maximum Diversion Volume: 0.3 AF

Comes now **GORDON THOMAS LANHAM**
3555 BUTTE RD
EMMETT ID 83617

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No 65-22549, and requests that the permit be changed as follows.

Source: SPRING

Tributary: HAW CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.3 AF

LOCATION OF POINT OF DIVERSION:

SPRING SW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 3, Twp 07N, Rge 01W, B M., GEM County

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07N 01W 3		X													X	X	

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk Signed this _____ day of _____, 200__.

(Signature)

*See new
revised
amendment
& letter of 4/23
KW*

MICROFILMED

APR 20 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 22, 2002

GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617

RE Water Right Permit No. 65-22549

Dear Permit Holder:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

✓ Place of Use – Adding ¹ after AV – see comments
2 more tracts to place of use *KW 4/23/02*

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,

Kay Walker
KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED

APR 23 2002

Comment Report

65-22549

kw 1. kwalker 4/22/2002 Field Exam

Comment: The field exam identifies the point of diversion and place of use to be located within Range 3W. The maps attached to the exam and the place of use comparison identify the Range as 1W. Using range of 1W since that is where this property is located.

2. dnelson 6/1/2001 10:09:26 AM General Comments/Analysis

Comment: There are overlapping rights for the P/D and P/U, but they are from different springs owned by the applicant. Therefore overlap should not be a problem.

MICROFILMED
APR 11 1992

LICENSE REVIEW CHECKLIST

Permit No 65-22549 Date 4-22-02 Reviewer Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion OK

Does change clarify original intended source? If no, void permit
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use add

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps Right(s) _____
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion

Permitted rate 0.04 cfs
Fee Limit 0.20 cfs
Measured 0.01 cfs
Theoretical _____ cfs

Recommended Total Diversion Rate 0.02

Water Uses OK

Change (P46)

Season of Use per new Standards

Irrigation _____ cfs _____ af
Stockwater 0.02 cfs 0.3 af
Domestic _____ cfs _____ af
_____ cfs _____ af
_____ cfs _____ af
Total 0.02 cfs 0.3 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)
supp Gw (WB7/065/104)
overlap spec combined rts (W35)
<1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (106/R07)
Payette - (W22/047/27A)
Stockwater for US (R37)

Volume Determination

_____ cfs x 1 9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks

20 hd x 0.0134 = 0.0268 ~ 0.30

25 hd stock x 0.0134 = .33 AF ~ 0.3 AF

Additional Conditions

YES Watermaster Control 65
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048)

GW Dist? _____
Water Msmt Dist? _____
Crit GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes

no

If yes, explain why below

SRBA Claim? _____

Adjust memo

Range description

Amend Letters

P87, S06

Second Amendment Notice

P44 S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 20 2001

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-22549

1. Owner: GORDON THOMAS LANHAM Phone No. (208) 365-1543

Current Address: 3555 BUTTE ROAD, EMMETT, ID 83617

2. Accompanied by: OWNER EXAM DATE : 9/20/2001

Address: SAME AS ABOVE Phone No. SAME AS ABOVE

Relationship to Permit Holder: OWNER

3. Source: SPRING tributary to HAW CREEK

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-8743, 65-565

2. Other water rights with the same point of diversion: 65-8743, 65-565

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
POINT OF DIVERSION		SW	NW	SE	3	7N	3W	GEM	VISUAL INSPECTION AND USE OF 1987 AERIAL PHOTO

2. Place(s) of Use

Indicate Method of Determination SAME AS POINT OF DIVERSION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7N	3W	3														X	X		
7N	3W	10		X															

PLEASE NOTE: The X denotes the locations of where Stockwater is being used.

MICROFILMED

2002

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/pipe i.d. as applicable.

SEE ATTACHED SHEET.

YES Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

YES Aerial Photo Attached (required for irrigation of 10+ acres).

YES Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Spring no pump (gravity flow)					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket and Stopwatch	5 gal				5 gal	

2. Measurements:

The bucket and stopwatch method of measurement was used to determine the flow rate of this permit. The rate was calculated at 0.01 cfs, but the measurement was taken during the late fall. During spring flows, the amount of water used should be 2 to 3 times more than the amount actually measured. Therefore, the IDWR minimum flow amount of 0.02 cfs was used.

MICROFILMED

1987

E. NARRATIVE/REMARKS/COMMENTS

The water for this permit is collected from a spring in the SWNWSE of S3 by a 3 inch PVC standpipe. The water is then transported downhill through a 3 inch buried pipe approximately 825 feet to a small water trough. The water is run through the trough and enters back into the unnamed stream channel supplied by the spring. At the water trough the pipe can be tied into a pipe that travels another 1000 feet down hill to an existing pond. The water trough supplies water to approximately 25 head of horses or range cattle in the upper pasture and the lower pond supplies the same 25 head of livestock water in the lower pasture. Any overflow from the water trough and the pond are run into unnamed streams and back into Haw Creek.

OVERLAP

Water rights 65-8743 and 65-565 also empty into the lower pond, which they are used for watering livestock and minimal irrigation use. These two rights are diverted from separate springs on the hill and are not diverted out of the same spring associated with this permit.

Water rights 65-115, 65-1999, 65-1998, and 65-13532 are diverted from the same area as this permit. They are from different springs and supply water to different lands and domestic uses. They should not be affected by this diversion at all, but they are close enough and use the same series of springs. Therefore, I mentioned them in order to cover all possible problems.

RECOMMENDATIONS:

I recommend that this permit be licensed for 0.02 cfs and 0.4 afa. This spring should not be diverted unless there are animals in the lower or upper pasture. It should not be used to supply water to the pond for storage or irrigation uses. If there are no animals using the water trough or the pond, then water should be diverted back into the creek at the upper water trough.

Have conditions of permit approval been met? X yes ___ no

MICROFILMED
DEC 16 2002

F. FLOW CALCULATIONSYES Additional Computation Sheets Attached

Measured Method:

0.01 cfs measured

0.02 cfs minimum IDWR diversion rate

0.02 cfs maximum allowable diversion rate for 25 head of stock

0.02 cfs should be allowed for this permit since the measurement was performed during the late fall and could be higher during spring runoff times and 0.02 cfs is the minimum diversion rate used by IDWR.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$

B

2. Volume Calculations for Other Uses:

25 head of stock (horses and range cattle) maximum allowable volume = 0.4 afa**H. RECOMMENDATIONS**

1. Recommended Amounts


Beneficial use	Period Of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
STOCKWATER	01/01	12/31	0.02 CFS	0.4 AFA
TOTAL			0.02 CFS	0.4 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other**I. AUTHENTICATION**

DANIEL A. NELSON – SENIOR AGENT

Field Examiner's Name



Date

10-24-2001

Reviewer


Date

SEAL


MICROFILMED

2002

65-22549
PLACE OF USE
T7N R3W
USGS QUADRANGLE MAP



-  WATER TROUGH AND POND DISCHARGE
-  POINT OF DIVERSION
-  PIPELINE
-  EXISTING POND
-  SECTION LINES
-  1/4 1/4 LINES




65-22549
PLACE OF USE
T7N R1W
1987 AERIAL PHOTO



0.3 0 0.3 0.6 Miles

- ☐ WATER TROUGH AND POND DISCHARGE
- ☒ POINT OF DIVERSION
- ☒ PIPELINE
- ☒ EXISTING POND
- ☒ SECTION LINES
- ☒ 1/4 1/4 LINES




65-22549 OVERLAP



0.3 0 0.3 0.6 Miles

- 65-8743 & 65-565 POINTS OF DIVERSION
- 65-8743 & 65-565 PLACE OF USE
- PLACE OF USE 65-115, 65-1999, 65-1998, & 65-13532
- POINT OF DIVERSION 65-115, 65-1999, 65-1998, & 65-13532
- WATER TROUGHS
- POINT OF DIVERSION
- ▲ PIPELINE
- ▤ EXISTING POND
- SECTION
- 1/4 1/4 LINES



DIVERSION RATE CALCULATIONS FOR WATER RIGHT 65-22549

I, Daniel A. Nelson, determined the diversion rate on 9/20/2001 using the timed volume fill test or the Bucket and Stopwatch method using a known volume and measuring the amount of time it takes to fill. I timed the water flow from the spring using a 5 gallon bucket at the water trough half way up the hill. The following equations was used for this calculation:

$$(G \times 60 / T) / 448.8 = \text{cfs}$$

G = Gallons filled in test.

60 = Seconds in 1 minute.

T = Time to fill in seconds

448.8 = Conversion factor to convert from gpm to cfs.

Three measurements were taken to attain an average flow rate.

MEASUREMENT # 1 = 5 GALLON BUCKET @ 49 SECONDS

$$(5 \times 60 / 49) / 448.8 = 0.0136 \text{ CFS}$$

MEASUREMENT # 2 = 5 GALLON BUCKET @ 50 SECONDS

$$(5 \times 60 / 50) / 448.8 = 0.01337 \text{ CFS}$$

MEASUREMENT # 3 = 5 GALLON BUCKET @ 48 SECONDS

$$(5 \times 60 / 48) / 448.8 = .01393 \text{ CFS}$$

AVERAGE DIVERSION RATE =

$$0.01 \text{ cfs} + 0.01 \text{ cfs} + 0.01 \text{ cfs} / 3 = 0.01 \text{ cfs}$$

These measurements seem reasonable for this time of year. However, the owner stated that the spring can flow up to 3 times this fast or 0.03 cfs during the spring and high water times. This seems reasonable since the exam was done late in the fall. However, only 25 head of livestock use this water source. The maximum allowable diversion rate for 25 head of range cattle or horses is 0.02 cfs. The minimum diversion rate allowed by IDWR is 0.02 cfs. **Therefore, I recommend that this permit be licensed for 0.02 cfs.**

MICROFILM

10/1/2002

PHOTOGRAPHER AND DATE OF PHOTOS DANIEL A NELSON 9/20/2001

FILE NUMBER 65-22549



INTAKE AT
SPRING FOR
PIPELINE


These are photos of
the spring and the
intake pipe used to
supply water to the
pipeline that delivers
water to the trough
and the pond




SPRING
INSIDE TREES.
STANDPIPE
ON
OTHERSIDE
OF BARRIER.

PHOTOGRAPHER AND DATE OF PHOTOS DANIEL A NELSON 9/20/2001

FILE NUMBER 65-22549



This is a photo of the water trough and the pipelines used to deliver the water from the spring.



This is a photo of the pipeline delivering water to the pond and the discharge point that pipeline fills the pond. The pipeline intersects another pipeline used to for the pond. This line is only used when animals are not in this pasture.

FIELD NOTES

PERMIT NUMBER 65-22549

PLEASE NOTE: These documents are for backup purposes only and are not apart of actual Beneficial Use Field Report.

MICROFILMED

OCT 02 2002

Sue
11

65-8743 ✓ L-HARRIS 65-1999 X
65-565 ✓ SUP 65-115 ✓
11 65-1998 ✓
65-13532 X

Clear Creek Crossing
Eagle

MICROFILMED

APR 1992

1.49

LOCKABLE Device
DEFERRED
NOT
needed.

18 gpm

9 gpm

3.24

25 COWS

204

5 gal @ 204 sec

49 sec

50 sec

48 sec

6.25

6.12

6

MICROFILM

1977 - 2002

$$\frac{5}{204} = \frac{?}{60} \quad .02$$

.68

1.

X3

3 gpm

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SESE	Total
Claim	65 1274	JUDITH A WOODIE, RONALD L WOODIE	GROUND WATER	07N01W3																0
Right	65 1274	JUDITH A WOODIE, RONALD L WOODIE	GROUND WATER	07N01W3									X							0
Right	65 15106	RONALD WOODIE, JUDITH WOODIE	SPRINGS	07N01W3																0
Right	65 15539	RONALD WOODIE, JUDITH WOODIE	SPRINGS	07N01W3																0
Right	65 15590	JUDY WOODIE, RON WOODIE	SPRINGS	07N01W3																0
Right	65 8743	HERB LANHAM, H M LANHAM	SPRINGS	07N01W3																0
Claim	65 8743	GORDON THOMAS LANHAM	SPRINGS	07N01W3																0
Claim	65 8743	GORDON THOMAS LANHAM	SPRINGS	07N01W3																0
																				5

MICROFILMED
1997

Idaho Dept of Water Resources
Place of Use Comparison Report[illegible]

[illegible]

2

Idaho Department of Water Resources

Claim Number: 65-00565

Legal: T07N, R01W, S10



Reviewed By:

⊙ Point of Diversion

Place of Use

Section Lines

Quarter Quarter Lines



1987 Napp Photo

0 0.25 0.5 0.75 1 Miles

Microfilm

aim No(s): 65-08743
7N, R1W, S 3
Prepared by: Sue Bock
Date: 3/20/2001

Place of Use

Point of Diversion

Section lines

1/4 1/4 lines



1987 NAPP Photo

130

1000


1000

1000

1000

1000

1000







State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

September 13, 2001

GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 65-22549

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Enclosed is an Order waiving the measuring device requirement for this right. This order may be revoked if the department determines that a measuring device is necessary for the use of this water and will notify you at that time.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Western** Regional Office of the department in Boise, Idaho at (208) 334-2190.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl
c: IDWR - Regional Office

MICROFILMED

SEP 19 2001

Water District No. 65

*Payette River Basin, State of Idaho
102 North Main Street
Payette, Idaho 83661*

*Watermaster
Mark Limbaugh*

*Phone (208) 642-4465
Fax (208) 642-1042
E-Mail wdist65@primenet.com*

August 3, 2001

Mr. Gordon T. Lanham
3555 Butte Road
Emmett, ID 83617

RECEIVED

SEP 11 2001

Department of Water Resources

Re: Request for Waiver of Lockable Controlling Works and Measuring Device for New Permit No. 65-22549


Dear Mr. Lanham:

Thank you for your written request for a waiver of the requirement for a lockable controlling works and measuring device on your stockwater diversion. It is my understanding your diversion is from a spring and cannot be shut off. This spring is currently not monitored by Water District No. 65, but could be monitored in the future. This future monitoring may require the installation of a measuring device at that time; however, a lockable controlling works may not be feasible at your particular site.

Due to the nature of your diversion of an uncontrolled spring, I am recommending to the Idaho Department of Water Resources the requirement for a lockable controlling works and measuring device for your diversion (Permit No. 65-22549) be waived until such time it becomes necessary your diversion be monitored by the Water District No. 65 Watermaster, at which time a measuring device may become necessary.

If you have any further questions or comments, please do not hesitate to call on me at your convenience

Sincerely,



Mark Limbaugh
Watermaster, Water District No. 65

Cc Kay Walker, IDWR

MICROFILMED

SEP 19 2001

Mark Limbaugh

To whom this may concern

(# 3- run's according to Flow)

(# 4- pipe not to be shut off)

This is a spring and run's

out of the Hill side in a pipe it

can't be turned off.

RECEIVED

AUG - 3 2001

Department of Water Resources

no Valve or shut off will

work on the spring-will run

over and ruin the Development

when it Backs up.

Talked to

Kay Walker 327-7944

Mark Limbaugh

102 North Main - 642-4465

Payette Idaho *Cell-642-0230

83661

Letter For a Waiver

MICROFILMED

SEP 19 2001

8/7. Mark sent me a copy of his
approval letter waiving the
measurement requirement - @ Western Region.

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No. 65-22549

Reviewed By dgibson

Date: September 13, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No		W027619, C055319	Well driller's report filed?		X
Additional Amount Due.			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?	X	

Priority Calculation

Date proof received	08/03/2001
Date proof due	- 08/01/2002
Lapse notice sent	-
No. of days late	= 0
Holiday allowance	+
Priority date	+ 04/20/2001
New priority date	= 04/20/2001

Deficiencies of Actions Items

Acknowledge proof, prepare and ask for an order waiving the measurement requirement.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 31, 2001

GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617

RE Permit No. 65-22549

Permit Approval Notice

Dear Permit Holder

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed a least sixty days prior to the commencement of work in the stream.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

MICROFILMED

SEP 12 2001

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Sharla Curtis

for Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


SEP 19 2001

CERTIFICATE OF MAILING

I hereby certify that on July 31, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 65-22549

**GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617**

A handwritten signature in cursive script, reading "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

MICROFILMED

SEP 19 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37 01 01302 and 37 01.01303 (Rules of Procedure 302 and 303)

MICROFILMED
SEP 19 2001

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Reviewed by Sharla Curtis on 7/25/01

AREA OF CONCERN: No/Yes Moratorium ~~GWMA~~ ~~TRUST/NON-TRUST~~

SURFACE WATER: (✓Flow Chart)

F&G contacted	- Yes/No Response
---------------	-------------------

In/Above MSF - WB9
PLANNING REVIEW/RESPONSE
WD - R04 (WD# 65)
≤ 0 20 cfs/others - 01H, 01P or No MD
> 0 20 cfs - 01J

SPRINGS/SPK, INACTIVE WD or ~~WD~~

≤ 0.24 cfs/5 acres	- No MD
> 0.24 cfs/5 acres	- 0.1M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W23, N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - W23, 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

MUNICIPAL

Restricted area	- 022,075
Irr , GW supp'to SW	- 102
Future needs	- 007,109
FISH PROP	- 029 (70's only)-007-042-106
DOMESTIC	
Surface water	- WB5 (Big Wood/Boise above Star Bridge)
	- 27A (Payette R)
>1 in restricted area	- 070-071-075(no parks/common areas)
Irr separate or none allowed	- WB5
GW w/irrigation from SW evident	- 065-104
Moratorium approvable	- W03 (2500 gpd - meets domestic def i.e D/convenience store)

BENEFICIAL USE DUE: 8 / 01 / 2007

Multiple pd's per ¼¼
Subd lot desc (pd)
Subd lot desc (pu)
Use definitions
Pre-1987 developmen
Single pd intended

Protested	- 020-W19
Development Period	
> 1 yr	- 26A
Ownership	- 004
Non-consumptive	- 027
Water Quality	- 106-R07

IRRIGATION SEASON _____ - _____ (Per updated map) IRR VOLUME/ACRE _____

OTHER CONDITIONS/REMARKS _____

COMMENTS

January 2001

IO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: DAN DATE: 5-10-01 APPLICATION: 65-22549

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:

NO P/D

NO P/U

NO ADVERTISE REMARK(S)

(Reviewer identify which remarks)

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ Overlapping point of diversion.
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ 1992 moratorium:
- ☒ Surface water source, IDFG letter needed.
- ☒ Protected river or minimum flow reach, notify water planning bureau.
- ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ Mitigation plan: Check any that apply.
- ☐ Immediate = acceptable plan required and submitted.
- ☐ future = open areas, acceptance of condition of approval is in file.
- ☒ Send power requirement letter &/or fish farm requirement letter.
- ☒ Power residency affidavit:
- ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED

JUL 19 2001

Department of Water Resources

Date Requested _____ Date Response Received _____

PROCESSING

APP. NO. _____

YES NO

☒ _____ In form for advertising:
_____ ☒ _____ Statewide advertising: (> 10 cfs &/or 1000 af)
_____ ☒ _____ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

_____ ☒ I.D. Health & Welfare
_____ ☒ I.D. District Health
_____ ☒ I.D. Fish & Game
_____ ☒ I.D. Lands

YES NO

_____ ☒ U.S. BLM
_____ ☒ U.S. Forest Service
_____ ☒ Water Dist. # 165
_____ ☒ Water Planning Bureau
_____ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ _____ Affidavit of publication received:
☒ _____ Application published correctly: If not, record action taken.

☒ _____ Publication dates and paper recorded on application:
_____ ☒ Final date for protest 7-9-01
_____ ☒ Protests received.
_____ ☒ Recommendations attached:
_____ ☒ Measuring device required:
_____ ☒ Water delivered by water master? District # 165
_____ ☒ Special conditions of approval or cover letter: STANDARD CONDITIONS
UNDER WATER MASTER CONTROL

_____ See below for additional information
Recommended Date or Priority 4-20-2001
Recommended by: Daniel A. Nelson Date: 7-11-01

ADDITIONAL INFORMATION:

THERE ARE OVERLAPPING RIGHTS
FOR THE P&O'S P/H. BUT THEY
ARE FROM DIFFERENT SPRINGS.

Idaho Department of Water Resources

Claim Number: 65-00565

Legal: T07N, R01W, S10

Reviewed By: *[Signature]*

⊙ Point of Diversion





Place of Use



Section Lines

Quarter Quarter Lines



1987 Napp Photo

0 0.25 0.5 0.75 1 Miles

Idaho Dept. of Water Resources

Claim No(s): 65-08743

T7N, R1W, S 3

Prepared by: Sue Bock



Date: 3/20/2001

☐ Place of Use

☒ Point of Diversion

☐ Section lines

1/4 1/4 lines



1987 NAPP Photo

Idaho Department of Water Resources

Claim Number: 65-08746

Legal: T07N, R01W, S9


Reviewed By:

⊙ Point of Diversion

□ Place of Use

□ Section Lines

□ Quarter Quarter Lines



1987 Napp Photo

0 0.25 0.5 0.75 Miles

JUN 29 2001


WATER RESOURCES
WESTERN REGION**RECOMMENDATION OF WATERMASTER**Application No: 65-22549Applicant's Name: Gordon Thomas Lanham

Watermaster's Recommendation:

- a) ☐ I do not oppose approval of this application.
- b) ☒ I do not oppose approval of this application if it is conditioned as follows: Under control of Watermaster for Water District
No. 65.
- c) ☐ I oppose approval of this application for the following reasons:
- d) Additional Comment: _____

Dated this 27th day of June, 2001

Water District No. 65


Mark Limbaugh, Watermaster

Use reverse side of page if you need more space

MICROFILMED

SEP 19 2001

RECEIVED

JUN 28 2001

WATER RESOURCES
WESTERN REGION

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS
County of Gem)

DIXIE THOME
of Emmett, Gem County, Idaho, being first duly sworn,
deposes and says

1 That I am a citizen of the United States, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action

2 That I am the Principal Clerk of the Messenger Index, a weekly newspaper published in the City of Emmett in the County of Gem, State of Idaho; that the said newspaper is in general circulation in the said County of Gem, and in the vicinity of Emmett, and has been uninterruptedly published in said County during a period of fifty-two consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached


3 That the notice, of which the annexed is a printed copy, was published in the newspaper two times in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following
June 20, 27, 2001

Dixie T. Thome

STATE OF IDAHO)
County of Gem)

On this 27th day of June in the year of 2001 before me a Notary Public, personally appeared. Dixie Thome known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledge to me that she executed the same.

Marianna Carey
Notary Public for Idaho
Residing at Emmett
My Commission expires
February 1, 2005


The following application(s) have been filed to appropriate the public waters of the State of Idaho:
65-22554

JACK D &/OR BETTY MOOERS
PO BOX 70
OLA ID 836570070

Point(s) of Diversion L1 SWNENE S21 T10N R01E Gem County
Source SPRING

Tributary to SINKS

Use STOCKWATER 01/01 To 12/31 0.05 CFS
Use. WILDLIFE 01/01 To 12/31 0.05 CFS

Total Diversion 0.05 CFS

Date Filed 06/04/2001
Place Of Use: STOCKWATER

T10N R01E S21 NENE Lot 1

Place Of Use: WILDLIFE

T10N R01E S21 NENE Lot 1

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

The following application(s) have been filed to appropriate the public waters of the State of Idaho:
65-22549

GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617

Point(s) of Diversion SWNWSE S3 T07N R01W Gem County
Source SPRINGS

Tributary To HAW CREEK

Use STOCKWATER 01/01 To 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 04/20/2001

Place Of Use: STOCKWATER

T07N R01W S3 NWSE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 07/09/2001. The protestant must also send a copy of the protest to this applicant.

KARL J DREHER, Director

Pub 6-20, 27, 2001

Legal Notice No. 4328
Published in the Messenger Index



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 13, 2001

STATE OF IDAHO
DEPT OF FISH & GAME
3101 S POWERLINE RD
NAMPA ID 83686

Re: Application for Water Right No. 65-22554 in the Name of Jack &/or Betty Mooers.
Application for Water Right No. 65-22549 in the Name of Gordon Thomas Lanham.

Dear Sir:

Enclosed are copies of the above-referenced applications that the proposed use is from surface water. Please review the applications and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter. However, if your agency desires to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by July 9, 2001.

If you have any questions regarding the application, please contact this office.

Sincerely,

Gary Spackman

GS:lm
Encl.

MICROFILMED

JUN 12 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 13, 2001

MARK LIMBAUGH
WATER DISTRICT 65
102 N MAIN
PAYETTE ID 83661

Re: Application for Water Right No. 65-22554 in the Name of Jack &/or Betty Mooers.
Application for Water Right No. 65-22549 in the Name of Gordon Thomas Lanham.

Dear Mr. Limbaugh:

Enclosed are copies of the above-referenced applications for permit. Also enclosed are forms for your recommendation concerning these applications.

Please review the applications. We must have your comments within two weeks.

If you have any questions or need information, feel free to contact this office.

Sincerely,

Gary Spackman

GS:lm

Encl: Copy of Application

MICROFILMED

SEP 19 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

2735 Airport Way, Boise, Idaho 83705

Phone: (208) 334-2190 FAX: (208) 334-2348 www.idwr.state.id.us/idwr/idwrhome.htm

DIRK KEMPTHORNE
Governor

June 13, 2001

KARL J. DREHER
Director

Legal Notice Department
Messenger-Index
PO Box 577
Emmett ID 83617

RE: Application for Permit Nos. 65-22549 and 65-22554

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find legal notices which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 07/09/2001. Your cooperation is appreciated.

Sincerely,

Sue Taylor
Senior Secretary

MICROFILMED

JUN 13 2001

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

85-22549

GORDON THOMAS LANHAM
3555 BUTTE RD
EMMETT ID 83617

Point(s) of Diversion SWNWSE S3 T07N R01W GEM County Source SPRINGS
Tributary To HAW CREEK

Use: STOCKWATER 01/01 To 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 04/20/2001

Place Of Use: STOCKWATER

T07N R01W S3 NWSE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 07/09/2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in the Messenger Index on June 20 and 27, 2001.

MICROFILMED

SEP 13 2001