






Survey



reshown

UTM GRID AND 1971 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



CONTOUR INTERVAL 20 FEET
 DOTTED LINES REPRESENT 5-FOOT CONTOURS
 DATUM IS MEAN SEA LEVEL

MICROFILMED
AUG 11 1999

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
 A FOLDER DESCRIBING TOPOGRAPHIC MAP SYMBOLS IS AVAILABLE ON REQUEST

T6N R2W

T409


9. 5. 78

Water source


REF FILMED
AUG 11 1999

waste water

P N° 6 NORTH, RANGE N° 2 WEST OF TH



PHOTOFILMED



T6W
R2W
section 4

MICROFILMED
OCT 23 2000

DD & PIA
65-13881

PID & PIA
65-13882

65-13881



P.1D Waste Water
65-13881

MICROFILMED

OCT 23 2000

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-13881

Priority: April 23, 1999

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

1.3 AF

This is to certify, that JOY R SISLER

4455 SUNSET DR

EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 23, 1999; and has submitted Proof of Beneficial Use on June 26, 2000. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

WASTE WATER

tributary to PAYETTE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.03 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 7 (NESWSE), Sec. 4, Township 06N, Range 02W
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC

06N 02W 4 Lot 7 (SWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
2. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.
3. Stockwater use is for 100 range cattle and horses.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 26th day of SEPTEMBER, 2000.

Acting for

KARL J. DREHER, Director

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT	)	ORDER GRANTING PETITION
NOS 65-13881 AND 65-13882 IN THE	)	TO REMOVE LOCKABLE
NAME OF JOY R SISLER	)	DEVICE REQUIREMENT
_____	)	

This matter having come before the Department of Water Resources (Department) as a petition to remove lockable device requirements, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On July 12, 1999, the Department issued Permits 65-13881 and 65-13882 (permits) to Joy R. Sisler (permit holder) with a condition of approval requiring the installation of a lockable device to allow watermaster control of the diversion works before any diversion of water under the permits
2. On September 8, 2000, the Department received a petition from the certified examiner to remove the lockable device requirements.
3. Installation of the lockable devices is not necessary at this time pursuant to a telephone conversation with the watermaster of Water District No. 65.

CONCLUSIONS OF LAW

- 1 Beneficial Use Examination Rule 35 02 d. (IDAPA 37.03.02 35 02.d) provides for the waiver of a lockable device requirement by the Department.


ORDER

IT IS THEREFORE HEREBY ORDERED as follows

The condition of approval requiring the installation of a lockable device as part of the diversion works for the permits is **MODIFIED** as follows

Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.

Dated this 8th day of September, 2000



L GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED

SEP 23 2000

RECEIVED

JUN 26 2000

WATER RESOURCES
WESTERN REGION

FOR OFFICE USE ONLY

Amt. of Fee \$: _____
Receipt No. _____
Receipt By: _____
Date Received: _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13881 Telephone No. 365-2776

2. Name(s) of Permit Holder(s): Joy R Sisler

3. Mailing Address: 455 Sunset Dr. Emmett Id 83617

4. Source of Water: Waste Water If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock) 100 cattle & horses

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted. 0.3 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ☒

Has the measuring device been installed?

Yes _____ or No ☒

Flow Measurement Port: Is a flow measurement port required?

Yes _____ or No ☒

Has the measurement port been installed?

Yes _____ or No ☒

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: W/R Telephone Number: _____

Address: _____

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Joy R Sisler Date: _____
(include your title, if on behalf of company or organization)

MICROFILMED

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13881

Proposed Priority: April 23, 1999 Maximum Diversion Rate: 0.03 CFS

This is to certify, that JOY R SISLER
4455 SUNSET DR
EMMETT ID 83617

has applied for a permit to appropriate water from:
WASTE WATER tributary of PAYETTE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

STOCKWATER	01/01 to 12/31	0.03 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 7 (SWSE), Sec. 4, Township 06N, Range 02W
GEM County

PLACE OF USE: STOCKWATER

TWN RGE SEC


06N 02W 4 Lot 7 (SWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 2000.
2. Subject to all prior water rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
4. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
5. The issuance of this right does not grant any right-of-way or easement across the land of another.
6. Stockwater use is for 100 range cattle and horses.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

12th day of July, 1999.


Karl J. Dreher, Director
for

MICROFILMED

APR 1 1999

RECEIVED

JUN 7 4 1999

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

APR 23 1999

WATER RESOURCES
WESTERN REGION

1. Name of Applicant JOY R. SISLER Phone 208-365-2776
Mailing address 4455 SUNSET DR EMMETT ID 83617
2. Source of water supply WASTE WATER which is a tributary of PAYETTE R
3. Location of point of diversion is Township 6N Range 2W Sec. 4 in the SW 1/4, SE 1/4, Govt. Lot 7, B.M., GEN County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
 Amount .03 for STOCKWATER purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 and/or (b) _____
 cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source pump / stock tanks
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____;
 Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. 100 CATTLE + HORSES
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. _____

MICROFILMED

JUN 11 1999

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6N	2W	4															S		*

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? SISLER FAMILY LLC

b. Who owns the land to be irrigated or place of use? " " "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7 5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


MICROFILMED

AUG 11 1999



Jay R. Sisler
 Signature of Applicant (and title, if applicable)

Received by KG Date 4/23/99 Time 11:03 Preliminary check by _____
 Fee \$ 50 Receipted by KG # W025104 Date 4/23/99
 Publication prepared by AT Date 5-26-99 Published in MESSANGER INDEX
 Publication approved AT Date 5-6-21-99 5-2-99

* Changed Place of use TO section 4 Per map.



Survey



CONTOUR INTERVAL 20 FEET
 DOTTED LINES REPRESENT 5-FOOT CONTOURS
 DATUM IS MEAN SEA LEVEL

MICROFILMED
 AUG 11 1994

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
 A FOLDER DESCRIBING TOPOGRAPHIC MAP SYMBOLS IS AVAILABLE ON REQUEST

P № 6 NORTH, RANGE № 2 WEST OF Ti





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 29, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

JOY R SISLER
4455 SUNSET DR
EMMETT ID 83617

RE: WATER RIGHTS 65-13881 & 65-13882

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed licenses confirming that water rights have been established in accordance with the permits referenced above. The licenses preliminary orders issued by the department pursuant to section 67-5243, Idaho Code. They can and will become final orders without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also enclosed is a copy of an Order Granting Petition to Remove Lockable Device Requirement issued by the Department.

Please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley Walter Keen
Water Rights Supervisor

SWK:klt

Enclosures

MICROFILMED


SEP 29 2000

CERTIFICATE OF MAILING

I hereby certify that on the **29th** day of **September, 2000**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDERS (Approved Licenses)** to the person(s) listed below.

RE: Water Rights 65-13881 & 65-13882

**JOY R SISLER
4455 SUNSET DR
EMMETT ID 83617**


**Kari Lynn Townsend
Secretary**

MICROFILMED

OCT 29 2000

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

OCT 23 2000

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 24 2000

LICENSE REVIEW CHECKLIST

Permit No. 65-13881 Date 7-13-2000 Reviewer Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps Right(s) 0

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion

Permitted rate 0.03 cfs

Fee Limit _____ cfs

Measured _____ cfs

Theoretical 0.03 cfs

Recommended Total Diversion Rate 0.03

Water Uses OK

Change (P46)

Irrigation _____ cfs _____ af

Stockwater 0.03 cfs 1.3 af

Domestic _____ cfs _____ af

_____ cfs _____ af

_____ cfs _____ af

Total 0.03 cfs 1.3 af

~~Irrigation~~ - overlap (R58-R61, R62-R65, R66-R69)

~~supp Gw~~ (WB7/065/079)

~~overlap spec combined rts~~ (W35)

~~>1 acre~~ (W31)

~~Domestic~~ (W01/wb5/070/071/075)

~~Power~~ (W42 or W43/025/027/R22 or R23)

~~Fish~~ (042)

~~Fire~~ (077)

~~Water Quality~~ (081/R07)

~~Payette~~ - (W22/047/27A)

~~Stockwater for US~~ (R37)

Volume Determination

0.03 cfs x 1.9835 x 365 days = 21.7 af (vs) _____ acres x _____ (FHR) = _____ af

Remarks

100 hd. range x 0.0134 = 1.3 AFA

OIP, R04(65)

Additional Conditions yes Watermaster Control R04

GW Measurement/Measuring Device

Other

Trust (062/R55 - remove 051)

Non-trust (048/049)

Government Lots? yes

Advance Priority? yes

If yes, explain why below.

no

SRBA Claim?

no - not req'd.

Adjust memo _____

Amend Letters _____

P87, S06

Second Amendment Notice _____

S06

MEMORANDUM

TO: Files 65-13881 and 65-13882

FROM: KAY WALKER *KW*

RE: Lockable Device Condition

Date: September 8, 2000
.....

After receiving Sheryl Chapman's request to remove the lockable device requirement from these permits, I contacted Mark Limbaugh to see if he had any problem with the removal of the conditions. Mark said he had no problem with removal of the conditions.

MICROFILMED

SEP 9 2000

Sheri L. Chapman Consulting, Inc.

410 S Orchard / Suite 144 / Boise, Idaho 83705 / Phone (208) 344-6690
Fax (208) 344-2744 / Email chapmaninc@rmci.net

RECEIVED

SEP 08 2000

Department of Water Resources

September 7, 2000

Ms. Kay Walker
Idaho Department of Water Resources
1301 N. Orchard
Boise, ID 83706


RE: Joy Sissler

Dear Ms. Walker:

Thank you for your letter of July 24, 2000 relating to the field examinations conducted on water rights #65-13881 and #65-13882. You are correct in that I did not put any description of a lockable measuring device on the proof of beneficial use exam for Mrs. Sissler. The reason is that the diversion equipment is a "nose pump" which is operated by the animals at the point in time they wish to drink. The entire apparatus weighs less than 20 pounds and it was my assumption that if the watermaster did not want water diverted he could merely remove it from the water source. However, you are correct in that technically Mrs. Sissler needs to either have a lock on the pump or receive a waiver of the lockable measuring device requirement. For that reason, we are requesting that the condition requiring a lockable measuring device on both permits be waived. Even without a lock on the pump it is clear that the watermaster can easily control whether or not diversion occurs.

If you have any questions or need additional information, please contact me at your convenience.

Sincerely yours,



Sheri L. Chapman

SLC:kje

MICROFILMED

OCT 23 2000
Specialist In

Ground-Water Hydrology / Water Rights / Water Well Design / Geothermal Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

July 24, 2000

RE: Field Examinations for Joy Sisler

Sheri L. Chapman
ERO Resources Inc.
1106 N Cole Suite C
Boise, ID 83704

Dear Mr. Chapman:

We are in receipt of the field examinations you prepared for Joy Sisler for Permit Nos. 65-13881 and 65-13882. In a review of the field examinations, I found we need more information concerning compliance with a condition of approval on the permits.

Beneficial Use Examination Rule No. 35.01.f states: "The method of compliance with each condition of approval of a permit shall be shown on the field report by the examiner." There is no mention on the examinations for Mr. Sisler that he has complied with the conditions.

His permits were both conditioned as follows:

Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.

Please provide information in regard to compliance with the condition on these permits within thirty (30) days of the date of this letter. We cannot complete the licensing of these permits until we have received the requested information.

If you have any questions, please feel free to contact me.

Sincerely,


KAY WALKER

Sr. Water Resource Agent

MICROFILMED

OCT 23 2000

*Sheryl called
8/14 - will submit
info - has been
busy moving &
re-organizing -
KW*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

July 12, 2000

JAY R SISLER
4455 SUNSET DR
EMMETT ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NOS. 65-13881 & 65-13882

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use forms and field examinations submitted for the above referenced permit. The next step in the process of developing a water right is for the department to review the field examinations for licensing.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

Sincerely,

Deborah Drew-Ellis
Administrative Assistant
Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

SEP 23 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 65-13881

1. Owner: Joy R Sisler Phone No. 365 2776

Current Address: 4455 Sunset Dr Emmett Id 83617

2. Accompanied by: Joy Sisler EXAM DATE: 6/23/00

Address: _____ Phone No. _____

Relationship to Permit Holder: Owner

3. Source: Waste Water tributary to Payette River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	7	NE	SW	SE	4	6N	2W	Gem	Field / Topo

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6N	2W	4															5		

MICROFILMED

OCT 23 2000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
RIFE	None	✓	✓	✓	✓

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


MICROFILMED

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Estimated						

2. Measurements: Lift approximately 6'. Rife ("nose pump") a positive displacement pump operated physically by cattle or horses.

T6W
R2W
section 4



65-13881



PID Waste Water
65-13881

MICROFILMED

NOV 23 2000

E. NARRATIVE/REMARKS/COMMENTS

Self actuated "nose" pump is a positive displacement pump. Suction is through a 1" polypropylene pipe equipped with a foot valve. The pump is moved from each PID or source depending on conditions and flow. Stock watered include a mixture of approximately 100 head of cattle and horses.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 23 2000

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:** $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____**2. Volume Calculations for Other Uses:****H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Stockwater</u>	<u>1-1</u>	<u>12-31</u>	<u>0.03</u>	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.03</u>	_____

2. Recommended Amendments


____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Sheri L. Chapman Date 6/23/00

Reviewer _____ Date _____

MICROFILMED

OCT 24 2000



April 30, 2000

JOY R SISLER
4455 SUNSET DR
EMMETT ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 65-13881

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 2000.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

DEBORAH DREW-ELLIS
Administrative Assistant

Enclosures

MICROFILMED

JUL 7 2000





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 13, 1999

DIRK KEMPTHORNE
GOVERNOR

JOY R SISLER
4455 SUNSET DR
EMMETT ID 83617

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13881

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt
Enclosures


MICROFILMED
AUG 11 1999

CERTIFICATE OF MAILING

I hereby certify that on the 13th day of July, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 65-13881

JOY R SISLER
4455 SUNSET DR
EMMETT ID 83617


Kari Lynn Townsend
Secretary

NOT RECORDED
AUG 11 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

AUG 11 1999

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

NOT RECORDED

APR 1 1999

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *S. Curtis*
 No.: 15-13881 Name: Sisler Date: 7/2/99 Ad OK? ☒ ☒ Gvmt Lts: ☒

 AREA OF CONCERN: - No/Yes. Mor / GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

- All wells (✓ WDQ3) - 046-P23
- In Basin 34? - 085
- Irr within WD - P05 (new well location)
- WMD (✓ MAP) - North / East / West
- > 0.24 cfs/5 acres - 067
- ≤ 0.24 cfs/5 acres - No MD

WMD

- Supp irr use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr source)
- Supp. irr + uses - 100-101
- > 0.24 cfs/5 acres - 01M (report when notified)
- ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated)

 FISH & GAME CONTACTED: - YES / NO, WHEN 5/28/99 RESPONSE NONE

IN/ABOVE MSF (✓ MAP) - *WB9

IN-STREAM DEVELOPMENT - P52 (stream channel alteration)

 WD (✓ MAP & LISTING) - R04 (WD # 65)

- > 0.20 cfs - 01J-P08 (MD & LD)
- ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
- ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water).

- Snake R (01) - *W22 - P04, NA
- (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
- Payette R (65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R (70's) - 029 (fish screens), NA
- Weiser R (67) - 086, 087

USE:

- STORAGE (✓ 3 compo.) - 18A (in & out MD for on-stream storage)-01H-P01 (LD)/01P, 18B-P09 (>10' dam), NA
- IRR ≤ 5 acres - R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- > 5 acres - R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- STOCKWATER - R37 (BLM/USFS); NA
- MINING - 054(req) -081-P10
- FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
- HEATING/COOLING - R07 (Injection well)
- POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC), 18B-P09; >25 cfs-P18

MUNICIPAL

- In restricted area? - 022, 075, 004 (+memo?)
- Irr., GW supp to SW? - 102

DOMESTIC

- Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- >1 in rest area - 071-070

FIRE PROTECTION

- 077

LOCATION:

- BOISE FRONT LOGEO - 058 (<85° GW temp only)
- MITIGATION - 120
- 42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)
- SWAN FALLS FLAG (✓ Code) -

- Trust - 051-052-053-P74 (Consumptive Uses), NA
- Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

W02/100' c & h.
7/11/2000

JUN 24 1999

Form No. 202a.
9/98IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

Department of Water Resources

INITIAL REVIEW BY: DAN DATE: 5-10-99 APPLICATION: 65-13881REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- N/A Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:

☒ P/D☒ P/UADDITIONAL INFORMATION☒ ADVERTISE REMARK(S)
(Reviewer identify which remarks)to do T FLAG CHANGED TO P FLAG

YES NO

- ☒ N/A Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ N/A Overlapping point of diversion.
- ☒ X Critical groundwater area:
- ☒ X Groundwater management area:
- ☒ X 1992 moratorium:
- ☒ X Surface water source, IDFG letter needed.
- ☒ X Bull trout impact area, IDFG letter needed
- ☒ X E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ X E-mail to Dam Safety staff: (for any storage)
- ☒ N/A Mitigation plan: Check any that apply.
- ☒ immediate = acceptable plan required and submitted.
- ☒ future = open areas, acceptance of condition of approval is in file.
- ☒ X Send power requirement letter &/or fish farm requirement letter.
- ☒ X Power residency affidavit:
- ☒ X Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ X *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Next app application, OK with Emmett Irrig

Dist per Roy Maxwell, Mgr, telecon

DATE Requested 5-11-99 Date Received 5/18/99

PROCESSING

APP. NO. 65-13881

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☒ ☐ I.D. Fish & Game
☐ ☒ I.D. Lands

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☒ ☐ Water Dist. # 65A
☒ ☐ Other EMMETT - IRRIGATION DISTRICT.

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:

☒ ☐ Final date for protest 6-21-99

☐ ☒ Protests received.

☐ ☒ Recommendations attached:

☒ ☐ Measuring device required:

☒ ☐ Water delivered by water master? District # 65A

☐ ☒ Special conditions of approval or cover letter: STANDARD CONDITIONS
STANDARD WMA CONTROLS

☐ ☐ See below for additional information

Recommended Date or Priority

Recommended by: Daniel A. Nelson Date: 4-23-99

ADDITIONAL INFORMATION:

JUN 09 1999

WATER RESOURCES
WESTERN REGION

RECOMMENDATION OF WATERMASTER

Application No: 65-13881Applicant's Name: Joy Sister

Watermaster's Recommendation:

- a) ☒ I do not oppose approval of this application.
- b) ☐ I do not oppose approval of this application if it is conditioned as follows: _____

- c) ☐ I oppose approval of this application for the following reasons: _____

- d) Additional Comment : _____

Dated this 8 day of June, 1999.Water District No: 65AE. J. Keen
Watermaster's Signature

Use reverse side of page if you need more space.

MICROFILMED

AUG 11 1999

DI

RECEIVED
JUN 10 1999
WATER RESOURCES
WESTERN REGION

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
SS.
COUNTY OF GEM,

Mary K. Black, being first
duly sworn, on her oath deposes and
says that she is the clerk of the Mes-
senger Index, a legal weekly news-
paper published at Emmett, in Gem
County, Idaho; that said newspaper
is in general circulation in said
county and has been published unin-
terruptedly and continuously for
more than 78 weeks prior to the
first publication of the annexed
document; and that the document
notice, process, or advertisement
hereunto annexed was published in
the regular edition of Messenger
Index for three
consecutive weekly issues thereof,
beginning with the issue of
June 2, 1999,
and ending with the issue of
June 9, 1999
Mary K. Black

Subscribed and sworn to me this
4th day of
June, 1999


Marianne Chaney, Notary Public
Residing at Emmett, Idaho
My Commission Expires 4-2005

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of
the State of Idaho.

65-13882

SISLER, JOY R
4455 SUNSET DR
EMMETT, ID 83617

Source: PAYETTE RIVER Tributary: SNAKE RIVER
Diversion Pt: LOT 1 (NENWNW) Sec 9 T 06N R 02W in GEM County
Use. STOCKWATER { 0.030 CFS)
Total Diversion: { 0.030 CFS)

Date Filed: 3/30/1999

In: GEM County
T06N R02W S09 NWNE

65-13881

SISLER, JOY R
4455 SUNSET DR
EMMETT, ID 83617

Source: WASTE WATER Tributary: PAYETTE RIVER
Diversion Pt: LOT 7 (SWSE) Sec 4 T 06N R 02W in GEM County.
Use. STOCKWATER { 0.030 CFS)
Total Diversion: { 0.030 CFS)

Date Filed: 4/23/1999

In GEM County
T06N R02W S04 SWSE

Permits will be subject to all prior water rights. Protests may be submitted based
on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of
this application must be filed with the Director, Dept. of Water Resources, Western
Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00
on or before JUNE 21, 1999 The protestant must also send a copy of the protest to
the applicant.

KARL J DREHER, Director

Pub. 6 - 2, 9, 1999

Legal Notice No. 3610
Published in the Messenger Index

MICROFILMED
AUG 11 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

June 2, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

EMMETT IRRIGATION DISTRICT
222 E PARK
EMMETT ID 83617

Re: Application for Water Right No. 65-13881 in the Name of Joy Sisler

Dear Sir:

Enclosed is a copy of the above-referenced application for water right which may be of interest to you.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter. However, if you desire to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by June 21, 1999.

Sincerely,

A handwritten signature in cursive script that reads 'Gary Spackman'.

Gary Spackman

GS:st

Encl.

MICROFILMED

JUN 11 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 2, 1999

ERIC HERR
WATER DISTRICT 65A
8917 BUTTE RD
SWEET ID 83670

Re: Application for Permit Nos 65-13882 and 65-13881 in the Name of Joy Sisler

Dear Sir:

Enclosed is a copy of application for permit within your district. Also enclosed are forms for your recommendation concerning this application for permit.

Please review the application and submit any comments you may have within two weeks. If you have any questions or need information, feel free to contact this office.

Sincerely,

A handwritten signature in cursive script that reads "Gary Spackman".

Gary Spackman

GS:st

Encl.

RECEIVED

JUN 10 1999



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

May 28, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

SCOTT GRUNDER
STATE OF IDAHO
DEPT OF FISH & GAME
3101 S POWERLINE RD
NAMPA ID 83686

Re: Application for Permit Nos. 65-13882 and 65-13881 in the Name of Joy R. Sisler and 61-07753 in the Name of the Bureau of Land Management

Dear Sir:

Enclosed are copies of the above-referenced applications for permit which may be of interest to your agency. The proposed use of the application nos. 65-13881 and 65-13882 is from a source in the bull trout impact area and all three applications are from surface water. Please review the applications and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by June 21, 1999.

If you have any questions regarding the application, please contact this office.

Sincerely,

A handwritten signature in cursive script that reads "Gary Spackman".

Gary Spackman

GS:st

Encl.

7/15/99
7/15/99

65-13881

SISLER, JOY R
4455 SUNSET DR
EMMETT, ID 83617

Source: WASTE WATER

Tributary: PAYETTE RIVER

Diversion Pt: LOT 7 (SWSE) Sec 4 T 06N R 02W in GEM County.

Use: STOCKWATER (0.030 CFS)

Total Diversion: (0.030 CFS)

Date Filed: 4/23/1999

In: GEM County

T06N R02W S04

SWSE