





3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

At Well Site (Also see Water

System
Drawing)



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	5			


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - op. Press. 35-45 psi, sometimes up to 60 psi.



P/u

P/O well

T9N
R4E
Sec. 26
NWNW
Sec. 23
SWSW

No Gov. lots

65-13809

Denise, SEARCH Sec 23 on Drilling
 PERMIT, IT IS ON Sec 26 THAT WE INTEND
 TO DRILL WELL. THANK YOU, DARRIN RUCKER RUCKER

RECORD OF SURVEY

A parcel of land located in the Southeast 1/4 of the Southeast 1/4 of Section 23,
 and the Northeast 1/4 of the Northeast 1/4 of Section 26,
 all in Township 9 North, Range 4 East, Boise Meridian,
 Boise County, Idaho
 1995

SWSW, Sec. 23

SWSW, Sec. 23; 4.82 AC. Total
 NW NW, Sec. 26; 6.08 AC. Total
 Total 10.90 AC.

This sketch is for location purposes
 only. The Company assumes no
 liability for variations.
 PIONEER TITLE COMPANY
 of Ada County

JOHN RUCKER SURVEY NO. 1

10.9 AC - home, yard,
 barn, shed, shop,
 Corvairs etc.

CERTIFICATE OF SURVEYOR = 6.0 AC. Parting.

1. Upon finding the hereby certified that I am a Professional Land
 Surveyor, in the State of Idaho, and that I have duly qualified
 before an actual survey on the ground under my direct supervision and
 personally supervised the public record herein, and I am duly
 sworn to the truth of the foregoing, and I hereby certify that the
 foregoing and filing are, to the best of my knowledge and belief,
 true and correct.

Clyde Porter P.L.S. 948

1/4 Corner Monument
 Fourteen Branch Monument
 Ada County, ID
 C.P.B. F. No. 103777

N 89° 55' 24" E 2632.98' 23
 26

Well, 65-07755
 Domestic

P/O

WATER
 WELL

P/U

2.0 AC.

Irrigation

Irrigation

NW NW, Sec. 26

1/4 Corner
 Fourteen Branch Monument
 Ada County, ID
 C.P.B. F. No. 103777



LEGEND

- Green Cap Monument
- Aluminum Cap Monument
- 3/16" iron wire pin
- 1/2" dia. iron pin
- In 60' (1" 00' 0") Boundary of Section

1/4 Corner
 Fourteen Branch Monument
 Ada County, ID
 C.P.B. F. No. 103777



65-13809

PORTER'S LAND SURVEYING



Planning
 Surveying
 and Real Estate
 1000 N. 1st St. Suite 100
 Boise, ID 83702

Boise, ID 83702
 Phone: 801-253-1111
 Fax: 801-253-1111

711-82-28-1195 09:06

Water System

65-13809



8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☐ No

If yes, what Type? Stock Corrals

How far away from the well is this source? Well is located in stock corrals/

9. REMARKS: This well is located on property
owned by Bauch Drilling. pasture

LDan Zornick Water Rights Examiner
Signature of Dept. Representative & Title

7-22-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



1 of 6

Rauch
Home.

Domestic
use of
WR

65-07755



Home + yard
irrigation



Rauch
Home.

Well
House
for
WR

65-07755

This is a separate
system.

65-13809

2 of 6

P/D

well.

Note

Uzlu

Box and

2" PVC

Pipe on

Top of

fence.



P/D

well in

background,

Plus

one of

2 Trailers

on left

for domestic

use.



65-13809

3 of 6

Plu

Barn.

Inside +
outside
Stock
water.



Plu

Typical
Hose
used for
Stock
water
in
Barn



65-13809

4 of 6

P/u

Typical
Sprinkler
on 2" Pvc pipe
on top
of fence.



View Looking NW

P/u

2 of 7
Stock
Troughs.

Note 2" Pvc pipe
on top
of fence



View Looking NW

65-13809

5 of 6



P/u
Value Box,
Sprinklers,
and
Big Gun
Sprinkler
at end
of 2"
flex-pipe.

View Looking West



P/u
sprinkler
stands
in
pasture.

View Looking NW

65-13809

6 of 6

Plu

Typical
sprinkler
stand and
flex-pipe
in
pasture.



View Looking West

Plu

Irrigated
pasture
near
highway.



View Looking East.

65-13809

RECEIVED

MAR 31 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13809 Telephone No. 462-6901
2. Name(s) of Permit Holder(s): Vern & Darlene Rauch
3. Mailing Address: PO Box 728 GARDEN VALLEY, IDAHO 83622
4. Source of Water: Groundwater If GROUNDWATER (well), Date Drilled: mo. 10 yr. 96
- a. Well Driller: Vern Rauch Drilling Permit Number: 65-96-W-350
- b. OPTIONAL:
Pump Horsepower: 5hp Pressure (psi): 40-60 Dynamic pumping level (ft): 160

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): Misc Horses, Cows, Goats etc.

Irrigation (No. of acres): 6 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .18 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>✓</u>
	Has the measuring device been installed?	Yes _____ or No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No _____
	Has the measurement port been installed?	Yes _____ or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Darlene Rauch Telephone Number: 462-6901

Address: PO Box 728 Garden Valley, ID. 83601

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Darlene Rauch Date: 3-30-99
(include your title, if on behalf of company or organization)

AUG 09 1999

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 65-13809

Proposed Priority: September 4, 1998 Maximum Diversion Rate: 0.18 CFS

This is to certify, that **VERN RAUCH**
DARLENE RAUCH
PO BOX 728
GARDEN VALLEY ID 83622-0728
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.12 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.18 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNW , Sec. 26, Township 09N, Range 04E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N	04E	26	NWNW	6.0		6.0

Total number of acres irrigated: 6.0

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 2000.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
5. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary for this purpose will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.

MICROFILMED

662 16 1999

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 65-13809

CONDITIONS OF APPROVAL AND REMARKS

6. Two points of diversion are located within NWNW, S26, T09N, R04E.
7. Stockwater use is for 50 range cattle.
8. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this

11th day of February, 1999.


Karl J. Dreher, Director
for

MICROFILMED

MAR 16 1999

To appropriate the public waters of the State of Idaho

462-3722

1. Name of Applicant VERNON ERLINE RAUCH Phone 208 100 2011
Mailing address P O BOX 728 GARDEN VALLEY ID 83622
2. Source of water supply GROUND WATER WELL which is a tributary of GARDEN VALLEY BASIN
3. Location of point of diversion is Township 9N Range 4E Sec. 26 in the NW 1/4, NW 1/4, NW 1/4, Govt. Lot 3215, B.M., 3215 County; BALISE
additional points of diversion if any: 2 wells existing, 1 NEW (65-96-W-350)
4. Water will be used for the following purposes:
- * Amount 160.12 for Irrigation purposes from 4-15 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
- * Amount 250.02 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.24 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source wells, pumps
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is 6 inches; proposed depth of well is 240 feet
- d. Is ground water with a temperature of greater than 85°F being sought? NO
- e. If well is already drilled, when? _____; Drilling firm RAUCH DRILLING CO
Well was drilled for (well owner) SELF: VERN RAUCH, Drilling Permit No. 570
7. Time required for completion of works and application of water to proposed beneficial use is 1/2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock 5000 hd Misc. Stock.
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 home
- e. Other; describe fully. PASTEUR & IRRIGATION

MICROFILMED

* maximum allowable for uses & quantities identified. 2/1/99 MAR 16 1999

a. If water is for irrigation, indicate acreage in each subunit.

a. If water is for irrigation, indicate acreage in each subunit.

[illegible]

10. Describe any other water rights used for the same purposes as described above.

b. Who owns the land to be irrigated or place of use?

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than:

:-Dusky Jay

12. Remarks:

one well is orig 4" well one new well drilled
DP # 65-96-W-350 fee pd to upgrade D.P.

9-4-6

Applicant agrees to provide to consumer use

in the future as needed

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8 1/2 x 11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)


Microfilm


of the State of Idaho as herein set forth.

Signature of Applicant (and title, if applicable)

6661 9 1999

Received by	Fee \$ 50 + (\$25 BR)	Recorded by	Date	Time	Preliminary check by	Date
			9-4-98	3:00 P	11024364	9-4-98
Publication prepared by		Recorded by	Date	Time	Preliminary check by	Date
			12-9-98		11024364	9-4-98
Publication approved by		Recorded by	Date	Time	Preliminary check by	Date
			1-14-99		11024364	9-4-98





REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED USING ONE OF THE
THREE ALTERNATIVES BELOW

Name of Applicant Vern & Darlene Rauch
Mailing Address PO Box 728
Garden Valley ID 83622
Application No. _____
(if known)

____ IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

____ PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

☒ WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

X Vern Rauch

Date

9-4-98

Please return this form to:

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082


MICROFILM

MAR 16 1999

[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

At well site (Also see water



Scale 1" = 100'
 Aerial Photo Attached (required for irrigation of 10+ acres)
 Copy of USGS Quadrangle Attached (showing location(s) of point(s) of diversion and place(s) of use (required))
 Photo of Diversion and System Attached

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	5			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:
 Flow = 0.1 cfs. 35-45 psi. sometimes up to 60 psi.

8. Water from the house well, 65-07755 also serves
E. NARRATIVE/REMARKS/COMMENTS a bathroom at the Drilling Shop.

1. This permit is for 6.0 AC. of irrigation, stockwater and domestic use from a well.
The Rauch's bought the property from John Tucker who had WR 65-07755 for a domestic well located by the house at the highway.
This well only serves the house and yard, and is not interconnected to the new well drilled for this permit.

2. The new well for this permit is located near the South property line in a pasture. A line from the valve box by the well serves 2 trailers parked by a shed; which would be the domestic use under this permit. The same line also serves stockwater inside + outside of the adjacent barn. Another 2" pvc line serves the irrigation and stockwater on this permit.

3. The second 2" line from the well is the mainline which serves other lines placed on top of various fences. The lines on the fences have sprinklers on them for irrigation of the pastures. On the Northern portion of the property, there is a Big Gun Sprinkler, and a number of sprinklers on pipe stands for irrigation of these pastures.

4. There are 7 stock troughs that are filled from 1" faucets w/ hoses from the 2" pvc pipes.

Have conditions of permit approval been met? ☐ yes ☐ no

5. A portion of the property is also located in SWSW, Section 23, along with NWNW, Section 26.

6. The livestock include horses, cows, etc. (goats)

7. Only 1 Pld (well) for this Permit.

F. FLOW CALCULATIONS

Measured Method: None - Theoretical Cal.

Additional Computation Sheets Attached

$$Q = \frac{(8.8)(514)(70\%)}{365} \times \frac{60' + (35' \times \frac{147}{147})}{147} = 0.22 \text{ cfs} > 0.18 \text{ cfs}$$

Domestic: 2 Trailers; $Q = 0.04 \text{ cfs}$
 Stock: 50 Head; $Q = 0.02 \text{ cfs}$
 Irrigation: $Q = (6.0 \text{ AC}) \times (0.02 \frac{\text{cfs}}{\text{AC}}) = 0.12 \text{ cfs}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (6.0 \text{ AC}) \times (3.5 \frac{\text{AC}}{\text{in}}) = 21.0 \text{ AIN}$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.12)(231)(1.9835) = 5.5$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} = 5.5$$

2. Volume Calculations for Other Uses:

a) Stockwater: $16\% = \frac{12 \text{ GPD } 50 \text{ Head } 365 \text{ Days}}{\text{AF}} \times \frac{\text{Head}}{\text{ft.}} = \frac{329,850 \text{ Gal.}}{329,850 \text{ Gal.}} = 0.67 = 0.70 \text{ AIN}$

b) Domestic: 2 Trailers - Allow 0.6 AIN Total

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	03/15 - 10/31	0.12	21.0
Stockwater	01/01 - 12/31	0.02	0.7
Domestic	01/01 - 12/31	0.04	0.6
Totals:		0.18	22.3

2. Recommended Amendments

Change P.D. as reflected above
 Change P.U. as reflected above

Add P.D. as reflected above
 Add P.U. as reflected above
 None
 Other

I. AUTHENTICATION

Field Examiner's Name

Date

Reviewer

Date 1-3-00

3) only one P/D


SEAL

4) Domestic use

is 2 Trailers

Home is under

65-09755



DENISE, SARAH Sec 23 on Drilling
 PERMIT, IT IS ON Sec 26 THAT WE INTEND
 TO DRILL WELL. THANK YOU, DOREE RACH, RACH, DENISE

RECORD OF SURVEY

A parcel of land located in the Southeast 1/4 of the Southeast 1/4 of Section 23,
 and the Northwest 1/4 of the Northwest 1/4 of Section 26,
 all in Township 9 North, Range 4 East, Boise Meridian,
 Boise County Idaho
 1965

SWSW, Sec. 23

SWSW, Sec. 23; 4.82 Ac. Total
 NW NW, Sec. 26; 6.08 Ac. Total
 Total 10.90 Ac.

This sketch is for location purposes
 only. The Company assumes no
 liability for variations.
 PIONEER TILE COMPANY
 of Ada County


10.9 Ac - home, yard,
 barn, shed, shop,
 Corral, etc.

CERTIFICATE OF SURVEY = 6.0 Ac. Parting.
 1. On the 1st day of July 1965, I, the undersigned, a duly qualified and licensed Surveyor of the State of Idaho, did survey and plat the above described land for the purpose of dividing the same into two (2) parcels of land, to-wit: one (1) parcel of 6.0 acres and one (1) parcel of 4.82 acres, as shown on the attached plat.

1/4 Corner
 From 1st 1/4 Section
 C&G E. No. 13809



CURVE DATA
 Station
 Length
 Angle
 Chord
 Tangent
 Arc Length
 Area



LEGEND

- Open Circle (Surveyed)
- Filled Circle (Monument)
- 1/4 Corner (Monument)
- 1/4 Corner (Surveyed)

65-13809

1/4 Corner
 From 1st 1/4 Section
 C&G E. No. 13809

NW NW, Sec. 26




PORTER'S LAND SURVEYING
 Planning, Mapping, Surveying
 and Real Estate Services
 Boise, Idaho 83725
 Phone 243-1111

90:28-82-70

Water System

65-13809



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 65-96-W-0350-00 OTHER APPLICABLE NO: 65-13809
2. OWNER: Vern + Darlene Rauch Phone: (208) 462-6901
Address: P.O. Box 728, Garden Valley, ID 83622-0728
3. WELL LOCATION: Twp 9N, Rge. 4E, Sec. 26, NW 1/4 NW 1/4
County Boise (Provide sketch map and photo on reverse.)
4. DRILLER: Rauch Drilling Co. Lic. No. 570
When Drilled? 10/11/96 to 10/16/96
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe 5'
Depth of Casing 210 ft. Method Drilled Air Rotary + Mud Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 60 ft. Water Temperature 56 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☒ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☒ Yes ☐ No

If yes, what Type? Stock Corral

How far away from the well is this source? Well is located in stock corral/pasture

9. REMARKS: This well is located on property
owned by Bauch-Britling.

Don Zornick Water Rights Examiner
Signature of Dept/Representative & Title

7-22-99
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



1 of 6

Rauch
Home.

Domestic
use of
WR

65-07755



Home + yard
irrigation



Rauch
Home.

Well
House
for

WR

65-07755

This is a Separate
System.

65-13809

2 of 6

P/D

well,

Note

U2/u


Box and

2" PVC

Pipe on

Top of

fence.



P/D

well in

background,

P/u

one of

2 Trailers

on left

for domestic

use.




65-13809

3 of 6

P/u

Barn.

Inside +
outside
stock
water.



P/u

Typical
Hose
used for
stock
water
in
Barn



65-13809

4 of 6

P/u

Typical
Sprinkler
on 2"
PVC pipe
on top
of fence.



View Looking NW

P/u


2 of 7
Stock
Troughs.
Note 2"
PVC pipe
on top
of fence



View looking NW

65-13809

5 of 6



P/u
Value Box,
Sprinklers,
and
Big Gun
Sprinkler
at end
of 2"
flex-pipe.

View Looking West



P/u
sprinkler
stands
in
pasture.


View Looking NW

65-13809

6 of 6

P/u

Typical
sprinkler
stand and
flex-pipe
in
pasture.



View Looking West

P/u

Irrigated
pasture
near
highway.



View Looking East.

65-13809

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13809 Reviewed by [Signature] Date 9-1-99

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
NO Copy in the file? Drilling Permit No. 65-96-W-0350-000
15- Amount paid for permit yes Correct?
NO Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
NO Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address X Proof Made 3-51-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

July 1, 1999

KARL J. DREHER
DIRECTOR

Vern and Darlene Rauch
PO Box 728
Garden Valley ID 83622

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13809

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH, Administrative Assistant
Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

AUG 09 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

February 11, 1999

VERN RAUCH
DARLENE RAUCH
PO BOX 728
GARDEN VALLEY ID 83622-0728

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13809

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your right may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not

MAR 16 1999

diverted will reduce the potential for the watermaster to regulate your water use.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED


MAR 16 1999

CERTIFICATE OF MAILING

I hereby certify that on the 11th day of February, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 65-13809

VERN RAUCH
DARLENE RAUCH
PO BOX 728
GARDEN VALLEY ID 83622-0728


Kari Lynn Townsend
Secretary

MICROFILMED

MAR 16 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

MAR 16 1999

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Cindyl*No.: 65-13809 Name: Rauch Date: 2/9/99 Ad OK? ☒ ☒ Gvmt Lts: ☒

AREA OF CONCERN: - No/Yes _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

> 1 year - 26A-P17

≤ 1 year/no proof - P18

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

All wells (✓ WDG3) - P23

In Basin 34? - 080

Irr. within WD - P08 (new well location)

WMD (✓ MAP) - North / East / West

> 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres - No MD

WMD

Supp. irr. use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr. source)

Supp. irr. + uses - 100-101

> 0.24 cfs/5 acres - 01M (report when notified)

≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED - YES / NO, WHEN: _____ RESPONSE: _____

IN/ABOVE MSF (✓ MAP) - *WB9

IN-STREAM DEVELOPMENT - P52 (stream channel alteration)

WD (✓ MAP & LISTING) - R04 (WD # _____)

> 0.10 cfs - 01J-P08 (MD & LD)

≤ 0.10 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WVD & REST OF STATE

> 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water).

Snake R (01)

(02/03-irr)

Payette R (65)

Salmon R (70's)

Weiser R (67)

- *W22 -P04, NA

- 007 (w/ remark *WB9 if above Weiser), NA

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

- 029 (fish screens), NA

- 086, 087

USE:

STORAGE (✓ 3 compo)

IRR ≤ 5 acres

> 5 acres

STOCKWATER

MINING

FISH PROPAGATION

HEATING/COOLING

POWER

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

- R05/R67/R68/R69 (0.03 cfs/acre + 3 0/3 5/4 0/4.5 AF)

- R62/R63/R64/R65 (0.02 cfs/acre + 3 0/3 5/4 0/4.5 AF)

- R37 (BLN/USFS); NA

- 054(req) -081-P10

- 029(70's only)-007-042(req)-081 (WQ)-P10

- R07 (injection well)

- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use),

17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

MUNICIPAL

In restricted area?

Irr, GW supp. to SW?

- 022, 075, 004 (+memo?)

- 102

DOMESTIC

Surface water

>1 in rest. area

FIRE PROTECTION

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

- 071-070

- 077

LOCATION:

BOISE FRONT LOGEO

MITIGATION

42-248 AREA

SWAN FALLS FLAG (✓ Code)

Trust

Non-Trust (1)

- 058 (<85° GW temp only)

- 000

- P18 in 20/30/40/50/60/70/80 (87) basin)

- 051-052-053-P74 (Consumptive Uses), NA

- 048-049 (Consumptive Uses), NA

- 004 (PD/PU)

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- 0002/50 PWB5/1 PWB2

- 2/1/2000

FEB 05 1999

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

Department of Water Resources

INITIAL REVIEW BY: 3 DATE: 12/4/98 APPLICATION: 65-13809**REQUIRED INFORMATION**

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:

☒ P/D☐ P/U**ADDITIONAL INFORMATION**

☒ ADVERTISE REMARK(S)
(Reviewer identify which remarks)

to do T FLAG CHANGED TO P FLAG

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ Overlapping point of diversion.
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ 1992 moratorium:
- ☒ Surface water source, IDFG letter needed.
- ☒ Bull trout impact area, IDFG letter needed
- ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ Mitigation plan: Check any that apply.
- ☐ immediate = acceptable plan required and submitted.
- ☒ future = open areas, acceptance of condition of approval is in file.
- ☒ Send power requirement letter &/or fish farm requirement letter.
- ☒ Power residency affidavit:
- ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____ Date Response Received _____

PROCESSING

APP. NO. 1-5-13809

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:
☐ ☒ Final date for protest 1-4-98
☐ ☒ Protests received.
☐ ☒ Recommendations attached:
☐ ☒ Measuring device required:
☐ ☒ Water delivered by water master? District # _____
☒ ☐ Special conditions of approval or cover letter: 046,120,049

See below for additional information

Recommended Date or Priority 9/4/98
Recommended by: Gary S Date: 2/3/99

ADDITIONAL INFORMATION:

overlaps for domestic groundwaters
with - different owners and systems.

The Idaho World

P.O. Box 99
Garden Valley, ID 83622
(208) 462-3487

State of Idaho)
County of Boise)

Deanna Stevenson, being duly sworn, deposes and says: that she is the Editor of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and the State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy eight weeks past previous to the first publication of this notice. Such notice was published with the issue beginning with Dec 16, 1998 and ending with the issue of Dec 23, 1998.

Deanna Stevenson

State of Idaho)
County of Boise)

On this 4 day of Jan in the year 1999, before me, a notary public, personally appeared Deanna Stevenson known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Diane E. Caughlin

Notary Public for Idaho
Residing at Garden Valley, Idaho

My commission expires 6/26/2001

RECEIVED

JAN 08 1999

WATER RESOURCES
WESTERN IDAHO

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13808

RICHCREEK, RALPH L
RICHCREEK, TERESA A
34 SCRIVER BLUFF RD
GARDEN VALLEY, ID 836225016

Source: SCRIVER CREEK Tributary. PAYETTE RIVER, MIDDLE FORK

Diversion Pt: SWNE Sec 27 T 10N R 04E in BOISE County.

Use: IRRIGATION (0.020 CFS)
Total Diversion. (0.020 CFS)

Date Filed: 9/3/1998

In: BOISE County
T10N R04E S27 SWNE SENE

0.6 ACRES TOTAL

Applicant agrees to mitigate consumptive use as needed in the future.

65-13809

RAUCH, VERN
RAUCH, DARLENE
PO BOX 728
GARDEN VALLEY, ID 83622

Source: GROUNDWATER

Diversion Pt: NWNW Sec 26 T 09N R 04E in BOISE County.

Use: IRRIGATION (0.160 CFS)
DOMESTIC (0.040 CFS)
STOCKWATER (0.040 CFS)
Total Diversion: (0.200 CFS)

Date Filed: 9/4/1998

In: BOISE County
T09N R04E S26 NWNW

6.0 ACRES TOTAL

Applicant agrees to mitigate consumptive use in the future as needed.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JANUARY 4, 1999. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published in The Idaho World December 16 and 23, 1998

MICROFILMED

JAN 11 1999

65-13809

RAUCH, VERN
RAUCH, DARLENE
PO BOX 728
GARDEN VALLEY, ID 83622

Source: GROUNDWATER

Diversion Pt: NWNW Sec 26 T 09N R 04E in BOISE County.

Use: IRRIGATION	(	0.160 CFS)
DOMESTIC	(	0.040 CFS)
STOCKWATER	(	0.040 CFS)
Total Diversion:	(	0.200 CFS)

Date Filed: 9/ 4/1998

In: BOISE County
T09N R04E S26 NWNW

6.0 ACRES TOTAL

Applicant agrees to mitigate consumptive use in the future as needed.

NOTED
MAY 11 1999