

Map of farm

ROUND →

65-12876

Proposed well for
pond (future
filing)

HN
46

S. 15 18

govt lots
w/ 1/2 w/ 1/2
only

Oil Well

65-47-W-0350

(Campground)

65-13758

Oil Well

65-47-W-0373

(1 existing,
1 proposed
kane)

65-13759


Filed 2 apps on
2 "oil" wells
recently drilled

-JL 11/3/97

MICROFILMED

FEB 13 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

- ☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 ☐ Aerial Photo Attached (required for irrigation of 10+ acres)
 ☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 Gal Bucket : Q = 5 Gal / 15 sec.
= 20 GPM
= 0.04 cfs

Sec. 7

P10, well
65-13758

P/U, House -
65-13759

P/O, well
65-13759

MICROFILMED
DEC 29 1999

65-13758

65-13759

BOISE

NATIONAL

FOREST

Range

No Gov. Lots

207

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: This well is used for a private campground.

Don Tomich Water Rights Examiner
Signature of Dept. Representative & Title

7-14-95
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED
DEC 29 1999

1 of 2

P/O

well

Place of

Measure -
ment



P/O

well

Plus

Campground
in
back ground



MICROFILMED
DEC 29 1999

65-13758



$\approx$ of $\approx$

P/u

Camp -
ground

View
Looking
North



P/u

Camp ground

MICROFILMED
DEC 29 1999

65-13758

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-13758

Priority November 30, 1997

Maximum Diversion Rate
Maximum Diversion Volume

0 04 CFS
0 1 AF

This is to certify, that JIM KLING
CAPOLYN KLING

1515 SOUTHSIDE BLVD
NAMPA ID 83686

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 3, 1997, and has submitted Proof of Beneficial Use on January 28, 1999. An examination indicates that the works have a diversion capacity of 0 040 cfs of water from a GROUNDWATER source, and a water right has been established as follows


<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0 04 CFS	0 1 AF
<u>LOCATION OF POINT(S) OF DIVERSION.</u>		SWSE , Sec 7, Township 11N, Range 04E VALLEY County	

PLACE OF USE DOMESTIC
TWN RGE SEC
11N 04E 7 SWSE

CONDITIONS OF APPROVAL AND REMARKS

- 1 The domestic use authorized under this right shall not exceed 13,000 gallons per day
- 2 The irrigation occurring under this domestic use shall not exceed 1/2 acre
- 3 Domestic use is for a private campground

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 31st day of DECEMBER, 1999


Acting for KARL J. DREHER, Director

MICROFILMED

DEC 24 1999

IN THE MATTER OF PERMIT NO 65-13758) ORDER OF
)
IN THE NAME OF JIM & CAROLYN KLING) REINSTATEMENT

IT IS THEREFORE HEREBY ORDERED that Permit No 65-13758 is **REINSTATED** with an advance in priority to **November 30, 1997**

J. Allen Sayton

MICROFILMED
APR 09 1993

RECEIVED

FOR OFFICE USE ONLY
Amt. of Fee \$ N/A
Receipt No.
Receipt By
Date Received

RECEIVED

JAN 28 1999

WATER RESOURCES
SOUTHERN REGION

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1 Permit No. 65-13758 Telephone No 416-1431

2 Name(s) of Permit Holder(s) Jim & Carolyn King

3 Mailing Address 1515 Southside Blvd ARMONIA ID 83686

4 Source of Water groundwater IF GROUNDWATER (well), Date Drilled mo Oct /yr 1997

a. Well Driller Geston Drilling Permit Number 65-97-W-0350

b. OPTIONAL
Pump Horsepower 3/4 Pressure (psi) Dynamic pumping level (ft)

5 Use(s) (as authorized by the water right permit)

Domestic (No. of households) 1 Private compound Stockwater (No. and type of stock)

Irrigation (No. of acres) Other

6 Total rate of diversion and/or volume for which proof is submitted 04 cfs OR acre feet

7 Measuring Device Requirement (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly will be considered incomplete)

Measuring Device	Is a measuring device required?	Yes <u> </u>	or	No <u>X</u>
	Has the measuring device been installed?	Yes <u> </u>	or	No <u>X</u>
Flow Measurement Port	Is a flow measurement port required?	Yes <u> </u>	or	No <u>X</u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u>X</u>

8 Fee Enclosed \$ N/A (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9 Person to contact to accompany the Department representative during field examination of the water system.

Name AS above Telephone Number

Address

10 The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho

Signature of permit holder [Signature] Date 1/28/99
(include your title, if on behalf of company or organization)

REC'D
MED
JAN 28 1999

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13758

Proposed Priority: November 3, 1997

Maximum Diversion Rate:

0.04 CFS

This is to certify, that JIM KLING

CAROLYN KLING

1515 SOUTHSIDE BLVD

NAMPA ID 83686

has applied for a permit to appropriate water from **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSE, Sec 7, Township 11N, Range 04E

SESE, Sec 7, Township 11N, Range 04E

VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

11N 04E 7

SWSE


SESE

CONDITIONS OF APPROVAL AND REMARKS

- 1 Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1999.
- 2 Subject to all prior water rights.
- 3 This right authorizes a single point of diversion.
- 4 The domestic use authorized under this right shall not exceed 13,000 gallons per day.
- 5 The irrigation occurring under this domestic use shall not exceed 1/2 acre.
- 6 Domestic use is for a private campground.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code
Witness the signature of the Director, affixed at Boise, this

12th day of January, 1998


Karl J. Dreher, Director
for

MICROFILMED

FEB 13 1998

RECEIVED

JAN 02 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Department of Water Resources

- 1 Name of Applicant Jim S/w Carolyn Kling Phone 466-1431
Mailing address 1515 Southside Blvd Manga ID 83686
- 2 Source of water supply Groundwater which is a tributary of —
- 3 Location of point of diversion is Township 11N Range 4E Sec 07 in the — 1/4
SW 1/4, SE 1/4, Govt Lot —, B.M. Valley County
additional points of diversion if any SESE 5.7 (single point on stream line)
- 4 Water will be used for the following purposes
Amount .04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated is (a) .04 and/or (b) —
cubic feet per second acre feet per annum
- 6 Proposed diverting works
a Describe type and size of devices used to divert water from the source well, pump & pipeline
- b Height of storage dam — feet; active reservoir capacity — acre-feet total
reservoir capacity — acre-feet
- c Proposed well diameter is 6 inches, proposed depth of well is 100 feet
- d Is ground water with a temperature of greater than 85°F being sought? No
- e If well is already drilled, when? * Drilling firm GESTRIN
Well was drilled for (well owner) Applicant Drilling Permit No. 65 97-W 0350
- 7 Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
- 8 Description of proposed uses (if irrigation only, go to item 9)
a Hydropower, show total feet of head and proposed capacity in KW —
b Stockwatering, list number and kind of livestock —
c Municipal, show name of municipality —
d Domestic, show number of households 1 home, 1 campground w/ housekeeping -
e Other; describe fully 62664 to home

MILRC - 2

* start card 9/24/97

FEB 1 - 1998

campground with house / housekeeping -
for personal use (not commercial)

9 Description of place of use

a If water is for irrigation, indicate acreage in each subdivision in the tabulation below

b If water is used for other purposes, place a symbol of the use (example D for Domestic) in the corresponding place of use below See instructions for standard symbols

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	4E	7														0	0	-	

Total number of acres to be irrigated —

10 Describe any other water rights used for the same purposes as described above NONE

11 a Who owns the property at the point of diversion? } Applicants

b Who owns the land to be irrigated or place of use?

c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

12 Remarks Well is used on/ near 1/4-1/4 line

D.P. 65 97-W 0950 (\$95) shows 9/30/97 start card NO fee upgrade

ASBCL since proposed use within exempted limits

13 MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range (A photocopy of a USGS 7 1/2 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth

Tom Kump
Signature of Applicant (and title, if applicable)

Received by RL Date 11/3/97 Time 11:35 Preliminary check by RTD
 Fee \$ 50.00 Receipted by RL # 610282/0 Date 11/1/97
 Publication prepared by ST Date 11-12-97 Published in The Advocate 11-19-97
 Publication approved ST Date 12-19-97

MICROFILMED
FEB 13 1998

Ident No. 65-1375t

Comments: Date 11/ 3/1997 User-ID: SLESTER

Subject: ADDITIONAL INFORMATION

Existing well for personal campground (family etc.) use Will include minor landscaping component all within 42-111 use \$75 drilling permit okay, 65-97-W-0350. System is mostly completed Single well and use located on/near QQ line.

MICROFILM
FEB 17 1978



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 3, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J DREHER
DIRECTOR

JIM KLING
CAROLYN KLING
1515 SOUTHSIDE BLVD
NAMPA ID 83686

RE WATER RIGHT NO 65-13758

Dear Water Right Holder(s)

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK klt

Enclosure

RECEIVED

JAN 24 1999

CERTIFICATE OF MAILING

I hereby certify that on the 3rd day of January, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below

Water Right No. 65-13758

JIM KLING
CAROLYN KLING
1515 SOUTHSIDE BLVD
NAMPA ID 83686


Kari Lynn Townsend
Secretary

MIFF MEED
DEC 29 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

5-40 MEL
JUL 29 1994

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record

Section 67-5246(5), Idaho Code, provides as follows

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which

- i A hearing was held,
- ii The final agency action was taken,
- iii The party seeking review of the order resides, or
- iv The real property or personal property that was the subject of the agency action is located

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICHAEL
10 2 1999

LICENSE REVIEW CHECKLIST

Permit No 45-13758 Date 12/29/99 Reviewer Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion OK

Does change clarify original intended source? If no void permit
Change (P38/P49) Add (P45/P44) Feds (P43)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps Right(s) _____
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion

Permitted rate 3.04 cfs
Fee Limit 3.04 cfs
Measured 3.04 cfs
Theoretical _____ cfs

Recommended Total Diversion Rate 3.04

Water Uses OK

Change (P48)

Irrigation _____ cfs _____ af
Stockwater _____ cfs _____ af
Domestic 3.04 cfs 0.1 af
_____ cfs _____ af
_____ cfs _____ af
Total 3.04 cfs 0.1 af

Irrigation overlap (R58-R61 R62 R65 R66-R69)
supp Gw (WB7/065/076)
overlap spec combined rts (W35)
>1 acre (W31)
Domestic (W01/Wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (081/R07)
Payette - (W22/047/27A)

*allow minimum
of 1 AFA*

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks _____

Additional Conditions

AL Watermaster Control
AL GW Measurement/Measuring Device
AL Other
Trust (052/R55 - remove 051)
Non-trust (048/049)

Government Lots? AL

Advance Priority? yes If yes explain why below
no

SRBA Claim? AL

Adjust memo AL

Amend Letters _____

P87, S06

Second Amendment Notice _____

S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 26 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No 65-13758

1 Owner Jim + Carolyn Kling Phone No (208) 466-1431

Current Address 1515 Southside Blvd., Nampa, ID 83686

2 Accompanied by Jim Kling EXAM DATE 7-14-99

Address Same Phone No Cell. 880-6601

Relationship to Permit Holder Same

3 Source Groundwater tributary to _____

B. OVERLAP REVIEW

1 Other water rights with the same place of use None

2 Other water rights with the same point of diversion None

C. DIVERSION AND DELIVERY SYSTEM

1 Point(s) of Diversion


Ident No	Gov't Lot	1/4	1/4	1/4	Sec	Twp	Rge	County	Method of Determination/Remarks
			SW	SE	7	11N	4E	Valley	Site Visit, Map

2 Place(s) of Use

Indicate Method of Determination Site Visit, map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N	4E	7															D		

3 **Delivery System Diagram** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I d as applicable



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☐ Aerial Photo Attached (required for Irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4

Well or Diversion Identification No *	Motor Make	Hp	Motor Serial No	Pump Make	Pump Serial No or Discharge Size
		3/4			

*Code to correspond with No. on map and aerial photo

D FLOW MEASUREMENTS

1

Measurement Equipment	Type	Make	Model No	Serial No	Size	Calib Date

2 Measurements.

5 Gal Bucket : $Q = 5 \text{ Gal} / 15 \text{ sec.}$
 $= 20 \text{ GPM}$
 $= 0.04 \text{ cfs}$

E NARRATIVE/REMARKS/COMMENTS

1. This permit is for domestic use for a private campground. The campground is normally used from early Spring to late Fall.

2. The well is equipped with a 1" stand-pipe on top the casing, and water is hauled to the campground in buckets, or hoses are attached to the stand pipe. A portable engine/generator is used to power the well pump.

3. The Campground can handle about 50-60 people. At the time of the exam, there was 1-trailer, 1-tent, 2-toilets, 1-storage shed, and picnic tables at the site.

4. WR 65-12870A is a separate water system just south of the campground that provides stockwater from a spring.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
1/24/99

F FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method 5 Gal Bucket

$$Q = \frac{5 \text{ Gm}}{15 \text{ Sec}} \cdot \frac{60 \text{ Sec}}{\text{min}} = 20 \text{ Gpm} = 0.04 \text{ cfs}$$

G VOLUME CALCULATIONS

1 Volume Calculations for Irrigation

$$V_{IR} = (\text{Acres irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DB} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} =$$

2 Volume Calculations for Other Uses

Camp ground — Private

The annual use would normally be in the summer with private group gatherings of 50-60 people, and a few people now & then.

$$\text{AFA} = \frac{10 \text{ Gal}}{\text{Day-person}} \cdot \frac{80 \text{ people}}{\text{Ann}} \cdot \frac{3 \text{ Days}}{\text{Visit}} \cdot \frac{\text{AF}}{325,850 \text{ Gal}} = 0.01 \text{ AFA}$$

H RECOMMENDATIONS

1 Recommended Amounts

Allow at least 0.10 AFM

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (af/a)
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	<u>0.10</u>
		Totals	<u>0.04</u>	<u>0.10</u>

2 Recommended Amendments

☐ Change P D as reflected above ☐ Add P D as reflected above ☒ None
☐ Change P U as reflected above ☐ Add P U as reflected above ☐ Other

P/D + P/L is
just SWSE,
Sec. 7

I AUTHENTICATION

Field Examiner's Name Dan Zemel Date 11-10-99

Reviewer _____ Date _____

MICROFILMED
 345 23 1984

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

T25 D0001317

1 DRILLING PERMIT NO 65-97-W-0350-00 OTHER APPLICABLE NO 65-13758

2 OWNER Jim + Carolyn Kling Phone (208) 466-1431
Address 1515 Southside Blvd., Nampa, ID 83686

3 WELL LOCATION Twp 11N Rge 4E Sec 7 SW 1/4 SE 1/4
County Valley (Provide sketch map and photo on reverse)

4 DRILLER Gestrin Well Drilling Lic No 408
When Drilled? 10/1/97 to 10/7/97

5 WELL CONSTRUCTION. 1 1/2"
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 110 ft Method Drilled Air Rotary
Condition of Well Casing ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge ☐ Yes ☒ No
Condition of Piping and Valving Good - New
Auger to a depth of _____ ft Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6 HYDROLOGIC INFORMATION
Depth to Static Water 1 1/2 ft Water Temperature 52 °F
Flowing Artesian ☐ Yes ☒ No Pressure _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7 WELL USE
☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other _____

DEC 29 1999

8 POSSIBLE CONTAMINATION SOURCES

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9 REMARKS This well is used for a private campground.

Don Zornich Water Rights Examiner
Signature of Dept Representative & Title

7-14-95
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS



MICRO.

7-14-95

1 of 3

P/O

well

Place of

Measure-
ment



P/O

well

P/u

Campground
in
back ground



MICROFILM

DEC 29 1999

65-13758

2 of 2

P/u

Camp -
ground

View

Looking

North



P/u

Camp ground



MICROFILM
11/1/71 1944

65-13758

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No 65-13758 Reviewed by [Signature] Date 3/2/99

GENERAL CONSIDERATIONS

TYPES OF USE

YLS Name same as permit? clom
YLS Address same as permit?
NO Proof timely received? Correct Uses? YLS
If not complete calculation below

SOURCE OF WATER

 Surface water source
✓ Ground water source
YLS Drilling permit required?
NO Copy in the file? Drilling Permit No 65-97-W-0350-000
75- Amount paid for permit YLS Correct?
YLS Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

NO Required?
 / Amount Submitted
 / Correct?
NO Required?
 / Installed?
 / Waiver requested?

PRIORITY CALCULATION

Date proof received 1-28-99
Date proof due 1-1-99 -
No. of days late 27 = 27 ✓ 11 30 97
Priority Date 11 347 + 367
New Priority Date 11-30 97 334

DEFICIENCIES OR ACTION ITEMS

*Reinstated + advance priority to Nov 30, 1997
Proof Acceptable*

DATA ENTRY

New Address [Signature] Proof Made 12899



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

April 2 1999

KARL J. DREHER
DIRECTOR

Jim and Carolyn Kling
1515 Southside Blvd
Nampa ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE PERMIT NO 65-13758

Dear Permit Holder

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit

Enclosed is an order reinstating the permit since proof was submitted after the proof due date. Note that the priority date has been advanced to November 30 1997, as provided in Section 42-218a 2 Idaho Code

Please be advised that Section 42-248 Idaho Code requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination you may contact the WESTERN Regional Office of the department in Boise at (208)334-2190

Sincerely

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

Enclosure

1 IDWR - Region

PROFILMED
APR 04 1999

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED

Ninety days following the date of official action this file will be DESTROYED

January 11, 1999

JIM KLING
CAROLYN KLING
1515 SOUTHSIDE BLVD
NAMPA ID 83686

LAPSE NOTICE

RE PERMIT NO 65-13758

Dear Permit Holder

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 21, 1998. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency, or by litigation which may bring title to the water in question.

MICROFILMED

L. GLEN SAXTON
Chief, Water Allocation Bureau

APR 14 1999

Enclosures

CERTIFICATION OF MAILING
I hereby certify that on 1-11-99
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above



October 31, 1998

JIM KLING
CAROLYN KLING
1515 SOUTHSIDE BLVD
Nampa ID 83686

PROOF DUE NOTICE

RE PERMIT NO 65-13758

Dear Permit Holder

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1999 (See last page of your approved permit or your last approved extension request) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted An extension of time request form is enclosed for your convenience


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date If neither is received, the department will send you a lapse notice Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect

SINCERELY,

JULIE L YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
APR 8 1999





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E BATT
GOVERNOR

KARL J DREHER
DIRECTOR

January 12, 1998

JIM KLING
CAROLYN KLING
1515 SOUTHSIDE BLVD
Nampa ID 83686

PERMIT APPROVAL NOTICE

RE PERMIT NO. 65-13758

Dear Permit Holder

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.


The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department homepage on the Internet to obtain the proper reporting form.

FILED
JAN 13 1998

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

1. APPROVED
FEB 1 1938


1000

CERTIFICATE OF MAILING

I hereby certify that on the 12th day of January, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 65-13758

JIM KLING
CAROLYN KLING
1515 SOUTHSIDE BLVD
NANPA ID 83686


Kari Lynn Townsend
Secretary

NO. 1-10
FEB 13 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which,

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by Candy LeeNo 45-13758 Name Klein Date 1/9/98 Ad OK? ✓ / Gvmt Lts ✓

AREA OF CONCERN

PROTESTED

SYSTEM COMPLETED

1 year/no proof
>1 year

- No/Yes _____ Mor / _____ GWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

P16
- 26A-P17

GROUNDWATER: (✓ FLO-CH)

WMD (✓ MAP)

>0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

WMD Supplemental use

>0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)
- No MD
- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)
- 01M (report when notified)
- No MD

DRILLING PERMIT

All wells (✓ WDQ3)

Included w/permit

No drilling permit?

if in WD

- 046-023
- Permit No 65-97-W-0350-000, P99
- (post 7/1/87)
- P05 (new well location)

SURFACE WATER (✓ FLO-CH) (Surface water that doesn't sink is regulated)

IN/ABOVE MIN STR FLOW (✓ MAP)

WD (✓ MAP & LISTING)

Pumped >0.20 cfs

WMD (✓ MAP)

>0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

- *WB9
- R04 (WD # _____)-01J-P08 (MD)
- 01H-P01 (LD & MD) or No MD (in-stream stock)

- 067 or No MD (in-stream stock or power)
- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

>0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)
- No MD

RIVER BASINS (*Surface water)

Snake R (01)

(02/03-irr)

Payette R(65)

Salmon R (70's)

- *W22-P04 NA
- 007 (w/ remark *WB9 if above Weiser), NA
- *W22 (regulated uses) 047-P04 (Payette Lake) NA
- 029 (fish screens) NA

USE

Domestic surface

>1 in rest. area

Fish Propagation

Heating/Cooling

Irr ≤ 5 acres

> 5 acres

Mining

Municipal

Power

Stockwater

Storage (✓ 3 compo)

- *WB5 (Big Wood R or Boise R ↑ Star Bridge), 27A (Payette River) NA
- 071-070
- 029-007-042(req)-081 (WQ)-P10
- R07 (injection well)
- R66/R67/R68/R69 (0.03 cfs/acre + 3 0/3 5/4 0/4 5 AF)
- R62/R63/R64/R65 (0.02 cfs/acre + 3 0/3 5/4 0/4 5 AF)
- 054(req)-081-P10
- 022, 075, 004 (+memo?) NA (not in restricted area)
- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use)
- 17G (FERC) or 17M (FERC), 18B-P09 >25 cfs-P18
- R37 (BLM/USFS) NA
- 18A (in & out MD for on-stream storage) 18B-P09 (>10' dam) NA

LOCATION

42-248 area

Boise Front LoGeo

In-stream dev

Irr Dist/Canal Co

SWAN FALLS FLAG (See Code Chart)

Trust

Non-Trust (1)

- P24 (in 20/30/40/50/60/70/80 (87) basin)
- 058 (<85° GW temp only)
- P52 (stream channel alteration)
- 023 (Twin Falls area)

OWNERSHIP

OTHER CONDITIONS

STANDARD REMARKS

- 051-052-053-P74 (Consumptive Uses) NA
- 048-049 (Consumptive Uses) NA
- 004 (PD/PU) _____

076① 071 ② 070 ③ w/01/private compartment

BENEFICIAL USE DUE

COMMENTS

1/1/1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

JAN 02 1998

INITIAL REVIEW BY 77 DATE 11/5/1997 APPLICATION 65-13758

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of use
- ☒ Nature of proposed use (include description of use)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat (for > 1 home in restricted area $\geq$ 5 homes in non-restricted area)
- ☒ Signature (If applicant is corp, partnership, or municipality, title of signatory is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

Gov't Lots
NO P/D
NO P/U

ADDITIONAL INFORMATION

NO ADVERTISE REMARK(S)
(Reviewer identify which remarks)

N/A T FLAG CHANGED TO P FLAG

YES NO

- ☒ ☐ Overlapping place of use (Describe source & relationship to present application on next page)
- ☒ ☐ Overlapping point of diversion
- ☐ ☒ Critical groundwater area
- ☐ ☒ Groundwater management area
- ☐ ☒ 1992 moratorium
- ☐ ☒ Copy to SCA staff (perennial stream, non-pump diversion &/or any mining)
- ☐ ☒ Copy to Dam Safety staff (for any storage)
- ☐ ☒ Mitigation plan where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge
- ☐ ☒ Send power requirement letter
- ☐ ☒ Send fish farm requirement letter
- ☐ ☒ Power residency affidavit
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres (If yes, attach Large Diversion supplementary analysis sheet)
- ☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED

PROCESSING

APP NO

65-13758

YES NO

- ☒ ☐ In form for advertising
☒ ☐ Statewide advertising (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application

SEND COPIES TO

YES NO

- ☐ ☒ I D Health & Welfare
☐ ☒ I D, District Health
☐ ☒ I D Fish & Game
☐ ☒ I D, Lands

YES NO

- ☐ ☒ U S BLM
☐ ☒ U S Forest Service
☐ ☒ Water Dist # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ ☐ Affidavit of publication received
☒ ☐ Application published correctly If not record action taken

- ☒ ☐ Publication dates and paper recorded on application
☐ ☐ Final date for protest 12-8-97
☐ ☐ Protests received
☐ ☒ Resolution of protest recorded on application
☐ ☒ Recommendations attached
☐ ☒ Measuring device required
☐ ☒ Measuring port required
☐ ☒ Water delivered by water master? District # _____
☐ ☒ Special conditions of approval or cover letter 041, 071, 11E, Irrigation
Limited to 1/2 acre

See below for additional information

Recommended Date of Priority 11/3/97Recommended by DaysDate 12/24/97STATE OFFICE REVIEW

See below for additional information By _____ Date _____

ADDITIONAL INFORMATION

11/5/97 the need surface water right 65-05033^{*} is for different owners +
 different source, assume different ~~rights~~ across Applicant also has license
 for stockwater from Spring (65 12870A), T17

* Does not serve Campground AREA per Applicant plus previous Round Valley
 (complaint filed, fight + office work -82- 11/7/97)

**NOTICE OF APPLICATION FOR
WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho

65-13759
KLING, JIM
KLING, CAROLYN
1515 SOUTHSIDE BLVD
NAMPA, ID 83686

Source **GROUNDWATER**
Diversion Pt. **SWSE Sec 7 T 11N R 04E**

in **VALLEY County**
SESE Sec 7 T 11N R 04 in **VALLEY**
County

Use **DOMESTIC (0.040 CFS)**
Total Diversion (0.040 CFS)

Date Filed **11/3/1997**
In **VALLEY County**
T11N R04E S07 SWSE SESE

65-13759
KLING JIM
KLING CAROLYN
1515 SOUTHSIDE BLVD
NAMPA ID 83686

Source **GROUNDWATER**
Diversion Pt. **NWNE Sec 18 T 11N R**
04E in **VALLEY County**

Use **DOMESTIC (0.040 CFS)**
Total Diversion (0.040 CFS)

Date Filed **11/3/1997**
In **VALLEY County**
T11N R04E S07 NWN

65-13760
FITCH, LOUISE B
5539 WILLOW OAK WAY
FAIR OAKS CA 95628

Source **SPRING**
Tributary **DUCK CREEK**
Diversion Pt. **SWNWSE Sec 18 T 12N**
R 07E in **VALLEY County**,
Use **DOMESTIC (0.020 CFS)**
Total Diversion (0.020 CFS)

Date Filed **10/8/1997**
In **VALLEY County**
T12N R07E S18 NWS

Permits will be subject to all prior water
rights. Protests may be submitted based
on the criteria of S.C. 42-2030 Idaho
Code. Any protest against the approval of
this application must be filed with the
Director, Dept. of Water Resources, Western
Region, 2735 Airport Way, Boise, Idaho
83706, together with a protest fee of \$17.00
on or before DECEMBER 8, 1997. The
protestant must also send a copy of the
protest to the applicant.

KARL J. DRFHER Director
Publish **11/19/11/26**

Affidavit of Publication
STATE OF IDAHO
COUNTY OF VALLEY

I Michael C. Stewart being duly sworn deposes and says I am the Publisher of The Long Valley Advocate a weekly newspaper published at Cascade in Valley County Idaho and having a general circulation therein and of legal status in said county

The Feature of application for water right, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of every number thereof during the period and time of publication and was published in the newspaper proper and not in a supplement, and that publication of such notice began 11/19 1997 and ended 11/26 1997

Michael C. Stewart

Michael C. Stewart

Signed this the 17th day of Dec, 1997

RECEIVED

STATE OF IDAHO

) DEC 16 1997


: SS. Linda S. Hendricks

COUNTY OF VALLEY

)

On this the 17th day of December 1997 before me a Notary Public in and for said State personally appeared Michael C. Stewart, known and identified to me to be the person whose name is subscribed to the within Instrument and being by me first duly sworn declared that the statement therein are true and acknowledged to me that he executed the same

Linda S. Hendricks
Notary Public, State of Idaho
Residing at Concord, Id
Commission Expires 10/26/2001



FEB 13 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region 2735 Airport Way Boise Idaho 83705-4082 (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

NOVEMBER 12, 1997

Legal Notices Department
Long Valley Advocate
PO Box 1079
Cascade, ID 83611

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 8, 1997.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

REC-111
FEB 13 1998

65-13758

KLING, JIM
KLING, CAROLYN
1515 SOUTHSIDE BLVD
NAMPA, ID 83686

Source: GROUNDWATER

Diversion Pt:	SWSE	Sec	7	T	11N	R	04E	in VALLEY County.
	SESE	Sec	7	T	11N	R	04E	in VALLEY County.

Use: DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed 11/ 3/1997

In- VALLEY County		
T11N R04E S07	SWSE	SESE

1 CROFILMEL

FEB 13 1998

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before DECEMBER 8, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 11/19/1997 & 11/26/1997

DEC 13 1997

DEC 13 1997