




P/O
P/U
per subd plat from
Applicant

No govt ltr
-82 4/1/97

ION 4E S.27 SESE

L.#9,
Pine Tree Ranch #11

65-13717

MICHAEL L. WELLS
AUG 20 1997

PINE TREE RANCH NO. 11

SITUATED IN THE SE 1/4 OF SECTION 27 AND THE NE 1/4 OF SECTION 34, T.10N., R.4E., B.M., BOISE COUNTY, IDAHO

ROYLANCE ENGINEERING - 1980



UNPLATTED
LINE DESCRIBED IN INSTRUMENT NO. 302-91
RECORDS OF BOISE COUNTY



UNPLATTED

REAL POINT OF BEGINNING

MEAN HIGH-WATER LINE OF THE MIDDLE FORK OF THE PAYETTE RIVER

EASTERLY LINE SECTION 27

UNPLATTED


pln as highlighted by applicant

-82-2/11/97

Feddersohn Application

L. 9, Pine Tree Ranch #11


DETAIL LAND CORNER TIES



NO.	BEARING	L.	NO.	BEARING	L.
T-1	N 42° 41' 00" E	28.22	T-10	S 00° 27' 00" E	157.20
T-2	N 25° 42' 00" W	108.51	T-11	S 75° 17' 00" W	187.51
T-3	N 7° 28' 00" W	84.51	T-12	S 75° 17' 00" W	187.51
T-4	N 7° 40' 00" E	218.18	T-13	S 42° 34' 00" W	178.02
T-5	N 7° 40' 00" E	155.25	T-14	N 35° 01' 00" W	182.81
T-6	S 54° 28' 00" E	189.88	T-15	S 28° 29' 00" E	195.00
T-7	S 10° 48' 00" E	144.43	T-16	S 48° 03' 00" W	173.79
T-8	S 81° 28' 00" E	189.88	T-17	S 84° 25' 00" W	182.80
T-9	S 81° 28' 00" E	189.88	T-18	S 84° 25' 00" W	182.80

NO.	CH. BEARING	CH. L.	R.	Δ	ARC L.	TAN.
C-1	S 68° 28' 30" E	81.70	182.00	180° 00' 00"	83.23	43.22
C-2	S 74° 15' 00" E	284.14	1084.43	14° 30' 00"	286.85	154.14

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Diamond	3	cat. # JL1323A	Diamond	PN 03030R
			Spec. 35 H		50 22619 4E/97
			9929105		

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - unit was off - closed pipe system

MICROFILMED
FEB 18 1999



27

P/u

P/D

T10N
R4E
Sec. 27

SESE

No Gov. Lots

65-13717

MICROFILMED
FEB 18 1999

SITUATED IN THE SE 1/4 OF SECTION 27 AND THE NE 1/4 OF SECTION 34, T10N, R4E, B.M., BOISE COUNTY, IDAHO


PIRE TREE RANCH NO. 11

ROYALCE ENGINEERING - 1980



- NOTES**
- Boise County assumes no responsibility for maintenance or snow removal from roads on posted terrain. Subject to Boise County Ordinance, dated Nov 27, 1978.
 - 40' utility and drainage easement exists inside all lot lines, along the subdivision boundary, except along road easements, and a 10' easement will be centered on all interior lot lines, except along road easements.
 - All road easements shown herein will be 66' wide and will not be for the use of the public, unless otherwise designated and will provide for drainage and utilities.
 - All areas shown are approximate and for tax purposes only.
 - Lot 9 shall not be reduced in size.

Plu - Lot 9



DETAIL LAND CORNER TIES

MICROFILMED
FEB 18 1999

TANGENT TABLE

NO.	BEARING	L.	NO.	BEARING	L.
1	N 44° 48' 00" E	179.50'	1	N 44° 48' 00" E	179.50'
2	N 51° 19' 00" E	220.69'	2	N 51° 19' 00" E	220.69'
3	N 65° 37' 00" E	112.25'	3	N 65° 37' 00" E	112.25'
4	S 88° 49' 00" E	115.42'	4	S 88° 49' 00" E	115.42'
5	N 70° 09' 00" E	166.24'	5	N 70° 09' 00" E	166.24'
6	N 53° 19' 00" E	151.23'	6	N 53° 19' 00" E	151.23'
7	N 39° 44' 00" E	87.66'	7	N 39° 44' 00" E	87.66'
8	N 52° 22' 00" E	70.34'	8	N 52° 22' 00" E	70.34'
9	N 64° 33' 00" E	70.82'	9	N 64° 33' 00" E	70.82'
10	N 52° 12' 00" E	88.22'	10	N 52° 12' 00" E	88.22'
11	N 36° 43' 00" E	226.69'	11	N 36° 43' 00" E	226.69'
12	N 38° 13' 00" E	82.66'	12	N 38° 13' 00" E	82.66'
13	N 33° 36' 00" E	323.22'	13	N 33° 36' 00" E	323.22'
14	S 87° 05' 00" W	138.06'	14	S 87° 05' 00" W	138.06'
15	S 61° 52' 00" W	208.98'	15	S 61° 52' 00" W	208.98'
16	S 73° 08' 00" W	125.77'	16	S 73° 08' 00" W	125.77'
17	S 62° 34' 00" W	96.38'	17	S 62° 34' 00" W	96.38'
18	S 84° 03' 00" W	100.40'	18	S 84° 03' 00" W	100.40'
19	N 28° 26' 00" E	336.75'	19	N 28° 26' 00" E	336.75'
20	N 33° 23' 00" E	177.78'	20	N 33° 23' 00" E	177.78'
21	N 42° 15' 00" E	154.53'	21	N 42° 15' 00" E	154.53'
22	N 52° 46' 00" E	128.40'	22	N 52° 46' 00" E	128.40'
23	N 54° 18' 10" W	206.42'	23	N 54° 18' 10" W	206.42'
24	S 34° 08' 00" W	298.79'	24	S 34° 08' 00" W	298.79'

CURVE TABLE


NO.	CH	BEARING	CH L.	R.	Δ	ANG L.	TAN
C-1	3	S 87° 15' 00" W	144.10'	148.00'	36° 00' 00"	83.23'	43.32'
C-2	3	S 74° 15' 00" W	144.10'	105.52'	15° 30' 00"	144.87'	154.14'

L. 9, Pire Tree
Ranch #11

Feddersohn Application

Plu as highlighted by Applicant

-R 2/11/97



Middle Fork
Payette River

P/O

UNPLATTED

MEAN HIGH-WATER LINE OF THE MIDDLE FORK OF THE PAYETTE RIVER

MEAN HIGH-WATER LINE OF THE MIDDLE FORK OF THE PAYETTE RIVER

UNPLATTED

MEAN HIGH-WATER LINE OF THE MIDDLE FORK OF THE PAYETTE RIVER

UNPLATTED

UNPLATTED

1 of 3

P/O

Pump
unit on
bank of
Middle
Fork,
Peyette
River



P/O

Pump
unit -
Portable -
Removed
during
winter.



MICROFILMED
FEB 18 1999

65-13717

2 of 3



P/u
Typical
stand pipe
on 2" PVC
mainline,
2nd hose
connection.



P/u
Typical
sprinkler,
2nd view
of irrigated
yard.

MICROFILMED
FEB 18 1999

65-13712

3 of 3



Plu

2" pvc

main line

Stub-out

near

front

yard of

house.



Plu

Front yard
of house

now
irrigated
from well.

2" pvc
line will
be
extended
to cover
this area.

MICROFILMED
FEB 18 1999

65-13717

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-13717

Priority: February 3, 1997

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.8 AF

This is to certify, that RICHARD C FEDDERSOHN
BONNIE M FEDDERSOHN

4808 W HADLOCK ST

BOISE ID 83703

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 3, 1997; and has submitted Proof of Beneficial Use on June 17, 1998. An examination indicates that the works have a diversion capacity of 0.220 cfs of water from:

PAYETTE RIVER, MIDDLE FORK

tributary to PAYETTE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	1.8 AF
FIRE PROTECTION	01/01 to 12/31	0.04 CFS	
	Totals	0.04 CFS	1.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 27, Township 10N, Range 04E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10N	04E	27	SESE	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE:

FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
2. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
3. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
4. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.
5. Place of use is located within Lot 9, Pine Tree Ranch No. 11.

MICROFILMED

FEB 18 1999

State of Idaho
Department of Water Resources


Water Right License

WATER RIGHT NO. 65-13717

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than 0.04 cfs nor more than 1.8 afa at the field headgate for irrigation of the land described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 12th day of FEBRUARY, 1999.


KARL J. DREHER, Director

MICROFILMED

FEB 18 1999

FOR OFFICE USE ONLY
Amt. of Fee \$: 50
Receipt No. 0024031
Receipt By: [Signature]
Date Received: 6-17-98

RECEIVED
JUN 17 1998
WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
JUN 18 1998

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 125-13717 Telephone No. 336-4947 BOISE
462-4302 GARDEN VALLEY
2. Name(s) of Permit Holder(s): RICHARD OR BONNIE FEDDERSON
3. Mailing Address: 4808 WEST HADLOCK ST., BOISE, ID 83703
4. Source of Water: PAYETTE RIVER If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
MIDDLE FORK
- a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____ - ____
- b. OPTIONAL:
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): LAWN Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: FIRE PROTECTION
6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | |
|------------------------|--|-------------------------|
| Measuring Device: | Is a measuring device required? | Yes ____ or No <u>X</u> |
| | Has the measuring device been installed? | Yes ____ or No ____ |
| Flow Measurement Port: | Is a flow measurement port required? | Yes ____ or No <u>X</u> |
| | Has the measurement port been installed? | Yes ____ or No ____ |
8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: SAME AS ABOVE Telephone Number: _____
Address: _____

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 6/17/98
(include your title, if on behalf of company of organization)

MICROFILMED
JUN 17 1998

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13717

Proposed Priority: February 3, 1997 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **RICHARD C FEDDERSOHN**
BONNIE M FEDDERSOHN
3701 SYCAMORE DR
BOISE ID 83703

has applied for a permit to appropriate water from:
PAYETTE RIVER, MIDDLE FORK tributary of **PAYETTE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
FIRE PROTECTION	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 27, Township 10N, Range 04E
BOISE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

10N 04E 27 SESE

PLACE OF USE: FIRE PROTECTION, same as DOMESTIC use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1998.
2. Subject to all prior water rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
4. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
5. The Director retains jurisdiction to limit diversion of water to in-house uses only.
6. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
7. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.
8. Place of use is located within Lot 9, Pine Tree Ranch No. 11.
9. Domestic use is for 1 home.

RECEIVED

JUN 20 1997

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13717

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

13th day of August, 1997.


Karl J. Dreher, Director
for

REC'D
AUG 27 1997

Ident. No. 65-13717

RECEIVED

AUG 01 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name: RICHARD C FEDDERSOHN 208-336-4967
Address: 3701 SYCAMORE DR
BOISE ID 83703
AND/OR
Name: BONNIE M FEDDERSOHN 208-336-4967
Address: 3701 SYCAMORE DR
BOISE ID 83703
2. Source: PAYETTE RIVER, MIDDLE FORK Trib. to: PAYETTE RIVER
3. Location of Point of Diversion: SESE Sec. 27, Township 10N, Range 04E
BOISE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		
FIRE PROTECTION	01/01	12/31	0.040		
5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
PUMP & PIPELINE, MIGHT INCLUDE STORAGE TANK
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

8. Place of Use: DOMESTIC

TWN RGE SEC
10N 04E 27 SESE

Place of Use: FIRE PROTECTION, same as DOMESTIC use

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? [✓]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

per file history, SL form: See original
Applicant

Received by JFW Date 2/3/97 Time 4:10 Preliminary check by SL

Fee \$ 50.00 Receipted by JFW #W021932 Date 2/ 3/1997

Publication prepared by SL Date 4-9-97 Published in Idaho World


Publication approved SL Date 4-16 + 23 - 97
5-13-97

Ident. No. 65-13717

Comments: Date: 4/ 1/1997 User-ID: SLESTER

Subject: ADDITIONAL INFORMATION

Use limited to 1 home & yard not to exceed 13,000 gallons per day & 1/2 acre yard irrigation. Property aka Lot 9, Pine Tree Ranch No. 11. Applicant does not wish to irrigate beyond 1/2 acre max. per telecon today with Mrs. Feddersohn. Processing can continue per these revisions from original per Mrs. Feddersohn's telephone call today. Fire protection use not limited to 13,000 gallon/day stipulation in event of actual fire fighting.



P/D
P/U
per Subd Plat from
App. 1/1/17

No. 901167
JL 4/1/17

100 4E S. 27 SESE

L. #9,
Pine Tree Ranch #11


65-13711

Mile 4

SITUATED IN THE SE 1/4 OF SECTION 27 AND THE NE 1/4 OF SECTION 34, T10N, R4E, B1M, BOISE COUNTY, IDAHO


PINE TREE RANCH NO. 11

ROYLANCE ENGINEERING - 1980




NOTES

- Boise County assumes no responsibility for maintenance or snow removal from roads as peristed herein. Subject to Boise County Ordinance, dated Nov 27, 1978
- A 10' Utility and Drainage Easement exists inside all lot lines along the subdivision boundary, except along road easements, and a 10' easement will be centered on all interior lot lines, except along road easements.
- All road easements shown herein are 66' wide and will not be for the use of the public unless otherwise designated and will provide for drainage and utilities.
- All area shown are approximate and for purposes only.
- Lots shall not be reduced in size.



LEGEND

- Found Stone Monument
- Found Brass Cap
- Set 1/2" x 24" Steel Pin
- Set 3/8" x 30" Steel Pin
- Easement Line
- Subdivision Boundary
- Lot Number
- Set 2" x 36" Iron Pipe
- Existing Spring
- Reference Pin Set on Line



DETAIL LAND CORNER TIES

NTS

NO	BEARING	L	NO	BEARING	L
1-1	S 89°48'00" W	124.71	1-1	S 89°48'00" W	124.71
1-2	S 89°48'00" W	124.71	1-2	S 89°48'00" W	124.71
1-3	S 89°48'00" W	124.71	1-3	S 89°48'00" W	124.71
1-4	S 89°48'00" W	124.71	1-4	S 89°48'00" W	124.71
1-5	S 89°48'00" W	124.71	1-5	S 89°48'00" W	124.71
1-6	S 89°48'00" W	124.71	1-6	S 89°48'00" W	124.71
1-7	S 89°48'00" W	124.71	1-7	S 89°48'00" W	124.71
1-8	S 89°48'00" W	124.71	1-8	S 89°48'00" W	124.71
1-9	S 89°48'00" W	124.71	1-9	S 89°48'00" W	124.71
1-10	S 89°48'00" W	124.71	1-10	S 89°48'00" W	124.71
1-11	S 89°48'00" W	124.71	1-11	S 89°48'00" W	124.71
1-12	S 89°48'00" W	124.71	1-12	S 89°48'00" W	124.71
1-13	S 89°48'00" W	124.71	1-13	S 89°48'00" W	124.71
1-14	S 89°48'00" W	124.71	1-14	S 89°48'00" W	124.71
1-15	S 89°48'00" W	124.71	1-15	S 89°48'00" W	124.71
1-16	S 89°48'00" W	124.71	1-16	S 89°48'00" W	124.71
1-17	S 89°48'00" W	124.71	1-17	S 89°48'00" W	124.71
1-18	S 89°48'00" W	124.71	1-18	S 89°48'00" W	124.71
1-19	S 89°48'00" W	124.71	1-19	S 89°48'00" W	124.71
1-20	S 89°48'00" W	124.71	1-20	S 89°48'00" W	124.71
1-21	S 89°48'00" W	124.71	1-21	S 89°48'00" W	124.71
1-22	S 89°48'00" W	124.71	1-22	S 89°48'00" W	124.71
1-23	S 89°48'00" W	124.71	1-23	S 89°48'00" W	124.71
1-24	S 89°48'00" W	124.71	1-24	S 89°48'00" W	124.71

NO	CH	BEARING	CH	L	NO	CH	BEARING	CH	L
1-1	C-1	S 89°48'00" W	124.71	124.71	1-1	C-1	S 89°48'00" W	124.71	124.71
1-2	C-2	S 89°48'00" W	124.71	124.71	1-2	C-2	S 89°48'00" W	124.71	124.71
1-3	C-3	S 89°48'00" W	124.71	124.71	1-3	C-3	S 89°48'00" W	124.71	124.71
1-4	C-4	S 89°48'00" W	124.71	124.71	1-4	C-4	S 89°48'00" W	124.71	124.71
1-5	C-5	S 89°48'00" W	124.71	124.71	1-5	C-5	S 89°48'00" W	124.71	124.71
1-6	C-6	S 89°48'00" W	124.71	124.71	1-6	C-6	S 89°48'00" W	124.71	124.71
1-7	C-7	S 89°48'00" W	124.71	124.71	1-7	C-7	S 89°48'00" W	124.71	124.71
1-8	C-8	S 89°48'00" W	124.71	124.71	1-8	C-8	S 89°48'00" W	124.71	124.71
1-9	C-9	S 89°48'00" W	124.71	124.71	1-9	C-9	S 89°48'00" W	124.71	124.71
1-10	C-10	S 89°48'00" W	124.71	124.71	1-10	C-10	S 89°48'00" W	124.71	124.71
1-11	C-11	S 89°48'00" W	124.71	124.71	1-11	C-11	S 89°48'00" W	124.71	124.71
1-12	C-12	S 89°48'00" W	124.71	124.71	1-12	C-12	S 89°48'00" W	124.71	124.71
1-13	C-13	S 89°48'00" W	124.71	124.71	1-13	C-13	S 89°48'00" W	124.71	124.71
1-14	C-14	S 89°48'00" W	124.71	124.71	1-14	C-14	S 89°48'00" W	124.71	124.71
1-15	C-15	S 89°48'00" W	124.71	124.71	1-15	C-15	S 89°48'00" W	124.71	124.71
1-16	C-16	S 89°48'00" W	124.71	124.71	1-16	C-16	S 89°48'00" W	124.71	124.71
1-17	C-17	S 89°48'00" W	124.71	124.71	1-17	C-17	S 89°48'00" W	124.71	124.71
1-18	C-18	S 89°48'00" W	124.71	124.71	1-18	C-18	S 89°48'00" W	124.71	124.71
1-19	C-19	S 89°48'00" W	124.71	124.71	1-19	C-19	S 89°48'00" W	124.71	124.71
1-20	C-20	S 89°48'00" W	124.71	124.71	1-20	C-20	S 89°48'00" W	124.71	124.71
1-21	C-21	S 89°48'00" W	124.71	124.71	1-21	C-21	S 89°48'00" W	124.71	124.71
1-22	C-22	S 89°48'00" W	124.71	124.71	1-22	C-22	S 89°48'00" W	124.71	124.71
1-23	C-23	S 89°48'00" W	124.71	124.71	1-23	C-23	S 89°48'00" W	124.71	124.71
1-24	C-24	S 89°48'00" W	124.71	124.71	1-24	C-24	S 89°48'00" W	124.71	124.71

L. 9, Pine Tree Ranch #11

Feddersohn Application

pln as highlighted by Applicant

-82 2/11/97

Ident No. 65-13717

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

in Bonnie M.

1. Name of Applicant Richard C. Feddersohn Phone 336-4967
Mailing address 3701 Sycamore Drive, Boise, Idaho 83703
2. Source of water supply Middle Fork-Payette River which is a tributary of Snake River
3. Location of point of diversion is Township T 10 N Range R 4 E Sec. 27, in the SE 1/4, SE 1/4, Govt. Lot _____, B.M., Boise County County;
additional points of diversion if any: NA

4. Water will be used for the following purposes: Irrigation 5/1/1 10/1
Amount .04 cfs for trees, grass, garden purposes from June to 30 Oct. (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 cfs for Fire Protection purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source 2 horse power electric pump -- to pump water out of the river (irrigation)
- b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet
- c. Proposed well diameter is NA inches; proposed depth of well is NA feet
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? NA; Drilling firm NA
Well was drilled for (well owner) NA, Drilling Permit No. NA

7. Time required for completion of works and application of water to proposed beneficial use is _____ years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. NA
- c. Municipal; show name of municipality. NA
- d. Domestic; show number of households. One (1)
- e. Other; describe fully. watering of trees, grass, garden etc. fire protection

ORIGINAL REUSED PER
4/1/97 tele. with
Mrs. K. -92

9. Description of place of use: Lot # 9, Pine Tree Ranch #11, Garden Valley
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below. 1.79 Acres Idaho
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	4E	27	X															X	2ac
			X															X	2ac

Total number of acres to be irrigated 1.79 acres
2.0 acres

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Richard C. & Bonnie M. Feddersohn
- b. Who owns the land to be irrigated or place of use? Richard C. & Bonnie M. Feddersohn
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: No

12. Remarks: _____

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7 5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard C. Feddersohn
Signature of Applicant (and title, if applicable)

Received by JFW Date 2/3/97 Time 4:00 PM Preliminary check by _____

Fee \$ 50.00 Received by JFW # W021932 Date 2/3/97

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208)327-7900 FAX: (208)327-7866 www.idwr.state.id.us/idwr/idwrhome.htm

February 12, 1999

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

RICHARD C FEDDERSOHN
BONNIE M FEDDERSOHN
4808 W HADLOCK ST
BOISE ID 83703

RE: WATER RIGHT NO. 65-13717

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

FEB 18 1999

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:


- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 37-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
JUL 12 1993

CERTIFICATE OF MAILING

I hereby certify that on the 12th day of **February, 1999**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 65-13717

RICHARD C FEDDERSOHN
BONNIE M FEDDERSOHN
4808 W HADLOCK ST
BOISE ID 83703


Kari Lynn Townsend
Secretary

MICROFILMED
FEB 18 1999

MEMORANDUM

DATE: February 9, 1999

TO: Water Right File 65-13717

FROM: Shelley W. Keen *SWK*

RE: Use is irrigation

Permit 65-13717 was issued as a domestic use, but the intent of the applicant has always been to irrigate up to half an acre under this right. Because the use does not differ from the original intention, the right can be licensed as irrigation without requiring an amendment

The right will be licensed for 0.04 cfs, which exceeds 0.02 cfs per acre, in conformance with the permit. 63-02473, 63-02474, and 63-02475

MICROFILMED

FEB 18 1999

WR0749NP
No. L65-13717

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/29/99
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RICHARD C FEDDERSON	02/03/1997	DOMESTIC	01/01 12/31	0.040 CFS	0.60 AFA
C	BONNIE M FEDDERSON		FIRE PROTECTION	01/01 12/31	0.040 CFS	
	4808 W HADLOCK ST					
	BOISE ID 83703					
	(208) 336-4967					
				TOTAL DIVERSION:	0.040 CFS	0.60 AFA

Water Source: PAYETTE RIVER, MIDDLE FORK ✓

Tributary to: PAYETTE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.220 CFS ✓

Point(s) of Diversion: T10N R04E S27 SESE ✓

BOISE County

Place of use Legal Description for: DOMESTIC

	NE				NW				SW				SE			
	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE
T R S	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
10N 04E 27	:		:		:		:		:		:		:		:	

Place of use location for FIRE PROTECTION is the same location as described for: DOMESTIC

Pou County: BOISE

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

65-08283 65-08287 65-12735 65-13717 65-13806 65-13818 65-13819 65-13820

Other Water Rights Listing Overlapping Place(s) of use:

65-03225 65-12735 65-13027 65-13806 65-13818 65-13819 65-13820

Conditions of Approval:

- ✓ R04 - Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
- ✓ R02 - A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
- ✓ 27A - The Director retains jurisdiction to limit diversion of water to in-house uses only.
- ✓ 077 - Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

Remarks: GEN When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.
✓ Place of use is located within Lot 9, Pine Tree Ranch No. 11.
✓ Domestic use is for 1 home.

=====
Dates: App. Received: 02/03/1997 Priority Date: 02/03/1997
Proof Due Date: 08/01/1998 Proof Made Date: 06/17/1998
Exam Made Date: 08/20/1998 Exam Sent to S.O.: 11/05/1998
Licensed Date.

Misc: Water District Number: 65 Field Exam Fee: R (Received)

Comments: Date: 04/01/1997 User-ID: SLESTER Subject: ADDITIONAL INFORMATION
Use limited to 1 home & yard not to exceed 13,000 gallons per day
& 1/2 acre yard irrigation. Property aka Lot 9, Pine Tree Ranch
No. 11. Applicant does not wish to irrigate beyond 1/2 acre max.
per telecon today with Mrs. Feddersohn. Processing can continue
per these revisions from original per Mrs. Feddersohn's telephone
call today. Fire protection use not limited to 13,000 gallon/day
stipulation in event of actual fire fighting.

Date: 08/12/1997 User-ID: CZIMMERM Subject: DIVERSION DESCRIPTION
2 HP electric pump in river to pump water to place of use.

Date: 06/18/1998 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 01/29/99 SCURTIS

LICENSE REVIEW CHECKLIST

PERMIT NO 65-13717 DATE 1/22/99 REVIEWER. SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40
 W32 (multiple in 1/4/4)
 W36 (overlap)
 W59 (subd desc)

Overlaps Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .04 cfs
 Fee limit .20 cfs \$50.00
 Measured — cfs
 Theoretical .22 cfs
 Recommended Total Div Rate .04 cfs

WATER USES	<u>OK</u>	Change (P46)		
<u>Dom</u>	<u>.04</u> cfs	<u>.6</u> af	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
<u>Fire</u>	<u>.04</u> cfs	<u>—</u> af		supp gw (WB7/065/079)
	_____ cfs	_____ af		overlap spec combined rts (W35)
	_____ cfs	_____ af		<1acre (W31) <u>1</u>
	_____ cfs	_____ af	Domestic	(W01/WB5/070/071/075)
	_____ cfs	_____ af	Power	(W42 or W43/025/027/R22 or R23)
TOTALS	<u>.04</u> cfs	<u>.6</u> af	Fish (042)	Fish (077) Wtr Quality (081/R07)

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af

REMARKS _____

ADD'L CONDITIONS R04 Watermaster Control WD# _____
R02 GW Measurement/Measuring Device
27A Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes ✓ no SRBA Claim N/A Adjust Memo _____
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV - 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13717

1. Owner: Richard C. & Bonnie M. Feddersohn Phone No. (208) 336-4967 (Boise)

Current Address: 4808 W. Hadlock St., Boise, ID 83703 (208) 462-4302 (Home)
Payette,

2. Accompanied by: Richard Feddersohn EXAM DATE: 8-20-98

Address: (Same) Phone No. _____

Relationship to Permit Holder: (Same)

3. Source: Payette River, Middle Fork tributary to Payette River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None Recorded - a domestic well They also have

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	27	10N	4E	Boise	Site Visit, Map

2. Place(s) of Use:


Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10N	4E	27																DF	

MICROFILMED

FEB 18 1994

3. **Delivery System Diagram.** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Diamond	3	521. # JL1323A	Diamond	PN 03030R
			Spec. 35 H		50 22619 4E/97
			9928105		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - unit was off - closed pipe system

MICROFILM

FEB 16 1994

E. NARRATIVE/REMARKS/COMMENTS

1. This Permit is for $\frac{1}{2}$ AC. of irrigation under a domestic use, and for fire protection. A well at the home furnishes water for domestic use, but excluding the irrigation portion. The well driller's report was not located in our file. The well supplies water for the house, and this permit is for irrigation of the yard and garden.

2. The home is located on lot 9, Pine Tree Ranch No. 11 Subdivision. The street address is #5- River Lane.

3. The water system consists of a portable pump unit located on the bank of the river, a 2" PVC pipe mainline with 4 standpipes equipped with hose bibs. Hoses with moveable sprinklers are used to irrigate the yard and gardens. At the present time, the 2" mainline is stubbed out for the front yard, and this portion of the lot is now irrigated from the house well. Once this line is completed, the house well will no longer be used for irrigation of the front yard.

4. There is no lockable device (Condition 4) on the system - however, the pump can be removed and the power panel can be locked to meet this

Have conditions of permit approval been met? ☐ yes ☒ no

(Condition.

No lockable device

MICROFILMED

FEB 18 1991

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None. Sprinklers operate at 35 psi, 5' lift.
 Theoretical Cal.: 3 HP motor

$$Q = \frac{(8.8)(3 \text{ HP})(702)}{5' + \left(\frac{35 \text{ psi}}{1} \right) \left(\frac{34'}{14.7 \text{ psi}} \right)} = \underline{0.22 \text{ cfs}} > \underline{0.04 \text{ cfs}}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation.

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

Domestic irrigation, allow 1/2 AC., 0.6 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	<u>0.60</u>
<u>Fire Protection</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	
Totals:			<u>0.04</u>	<u>0.60</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name Van Tondt Date 11-2-98

Reviewer _____ Date _____

SEAL


MICROFILMED

FEB 18 1999



THE TREE RANCH NO. 11
SITUATED IN THE SE 1/4 OF SECTION 21 AND THE NE 1/4 OF SECTION 34, T10N, R4E, B.M. BOISE COUNTY, IDAHO

ROYALCE ENGINEERING - 1980



- NOTES**
- Boise County retains no reversionary right for maintenance of town, regional, or local roads at period herein. Subject to Boise County Ordinance, dated May 27, 1978.
 - A 10' utility and drainage easement exists inside all lot lines, along the subdivision boundary, except along road easements, and a 10' easement will be centered on all interior lot lines, except along road easements.
 - All road easements shown herein will be 66' wide and will be for the use of the public, unless otherwise designated and will provide for drainage and utilities.
 - All water shown with easements will be for the purpose only.
 - Lot 9 shall not be reduced in size.


#5 River Lane

River Rd.

Plu - Lot 9

- LEGEND**
- Found Stone Monument
 - Found Brass Cap
 - Set 1/2" x 24" Steel Pin
 - Set 5/8" x 30" Steel Pin
 - Easement Line
 - Subdivision Boundary
 - Lot Number
 - Set 2" x 36" Iron Pipe
 - Existing Spring
 - Reference Pin Set on Line

DETAIL LAND CORNER TIES



MICROFILMED

65-13717

TANGENT TABLE


NO.	BEARING	1	NO.	BEARING	1
1-1	N 89° 40' 00" E	178.20	1-11	N 89° 40' 00" E	178.20
1-2	N 89° 40' 00" E	178.20	1-12	N 89° 40' 00" E	178.20
1-3	N 89° 40' 00" E	178.20	1-13	N 89° 40' 00" E	178.20
1-4	N 89° 40' 00" E	178.20	1-14	N 89° 40' 00" E	178.20
1-5	N 89° 40' 00" E	178.20	1-15	N 89° 40' 00" E	178.20
1-6	N 89° 40' 00" E	178.20	1-16	N 89° 40' 00" E	178.20
1-7	N 89° 40' 00" E	178.20	1-17	N 89° 40' 00" E	178.20
1-8	N 89° 40' 00" E	178.20	1-18	N 89° 40' 00" E	178.20
1-9	N 89° 40' 00" E	178.20	1-19	N 89° 40' 00" E	178.20
1-10	N 89° 40' 00" E	178.20	1-20	N 89° 40' 00" E	178.20

CURVE TABLE

NO.	CH. BEARING	CH. L.	M.	Δ	ANG. L.	TAN.
1-1	N 89° 40' 00" E	178.20	178.20	90° 00' 00"	90° 00' 00"	178.20
1-2	N 89° 40' 00" E	178.20	178.20	90° 00' 00"	90° 00' 00"	178.20
1-3	N 89° 40' 00" E	178.20	178.20	90° 00' 00"	90° 00' 00"	178.20
1-4	N 89° 40' 00" E	178.20	178.20	90° 00' 00"	90° 00' 00"	178.20
1-5	N 89° 40' 00" E	178.20	178.20	90° 00' 00"	90° 00' 00"	178.20
1-6	N 89° 40' 00" E	178.20	178.20	90° 00' 00"	90° 00' 00"	178.20
1-7	N 89° 40' 00" E	178.20	178.20	90° 00' 00"	90° 00' 00"	178.20
1-8	N 89° 40' 00" E	178.20	178.20	90° 00' 00"	90° 00' 00"	178.20
1-9	N 89° 40' 00" E	178.20	178.20	90° 00' 00"	90° 00' 00"	178.20
1-10	N 89° 40' 00" E	178.20	178.20	90° 00' 00"	90° 00' 00"	178.20

L. 9, Pine Tree Ranch #11

Feddersohn Application



-R 2/11/97

1 of 3

P/D

Pump
unit on
bank of
Middle
Fork,
Peyette
River



P/D

Pump
unit -
Portable -
Removed
during
winter.




65-13717

2 of 3

P/a

Typical
stand pipe
on 2" PVC
mainline,
and hose
connection.




P/a

Typical
sprinkler,
and view
of irrigated
yard.



65-13712

? of 3



P.u

2" pvc

main line

stub-out

near

front

yard of

house.



P/u

Front yard
of house

now
irrigated
from well.

2" pvc
line will
be
extended
to cover
this area.

65-13717

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13717 Reviewed by [Signature] Date 8-4-98

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

dom fire

Correct Uses? yes

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☒ Drilling permit required?

☒ Copy in the file? Drilling Permit No. _____

☒ Amount paid for permit _____ Correct?

☒ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

50- Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

_____ Installed?

_____ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	
Date proof due	_____	
No. of days late	_____	
Priority Date	_____	
New Priority Date	_____	

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address 4808 W. Hadlock St. Proof Made 6-17-98
Burien, 83703



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

August 13, 1998

KARL J. DREHER
DIRECTOR

Richard C Feddersohn
Bonnie M Feddersohn
4808 W Hadlock St
Boise ID 83703

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13717

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c. IDWR - Regional Office

MICROFILMED
AUG 13 1998

May 31, 1998

RICHARD C FEDDERSOHN
BONNIE M FEDDERSOHN
3701 SYCAMORE DR
BOISE ID 83703

PROOF DUE NOTICE

RE: PERMIT NO. 65-13717

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICRO
AUG 21 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 14, 1997

RICHARD C FEDDERSOHN
BONNIE M FEDDERSOHN
3701 SYCAMORE DR
BOISE ID 83703

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13717

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.


Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late ~~late~~ filing fee. Contact any office of the department to obtain the proper reporting form.

1997

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,

A handwritten signature in black ink, appearing to read "Shelley W. Keen". The signature is fluid and cursive, with the first name "Shelley" being the most prominent part.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures


AUG 21 1997

CERTIFICATE OF MAILING

I hereby certify that on the 14th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 65-13717

RICHARD C FEDDERSOHN
BONNIE M FEDDERSOHN
3701 SYCAMORE DR
BOISE ID 83703


Kari Lynn Townsend
Secretary

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

AUG 01 1997

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: RL DATE: 4/1/97 APPLICATION: 65-13717

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map: (show T, R, S, QQ &/or QQQ)
☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

Gov't. Lots:

N P/D
P/U

ADDITIONAL INFORMATION

YES NO

N/A small systems
☒ Overlapping place of use: (Describe source & relationship to present application on next page.)
☒ Overlapping point of diversion.
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ 1992 moratorium:
☒ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).
☒ Copy to Dam Safety staff: (for any storage)
☒ Mitigation plan: where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED

ADDITIONAL INFORMATION ON REVERSE SIDE:

PROCESSING

APP. NO. 65-13317

YES NO

☒ ☒ In form for advertising:
☒ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO:

YES NO

☒ ☒ I.D. Health & Welfare
☒ ☒ I.D. District Health
☒ ☒ I.D. Fish & Game
☒ ☒ I.D. Lands
☒ ☒ Adjudication Bureau

YES NO

☒ ☒ U.S. BLM
☒ ☒ U.S. Forest Service
☒ ☒ Water Dist. #
☒ ☒ Other

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☒ Affidavit of publication received:
☒ ☒ Application published correctly: If not, record action taken.

☒ ☒ Publication dates and paper recorded on application:
☒ ☒ Protests received. Final date for protest 5-5-97
☒ ☒ Protest dates, resolution of protest recorded on application:
☒ ☒ Recommendations attached:
☒ ☒ Measuring device required:
☒ ☒ Measuring port required:
☒ ☒ Water delivered by water master? District # 65
☒ ☒ Special conditions of approval or cover letter: Subject to control of watermaster.

See below for additional information

Recommended Date or Priority 2/3/97
Recommended by: Bay Date: 7/26/97

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION:

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho

65-13703
INTERMOUNTAIN DISTRICT ADVISORY BOARD
C/O SHERL CHAPMAN
410 S ORCHARD STE 144
BOISE, ID 83705

Source: MIDDLE FORK, PAYETTE RIVER Tributary: PAYETTE RIVER

Diversion Pt: SWSWSE Sec 16 T 09N R 04E in BOISE County.

Use: IRRIGATION (1.600 CFS)
DOMESTIC (0.400 CFS)
Total Diversion (2.000 CFS)

Date Filed 10/10/1996

In: BOISE County
T09N R04E S16
SWNE SWNW SENW NESW
NWSW SWSW SESW NWSE
SWSE

80.0 ACRES TOTAL

Applicant proposes to mitigate any consumptive losses related to 130 homes and associated irrigation.

65-13710

US DEPT OF AGRICULTURE
FOREST SERVICE
1750 FRONT ST
BOISE, ID 83702

Source: GROUNDWATER

Diversion Pt: SWNE Sec 9 T 11N R 10E in BOISE County

Use: DOMESTIC (0.020 CFS)
Total Diversion (0.020 CFS)

Date Filed 3/20/1997

In: BOISE County
T11N R10E S09
SWNE
65-13711

US DEPT OF AGRICULTURE
FOREST SERVICE
1750 FRONT ST
BOISE, ID 83702

Source: GROUNDWATER

Diversion Pt: NESE Sec 9 T 11N R 10E in BOISE County

Use: DOMESTIC (0.020 CFS)
Total Diversion (0.020 CFS)

Date Filed 3/20/1997

In: BOISE County
T11N R10E S09
NENE
65-13712

US DEPT OF AGRICULTURE
FOREST SERVICE
1750 FRONT ST
BOISE, ID 83702

Source: GROUNDWATER

Diversion Pt: SENE Sec 9 T 11N R 10E in BOISE County

Use: DOMESTIC (0.020 CFS)
Total Diversion (0.020 CFS)

Date Filed 3/20/1997

In: BOISE County
T11N R10E S09
SENE
65-13713

US DEPT OF AGRICULTURE
FOREST SERVICE
1750 FRONT ST
BOISE, ID 83702

Source: GROUNDWATER

Diversion Pt: SESE Sec 9 T 11N R 10E in BOISE County

Use: DOMESTIC (0.020 CFS)
Total Diversion (0.020 CFS)

Date Filed 3/20/1997

In: BOISE County
T11N R10E S09
SESE
65-13714

US DEPT OF AGRICULTURE
FOREST SERVICE
1750 FRONT ST
BOISE, ID 83702

Source: GROUNDWATER

Diversion Pt: NENE Sec 9 T 11N R 10E in BOISE County

Use: DOMESTIC (0.020 CFS)
Total Diversion (0.020 CFS)

Date Filed 3/20/1997

In: BOISE County
T11N R10E S09 NENE

65-13717

FEDDERSOHN, RICHARD
FEDDERSOHN, BONNIE M
3701 SYCAMORE DR
BOISE, ID 83703

Source: PAYETTE RIVER, MIDDLE FORK Tributary: PAYETTE RIVER

Diversion Pt: SESE Sec 27 T 10N R 04E in BOISE County.

Use: DOMESTIC (0.040 CFS)
FIRE PROTECTION (0.040 CFS)
Total Diversion (0.040 CFS)

Date Filed 2/3/1997

In: BOISE County
T10N R04E S27 SESE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before MAY 5, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published in The Idaho World April 16 and 23, 1997

CONVERSATION MEMORANDUM

DATE 4/1/97FILE 85-13717NAME OF PARTY Mrs. Feddersohn 338-4967EMPLOYEE Steve LesterRE: RevisionsNAME - s/w Bonnie M.use - D/I w/ yard < 1/2 Avefire prot.total .04 d/s

"2 Aves" probably refers to total lot
size (1.79 Ac. per plot), not to
intended imp. use.

no intention to imp. more so re-filing for add'l
imp use N/A.

OK to process w/ these limits.

APPROVED

65-13717

FEDDERSOHN, RICHARD C
FEDDERSOHN, BONNIE M
3701 SYCAMORE DR
BOISE, ID 83703

Source: PAYETTE RIVER, MIDDLE FORK Tributary: PAYETTE RIVER

Diversion Pt: SESE Sec 27 T 10N R 04E in BOISE County.

Use: DOMESTIC	(	0.040 CFS)
FIRE PROTECTION	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 2/ 3/1997

In: BOISE County
T10N R04E S27 SESE