


DEPARTMENT OF AGRICULTURE
FOREST SERVICE



12'30"

BANKS 1:62 500)

CASCADE 43 MI.
BANKS 7.2 MI.

10'

R.2 E. R.3 E.

27

26

25

BM 2696

34

35

36

PACIFIC
RIVER

BM 2670
Gardena

Hill

2

1

Reservoir

Cook Gulch Road

JERUSALEM

p/o 3 PLU
(Lot 10 Fall Ranch
Sub. #1)

BM 2664

Mount Maria

12

10

MICROFILMED
AUG 10 1998

T7N
R2E
S.2 SESE

(No govt lots
in SE 1/4)

-8E 4/30/98

65-13708

15

14

13

LINE TABLE


LINE	LINE CTYPE	DISTANCE
L1	N 50°11'33" E	162.62'
L2	S 87°53'11" E	56.00'
L3	N 00°11'33" E	56.00'
L4	N 01°14'29" E	23.01'
L5	N 10°34'13" E	66.23'
L6	N 34°44'23" E	136.77'
L7	N 65°53'50" E	40.65'
L8	N 35°40'06" E	31.76'
L9	N 69°21'02" E	117.36'
L10	N 61°01'52" E	90.80'
L11	S 21°13'23" E	49.31'
L12	S 18°14'29" W	107.53'
L13	S 73°47'36" W	32.08'
L14	S 00°09'16" E	23.00'

CURVE TABLE

CURVE	RAIUS	LENGTH	TANGENT	CHORD	BEARING	DELTA
C1	194.00'	41.72'	77.46'	44.63'	N 58°21'14" E	131°23'32"
C2	140.00'	24.54'	24.54'	24.54'	N 57°50'28" E	131°23'32"
C3	140.00'	24.54'	24.54'	24.54'	N 57°50'28" E	131°23'32"
C4	11.00'	32.22'	17.35'	51.05'	N 31°40'56" E	103°13'14"
C5	106.00'	20.26'	10.13'	20.32'	N 89°50'18" E	103°13'14"
C6	106.00'	80.17'	42.08'	60.79'	N 86°20'48" E	103°13'14"
C7	394.00'	31.33'	16.65'	60.79'	N 86°44'23" E	103°13'14"
C8	36.00'	51.53'	26.40'	50.66'	N 82°33'34" E	103°13'14"
C9	100.00'	101.20'	55.41'	96.53'	N 86°50'54" E	103°13'14"
C10	100.00'	72.93'	36.17'	71.32'	N 80°43'00" E	103°13'14"
C11	344.00'	125.72'	63.57'	125.03'	N 87°00'47" E	103°13'14"
C12	344.00'	125.72'	63.57'	125.03'	N 87°00'47" E	103°13'14"

SWSE
NESE
SESE

Estimated all lines per side plot



A TRACT OF LAND SITUATED IN A PORTION OF THE SE 1/4 OF SECTION 2 AND THE NE 1/4 OF SECTION 11

SUBDIVISION PLAT
of
PAUL RANCH No. 1
T.7N., R.2E., B.M.,
BOISE COUNTY, IDAHO
1995


NOTES
THE DEVELOPER SHALL COMPLY WITH 31-2805, IDAHO CODE RELATING TO TRANSFER OF WATER RIGHTS.
BUILDING SETBACKS SHALL BE AT LEAST:
FRONT 10 FEET
REAR 5 FEET
SIDE 5 FEET, PLUS FEET BETWEEN BUILDINGS.
PLANNING STREET FEET.
BOISE COUNTY ASSUMES NO RESPONSIBILITY FOR MAINTENANCE OF ROADS PLATTED HEREON, SUBJECT TO ORDINANCE.
A 12 FOOT UTILITY AND DRAINAGE EASEMENT EXISTS INSIDE ALL LOT LINES ALONG ROADS AND ALONG THE SEGREGATION BOUNDARY, AND A 12 FOOT EASEMENT WILL BE CERTIFIED ON ALL INTERIOR LOT LINES.
LOTS SHALL NOT BE REDUCED IN SIZE WITHOUT PRIOR APPROVAL OF APPROPRIATE HEALTH AUTHORITY AND THE BOISE COUNTY COMMISSIONERS.
ALL AREAS SHOWN HEREON ARE FOR TAX PURPOSES ONLY.
UTILITY AND DRAINAGE EASEMENTS ALONG ROADS MAY BE USED AS A ROAD RIGHT-OF-WAY EASEMENT AND FOR SNOW STORAGE.
ALL ROADS PLATTED HEREON ARE PRIVATE ROADS AND THEREFORE BOISE COUNTY SERVICES (EXCEPT EMERGENCY IN NATURE) WILL BE PROVIDED.

LEGEND
• FOUND BRASS CAP
• FOUND ALUMINUM CAP
• FOUND 5/8" IRON PIN
• SET 5/8" IRON PIN
• SET 1/2" IRON PIN
(264.00) DATA OF RECORD

LANDMARK SURVEYING
1034 W. 11th St.
BOISE, ID 83702
PHONE 1 OF 2

65-13708

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☐ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


No outflow measuring device

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<u>24" Rect. Weir</u>	<u>for</u>	<u>inflow</u>	<u>only</u>			

2. Measurements: 24" Rect. Weir. H = 0.10', Q = 0.21 cfs

UNITED STATES
DEPARTMENT OF AGRICULTURE
FOREST SERVICE



LINE TABLE

LINE	LINE CL. CH.	INCHES
1	N 50°11'36" E	162.62'
2	S 67°35'07" W	50.04'
3	N 00°11'31" E	50.04'
4	N 01°24'21" E	23.01'
5	N 12°24'42" E	66.52'
6	N 15°47'35" E	128.72'
7	N 35°40'08" E	117.34'
8	N 89°27'07" E	80.80'
9	N 84°01'53" E	49.31'
10	S 51°40'58" W	90.80'
11	S 72°37'24" W	56.61'
12	S 18°14'29" W	107.53'
13	S 73°17'36" W	32.00'
14	S 00°09'18" E	25.00'

CURVE TABLE

CURVE	RAILROAD	LENGTH	WATER	CHORD	BEARING	DELTA
C1	194.00'	41.37'	11.75'	11.75'	N 59°21'14" E	137°23'32"
C2	400.00'	11.23'	1.41'	1.41'	N 67°30'18" E	04°35'48"
C3	160.00'	61.59'	11.75'	11.75'	N 59°21'14" E	137°23'32"
C4	71.00'	52.72'	7.15'	7.15'	N 67°30'18" E	04°35'48"
C5	104.00'	20.78'	2.54'	2.54'	N 59°21'14" E	137°23'32"
C6	104.00'	60.13'	7.25'	7.25'	N 67°30'18" E	04°35'48"
C7	391.00'	37.37'	4.68'	4.68'	N 59°21'14" E	137°23'32"
C8	54.00'	52.72'	7.15'	7.15'	N 67°30'18" E	04°35'48"
C9	100.00'	101.20'	12.64'	12.64'	N 59°21'14" E	137°23'32"
C10	50.00'	72.53'	9.05'	9.05'	N 67°30'18" E	04°35'48"
C11	50.00'	54.91'	6.85'	6.85'	N 59°21'14" E	137°23'32"
C12	340.00'	125.72'	15.57'	15.57'	N 67°30'18" E	04°35'48"

SUBDIVISION PLAT of PAULL RANCH No. 1

A TRACT OF LAND SITUATED IN A PORTION OF
THE SE 1/4 OF SECTION 2 AND THE NE 1/4 OF SECTION 11
T.7N., R.2E., B.M.,
BOISE COUNTY, IDAHO
1995

Surgot

NOTES

- THE DEVELOPER SHALL COMPLY WITH 31-3805, IDAHO CODE RELATING TO TRANSFER OF WATER RIGHTS.
- BUILDING SETBACKS SHALL BE AT LEAST:
FRONT 10 FEET
REAR 5 FEET
SIDE 5 FEET, PLUS _____ FEET BETWEEN BUILDINGS.
- FLANKING STREET _____ FEET.
- BOISE COUNTY ASSUMES NO RESPONSIBILITY FOR MAINTENANCE OF ROADS PLATTED HEREON, SUBJECT TO ORDINANCE.
- A 12 FOOT UTILITY AND DRAINAGE EASEMENT EXISTS INSIDE ALL LOT LINES ALONG ROADS AND ALONG THE SEGREGATION BOUNDARY AND A 12 FOOT EASEMENT WILL BE CENTERED ON ALL INTERIOR LOT LINES.
- LOTS SHALL NOT BE REDUCED IN SIZE WITHOUT PRIOR APPROVAL OF APPROPRIATE HEALTH AUTHORITY AND THE BOISE COUNTY COMMISSIONERS.
- ALL AREAS SHOWN HEREON ARE FOR TAX PURPOSES ONLY.
- UTILITY AND DRAINAGE EASEMENTS ALONG ROADS MAY BE USED AS A ROAD RIGHT-OF-WAY EASEMENT AND FOR SNOW STORAGE.
- ALL ROADS PLATTED HEREON ARE PRIVATE ROADS AND THEREFORE, NO COUNTY SERVICES (EXCEPT EMERGENCY IN NATURE) WILL BE PROVIDED.

SCALE: 1" = 200'

- LEGEND
- FOUND BRASS CAP
 - FOUND ALUMINUM CAP
 - FOUND 5/8" IRON PIN
 - SET 5/8" IRON PIN
 - SET 1/2" IRON PIN
 - (2640.00) DATA OF RECORD



LANDMARK SURVEYING
BOISE, ID 83717 (208) 343-1847

1 of 3

P/O

Inflow
stream
+ 24"
Rect. Weir.

P/u

Pond
in

background



View Looking SW

P/O

24" Rect.
Weir.

$Q = 0.21$ cfs



65-13708

3 of 3

P/u
Pond.

outlet +
structure
+ irrigation
pump,

@
Di'Ke



P/u

Irrigation
pump +
12" overflow
pipe
near
top of
Di'Ke.



65-13708

2 of 3



P/u
Pond.
View
Looking
NE



P/u
Pond.
Dike +
outlet
pipes, +
irrigation
pump.

View Looking NW

65-13708

RECEIVED

MAR 02 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13708 Telephone No. 793-2581
2. Name(s) of Permit Holder(s): Larry & Barbara Szurgot
3. Mailing Address: P.O. Box 100 Horseshoe Bend, Id 83629
4. Source of Water: Unnamed stream If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
- a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____
- b. OPTIONAL:
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 9 Other: Wildlife storage

6. Total rate of diversion and/or volume for which proof is submitted: _____ cfs OR 5.0 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Am installing weir
Is a measuring device required? Yes _____ or No ✓
Has the measuring device been installed? Yes _____ or No ✓
Flow Measurement Port: Is a flow measurement port required? Yes _____ or No ✓
Has the measurement port been installed? Yes _____ or No ✓

8. Fee Enclosed: \$ 50⁰⁰ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Larry Szurgot Telephone Number: 793-2581
Address: P.O. Box 100 Horseshoe Bend, Id. 83629

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Larry Szurgot
(include your title, if on behalf of company or organization)

Date: 2/16/99

MICROFILMED

JUN 09 1999

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13708

Proposed Priority: February 21, 1997

Maximum Storage Volume:

5.0 AF

This is to certify, that **BARBARA SZURGOT**

LARRY SZURGOT

PO BOX 100

HORSESHOE BEND ID 83629-0100

has applied for a permit to appropriate water from:

UNNAMED STREAM

tributary of **PAYETTE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
WILDLIFE STORAGE	01/01 to 12/31		5.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 2, Township 07N, Range 02E
BOISE County

PLACE OF USE: WILDLIFE STORAGE

TWN RGE SEC

07N 02E 2


SESE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1999**.
2. Subject to all prior water rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
4. The right holder shall install/maintain permanent measuring devices in such a manner that the amount of water entering the reservoir and the amount of water released from the reservoir can be measured.
5. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

30 th day of July, 1998


for Karl J. Dreher, Director

MICRO-FILMED

AUG 10 1998

Ident. No. 65-13708

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

JUL 22 1998

To appropriate the public waters of the State of Idaho

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant Larry &/or Barbara Szilagyi Phone 793-2581
Post Office address P.O. Box 100 Harshees Bend ID 83629
2. Source of water supply unnamed stream which is a tributary of Poyette River
3. Location of point of diversion is — 1/4 of SE 1/4 of SE 1/4, Govt. Lot N/A
Sec. 2 Township 7N Range 2E B.M. Boise County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 5.0 for wildlife storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) N/A and/or (b) 5.0
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Existing on-stream storage pond with headgate/pipe outlet
b. Height of storage dam N/A (excavated site) feet; active reservoir capacity 5.0 acre-feet; total reservoir capacity 5.0 acre-feet; period of year when water will be diverted to storage: 1/1 to 12/31 inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____:
Well was drilled for (well owner) _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity if KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. _____
e. Other; describe fully. Misc. wildlife species use pond on Applicant's property.

MICRO FILMED

AUG 10 1998

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7N	2E	2																W	-

Total number of acres to be irrigated -

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing:

T
Comments
12. Remarks: This is replacement appl. for original filed 2/21/1997. See attached info. Priority date of 2/21/1997 should be valid. Also see original database comments ("additional information"). "Further mitigation" for downstream fishery resources should not be applicable (no increase in consumption use)

13. MAP OF PROPOSED PROJECT ATTACHED ☒ Show clearly the proposed point of diversion, place of use, section number, township and range number.

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Pond is in Lot 10, Fall Ranch Sub. #1

Brian Sargent
(Applicant)

NOTICED

AUG 10 1998

Received by AD Date 5-4-98 Time 9:45 Preliminary check by 6
Fee \$ 50 Receipted by unknown # W021984 Date 2/21/1997
Publication prepared by AD Date 5-14-98 Published in Idaho
Publication approved AD Date 6-16-98 5-20-98

O'Entry: see "Comments" & d.o.p. -82


DEPARTMENT OF AGRICULTURE
FOREST SERVICE

NKS / 62 500

CASCADE 43 MI
BANKS 72 MI

10'

R 2 E	R 3 E
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100



Ident. No. 65-13708

Comments: Date: 2/21/1997 User-ID: SLESTER

Subject: ADDITIONAL INFORMATION

Existing on-stream pond with headgate & pipe outlet covers about 1 acre, about 5' average depth. Source is runoff via unnamed stream (see topo) & overland flow. Pond is part of existing irrig system under Hill Creek decreed right 65-03803, which does not include storage component (appears has been a 24 hr. fill regulating pond under old system). No additional storage to be developed - applicants want to keep pond as full as can all year for additional use (misc. wildlife species). Therefore, pond under this right & 65-03803 to be limited to 5 af total.

Property also known as Lot 10, Faull Ranch No. 1 Subdivision. Applicants previously bought adjacent parcel to west outside of subdivision. Will file appropriate change in ownership pending help to be supplied from regional office (entire subd. & adjacent area hosts variety of rights and confusing overlap - regional staff can assist this & future ownership changes by preparing a master map/chart).


Does not appear that new filing will include any increase in consumptive use on this property.

MICRO 11

AUG 10 1998

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

No outflow measuring device

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
24" Rect. Weir	for	inflow	only			

2. Measurements: 24" Rect. Weir. H = 0.10', Q = 0.21 cfs

6. The pond is in lot 10, Footh Ranch No. 1
Sub-division.

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for wildlife storage in an existing irrigation pond. The pond was constructed as part of the irrigation facilities under WR 65-03803, and other irrigation rights serving lands upstream of the inflow stream that fills the pond.
2. The existing irrigation rights did not include irrigation storage in the pond. This permit is for storage throughout the year for wildlife. The pond would be kept full as much as possible.
3. The pond has a 12" gated pipe outlet, and another 12" pipe near the top of the dike that acts as an overflow, and as a means to control the water surface. At the time of the exam, there was a metal blade across this pipe's inlet to regulate the water surface. There also is an irrigation pump at the outlet pipe walkway.
4. The inflow stream has a 24" Rect. Weir installed, but there is no measuring device for the 2 pipe outflows + irrigation pump. - Cont. 4.

Have conditions of permit approval been met? ☐ yes ☒ no Needs outflow measuring

5. The outflow measuring device.
device may not be practical since the irrigation water is pumped + released to irrigate the adjacent land

Additional Computation Sheets Attached

24" Rect. Weir; $H = 0.10'$, $C_d = 0.21$ cfs, I_d flow

No Div. Bate in Permit

1. Volume Calculations for Irrigation:

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{10cm}}$$

$$V = \text{Smaller of } V_{I,R} \text{ and } V_{D,R} =$$

2. Volume Calculations for Other Uses: *wild life Pond*

The pond is almost circular, and has an
Av. depth of 5'. Circumference = $270' + 540' + 190'$
(4030') [4030] = 1000'

$$Vol. = \left(\frac{\pi D^2}{4} \right) (5'') = \left[\frac{\pi (1000)^2}{4} \right] (5') \frac{AF}{(66 \times 66 \times 10^4) 43}$$

$$= 9.14 \text{ AF}; \quad \text{Allow } \underline{5.0 \text{ AF}}$$

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Wildlife Storage</u>	<u>01/01</u>	<u>12/31</u>		<u>5.0 AF</u>
Totals:				<u>5.0 AF</u>

2. Recommended Amendments


___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

Field Examiner's Name Don Tomich Date 11-30-99

Reviewer _____ **Date** _____

SEAL

UNITED STATES
DEPARTMENT OF AGRICULTURE
FOREST SERVICE



SUBDIVISION PLAT of PAULL RANCH No. 1

A TRACT OF LAND SITUATED IN A PORTION OF
THE SE 1/4 OF SECTION 2 AND THE NE 1/4 OF SECTION 11
T.7N., R.2E., B.M.
BOISE COUNTY, IDAHO

1995

Surgot


65-13700

CURVE TABLE

Curve	Radius	Chord	Angle	Distance
1	100.00	100.00	180.00	100.00
2	200.00	196.13	179.91	196.13
3	300.00	295.20	179.82	295.20
4	400.00	391.41	179.73	391.41
5	500.00	485.08	179.64	485.08
6	600.00	576.61	179.55	576.61
7	700.00	666.26	179.46	666.26
8	800.00	754.10	179.37	754.10
9	900.00	840.21	179.28	840.21
10	1000.00	924.62	179.19	924.62

LINE TABLE

Line	Length	Distance
1	100.00	100.00
2	196.13	196.13
3	295.20	295.20
4	391.41	391.41
5	485.08	485.08
6	576.61	576.61
7	666.26	666.26
8	754.10	754.10
9	840.21	840.21
10	924.62	924.62



NOTES

- THE DEVELOPER SHALL COMPLY WITH 31-3805, IDAHO CODE RELATING TO TRANSFER OF WATER RIGHTS.
- BUILDING SETBACKS SHALL BE AT LEAST:
FRONT 10 FEET
SIDE 5 FEET
REAR 5 FEET
FEET BETWEEN BUILDINGS.
- FLANKING STREET _____ FEET.
- BOISE COUNTY ASSUMES NO RESPONSIBILITY FOR MAINTENANCE OF ROADS PLATTED HEREON, SUBJECT TO ORDINANCE.
- A 12 FOOT UTILITY AND DRAINAGE EASEMENT EXISTS INSIDE ALL LOT LINES ALONG ROADS AND ALONG THE SEPARATION BOUNDARY, AND A 12 FOOT EASEMENT WILL BE CENTERED ON ALL INTERIOR LOT LINES.
- LOTS SHALL NOT BE REDUCED IN SIZE WITHOUT PRIOR APPROVAL OF APPROPRIATE HEALTH AUTHORITY AND THE BOISE COUNTY COMMISSIONERS.
- ALL AREAS SHOWN HEREON ARE FOR TAX PURPOSES ONLY.
- UTILITY AND DRAINAGE EASEMENTS ALONG ROADS MAY BE USED AS A ROAD RIGHT-OF-WAY EASEMENT AND FOR SNOW STORAGE.
- ALL ROADS PLATTED HEREON ARE PRIVATE ROADS AND THEREFORE, NO COUNTY SERVICES (EXCEPT EMERGENCY IN INJURY) WILL BE PROVIDED.

SCALE: 1" = 200'

LEGEND

- FOUND BRASS CAP
- FOUND ALUMINUM CAP
- FOUND 5/8" IRON PIN
- SET 5/8" IRON PIN
- SET 1/2" IRON PIN
- (2640.00) DATA OF RECORD



LANDMARK SURVEYING
BOISE, IDAHO

1 of 3

P/O

Inflow
stream


+ 24"

Rect. Weir.

P/u

Pond
in

background



View Looking SW

P/O

24" Rect.

Weir.

$Q = 0.21$ cfs




65-13708

3 of 3

P/u
Pond.


outlet
structure
+ irrigation
pump,

to
Dike



P/u

Irrigation
pump +
12" overflow
pipe
near
top of
Dike.



65-13708

2 of 3

P/u

Pond.

View

Looking

NE



P/u

Pond.


Dike +

outlet

Pipes, +

irrigation

pump.



View Looking NW

65-13708

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13708 Reviewed by [Signature] Date 6-4-99

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Irr. Storage

Correct Uses? NO

SOURCE OF WATER

✓ Surface water source

 Ground water source

 Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 - Amount Submitted
yes Correct?

MEASURING DEVICE

NO Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address X Proof Made 3-2-99



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 8, 1999

Barbara and Larry Szurgot
PO Box 100
Horseshoe Bend ID 83629

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13708

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

JUN 11 9 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 30, 1998

BARBARA SZURGOT
LARRY SZURGOT
PO BOX 100
HORSESHOE BEND ID 83629-0100

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13708

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.


Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

MIC M - JMED

AUG 10 1998

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures


MC 11 11 11
JUN 10 1988

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of July, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 65-13708

BARBARA SZURGOT
LARRY SZURGOT
PO BOX 100
HORSESHOE BEND ID 83629-0100



Karl Lynn Townsend
Secretary

401
JUL 31 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APC-3-1-1456
APC-3-1-1456

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Cindy Lou*

No.: 65-13708 Name: Szyngot Date: 7/28/98 Ad OK? ☒ ☒ Gvmt Lts: ☒

AREA OF CONCERN: ☒ No/Yes ☐ Mor / ☐ GWMA / Trust / Non-trust

PROTESTED: ☐ 020 (Protest Agreement) or ☐ *W19 (Order)

SYSTEM COMPLETED:

- > 1 year ☐ 26A-P17
- ≤ 1 year/no proof ☒ **P16**

GROUNDWATER: (✓ FLO-CH)

- WMD (✓ MAP) ☐ North / East / West
- > 0 24 cfs/5 acres ☐ 067 or No MD (in-stream stock or power)
- ≤ 0 24 cfs/5 acres ☐ No MD
- WMD Supplemental use ☐ 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)
- > 0 24 cfs/5 acres ☐ 01M (report when notified)
- ≤ 0 24 cfs/5 acres ☐ No MD

DRILLING PERMIT:

- All wells (✓ WDQ3) ☐ 046-P23
- In Basin 34? ☐ 085
- Irr within WD ☐ P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated)

- IN/ABOVE MIN STR FLOW (✓ MAP) ☐ *WB9
- WD (✓ MAP & LISTING) ☐ R04 (WD # 65)
- > 0 10 cfs (Storage only) ☐ 01J-P08 (MD & LD)
- ≤ 0 10 cfs ☐ 01H-P01 (LD), 01P or No MD (in-stream stock)

- WMD (✓ MAP) ☐ 067 or No MD (in-stream stock or power)
- > 0 24 cfs/5 acres ☐ No MD
- ≤ 0 24 cfs/5 acres ☐

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0 24 cfs/5 acres ☐ 01M or No MD (in-stream stock or power)
- ≤ 0 24 cfs/5 acres ☐ No MD

RIVER BASINS: (*Surface water)

- Snake R (01) ☐ *W22 -P04, NA
- (02/03-Irr) ☐ 007 (w/ remark *WB9 if above Weiser), NA
- Payette R(65) ☐ *W22 (regulated uses), 047-P04 (Payette Lake), NA
- Salmon R(70's) ☐ 029 (fish screens), NA

USE:

- Domestic surface ☐ *WB5 (Big Wood R or Boise R ↑ Star Bridge), 27A (Payette River), NA
- >1 in rest area ☐ 071-070
- Fire Protection ☐ 077
- Fish Propagation ☐ 029-007-042(req)-081 (WQ)-P10
- Heating/Cooling ☐ R07 (injection well)
- Irr ≤ 5 acres ☐ R66/R67/R68/R69 (0 03 cfs/acre + 3 0/3 5/4 0/4 5 AF)
- > 5 acres ☐ R62/R63/R64/R65 (0 02 cfs/acre + 3 0/3 5/4 0/4 5 AF)
- Mining ☐ 054(req)-081-P10
- Municipal ☐ 022, 075, 004 (+memo?), NA (not in restricted area)
- Power ☐ 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons use), 17G (FERC) or 17M (FERC), 18B-P09, >25 cfs-P18
- Stockwater ☐ R37 (BLM/USFS), NA
- Storage (✓ 3 compo) ☐ 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

- 42-248 area ☐ **P84** (in 20/30/40/50/60/70/80 (87) basin)
- Boise Front LoGeo ☐ 058 (<85° GW temp only)
- In-stream dev ☐ **P52** (stream channel alteration)
- ~~Intigation~~ ☐

SWAN FALLS FLAG (See Code Chart)

- Trust ☐
- Non-Trust (1) ☐ 051-052-053-P74 (Consumptive Uses), NA
- ☐ 048-049 (Consumptive Uses), NA
- ☐ 004 (PD/PU)

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- ☐ 01W22
- ☐ 8/1/1999
- ☐ Gary recommends 027; however, this condition is used for power only.

3/98

RECEIVED

JUL 22 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPROPRIATION APPLICATION ANALYSIS SHEET

DEPARTMENT OF WATER RESOURCES
INITIAL REVIEW BY: gDATE: 5/8/98APPLICATION: 25-13728REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:

☒ P/D☒ P/UADDITIONAL INFORMATIONN ADVERTISE REMARK(S)

(Reviewer identify which remarks)

to do T FLAG CHANGED TO P FLAG

YES NO

- ☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☐ ☒ Overlapping point of diversion.
- ☐ ☐ Critical groundwater area:
- ☐ ☐ Groundwater management area:
- ☐ ☒ 1992 moratorium:
- ☐ ☒ Bull trout impact area
- ☐ ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☐ ☒ E-mail to Dam Safety staff: (for any storage)
- ☐ ☒ Mitigation plan: Check any that apply.
- see comments ☐ immediate = acceptable plan required and submitted.
- ☐ ☐ future = open areas, acceptance of condition of approval is in file.
- ☐ ☒ Send power requirement letter:
- ☐ ☒ Send fish farm requirement letter:
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____ Date Response Received _____

PROCESSING

APP. NO. 5-13708

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

YES NO

☐ ☒	I.D. Health & Welfare	☐ ☒	U.S. BLM
☐ ☒	I.D. District Health	☐ ☒	U.S. Forest Service
☒ ☐	I.D. Fish & Game	☐ ☒	Water Dist. # _____
☐ ☒	I.D. Lands	☐ ☒	Other _____

Bull Trout impact area

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:
☐ ☐ Final date for protest 6-8-98
☐ ☒ Protests received.
☐ ☒ Recommendations attached:
☐ ☒ Measuring device required:
☐ ☒ Measuring port required:
☐ ☒ Water delivered by water master? District # _____
☒ ☐ Special conditions of approval or cover letter: 027

See below for additional information

Recommended Date or Priority 5/4/98
Recommended by: Gay S Date: 7/20/98

STATE OFFICE REVIEW _____

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION:

p/p overlaps - same source, other user

The Idaho World

P.O. Box 99
Garden Valley, ID 83622
(208) 462-3487

RECEIVED

JUN 03 1998

State of Idaho)
County of Boise)

WATER RESOURCES
WESTERN REGION

Deanna Stevenson, being duly sworn, deposes and says: that she is the Editor of THE IDAHO WORLD, a weekly newspaper published at Idaho City, in the County of Boise and the State of Idaho; the said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Idaho City; that the advertisement, a copy of which is hereto attached, was published in said newspaper once a week for two (2) consecutive weeks in the entire and regular issue of every number of said paper during the period and time of publication and was published in the newspaper and not a supplement; that said paper has been established and regularly and continuously published for more than seventy eight weeks past previous to the first publication of this notice. Such notice was published with the issue beginning with May 26, 1998 and ending with the issue of May 27, 1998.

Deanna Stevenson

State of Idaho)
County of Boise)

On this 2 day of June in the year 1998, before me, a notary public, personally appeared Deanna Stevenson known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Deanne E. Campbell

Notary Public for Idaho
Residing at Garden Valley, Idaho

My commission expires 6/26/2001

NOTICE

LOCATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho

65-13708

SZURGOT, LARRY
SZURGOT, BARBARA
PO BOX 100
HORSESHOE BEND, ID 83629

Source UNNAMED STREAM Tributary PAYETTE RIVER

Diversion Pt SESE Sec 2 T 07N R 02E in BOISE County

Use WILDLIFE (0 040 CFS)
WILDLIFE STORAGE (5 00 AF)
Total Diversion (0 040 CFS)

Date Filed 2/21/1997

In BOISE County
T07N R02E S02 SESE
65-13790

ZIMMER, LINDA W
ZIMMER, KENNETH L
214 PORTER CREEK RD
HORSESHOE BEND, ID 83629

Source PORTER CREEK Tributary PAYETTE RIVER

Diversion Pt SWNWSW Sec 8 T 07N R 03E in BOISE County

Use IRRIGATION (0 200 CFS)
Total Diversion (0 200 CFS)

Date Filed 4/15/1998

In PAYETTE County
T07N R03E S07 NESE
S08 NWSW

11 0 ACRES TOTAL

Applicant agrees to mitigate consumptive use in the future as needed
65-13791

DRAKE, JOHN
DUTOIT, STEVE
2343 BLUE LAKE LN
BOISE, ID 83716

Source SPRING Tributary SINKS

Diversion Pt SWSWNW Sec 24 T 07N R 02E in BOISE County.

Use DOMESTIC (0 040 CFS)
Total Diversion (0 040 CFS)

Date Filed 4/27/1998

In BOISE County
T07N R02E S24 SWNW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25 00 on or before JUNE 8, 1998. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in The Idaho World May 20 and 27, 1998



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 15, 1998

SCOTT GRUNDER
STATE OF IDAHO
DEPT OF FISH & GAME
3101 S POWERLINE RD
NAMPA ID 83686

Re: Applications for Permit Nos 65-13708 in the Name of Larry Szurgot, 65-13791 in the Name of John Drake, 77-07369 and 77-07371 in the Name of Michael Panike

Dear Sir:

Enclosed are copies of the above-referenced applications for permit which may be of interest to your agency. Please review the applications and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by June 8, 1998.

If you have any questions regarding the application, please contact this office

Sincerely,

Gary Spackman

GS:st

Encl.

100-100000-100000
MAY 14 1998

From: DWR80::LGRAVES 8-MAY-1998 14:09:05.76
To: DWR80::JWESTRA,GGIBSON
CC:
Subj: Szurgot Appl

Hi Guys, check out the Szurgot application for 5 af storage on an unnamed stream tributary to the Payette River (65-13708). Sue will have it. Thanks for your comments. lg

11

AUG 10 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MAY 14, 1998

Legal Notices Department
The Idaho World
PO Box 99
Garden Valley, ID 83622

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 8, 1998.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

100-100000

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

SEE PAGE 2

65-13708

SZURGOT, LARRY
SZURGOT, BARBARA
PO BOX 100
HORSESHOE BEND, ID 83629

Source: UNNAMED STREAM

Tributary: PAYETTE RIVER

Diversion Pt: SESE Sec 2 T 07N R 02E in BOISE County.

Use: WILDLIFE	(	0.040 CFS)	
WILDLIFE STORAGE			(5.00 AF)
Total Diversion:	(	0.040 CFS)	

Date Filed: 2/21/1997

In: BOISE County
T07N R02E S02 SESE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JUNE 8, 1998. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 5/20/1998 & 5/27/1998