

st of the Boise Meridian, Idaho.




DEC 01 1995

Meridian, Idaho.

B

a

I



T17N

R2E


Sec. 1

SENE

MICROFILMED

FEB 18 1999

65-13644



T17N
R2E
Sec. 1
6 SENE
600 466

MICROFILMED
FEB 18 1999

65-13644



- P/D
6" well
submersible
pump

P/u -
1



MICROFILMED
FEB 18 1999

65-13644

Publisher's Affidavit of Publication

STATE OF IDAHO

.SS

County of Valley

I, Ramona A. French, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began October 19, 1995 and ended October 26, 1995.

Ramona A. French
Subscribed and sworn before me this the 26th day of October, 1995.
STATE OF IDAHO

COUNTY OF VALLEY

On this 26th day of October, in the year of 1995, before me, a Notary Public, personally appeared Ramona A. French, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires: 1999

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13644

SABALA, DONALD L.
1123 KIMBERLY LN.
BOISE, ID 83712

Source: GROUNDWATER

Diversion Pt: LOT 6 (NWSENE) Sec 1
T 17N R 02 E in VALLEY County.

Use: IRRIGATION (0.060 CFS)
DOMESTIC (0.040 CFS)

Total Diversion (0.100 CFS)

Date Filed: 10/6/1995

In: VALLEY County

T17N R02E S01 Lot 6(SENE)

2.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before NOVEMBER 6, 1995. The protestant must also send a copy of the protest to the

applicant.

Karl J. Dreher, Director. 2t10/26

RECEIVED
NOV 06 1995
WATER RESOURCES
WESTERN REGION

RECEIVED
DEC 01 1995

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-13644

Priority: October 6, 1995

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

5.1 AF

This is to certify, that DONALD L SABALA

PO BOX 741

LAKE FORK ID 83635-0741

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 6, 1995; and has submitted Proof of Beneficial Use on October 15, 1996. An examination indicates that the works have a diversion capacity of 0.090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.05 CFS	4.5 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.07 CFS	5.1 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 6(SENE), Sec. 1, Township 17N, Range 02E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
17N	02E	1	Lot 6(SENE)	1.5		1.5

Total number of acres irrigated: 1.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS


1. This right when combined with all other rights shall provide no more than 0.05 cfs nor more than 4.5 afa at the field headgate for irrigation of the land described above.
2. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 4th day of

JANUARY, 1999.

MICROFILMED

FEB 18 1999

Acting for  Director

RECEIVED

OCT 16 1996

FOR OFFICE USE ONLY

Amt. of Fee \$: 50

Receipt No. W021625

Receipt By: CJL

Date Received: 10/15/96

RECEIVED

OCT 15 1996

WATER RESOURCES
WESTERN REGION

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

J/3

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13644 Telephone No. 634-7894
2. Name(s) of Permit Holder(s): DONALD L SABALA
3. Mailing Address: 299 HEINRICHEN MCCALL ID PO BOX 741 LAKE FORK ID
83635
4. Source of Water: groundwater If GROUNDWATER (well), Date Drilled: mo. 8 / yr. 94
- a. Well Driller: Menasco Drilling Permit Number: 65-94-W-0381-000
- b. OPTIONAL: Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): 50'

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 2 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 10 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>/</u>
	Has the measuring device been installed?	Yes _____ or No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No <u>/</u>
	Has the measurement port been installed?	Yes _____ or No _____

8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: app permit holder Telephone Number: _____

Address: _____

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 10/15/96
(include your title, if on behalf of company or organization)

MICROFILMED

NOV 15 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13644

Proposed Priority: October 6, 1995 Maximum Diversion Rate: 0.10 CFS

This is to certify, that **DONALD L SABALA**
1123 KIMBERLY LN
BOISE ID 83712

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.06 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
Totals		0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 6(SENE), Sec. 1, Township 17N, Range 02E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
17N	02E	1	Lot 6(ENE)	2.0		2.0

Total number of acres irrigated: 2.0


PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1996**.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. Domestic use is for 1 home.
5. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17th day of November, 1995.


for Karl J. Dreher, Director

RECEIVED
NOV 15 1995

Ident. No. 65-13644

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DONALD L SABALA 208-336-3117
Address: 1123 KIMBERLY LN
BOISE ID 83712
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: (st 6 (NWSENE) Sec. 1, Township 17N, Range 02E
VALLEY County
4. Water will be used for the following purposes:

Purpose		From	To	CFS	(or)	AF
IRRIGATION	* 4/15	~~04/01~~	~~10/31~~ 10/15	0.060		
DOMESTIC		01/01	12/31	~~0.040~~	0.02	
5. Total quantity to be appropriated is:
0.100 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 60 feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when? 08/12/1994
Drilling Firm MENASCO 65-94-W-0381-000
Well was drilled for APPLICANT
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).
8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
17N	02E	1 Lot 6(ENE)	2			2

Total number of acres irrigated: 2

* Standard in. season. 11/16/95 c3x

Place of Use: DOMESTIC, same as IRRIGATION use

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:
Domestic use is for one home.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Don Solab
Applicant

Received by Ly Date 10/6/95 Time 10 Preliminary check by cy4
Fee \$ 50 Receipted by Ly # W019954 Date 10/6/95
Publication prepared by AT Date 10-10-95 Published in Star News
Publication approved AT Date 11-8-95

also paid for drilling permit upgrade (\$165)

DEC 03

D	c	C	b	B	a	A
10	10	10	10	10	10	10
9	9	9	9	9	9	9
8	8	8	8	8	8	8
7	7	7	7	7	7	7
6	6	6	6	6	6	6
5	5	5	5	5	5	5
4	4	4	4	4	4	4
3	3	3	3	3	3	3
2	2	2	2	2	2	2
1	1	1	1	1	1	1
0	0	0	0	0	0	0



1. DRILLING PERMIT NO. 65-94-W-0381 000
Other IDWR No. _____

2. OWNER: Don Sabala / Kevin M. Kee
Name
Address Box 7525
City Boise State ID Zip 83707

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location



Twp 17 North ☒ or South ☐
 Rge. 2 East ☒ or West ☐
 Sec. 1 $\frac{1}{4}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$
 Gov't Lot _____ County VALE $\frac{10 \text{ acres}}$ $\frac{40 \text{ acres}}$ $\frac{160 \text{ acres}}$

Address of Well Site End of Hennrich Lane.
 City Lake Fork.

(Give at least name of road + Distance to Road or Landmark)

Lt. Blk. Sub. Name

4. PROPOSED USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
Bentonite	0	20	10 Bags	over bore

Was drive shoe used? Y ☒ N ☐

Was drive shoe seal tested? Y ☐ N ☒ How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	1	50	120	Steel	☒	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____
☒ Screens Screen Type Stainless

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
50	60	20		5"	Stainless	☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

20' ft. below ground Artesian pressure — lb.
Depth flow encountered 40-60 ft Describe access port or
control devices: well cap

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min	Drawdown	Pumping Level	Time
33	—	50'	2 h. 5.

Water Temp. 50° Bottom hole temp —

Water Quality test or comments: clear

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

[illegible]

Completed Depth 60' (Measurable)
Date: Started 8.12.94 Completed 8.12.94

13. DRILLER'S CERTIFICATION

We certify that all minimum well construction standards were complied with at the time the rig was removed

Firm Name MENASU Drilling Firm No 391

Firm Official [Signature] Date 8.26.94

and _____

Supervisor or Operator _____ Date _____

W019954

10/ 6/1995
10:24:30

SABALA

APPLICATION FOR PERMIT 65-13507	62103	229 21 1155	50.00
DRILLING PERMIT UPGRADE 65-94-W-0381	62115	229 21 1205	165.00

CHECK	1008	\$	215.00
-------	------	----	--------

Region: WESTERN

Signature: _____

DEC 01 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 5, 1999

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DONALD L. SABALA
PO BOX 741
LAKE FORK ID 83635-0741

RE: WATER RIGHT NO. 65-13644

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

FEB 18 1999

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

FEB 18 1993

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

FEB 18 1996

CERTIFICATE OF MAILING

I hereby certify that on the 5th day of January, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13644

DONALD L SABALA
PO BOX 741
LAKE FORK ID 83635-0741



Kari Lynn Townsend
Secretary

MICROFILMED

FEB 18 1999

B/U FIELD EXAM REVIEW

by *Cindy Lou*Permit #: 65-13644 Name: Sabala Date: 12/31/98 ✓ Lots ✓

NAME Chng Same ✓ Or Address Change? PO Box 741 Lake Fork ID 83635

SOURCE ✓ Clarify source _____
_____ Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? Addn'l 1/4? _____ Legal _____ P39
 Same 1/4? W32 P36
 Overlap(s) none

P/U ✓ Amendment Needed? Reduce to 1.5 ac irr P41
 Overlap(s) none
 (Gov't use special T's) _____ *P/D & P/U Amend? P37

RATE ✓ Permit/proof fee limits 0.10 / 0.20
✓ Measured Quantity = _____ cfs Theoretical Quantity = _____ cfs
Dom = 1.5 x 0.02 = 0.045 (0.05) + (Dom = 0.02) = 0.07 cfs.
 (HP) $\frac{8.8 \times 0.70 \times 2}{20 + (2.31 \times 50)} = 0.09$ cfs
✓ Recommended capacity 0.09 cfs
✓ Recommended rate 0.07 cfs

VOLUME ✓ Season. (irr. Domestic 1/1-12/31 365 days
8/1-3/0 4/15-10/15 = 184 days
 Calculations: irr = 1.5 ac x 3.0 AF/ac = 4.5 AF
Dom = 0.6 } 5.1 AF
✓ Flow limit: 0.05 cfs x 184 days/yr. x 1.9835 = 18.2 AF
✓ Recommended volume 5.1 AF

USES ✓ Same Nature of Use? _____ P46
_____ Amendment Needed? _____

REMARKS ✓ Multiple p/d's in same 1/4? Use W32 _____
✓ ① WBS / ② W31

CONDITIONS

_____ Measuring Device (R43) or Lockable Controlling Works (R02)
_____ Watermaster Control (R04) - WD # _____
_____ Irrigation rate/annual volume overlap
_____ GW irrigation replaces surface water (050)
_____ GW irrigation supplements surface water (065)
_____ Water Quality
_____ Other _____

PRIORITY

App Rcd 10/6/95 Due 12/1/96 Rcd 10/15/96
 Receipt# W021625 Fee OK? Yes/No \$50
 Order to Reinstate Needed? Yes/No Done? _____ Advanced to: _____
 Priority 10/6/95 Examined 9/15/97

COMMENTS:

USE	CFS	VOLUME
irr / 1.5 ac	0.05	4.5
Dom / 1	0.02	0.6
TOTAL	0.07	5.1

SRBA Overlap none
 Adjustment Memo ✓
 LICENSE
 #1 AMEND. _____ /P38
 #2 AMEND (R)P42/(C)P47

MEMORANDUM

DATE: December 31, 1998
TO: File No. 65-13644
FROM: Cindy Lou Zimmerman *CLZ*
SUBJECT: Review of Beneficial Use Field Report

The following adjustments¹ were made on the field report to reflect department standards and licensing practices for uses developed under this permit:

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Irrigation (1.5 acres)	4/15-10/15	0.05 cfs	4.5 AF
Domestic (in-house only)	1/1-12/31	<u>0.02</u> cfs	0.6 AF
	Totals:	<u>0.07</u> cfs	5.1 AF

Examiner: Lori Graves
Examined: September 15, 1997

¹ Adjustments are **bolded and underlined**.

MICROFILMED
FEB 18 1998

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	ACC FLG	COUNTY
65-94-W-0381-000	0	KEVIN MC KEE C/O SABALA BROS DON SABALA ASSOC PO BOX 7585 BOISE, ID 83707 (208) 342-3300	17N	02E	01	NE NE		P	VALLEY
			17N	02E	01	NE NE		L	VALLEY

Subdivision Well Site Location and Description:

Subdivision Name:

Well Site Address: HEINRICH LN (END OF)

City, State: LAKE FORK, ID

Lot(s):

Block(s):

Geographic Location:

GPS Site ID:

Lat: : : N

Long: : : W

Accuracy Code:

Proposed Use of Well: Irrigation

Proposed Casing Diameter: 6 In.

Proposed Depth: 60 Ft.

Anticipated Bottom Temp: 85F or less

Well Use Comments:

Driller License No: 0391

Firm Name: MENASCO DRILLING

Official: ALBERT S MENASCO III

Permit Status: Filed

Verbal Issued Date: 08/12/1994

Verbal Issued Time: 10:01:44

Received Date: 09/22/1994

Approved Date: 09/22/1994

Proposed Start Date: 08/12/1994

Extension Date:

Extension Expiration:

Receipt No.

Receipt Date

Fee

W018142

09/22/1994

\$ 385.00

W019954

10/06/1995

215.00

Specific Conditions:

Permit Remarks: THIS PERMIT HAS BEEN UPGRADED TO IRRIGATION. ADDITIONAL FEE WAS PAID BY OWNER (SABALA) under W019954. Well not to be used for irrigation purposes until water right no. 65-13644 has been approved.

Conditions of Approval: This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.

This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank. Public Water Supply wells must not be drilled closer than 100' from any drainfield or septic tank.

The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.

MICROFILMED

JUN 18 1994

=====

WELL DRILLING PERMIT/LOG INDEX: Permit No. 65-94-W-0381-000 (cont'd)

Conditions of Approval: Approval of this drilling permit does not authorize trespass on the land of another party.

This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

This drilling permit does not represent a right to divert and use the water of the State of Idaho.

If a bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

Comments: No Comments Found

- - - - - WELL DRILLER'S LOG REPORT - - - - -

Drilling Permit No: 65-94-W-0381-000 Water Right No: 65-13644
Log Status: Sent To/Microfilmed Injection Permit No:

Nature of Work: REPLACE

Construction Method: AIR ROTARY

Casing Diameter:	6	In.	Static Water Level:	20	Ft.	Actual Start Date:	08/12/1994
Depth of Casing:	50	Ft.	Temperature:	50	F.	Well Finish Date:	08/12/1994
Total Depth:	60	Ft.	Production Rate:	33.00	GPM	Log Received Date:	09/22/1994
Screen Installed?	Yes					Certification Date:	08/26/1994

Field Inspection Date:

Inspector:

Well Log Remarks: SURFACE SEAL 20' BENTONITE USED, OVERBORE METHOD.
SS SCREENS USED. 5" DIA .020 SLOT FROM 50 TO 60 FT
DEPTH FLOW ENCOUNTERED 40-60
DRILLER COMMENTS: WATER QUALITY CLEAR
COMPLETED WELL DEPTH 60 FT

MICROFILMED
FEB 18 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 25 1998
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13644

1. Owner: Donald Sabala Phone No. 634-7894

Current Address: PO Box 741 Lake Fork ID 83635

2. Accompanied by: Donald EXAM DATE : 9/15/97

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	¼	¼	¼	Sec	Twp	Rge	County	Method of Determination/Remarks
	6		SE	NE	1	17N	2E	Valley	USGS Quad Map

2. Place(s) of Use:

Indicate Method of Determination USGS Quad Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
17N	2E	1				1.5													1.5

MICROFILMED
FEB 18 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *See file 65-13480 field report*

SEE ATTACHED SHEET.

Y Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N Aerial Photo Attached (required for irrigation of 10+ acres).

Y Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1	Submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

E. NARRATIVE/REMARKS/COMMENTS

A 6" well equipped with a 2 hp submersible pump supplies water to 1.5 acres of lawn and landscape area. The irrigation system consists of an automatic buried sprinkler system. The landscape agency (Gerhard Berbonus) billed the owner for 450000 square ft of sod for the lawn. Another .5 acre of planted wildflower and tree area throughout is also irrigated. The home also uses the well for internal domestic use. 65-13507 & 65-13480 are used for a waterfall also on the property (separate sources and system). No other water rts are used.

Have conditions of permit approval been met? X yes ___ no

MICROFILMED
FEB 18 1999

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{2hp \times 8.8 \times .7}{20' + (50 \times 2.31)} = .09 \text{ cfs}$$

Lift based on well log

Hp and pressure per owner

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.5 \times 3 = 4.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .05 \times 184 \times 1.9835 = 18.2$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 4.5$$

2. Volume Calculations for Other Uses:

Internal domestic use: .6 afa

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Irrigation	4/15	10/15	.05	4.5
Domestic	1/1	12/31	.04 *	.6
Totals:			.09 *	5.1

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Lon Granger Date 11/23/98

Reviewer _____ Date _____

SEAL

* Adjustments made during review of this right for license approval.
See Memo for additional information. 12/31/98

MICROFILMED


FEB 18 1999

Meridian, Idaho.

B

a

A



J.

Pe

T17N

R2E


Sec. 1

SENE

MICROFILMED

SEP 17 1989

65-13644



T17N
R2E
Sec. 1
6SENE
6or 46

P/D
P/M

Y
E
V
A
L
L

IRRIGATION

MICROFILMED
3-20-74 1993

65-13644

Old Fort
(Ruins)

Mile 65

1160 C
FEET
T18 N
T17 N

5000
4966
4965
50
4944
4939
4930

4907
4963
4962
LAKE FORK (IDAH0 55) 2 MI

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 65-94-W-0381 OTHER APPLICABLE NO: 65-13644

2. OWNER: Don Sabala Phone: 634-7894
Address: lake Fork

3. WELL LOCATION: Twp 17N, Rge. 2E, Sec. 1, SE 1/4 NE 1/4
County Valley (Provide sketch map and photo on reverse.)

4. DRILLER: Menaico Lic. No. 391
When Drilled? 8/12/94

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No

Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____

Depth of Casing 50 ft. Method Drilled Air Rotary

Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____

Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☐ No

Condition of Piping and Valving good

Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 20 ft. Water Temperature 50 °F

Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)

Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic	☒ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

MICROFILMED
FEB 18 1995

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Contamination? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Ly
Signature of Dept. Representative & Title

9/15/97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MICROFILMED

SEP 18 1997

(Sign once if Firm Official & Operator)



- P/D
6" well
submersible
pump

P/u -
1



MICROFILMED

FEB 18 1979

15 9'87

65-13644



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 12, 1996

DONALD L SABALA
PO BOX 741
LAKE FORK ID 83635

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13644

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

If you have questions concerning the field examination, contact the **WESTERN** Regional Office in Boise, at (208)334-2190.

Sincerely,

A handwritten signature in cursive script, reading 'Julie L. Yarbrough', written in black ink.

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED

DEC 2 1996

September 30, 1996

DONALD L SABALA
1123 KIMBERLY LN
BOISE ID 83712

PROOF DUE NOTICE

RE: PERMIT NO. 65-13644

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
JAN 17 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 20, 1995

DONALD L SABALA
1123 KIMBERLY LN
BOISE ID 83712

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13644

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

Publisher's Affidavit of Publication

STATE OF IDAHO

.SS

County of Valley

I, Ramona A. French, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper, that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began October 19, 1995 and ended October 26, 1995.

Ramona A. French
Subscribed and sworn before me this the 26th day of October, 1995
STATE OF IDAHO

COUNTY OF VALLEY

On this 26th day of October, in the year of 1995, before me, a Notary Public, personally appeared Ramona A. French, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same

Tom Grote
Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires 1999

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13644

SABALA, DONALD L.

1123 KIMBERLY LN.

BOISE, ID 83712

Source: GROUNDWATER

Diversion Pt LOT 6 (NWSENE) Sec 1

T 17N R 02 E in VALLEY County

Use: IRRIGATION (0.060 CFS)

DOMESTIC (0.040 CFS)

Total Diversion (0.100 CFS)

Date Filed 10/6/1995

In: VALLEY County

T17N R02E S01 Lot 6(SENE)

2.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before NOVEMBER 6, 1995. The protestant must also send a copy of the protest to the

applicant.

Karl J. Dreher, Director 2/10/26

RECEIVED
NOV 06 1995
WATER RESOURCES
WESTERN REGION

DEC 01 1995

65-13644

SABALA, DONALD L
1123 KIMBERLY LN
BOISE, ID 83712

Source: GROUNDWATER

Diversion Pt: LOT 6 (NWSENE) Sec 1 T 17N R 02E in VALLEY County.

Use: IRRIGATION	(	0.060 CFS)
DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.100 CFS)

Date Filed: 10/ 6/1995

In: VALLEY County
T17N R02E S01 Lot 6(SENE)

2.0 ACRES TOTAL

10/01/1995