

Topographic map of Emmett, Idaho, showing the town, surrounding terrain, and various landmarks. The map includes contour lines, roads, and buildings. Handwritten annotations in blue ink include "TOWN ROW S16" on the left, "65" and "63" on the bottom left, and "65-13632" in the bottom center. A red stamp "DEC 12 1995" is visible in the bottom right. The map is labeled with "Emmett", "Valley", "Canal", "Fairground", "Trailer Park", "Athletic Fields", "Drive in Theater", "Freezeout Hill", "Corral", "Gulch", and "Jackass". The map also shows various elevation points and grid lines.

65
63

65-13632

RECEIVED

OCT 02 1995

WATER RESOURCES
WESTERN REGION

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
 ss.
 COUNTY OF GEM,

Ginger Johnson, being first
 duly sworn, on her oath deposes and
 says that she is the clerk of the Mes-
 senger Index, a legal weekly news-
 paper published at Emmett, in Gem
 County, Idaho; that said newspaper
 is in general circulation in said
 county and has been published unin-
 terruptedly and continuously for
 more than 78 weeks prior to the
 first publication of the annexed
 document; and that the document
 notice, process, or advertisement
 hereunto annexed was published in
 the regular edition of Messenger
 Index for two

consecutive weekly issues thereof,
 beginning with the issue of
Sept 20, 1995,
 and ending with the issue of
Sept 27, 1995

Ginger Johnson
 Subscribed and sworn to me this

27th day of
September, 1995
Ginger Johnson

Notary Public
 Residing at Emmett, Idaho

MY COMMISSION EXPIRES
 JUNE 21st, 1997

My Commission Expires _____

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the
 State of Idaho:

65-13632 ✓st

CARPENTER, DONALD L.
 DAY, CHERYL
 2155 SUNDOWN
 EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: NWNW Sec. 16 T 06N R 01W in GEM County.

Use: DOMESTIC (0.040 CFS)

Total Diversion: (0.040 CFS)

Date Filed: 8/28/1995

In: GEM County

T06N R01W S16

NWNW

Permits will be subject to all prior water rights. Protests may be submitted based
 on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of
 this application must be filed with the Director, Dept. of Water Resources Western
 Region 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00
 on or before OCTOBER 9, 1995. The protestant must also send a copy of the
 protest to the applicant.

KARL J. DREHER, Director

Pub.: 9 - 20, 27, 1995

Legal Notice No. 2327
 Published in the Messenger Index

MICROFILMED

DEC 12 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13632

Priority: August 28, 1995

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that DONALD L CARPENTER
CHERYL DAY

2155 SUNDOWN

EMMETT ID 83617

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 28, 1995; and has submitted Proof of Beneficial Use on October 11, 1996. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 16, Township 06N, Range 01W
GEM County

PLACE OF USE: DOMESTIC

TWN RGE SEC

06N 01W 16

NWNW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Place of use is located within Lot 1, Blk. 2, Sunset Heights Subdivision.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of MAY 1997.

JUN 10 1997

Acting for KARL J. DREHER, Director

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

RECEIVED

OCT 11 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13632 Telephone No. (208) 365-4237
2. Name(s) of Permit Holder(s): Donald L. Carpenter Cheryl Ray Carpenter
3. Mailing Address: 2155 Sundown Emmett ID 83617
4. Source of Water: well If **GROUNDWATER** (well), Date Drilled: mo. 8/23 / yr. 95
- a. Well Driller: American Well Drilling Drilling Permit Number: 65-92-W-0270-000
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>✓</u>
	Has the measuring device been installed?	Yes _____ or No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No <u>✓</u>
	Has the measurement port been installed?	Yes _____ or No <u>✓</u>

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Donald L. Carpenter Telephone Number: (208) 365-4237

Address: 2155 Sundown Emmett ID 83617

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: _____

(include your title, if on behalf of company or organization)

Date: 10/9/96

RECEIVED

OCT 02 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13632

Proposed Priority: August 28, 1995

Maximum Diversion Rate:

0.04 CFS

This is to certify, that DONALD L CARPENTER
CHERYL DAY
2155 SUNDOWN
EMMETT ID 83617

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 16, Township 06N, Range 01W
GEM County

PLACE OF USE: DOMESTIC

TWN RGE SEC

06N 01W 16

NWNW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1996.
2. Subject to all prior water rights.
3. Place of use is located within Lot 1, Blk. 2, Sunset Heights Subdivision.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

14th day of November, 1995

Karl J. Dreher

for
Karl J. Dreher, Director

MICROFILMED

DEC 12 1995

RECEIVED

AUG 28 1995

RECEIVED

NOV 7 1995

Ident. No. 65-13632

Department of Water Resources

RECEIVED

AUG 29 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WATER RESOURCES
WESTERN REGION

OCT 20 1995

APPLICATION FOR PERMIT

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name: DONALD L CARPENTER

208-365-7000

Address: 2155 SUNDOWN
EMMETT ID 83617

OR

Name: CHERYL DAY

208-365-7000

Address: 2155 SUNDOWN
EMMETT ID 83617

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

NWNW Sec. 16, Township 06N, Range 01W
FREMONT County
Gem

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:

0.040 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

WELL WITH PUMP TO HOUSE AND YARD.

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 55 feet.

d. Is groundwater with a temperature greater than 85F being sought? NO

e. If well is already drilled, when? 8/23/95

Drilling Firm AMERICAN WELL DRILLING

Well was drilled for DRILLED UNDER 65-92-W-0270-000

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

* data base up dated 9/1/95. AT

DEC 12 1995

RECEIVED

AUG 28 1995

Department of Water Resources

Ident. No.

65-13632

Page

2

8. Place of Use: DOMESTIC

TWN RGE SEC

06N 01W 16

NWNW

9. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Place of use is located within Lot 1, Blk. 2, Sunset Heights
Subdivision.

Domestic use is for 1 home.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

David K. Knappe
Applicant

Received by CZ Date 8/28/95 Time 4:00 PM Preliminary check by ly


Fee \$ 50.00 Received by CZ #C033464 Date 8/28/1995

Publication prepared by AT Date 9-11-95 Published in Messenger Index

Publication approved AT Date 10-10-95

RECEIVED
AUG 28 1995

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DONALD L CARPENTER
CHERYL DAY
2155 SUNDOWN
EMMETT ID 83617

RE: WATER RIGHT NO. 65-13632

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 6-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

14 CRO-1M2
JUN 10 1977

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of May, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13632

DONALD L CARPENTER
CHERYL DAY
2155 SUNDOWN
EMMETT ID 83617


Kari Lynn Townsend
Secretary

MIC

JUN 19 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13632

DATE 5/20/97

REVIEWER: SHARLA

NAME Change OK

Address Change NO

SOURCE Change OK

Is change clarification of originally intended source? NO

POINT OF DIV Change OK

If not, prepare Notice of Intent to Void NO
Amendment required NO

PLACE OF USE Change OK

Amendment required NO

Does map agree with written description? NO MAP ATTACHED
yes no

OVERLAPS NO P/D NO P/U

RATE OF DIV

Permitted Rate .04 cfs

Fee limit .04 cfs NO FEE REQD

Measured NO cfs

Theoretical NO cfs

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/
NATURE OF USES NO

Use Dom

Volume Calculation

1.2 af

NO af

NO af

NO af

SUBTOTAL 1.2 af

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af

Total volume recommended 1.2 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

Plu aka Lot 1, Blk 2
Spring Heights Subd
DII home

CONDITIONS NO Watermaster Control WD# NO

NO GW Measurement/Measuring Device

NO Overlap

NO Use-specific conditions

Advancement of Priority Date Required NO yes NO no

SRBA Claim Filed N/A
Adjustment Memo NO

1st Amend Letter N/A
2nd Amend Letter NO

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 20 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13632

1. Owner: DONALD L CARPENTER OR CHERYL DAY Phone No. 208/365-7000

Current Address: 2155 SUNDOWN, EMMETT, ID 83617

2. Accompanied by: N/A EXAM DATE: 4/10/97

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: BLACK CANYON IRRIGATION

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	16	6N	1W	GEM	WELL LOG 65-95-W-0270-000

2. Place(s) of Use:

Indicate Method of Determination COUNTY ASSESSOR

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6N	1W	16						D											

MICROFILMED
JUN 10 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

Scale: 1" = _____

N/A Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for Irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4. NOT APPLICABLE

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. NONE

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

M.C. 511-111

JUN 10 1961

E. NARRATIVE/REMARKS/COMMENTS

DRILLING PERMIT/Well Log ON 65-95-W-0270-000 IDENTIFIES AN
6" BY 55' DEEP WELL DRILLED 9/12-9/18/95 BY AMERICAN WELL DRILLING
& PUMP.

MARIAN AT GEM COUNTY ASSESSOR'S OFFICE CONFIRM A HOME
EXISTS AT 2155 SUNDOWN AKA LT 1, BK 2, SUNSET HEIGHTS
SUBDIVISION. IN EMMETT, LOCATED WITHIN NWNW, S1/4, T06N, R01W.

Have conditions of permit approval been met?

yes ^{no}
RECEIVED
JUN 10 1997

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Allow Permitted 0.04 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

DOMESTIC, 1 HOME = 1.2 AF

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	0.04	1.2
Totals:			0.04	1.2

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Cindy Zimmerman Date 4/10/97

Reviewer _____ Date _____

MICROFILMED
JUN 10 1997

SEAL

Permit No. 05-5632 Reviewed by [Signature] Date 1-5-96

Proof Made 10 11-76

November 12, 1996

DONALD L CARPENTER
CHERYL DAY
2155 SUNDOWN
EMMETT ID 83617

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13632

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED
DEC 02 1996

August 31, 1996

DONALD L CARPENTER
CHERYL DAY
2155 SUNDOWN
EMMETT ID 83617

PROOF DUE NOTICE

RE: PERMIT NO. 65-13632

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
DEC 02 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 14, 1995

DONALD L. CARPENTER
CHERYL DAY
2155 SUNDOWN
EMMETT ID 83617

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13632

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED
DEC 12 1995

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 65-12632 Name: Carpenter Date: 11/9/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: 6033464 Priority: 8/28/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. 65-92-W-0210-000, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
~~In-WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R + L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner

OTHER CONDITIONS:

STANDARD REMARKS:

① PU=LT1, BK2, Sunset HQ Subd.
② woi/1

BENEFICIAL USE DUE:

COMMENTS:

11-1-1996

RECEIVED
OCT 20 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

Department of Water Resources

DATE: 9/8/95

APPLICATION: 65-13632

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Fee:
- ☒ Yes ☐ No* In form to receipt:

Gov't. Lots:

☒ P/D

☒ P/U

RECEIVED
NOV 7 1995

Department of Water Resources

ADDITIONAL INFORMATION

YES NO

- ☒ ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
- ☒ ☒ Overlapping point of diversion:
- ☒ ☒ Field check required: Field check by: _____
- ☒ ☒ Field report attached:
- ☒ ☒ Critical groundwater area:
- ☒ ☒ Groundwater management area:
- ☒ ☒ 1992 moratorium:
- ☒ ☒ Copy to SCA staff: (perennial stream, non-pump diversion)
- ☒ ☒ Copy to Dam Safety staff: (for any storage)
- ☒ ☒ Basin 63 mitigation plan: (where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge)
- ☒ ☒ Send power requirement letter:
- ☒ ☒ Send fish farm requirement letter:
- ☒ ☒ Power residency affidavit:
- ☒ ☒ Power efficiency form:
- ☒ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

PROCESSING

APPLICATION NO

65-13632

YES NO

☒ ☒
☒ ☐
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. District Health

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES/ NO

☒ ☐
☒ ☐
☐ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest 10-9-95

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dnr

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

(Well is drilled)

See below for additional information

Recommended Date or Priority 8/28/95

Recommended by: Dnr

Date 11/7/95

STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION

RECEIVED

OCT 02 1995

WATER RESOURCES
WESTERN REGION

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
 ss.
COUNTY OF GEM,

Ginger Johnson, being first
duly sworn, on her oath deposes and
says that she is the clerk of the Mes-
senger Index, a legal weekly news-
paper published at Emmett, in Gem
County, Idaho; that said newspaper
is in general circulation in said
county and has been published unin-
terruptedly and continuously for
more than 78 weeks prior to the
first publication of the annexed
document; and that the document
notice, process, or advertisement
hereunto annexed was published in
the regular edition of Messenger
Index for two

consecutive weekly issues thereof,
beginning with the issue of
Sept 20, 1995,
and ending with the issue of
Sept 27, 1995

Ginger Johnson
Subscribed and sworn to me this

27th day of
September, 1995
Ginger Johnson

Notary Public

Residing at Emmett, Idaho

MY COMMISSION EXPIRES
JUNE 21st, 1997

My Commission Expires _____

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public water
State of Idaho: 95-18672 ✓

CARPENTER, DONALD L.
DAY, CHERYL
2155 SUNDOWN
EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: NWNW Sec. 16 T 06N R 01W in GEM County

Use: DOMESTIC (0.040 CFS)

Total Diversion: (0.040 CFS)

Date Filed: 8/28/1995

In: GEM County

T06N R01W S16

Permits will be subject to all prior water rights. Protests may be submitted based
on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of
this application must be filed with the Director, Dept. of Water Resources, Western
Region 2735 Airport Way, Boise, Idaho 83705 together with the protest fee of \$100
on or before OCTOBER 9, 1995. The protestant must also send a copy of the
protest to the applicant.

Pub.: 9 - 20, 27, 1995

Legal Notice No. 2
Published in the Messenger Index

DEC 12 1995

CARPENTER, DONALD L
DAY, CHERYL
2155 SUNDOWN
EMMETT, ID 83617

Source: GROUNDWATER

Diversion Pt: NWNW Sec 16 T 06N R 01W in GEM County.

```

Use: DOMESTIC      (      0.040 CFS)
      Total Diversion: (      0.040 CFS)

```

Date Filed: 8/28/1995

In: GEM County
T06N R01W S16 NWNW

RECEIVED

DEC 12 1995