

7N-4W; Sec 16



P/O
P/O

22

Gulch

29

Well
2461

BM
2497

28

BM
2550


27

Langley

Application
#6513622
Wining

RECEIVED
SEP 15 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	2	Model 2H9521-1875	Jacuzzi	Model 5460-6

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Closed pipe system; operates at 30 psi.

MICROFILMED

MAY 18 1998



New Plymouth

T7N
R4W
Sec. 16

SENW
No Government Lots

P10
Well

P14

MICROFILMED
65-13622
MAY 18 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

Although the water permit includes
Domestic use, this well is not connected
to the house water system at this time.

Don Tomich Water Rights Examiner
Signature of Dept. Representative & Title


10-21-97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

1 of 1



P/D

Well,
Pressure Gauge,
etc.

P/u

irrigated
pasture



P/u

irrigated
Pasture.

Note

~~Well~~

Well

Location at
Bucket 

View

Looking

North

MICROFILMED

MAY 18 1995-13622

HORSESHOE BEND HYDROELECTRIC

DEWATERING WELL
UPGRADE

5/14/96

SCALE: 1" = 2'

RECEIVED
MAY 15 1996
WATER RESOURCES
WESTERN REGION


Rec'd again
5/21/96

RECEIVED

JUN 10 1996

Department of Water Resources

22-141 50 SHEETS
22-142 100 SHEETS
22-144 200 SHEETS



* DKP

- NOTES: 1) 8" CAP TO BE WATER TIGHT AND 1' ABOVE GRAVEL
- 2) CONCRETE RISER TO BE GRAVEL FILLED AND BE PROVIDED WITH DRAIN OPENINGS

FILED
JUN 12 1997

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

ss.

Notice of Application for Water Right
TITLE OF PUBLICATION

SPONSOR OF PLAINTIFF

Dept. of Water Resources
PLAINTIFF OR LEGAL AGENT

I, Viola Olsen, being
duly sworn, deposes and says:

That *he* is the *principal clerk* of

THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at Payette, in the County of Payette and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Payette; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for *two* consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with *July 5*, 19*95*, and ending with the issue of *July 12*, 19*95*.
STATE OF IDAHO
COUNTY OF

On this *13th* day of *July* in the year of 19*95*, before me, a Notary Public, personally appeared *Viola Olsen*, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Maureen J. Richert
Notary Public for Idaho

Residing at *Trutland*

My commission expires: *12-1-98*

STATEMENT

Independent-Enterprise

PAYETTE, IDAHO

Number of Lines *53*
Number of Insertions *two*
53 Lines @ *90* ... \$ *47.70*
53 Lines @ *72* ... \$ *38.16*
TOTAL COST
WILL BE \$ *85.86*

Copy of Notice

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13622

WININGER, TENNIE
WININGER, KEVIN
5398 ADAMS RD
NEW PLYMOUTH, ID 83655

Source: GROUNDWATER

Diversion Pt: SENW Sec 16 T 07N R 04W in
PAYETTE County.

Use: IRRIGATION (0.060 CFS)
STOCKWATER (0.020 CFS)
DOMESTIC (0.020 CFS)
Total Diversion: (0.100 CFS)

Date Filed: 6/16/1995

In PAYETTE County
T07N R04W S16 SENW
3.0 ACRES TOTAL

65-13623

REED, RAY D
REED, RAY R
10883 N IOWA AVE
PAYETTE, ID 83661

Source: GROUNDWATER

Diversion Pt: LOT 1 (SENENE) Sec 22 T 09N R
05W in PAYETTE County.

Use: IRRIGATION (0.400 CFS)
STOCKWATER (0.020 CFS)
DOMESTIC (0.040 CFS)
Total Diversion: (0.460 CFS)

Date Filed: 6/16/1995

In PAYETTE County
T09N R05W S22 Lot 1(NENE)
20.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JULY 24, 1995. The protestant must also send a copy of the protest to the applicant.

No. 195

July 5, 12

JUL 17 1995

WATER RESOURCES
WESTERN REGION

RECEIVED
SEP 15 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13622

Priority: June 16, 1995

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

9.2 AF

This is to certify, that TENNIE WININGER
KEVIN WININGER

5398 ADAMS RD

NEW PLYMOUTH ID 83655

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 16, 1995; and has submitted Proof of Beneficial Use on August 25, 1997. An examination indicates that the works have a diversion capacity of 0.120 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.06 CFS	9.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
	Totals	0.08 CFS	9.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 16, Township 07N, Range 04W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	04W	16	SENE	2		2

Total number of acres irrigated: 2

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED


MAY 18 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13622

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of FEBRUARY, 1978.


Acting for KARL J. DREHER, Director

MICROFILMED

MAY 18 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG 25 1997

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13622 Telephone No. 208-278-3065
2. Name(s) of Permit Holder(s): Tennie Winingers & Kevin Winingers
3. Mailing Address: 5398 Adams Rd. New Plymouth ID 83655
4. Source of Water: Well If **GROUNDWATER** (well), Date Drilled: mo. 11 yr. 95
- a. Well Driller: Riverside Inc. Drilling Permit Number: 65-95-W0307-000
- b. OPTIONAL:
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): small amount musc. farm animals
Irrigation (No. of acres): 3 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.10 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | |
|-------------------------------|--|---|
| Measuring Device: | Is a measuring device required? | Yes _____ or No ☒ |
| | Has the measuring device been installed? | Yes _____ or No ☒ |
| Flow Measurement Port: | Is a flow measurement port required? | Yes _____ or No ☒ |
| | Has the measurement port been installed? | Yes _____ or No ☒ |
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Tennie or Kevin Winingers Telephone Number: 208-278-3065
Address: 5398 Adams Rd. New Plymouth ID 83655
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.
- Signature of permit holder: Tennie Winingers Date: 8/21/97
(include your title, if on behalf of company or organization)

SEP 12 1997

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13622

Proposed Priority: June 16, 1995

Maximum Diversion Rate:

0.10 CFS

This is to certify, that **TENNIE WININGER**
KEVIN WININGER
5398 ADAMS RD
NEW PLYMOUTH ID 83655

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
	Totals	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 16, Township 07N, Range 04W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07N	04W	16	SENW	3.0		3.0

Total number of acres irrigated: 3.0

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1997.**
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Two points of diversion are located within SENW, S16, T07N, R04W.
6. Stockwater is for a small amount of miscellaneous farm animals.
7. Domestic use is for 1 home.
8. Domestic use does not include lawn, garden, landscape, other types of irrigation.

SEP 15 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13622

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

31st day of August, 1995.

Karl J. Dreher

Karl J. Dreher, Director

for

SEP 5 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: TENNIE WININGER 208-278-3065
 Address: 5398 ADAMS RD
 NEW PLYMOUTH ID 83655
 OR
 Name: KEVIN WININGER 208-278-3065
 Address: 5398 ADAMS RD
 NEW PLYMOUTH ID 83655

2. Source: GROUNDWATER Trib. to:
 3. Location of Point of Diversion: SENW Sec. 16, Township 07N, Range 04W
 PAYETTE County

4. Water will be used for the following purposes:

Purpose	* From	To	CFS	(or)	AF
IRRIGATION	~~04/15~~	10/15	0.060		
STOCKWATER	01/01	12/31	0.020		
DOMESTIC	01/01	12/31	0.020		

5. Total quantity to be appropriated is:
 0.100 CFS (and/or) AF

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc.
 DRILLED WELL WITH SPRINKLER SYSTEM
 b. Height of storage dam feet; active reservoir capacity
 acre-feet; total reservoir capacity acre-feet; period of
 year when water will be diverted to storage: to inclusive.
 c. Proposed well diameter is 6 inches; proposed depth of well is 100
 feet.
 d. Is groundwater with a temperature greater than 85F being sought? NO
 e. If well is already drilled, when?
 Drilling Firm
 Well was drilled for

7. Time required for the completion of the works and application of
 the water to the proposed beneficial use is 2 year(s).

NOT RECORDED
SEP 15 1995

* Per IDWR records. by 6/23/95

8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
07N 04W 16	SENW 03			3

Total number of acres irrigated: 3

Place of Use: STOCKWATER, same as IRRIGATION use

Place of Use: DOMESTIC, same as IRRIGATION use

9. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

Domestic use in for 1 home

10. Remarks: 2 points of diversion located in LEGAL

Stockwater use in for mixed lambs, farm animals.

11. Map of proposed point of diversion and place of use attached? ☒ [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dennis M. Wininger
Applicant

Received by JFW Date 6/14/95 Time _____ Preliminary check by ly

Fee \$ 50⁰⁰ Receipted by JFW # W019381 Date 6/14/95

Publication prepared by AT Date 6-28-95 Published in End-Ent.

Publication approved AT Date 7-26-95

- 2 Points of Diversion

1- Existing domestic well - depth and date of construction unknown, (1 home)
1- New well.

- Acreage has Black Canyon Irrigation Dist Shares, but it is no longer physically accessible.

SEP 15 1995

#65-13622 Application

This parcel is a portion of the SE1/4NW1/4 of Section 16, Township 7 North, Range 4 West of the Boise Meridian and is more particularly described as follows:

BEGINNING at the Northwest corner of the said SE1/4NW1/4;
Thence South 88 degrees 38' 00" East along the North boundary the said SE1/4NW1/4, a distance of 386.14 feet;
Thence South 36 degrees 31' 12" West, a distance of 407.52 feet;
Thence North 86 degrees 43' 42" West a distance of 144.63 feet to point on the West boundary of the said SE1/4NW1/4;
Thence North 0 degrees 09' 15" East along the said West boundary, a distance of 328.46 feet to the POINT OF BEGINNING.


We are looking forward to working with you. Thank you.

Sincerely,

Kevin and Tennie Winingar

2735 Airport Rd Across from West One
Vista Exit

WATER + Drilling



7N-4W; Sec 16

22

Langley

27

Langley

6513622

Winkler

SEP 15 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 2, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TENNIE WININGER
KEVIN WININGER
5398 ADAMS RD
NEW PLYMOUTH ID 83655

RE: WATER RIGHT NO. 65-13622

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

MAY 18 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

MAY 18 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 2nd day of March, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13622

TENNIE WININGER
KEVIN WININGER
5398 ADAMS RD
NEW PLYMOUTH ID 83655


Kari Lynn Townsend
Secretary

MICROFILMED

MAY 18 1998

B/U FIELD EXAM REVIEW

by Cindy Lou

Permit #: 65-13622 Name: Winger Date: 2/26/98 ✓ Lots ✓

NAME	Chng	<u>Same</u>	Or Address Change?	
SOURCE		✓	Clarify source	
			Prelim. Order to Void - Source change.	
P/D		✓	Amendment Needed? <u>Adm't 1/4?</u> <u>Legal</u> <u>PD</u> <u>reduce to single</u>	P39
			Same 1/4? <u>W32</u>	P36
			Overlap(s) <u>none</u>	
P/U		✓	Amendment Needed? <u>Reduce to 2 ac.</u>	P41
			Overlap(s) <u>none (w/in BK Camp - in Dist but no delivery system)</u>	
			(Gov't use special 1/4s)	*P/D & P/U Amend? P37
RATE		✓	Permit/proof fee limits <u>0.10</u> <u>1</u> <u>0.20</u> <u>\$50</u>	
		✓	Measured Quantity = <u>none</u> cfs Theoretical Quantity = <u>0.12</u> cfs	
			<u>(2.0 ac x 0.03 cfs/acre = 0.06 cfs) + (stock = 0.02) = 0.08</u>	
			(HP) <u>8.8 x 0.70 x 2</u> <u>37' + (2.31 x 30)</u> = <u>0.12</u> cfs *static level = <u>27'</u> <u>+ 10'</u>	
		✓	Recommended capacity <u>0.12</u> cfs dynamic pressure <u>37</u>	
		✓	Recommended rate <u>0.08</u> cfs	
VOLUME		✓	Season: (irr: <u>D 1 4.5</u>) <u>3/15 - 11/15</u> = <u>246</u> days	
			Calculations: <u>(irr = 2.0 ac x 4.5 AF/acre = 9.0 AF) + (stock = 0.2) = 9.2</u>	
			Flow limit: <u>0.06</u> cfs x <u>246</u> days/yr. x <u>1.9835</u> = <u>29.3</u> AF	
		✓	Recommended volume <u>9.2</u> AF	
USES		✓	Same Nature of Use? <u>no dom use</u>	P46
			Amendment Needed?	
REMARKS			Multiple p/d's in same 1/4? Use W32	
CONDITIONS			Measuring Device (R43) or Lockable Controlling Works (R02)	
			Watermaster Control (R04) - WD #	
			<u>R69</u> Irrigation rate/annual volume overlap	
			GW irrigation replaces surface water (050)	
			GW irrigation supplements surface water (065)	
			Water Quality	
			Other	
PRIORITY	App Rcd	<u>June 16/95</u>	Due	<u>9/1/97</u>
	Receipt#	<u>CO39957</u>	Fee OK?	<u>(Yes/No)</u>
	Order to Reinstate Needed?	<u>Yes/No/None</u>	Advanced to:	
	Priority	<u>6/16/95</u>	Examined	<u>10/21/97</u>
COMMENTS.	<u>reduce acres, delete dom use</u>			

USE	CFS	VOLUME
<u>irr</u>	<u>0.06</u>	<u>9.0</u>
<u>stock</u>	<u>0.02</u>	<u>0.2</u>
<u>/</u>	<u>/</u>	<u>/</u>
TOTAL	<u>0.08</u>	<u>9.2</u>

SRBA Overlap none
Adjustment Memo ✓
LICENSE
#1 AMEND. /P38
#2 AMEND: (R)P42/(C)P47

MEMORANDUM

DATE: February 26, 1998
TO: File No. 65-13622
FROM: Cindy Lou Zimmerman *CS*
SUBJECT: Review of Beneficial Use Field Report

The following adjustments¹ were made on the field report to reflect the department's standards on annual volume for the irrigation use developed under this permit:

F. Flow Calculations.

- a. Capacity.
$$\frac{8.8 \times 0.7 \times 2}{37' + (2.31 \times 30)} = \frac{12.32}{106.3} = \underline{0.12} \text{ cfs.}$$

*dynamic level = static level + 10' = 27' + 10' = 37'
- b. Irrigation.
 $F_{I.R.} = \text{acres} \times \text{cfs/acre} = 2.0 \times 0.03 = 0.06$
- c. Stockwater, 10 head = 0.02 cfs
- d. Maximum rate of diversion = b + c = 0.06 + 0.02 = 0.08 cfs.

G. Volume Calculations.

- a. Irrigation.
 $V_{I.R.} = \text{acres} \times \text{AF/acre} = 2.0 \times \underline{4.5} = \underline{9.0} \text{ AF.}$
 $V_{D.R.} = \text{rate} \times \text{days} \times 1.9835 = 0.06 \times 246 \times 1.9835 = 29.3 \text{ AF.}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{9.0}.$
- b. Stockwater = (head x gpd x dpy) ÷ 325,850
 $= (10 \times 12 \times 365) \div 325,850 = 43,800 \div 325,850 = 4.3 \approx 2.0 \text{ AF.}$
- C. Maximum annual volume = a + b = 9.0 + 0.2 = 9.2 AF.

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Irrigation	3/15-11/15	0.06 cfs	<u>9.0</u> AF
Stockwater	1/1-12/31	0.02 cfs	0.2 AF
	Totals:	0.08 cfs	<u>9.2</u> AF


Examiner: Dan Tomich
Examined: October 21, 1997

MICROFILMED
MAY 18 1998

¹ Adjustments are **bolded and underlined**

MAY 18 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	2	Model 2H9521-1875	Jacuzzi	Model 5460-6

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - Closed pipe system; operates at 30 psi.

MICROFILMED

AY 18 1998

E. NARRATIVE/REMARKS/COMMENTS

1. This land is in the service area for Black Canyon I.D., but there is no service ditch to the property. No surface water is used.
2. The well pumps water to a 3" Alum. hand line pipe system with 1/2" and 9/16" sprinklers. The lines are moved around to irrigate the pasture. There is a pressure gage and pressure relief valve in the pipe system at the well. The operating pressure is about 30 psi.
3. They drilled this well for irrigation and stockwater, and as a backup for their house well (Domestic). The house (domestic) well is located near the Southeast corner of the house. They decided not to connect ~~the~~ the well for this permit into their house water system. There is no domestic use for this permit.
4. Stockwater is for 10 cows/horses.
5. There is only one ^M point of diversion.
(condition 5).

Have conditions of permit approval been met? ☒ yes ☐ no (No domestic)

MICROFILMED

MAY 18 1998

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None: Theoretical Cal.:

$$Max. Q = \frac{(8.8)(214P)(70\%)}{*27' + (30PSI) \left(\frac{34'}{14.7PSI} \right)} = 0.13 \text{ cfs} > 0.10 \text{ cfs in permit}$$

3) No Domestic

1) Irrigation: $Q = (2.0 \text{ AC.}) (0.03 \frac{\text{cfs}}{\text{AC.}}) = 0.06$

2) Stockwater (10 head), Allow 0.02 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(2.0 \text{ AC.}) (3.5 \frac{\text{AFA}}{\text{AC.}})}{7.0} = 7.0 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.06) (246) (1.9835) = 29.3$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 7.0$$

2. Volume Calculations for Other Uses:

$$\text{Irrigated Acres} = \frac{[(150')(145') + (\frac{1}{2})(120' + 290')(310')]}{(66)(66)(10)} = 1.96 = 2.0 \text{ AC.}$$

1) Stockwater: Allow 0.2 AFA

2) No Domestic

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>03/15</u>	<u>11/15</u>	<u>0.06</u>	<u>7.0 *</u>
<u>Stockwater</u>	<u>01/01</u>	<u>12/31</u>	<u>0.02</u>	<u>0.2</u>
Totals:			<u>0.08</u>	<u>7.2 *</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

1) Irrigation is 2.0 AC,
Not 3.0 AC.

2) No Domestic use.

I. AUTHENTICATION


Field Examiner's Name Don Tomich Date 1-22-98 - 98

Reviewer _____ Date _____

* Adjustments made during review of this right for license approval
See Memo for additional information. 2/24/98 cz.

SEAL
MICROFILMED

MAY 18 1998



T7N
R4W
Sec. 16

SENW
No Government lots

MICROFILMED 65-13622
MAY 18 1998

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 65-95-W-0307-000 OTHER APPLICABLE NO: 65-13622
2. OWNER: Tennie & Kevin Winingar Phone: (208) 278-3065
Address: 5398 Adams Rd., New Plymouth, ID 83655
3. WELL LOCATION: Twp 7N, Rge. 4W, Sec. 16, SE 1/4 NW 1/4
County Payette (Provide sketch map and photo on reverse.)
4. DRILLER: Riverside Inc. Lic. No. 333
When Drilled? 11/22/95 to 11/24/95
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 59 ft. Method Drilled Air Rotary
Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 27 ft. Water Temperature 59 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED
MAY 18 1998

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS:

Although the water permit includes
Domestic use, this well is not connected
to the house water system at this time.

Jan Tomich Water Rights Examiner
Signature of Dept. Representative & Title

10-21-97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED




1 of 1

P/O

Well,
Pressure Gauge,
etc.

P/u
irrigated
pasture



P/u
irrigated
Pasture.

Note

~~Well~~

Well
Location at
Bucket 

View
Looking
North

2. MED

8 1938-13622



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 2, 1997

TENNIE AND KEVIN WININGER
5398 ADAMS RD
NEW PLYMOUTH ID 83655

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13622

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's WESTERN Regional Office in Boise at (208) 334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

C: IDWR - W. Region

MICRO-FILMED
SEP 12 1997

June 30, 1997

TENNIE WININGER
KEVIN WININGER
5398 ADAMS RD
NEW PLYMOUTH ID 83655

PROOF DUE NOTICE

RE: PERMIT NO. 65-13622

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1997. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MAILED
SEP 12 1997



State of Idaho
Department of Water Resources

RECEIVED

MAY 21 1996

WATER RESOURCES
WESTERN REGION

APPLICATION FOR
REPAIR (X) OR ABANDONMENT () OF A WELL

RECEIVED

JUN 10 1996

1. LEGAL CONTACT (Owner or Operator)

Date: 5/20/96

Department of Water Resources

Name: Horseshoe Bend Hydroelectric Co. Phone Number 345-7515

Mailing Address: P.O. Box 2797

City: Boise State ID Zip Code 83703

2. WELL LOCATION

Township 7N, Range 2E, Section 32, SW 1/4 NE 1/4

Gov't Lot No. _____ County Boise

Street Address of Well Site: HWY 52 2 1/2 Miles W. of Horseshoe Bend City Horseshoe Bend

Lot _____, Block _____, Subdivision Name _____

3. TYPE OF WELL

() DOMESTIC: Water used for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC:

[] Irrigation

[] Municipal

[] Industrial

[] Stock

[] Test

[X] Other Cooling water

(Over 1,000 head)

(Describe)

() INJECTION

() MONITORING

4. WELL SPECIFICATIONS

Previous Drilling Permit Number N.A.

Water Right Number 65-13622

Well Log on File? () Yes [X] No

Casing Size: 24" Material: Galvanized Culvert Temperature: Cold

Casing Height Above Ground: 1' in concrete riser

Flowing Artesian? () Yes [X] No

Static Water Level: 15' * (Measured) Well Depth: 60' (Measured)

Remarks: * Water level in this well follows the tailrace water level

5. **CONDITION OF WELL, REPAIRS REQUIRED**

Needs waterproof cap, pitless adaptor and
concrete riser. see attached sketch

6. **PROPOSED METHODS OF REPAIR OR ABANDONMENT**

(This Application must be approved prior to commencement of operations)

Dig out top of well and install cap and concrete
riser as shown on attached sketch

7. **NAME OF DRILLER OR INDIVIDUAL PERFORMING THE REPAIR OR ABANDONMENT**

Horseshoe Bend Hydroelectric Co.

8. **DATE OF PROPOSED REPAIR OR ABANDONMENT** June, 1996

9. **APPLICANT'S SIGNATURE**

Mark H Dawson

DATE:

5/20/96

Title

Manager of Operations

(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This application for repair/abandonment is

Approved

Date

5-29-96

This approval does not constitute an endorsement of the proper abandonment of this well, without an attached document prepared by an Idaho Licensed Water Well Driller, Professional Geologist or Engineer who witnessed the procedure. This approval is subject to the following conditions of approval. **READ CAREFULLY!**

CONDITIONS OF APPROVAL:

1. Pursuant to Section 42-238(4), Idaho Code. All repairs and/or abandonment must meet the requirements of the Department's Rules and Regulations for Well Construction Standards.
2. Abandonment or repair of this well may require the services of a well driller licensed in the State of Idaho.

[Signature]
Signature of Authorized Department Representative

[Signature]
Title

MICROFILMED
SEP 12 1997

HORSESHOE BEND HYDROELECTRIC

DEWATERING WELL
"UPGRADE"

5/17/96

RECEIVED

MAY 15 1996

WATER RESOURCES
WESTERN REGION


SCALE: 1" = 2'

Rec'd again
5/21/96

RECEIVED

JUN 10 1996

Department of Water Resources



* *DKP*
NOTES: 1) 8" CAP TO BE WATER TIGHT AND 1' ABOVE GRAVEL

2) CONCRETE RISER TO BE GRAVEL FILLED AND BE
PROVIDED WITH DRAIN OPENINGS

12 1997

65-96-W-0096-400



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 17, 1996

Mark H. Dawson
HBHC
P.O. Box 2797
Boise, ID 83701

RE: Repair of Dewatering Well associated with water right
application 65-13662

Dear Mr. Dawson:

I have received the information submitted by you to Mr. Schulte, regarding the upgrade/repair of the above referenced well. The purpose of this letter is to clarify HBHC's responsibility to maintain a well in a manner that will safeguard the groundwater.

Since the well was constructed for dewatering purposes as an exception to license and drilling permit requirements and by nature of use did not constitute a well by Rule, the Department will not seek a drilling permit at this time. However, I have enclosed an application for repair of a well in order to document the upgrade of this well to an adequate standard. The schematic diagram of the proposed repair appears to observe the intent of administrative rules intending to protect the groundwater of Idaho. Additionally, approval of this repair procedure will constitute a waiver of minimum standards for casing height above ground (12"), minimum seal depth and casing material since it appears that this waiver will not compromise the groundwater. The well owner is still responsible to maintain the well in a manner that will prevent waste and contamination of the groundwater. If, in the future, it is determined that this well is contributing to waste or contamination of the resource, further repair or abandonment may be required.

Please return the enclosed application for repair and the attached schematic (please note some minor modifications) to this office prior to completing the repair. If you have questions please feel free to contact me.

Sincerely,

Robert B. Whitney
Sr. Water Resource Agent
Well Construction Regulation

cc: Slifka, Tuthill, 65-13662

RECEIVED
SEP 12 1997

1. DRILLING PERMIT NO. 65-95-W-0307-000
Other IDWR No. 65-13622

2. OWNER:

Name Kevin & Tarnie Winger
Address 5318 Adams Rd.
City New Plymouth State Id. Zip 83655

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.


 Twp. 2 North ☒ or South ☐
 Rge. 4 East ☐ or West ☒
 Sec. 16 $\frac{1}{4}$ SE $\frac{1}{4}$ NW $\frac{1}{4}$
 Gov't Lot _____ County Payette
 Address of Well Site same as
above City _____
 (Give at least name of road & distance to road or landmark)

Lt. _____ Blk. _____ Sub Name _____

4. PROPOSED USE:

☒ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
Benonite	0	18	500lb	Overberg

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 59'
Was drive shoe seal tested? Y ☐ N ☐ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+1.5	59	280	Steel	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

☐ Screens Screen Type _____

From	To	Slot Size	Number	Parameter	Material

Casing

SFP 12 1997

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

27 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or
control devices: Sanitary well cap.

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
50		60	

Water Temp. 59° Bottom hole temp. 59°

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water

[illegible]

Completed Depth 59' (Measurable)
Date: Started 11/23/95 Completed 11/24/95

13. DRILLER'S CERTIFICATION

4 We certify that all minimum well construction standards were complied with at the time the ng was removed.

Firm Name Riverside Inc. Firm No. 333

Firm Official Jay D. Smith Date 11/30/95
and _____

Supervisor or Operator _____ Date _____

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 31, 1995

TENNIE WININGER
KEVIN WININGER
5398 ADAMS RD
NEW PLYMOUTH ID 83655

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13622

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

SEP 15 1995

Drilling Permit No. 65-95-W-0307-000
 Water Right Permit No. 65-13622
 Injection Permit No. _____

WELL DRILLER: PLEASE COMPLETE FOR VERBALS

IDWR Employee Issuing Verbal: _____

Verbal Issued Date: _____ Time: _____

RECEIVED

AUG 25 1995

State of Idaho
 Department of Water Resources

Department of Water Resources

APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)

1. Applicant (please print): Tennie + Kevin Winingar

2. Mailing Address: 5398 Adams Rd.

City & State New Plymouth Zip Code 83655 Telephone 278-3065

☒ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____

3. Proposed Well Location: Twp. 7N, Rge. 4W, Sec. 16, SE 1/4 NW 1/4

Gov't Lot No. _____ County Payette

Street Address of Well Site Same City _____

Give at least name of road + Distance to Road or Landmark

Lot, block and subdivision _____

4. Proposed Use of Well:

- ☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☒ Irrigation ☐ Municipal ☐ Industrial
☐ Stock ☐ Test ☐ Other _____
 (Over 1,000 Head) (Describe)

☐ INJECTION

☐ MONITORING: A well bore schematic and map is required for each blanket permit.
 No. of proposed wells: _____

5. Well Construction Information:

A. ☒ New well ☐ Modify

B. Proposed Casing Diameter 06 Proposed Maximum Depth 100 Est.

C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold Water Well) ☐ 85°F to 212°F (Low Temp. Geo. Well) ☐ 212°F or more (Geothermal Well)

6. Construction Start Date: 8-28-95

7. Anticipated Well Driller: Riverside Electric Motor & Pump Driller's Lic. No. 333

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature Tennie Winingar Date 8-23-95

Title _____

RECEIVED
 SEP 5 1995

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED

Date 8-23-95

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

8. Issuance of this permit is subject to conditions as identified on water rt. # 65-13622

MANAGER
WESTERN REGIONAL OFFICE

[Signature] For: DAVID R. TUTHILL JR.
Signature of Authorized Department Representative Title

Receipt No. W019791 Received by [Signature] Fee 200 — Date 8-23-95

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

SEP 15 1995
RECEIVED

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

SS.

Notice of Application for Water Right
TITLE OF PUBLICATION

SPONSOR OF PLAINTIFF

Dept. of Water Resources
PLAINTIFF OR LEGAL AGENT

I, Viola Olson

being duly sworn, deposes and says:

That *he* is the *principal clerk* of

THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at Payette, in the County of Payette and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Payette; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for *two* consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with *July 5*, 19*95*, and ending with the issue of *July 12*, 19*95*.

STATE OF IDAHO

COUNTY OF

On this *15th* day of *July* in the year of *1995*, before me, a Notary Public, personally appeared *Viola Olson* known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Michael J. Rhoades
Notary Public for Idaho

Residing at *Franklin*

My commission expires: *12-1-98*

STATEMENT

Independent-Enterprise

PAYETTE, IDAHO

Number of Lines *53*

Number of Insertions *two*

53 Lines @ *90*... *47.70*

53 Lines @ *72*... *38.16*

TOTAL COST
WILL BE *85.86*

Copy of Notice

The following notice was published in the appropriate the public waters of the State of Idaho:

WININGER, TENNIE
WININGER, KEVIN
3308 ADAMS RD
NEW PLYMOUTH, ID 83625

Source: GROUNDWATER

Direction Pt: SE 1/4 Sec 16, T. 2N, R. 6E, S. 2E

PAYETTE County

Use: IRRIGATION

STOCKWATER

DOMESTIC

Total Diversion: 0.100 cfs

Date Filed: 6/16/1995

In PAYETTE County

TOWN 20N S16

3.0 ACRES TOTAL

REEL 1000

REEL 1000

10895 N IOWA AVE

PAYETTE, ID 83661

Source: GROUNDWATER

Direction Pt: LOT 1

NEW PLYMOUTH, IDAHO

USE: IRRIGATION

STOCKWATER

DOMESTIC

Total Diversion: 0.100 cfs

Date Filed: 6/16/1995

In PAYETTE County

TOWN 20N S22 Lot 1 (NONE)

30.0 ACRES TOTAL

Permits will be subject to the

rights. Permits may be issued based on all

criteria of Sec. 42-2001, Idaho Code, and a

test against the approval of the application

must be filed with the Department of Water

Resources, Western Region, 2005 Airport

Boise, Idaho 83708 together with a permit

\$25.00 on or before JULY 24, 1995. The per

mit must also send a copy of the permit to

applicant.

No. 195

JUL 17 1995

WATER RESOURCES
WESTERN REGION

SEP 15 1995

No 195

65-13622

WININGER, TENNIE
WININGER, KEVIN
5398 ADAMS RD
NEW PLYMOUTH, ID 83655

Source: GROUNDWATER

Diversion Pt: SENW Sec 16 T 07N R 04W in PAYETTE County.

Use: IRRIGATION	(	0.060 CFS)
STOCKWATER	(	0.020 CFS)
DOMESTIC	(	0.020 CFS)
Total Diversion:	(	0.100 CFS)

Date Filed: 6/16/1995

In: PAYETTE County
T07N R04W S16 SENW

3.0 ACRES TOTAL

RECEIVED
SEP 15 1995