




8N 1E Sec 27 NENW


SCALE 1:24,000



e
le
aho coordinate
rid,

AST
LINE
NOT
EAST
K

21|22
28|27




APR 14 1995

589.57	015	589.57	014
560.18	016	560.18	013
560.18	017	560.18	012
560.18	018	560.18	011
560.18	019	560.18	010
560.18	020	560.18	009
560.18	021	560.18	008
560.18	022	560.18	007
560.18	023	560.18	006
560.18	024	560.18	005
560.18	025	560.18	004
560.18	026	560.18	003
560.18	027	560.18	002
560.18	028	560.18	001

→ N 10620 Old Rd

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	10		Sta-Rite	Model 2022029310


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS



1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - operating pressure was 40 psi on sprinklers.



552 553 20' SWEET 2 MI. (MONTGOMERY 1:62 500) 2771 IV 556 17'30"



CONTOUR INTERVAL 40 FEET
DATUM IS MEAN SEA LEVEL

65-13600

UTM GRID AND 1970 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

21|22
28|27

1317.15
1319.59
805.32
714.26
1319.58

Domestic Well
10620
Ola Road

004

003
T6

008

005

003
BROOKS

004
BROOKS

009
18084
1328.29

010
T5 145

011
T7

012
T8

Ola Road
T2

T2

017
T13

229

33

T4 144

145

002
CANAL

2 1
3 4

1320

65-13600

SEC.
006 60

589.57

015

589.57

EASE

014

516.73
T9

CREEK

P/a irrigated Land

P/d Well

1320.14

1296.21

1104

1320

60'

018

516.73

21 22
28 27

8 2.0
7 10.8
10 2.7

Plu
Irrigated
Pasture

10620
01a Rd.

01a Road

T132b

P/D
Well

65-13600

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: _____

Don Tomich Water Rights Examiner

Signature of Dept. Representative & Title

7-14-98

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



L of 2


P/D

Well

View

Looking

South




P/D

Well

3" Alum.
main line
to East.

Note hose
for Sprinkler
and pressure
gauge on
3" line.



65-13600

2 of 3



P/u

4" west
mainline
is across
fence.

Handlines
from
4" main-
line.

View
Looking
East.



P/u

4" mainline
in fence-
line,
and
handlines
in West
Area.

View
Looking
West

65-13600

65-13600

P/a
3" main line
and East
Area.
View
Looking
West



3 of 3
P/a
Typical
stand line
in West
Area.
View
Looking
North



**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

FEB 20 1998

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13600 Telephone No. 584-3723
2. Name(s) of Permit Holder(s): BOB + KATHY BOWEN
3. Mailing Address: 10620 OLA ROAD SWEET, ID 83670
4. Source of Water: GROUNDWATER If **GROUNDWATER** (well), Date Drilled: mo. 6 / yr. 95
 - a. Well Driller: PEVE COPE Drilling Permit Number: 659-SWD-184-100
 - b. **OPTIONAL:**
Pump Horsepower: 10 Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): CURRENTLY 22 GOATS
305 SHEEP, 2 STEERS
Irrigation (No. of acres): 10 +/- Other: 40 GAL/MIN SPRING 20+ GAL/MIN FALL
6. Total rate of diversion and/or volume for which proof is submitted: _____ cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u>?</u>	or	No <u>?</u>
	Has the measuring device been installed?	Yes _____	or	No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u>?</u>	or	No <u>?</u>
	Has the measurement port been installed?	Yes _____	or	No <u>✓</u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: BOB + KATHY BOWEN Telephone Number: 584-3723
Address: 10620 OLA ROAD SWEET, ID 83670
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Bob Bowen **MICROFILMED** Date: 2-9-98
(include your title, if on behalf of company or organization)
APR 18 1998

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13600

Proposed Priority: February 6, 1995 Maximum Diversion Rate: 0.40 CFS

This is to certify, that **KATHLEEN M BOWEN**
ROBERT B BOWEN
10620 OLA RD
SWEET ID 83670

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.40 CFS

LOCATION OF POINT(S) OF DIVERSION: NENW , Sec. 27, Township 08N, Range 01E
GEM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
08N	01E	27	NENW	20.0		20.0

Total number of acres irrigated: 20.0

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1998.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Construction of the well must comply with Idaho well construction standards.
7. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
8. Two points of diversion are located within NENW, S27, T08N, R01E.

APR 14 1995


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13600

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

30th day of March, 1995.



R. Keith Higginson, Director

for

RECEIVED
MAR 22 1995

Department of Water Resources

Ident. No. 65-13600

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ROBERT B BOWEN 208-584-3723
Address: 10620 OLA RD
SWEET ID 83670
OR
Name: KATHLEEN M BOWEN 208-584-3723
Address: 10620 OLA RD
SWEET ID 83670
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NENW Sec. 27, Township 08N, Range 01E
GEM County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/15	10/15	0.400		
	3/15	11/15	* per stds		
5. Total quantity to be appropriated is:
0.400 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
GRAVITY AND SPRINKLER IRRIGATION
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 200
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 year(s).

APR 14 1995

D-Base corrections made as noted 7/1/95 Cx4

8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
08N 01E 27	NENW 20			20

Total number of acres irrigated: 20

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

* 10. Remarks:

^{TWO} 2 points of diversion 10/1N NENW Sec 27, T08N R01E.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert Bowen
Applicant

Received by JFW Date 2/6/95 Time 3:00pm Preliminary check by CJH

Fee \$ 100.00 Receipted by JFW # W018572 Date 2/6/95


Publication prepared by st Date 2-8-95 Published in Messenger-Index

Publication approved st Date 3-6-95

(Added to comments)

- * Domestic (existing) well will be one P/D. 6" dia.
A new well will be drilled to complement the domestic well.


APR 14 1995

$$\begin{array}{r|l} 21 & 22 \\ \hline 28 & 27 \end{array}$$


[illegible]

→ N 10620 012 Rd

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	10		Sta-Rite	Model 2022029310

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - operating pressure was 40 psi on sprinklers.

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for irrigation of pasture from a single well. The owner also has a domestic well located near his house which irrigates the yard around the house. The irrigation well in this permit is not connected to the domestic well.
2. The irrigation well supplies water to a 4" buried mainline running to the west with 8 handline turnouts on it. Another 3" line on top the ground serves as a mainline to the ~~East~~ ^{East} with 4 handline turnouts. The west handline has 12 sprinklers, 1/8" nozzles, and the East handline has 2 sprinklers on them. In addition, there is a hose bib at the well, and another hose bib at the end of the east mainline. These hose bibs serve single sprinklers on the end of each hose.
3. The sprinkler head pressure was 40 psi.
4. The pasture is grazed by sheep, goats, and cows.
5. There is a pressure gauge located near the well in the 3" mainline to the east.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None - Theoretical Cal.

$$Q = \frac{(8.8)(10.4)(702)}{55' + (40 \text{ psi}) \left(\frac{34'}{14.7 \text{ psi}} \right)} = 0.42 \text{ cfs}$$

$$Q_{\text{allowed}} = (0.02 \frac{\text{cfs}}{\text{Ac.}})(13 \text{ Ac.}) = 0.26 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:


$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (13.0 \text{ Ac.}) \left(3.5 \frac{\text{AFA}}{\text{Ac.}} \right) = 45.5 \text{ AFA}$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.26)(246)(1.9835) = 126.9 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D,R} = 45.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

$$\text{Irrigated Ac.} = \frac{\left[\left(\frac{1}{2} \right) (617' + 470') \right] \left[\left(\frac{1}{2} \right) (1028' + 1017') \right] + (40)(65) + (30')(150')}{(66)(66)(10) \text{ ft}^2} \text{ Ac.}$$



H. RECOMMENDATIONS = 12.92 Ac.

1. Recommended Amounts = 13.0 Ac.

Note: The owners Tract is about 16.06 Ac. Total

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>03/15</u>	<u>11/15</u>	<u>0.26</u>	<u>45.5</u>
Totals:			<u>0.26</u>	<u>45.5</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

I. AUTHENTICATION

Field Examiner's Name Don Zaniel Date 11-25-98

Reviewer _____ Date _____

1) The irrigated Acres is 13.0 Ac.
 The entire owners tract is 16.06 Ac.
 2) For this permit, there is only one P.D. one well. The domestic well is a separate system for the yard.



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 65-95-W-0135-000 OTHER APPLICABLE NO: 65-13600
2. OWNER: Kathleen M. + Robert B. Bowen Phone: (208) 584-3723
Address: 10620 012 Rd, Sweet, ID 83670
3. WELL LOCATION: Twp 8N, Rge. 1E, Sec. 27, NE 1/4 NW 1/4
County Gem (Provide sketch map and photo on reverse.)
4. DRILLER: Pete Cope Drilling Co., Inc. Lic. No. 213
When Drilled? 6/12/95 to 6/18/95
5. WELL CONSTRUCTION:
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 280 ft. Method Drilled Air Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious constuction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 55 ft. Water Temperature 60/6 °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: _____

Don Tomich Water Rights Examiner
Signature of Dept. Representative & Title

7-14-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



L of 2


P/D

Well

View

Looking

South



P/D

Well

3" Alum.
main line
to East.

Note hose
for Sprinkler
and Pressure
gauge on
3" line.



65-13600

2 of 3



P/u

4" West
Mainline
is across
fence.

Hand lines
from
4" Main-
line.

View
Looking
East.



P/u

4" mainline
in fence-
line,
and
handlines
in West
Area.

View
Looking
West

65-13600

65-13600



P/u
3rd main line
and East
Ave.
View
Looking
West



3 of 3
P/u
Typical
Hand line
in West
Ave.
View
Looking
North

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13600 Reviewed by ty Date 3-12-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

Irr. stock
yes Correct Uses?

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?
no Copy in the file?
200- Amount paid for permit
yes Well log in the file?

Drilling Permit No. 65-95-W-2184-135-000
yes Correct?

LICENSE EXAMINATION FEE

yes Required?
50- Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 2-20-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 16, 1998

BOB AND KATHY BOWEN
10620 OLA RD
SWEET ID 83670

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13600

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

APR 16 1998

January 31, 1998

KATHLEEN M BOWEN
ROBERT B BOWEN
10620 OLA RD
SWEET ID 83670

PROOF DUE NOTICE

RE: PERMIT NO. 65-13600

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1998.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
APR 16 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 30, 1995

KATHLEEN M BOWEN
ROBERT B BOWEN
10620 OLA RD
SWEET ID 83670

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13600

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

APR 14 1995

SK:rl

Enclosures

WR0749NP
No. P65-13600

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 03/28/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	KATHLEEN M BOWEN	02/06/1995	IRRIGATION	03-15 11-15	0.400 CFS	
C	ROBERT B BOWEN					
	10620 OLA RD					
	SWEET ID 83670					
	(208) 584-3723					
				TOTAL DIVERSION:	0.400 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T08N R01E S27

NENW

GEM County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
08N	01E	27	:							20										:	20.0
																				TOTAL ACRES	20.0

Pou County: GEM

Other Water Rights with Same Point(s) of Diversion and Source:
65-13600

Other Water Rights Listing Overlapping Place(s) of use:
65-13600

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
- date of permit issuance and shall proceed diligently to
- completion unless it can be shown to the satisfaction of the
- Director of the Department of Water Resources that delays were
- due to circumstances over which permit holder had no control.
- 01M - After specific notification by the department, the right holder
- shall install a suitable measuring device or shall enter into an
- agreement with the department to determine the amount of water
- diverted from power records and shall annually report the
- information to the department.
- 046 - Right holder shall comply with the drilling permit
- requirements of Section 42-235, Idaho Code.
- 46B - Construction of the well must comply with Idaho well
- construction standards.
- 03A - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed 0.02
- cubic feet per second for each acre of land.

Remarks: Two points of diversion are located within NENW, S27, T08N, R01E.

Dates:	App. Received: 02/06/1995	Priority Date: 02/06/1995
	Proof Due Date: 04/01/1998	Proof Made Date:
	Exam Made Date:	Exam Sent to S.O.:

WR0749NP
No. P65-13600

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 03/28/95
PAGE: 2

Misc: Water District Number: Field Exam Fee:

Comments: Date: 02/07/1995 User-ID: CHODGES Subject: DIVERSION DESCRIPTION
Existing domestic well will serve as one P/D.
New 8" well to be drilled to complement the domestic well.
Gravity and sprinkler irrigation.

Audit: 03/28/95 CZIMMERM

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 65-13600 Name: Bowen Date: 3/28/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: W018572 Priority: 2/6/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Prehearing agreement) or W19(See Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - **P16**
+1 year - **26A-P17**

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
- 0.2 cfs - No MD
+ 5 a. (POU cmp) - 01M, 803(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink):

Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J-P08 or 01M
- 0.2 cfs - 01H-P01 or No MD
+ 5 a. irr. - 01M (POU cmp)
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
+ 5 a. irr. - 01M (POU cmp)

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R ↑ L Peak); 064(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr - 5 acres - 057 (0.03 cfs/A)
+ 5 acres - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - **B** <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU)

OTHER CONDITIONS:

~~STANDARD REMARKS:~~

0 032

BENEFICIAL USE DUE:

4-1-1998

COMMENTS:

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM		
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE				
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac			
6513600	T08N R01E S27	GROUNDWATER																																		
	:									20																									20	
6500125	SPRING	:																	02																:	2
A6500125	SPRING	:																	02																:	2
A6502379	SQUAW CREE	:																	12								08								:	81
6503043	SQUAW CREE	:																	12								08								:	81
A6503043	SQUAW CREE	:																	12								08								:	81
A6503044	SQUAW CREE	:																	12								08								:	81
6511402	COONS CREE	:																																	:	51
A6511402	COONS CREE	:																																	:	51
	C45Q-V 58	:																																	:	192

No overlaps.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
MAR 22 1995
Department of Water Resources

INITIAL REVIEW BY: CJH DATE: 4/7/95 APPLICATION: 65-13600

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ___ No* In form to receipt:

Gov't. Lots:
P/D
P/U

ADDITIONAL INFORMATION

YES NO

Overlapping place of use: (Describe source & relationship to present application on the back.)
Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
1992 moratorium:
Copy to SCA staff: (perennial stream, non-pump diversion)
Copy to Dam Safety staff: (for any storage)
Basin 63 mitigation plan: (where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge)
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

PROCESSING

APPLICATION NUMBER

105-13600

YES NO

☒ ☐ In form for advertising:
☒ ☐ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒ I.D. Health and Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish and Game
☐ ☒ I.D. Lands
☐ ☒ Adjudication Bureau

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Svc.
☐ ☒ Water Dist. # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☐ ☒ Publication dates and paper recorded on application:
☐ ☒ Protests received. Final date for protest 3-6-95
☐ ☒ Protest dates, resolution of protest recorded on application:
☐ ☒ Recommendations attached: Approve, DM
☐ ☒ Measuring device required:
☐ ☒ Measuring port required:
☐ ☒ Water delivered by water master? District # _____
☒ ☐ Special conditions of approval or cover letter: _____

46, 26A (Allow 2 yrs)

See below for additional information

Recommended Date or Priority 2/6/1995Recommended by: DM Date 3/20/1995

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
ss.
COUNTY OF GEM,

Ginger Johnson being first
duly sworn, on her oath deposes and
says that she is the clerk of the Mes-
senger Index, a legal weekly news-
paper published at Emmett, in Gem
County, Idaho; that said newspaper
is in general circulation in said
county and has been published unin-
terruptedly and continuously for
more than 78 weeks prior to the
first publication of the annexed
document; and that the document
notice, process, or advertisement
hereunto annexed was published in
the regular edition of Messenger
Index for two

consecutive weekly issues thereof,
beginning with the issue of
Feb 15, 1995,
and ending with the issue of
Feb 22, 1995

Ginger Johnson
Subscribed and sworn to me this

22nd day of
February, 1995
Jenne Smith

Notary Public

Residing at Emmett, Idaho

MY COMMISSION EXPIRES
JUNE 21st, 1997

My Commission Expires

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

65-13600
BOWEN, ROBERT B
BOWEN, KATHLEEN M
10620 OLA RD
SWEET, ID 83670
Source: GROUNDWATER
Diversion Pt: NENW Sec 27 T 08N
R 01E in GEM County.
Use: IRRIGATION (0.400 CFS)
Total Diversion: (0.400 CFS)
Date Filed: 2/6/1995
In: GEM County
T08N R01E S27 NENW
20.0 ACRES TOTAL

Permits will be subject to all
prior water rights. Protests may be
submitted based on the criteria of
Sec. 42-203A, Idaho Code. Any
protest against the approval of this
application must be filed with the
Director, Dept. of Water
Resources, Western Region, 2735
Airport Way, Boise, Idaho 83705
together with a protest fee of
\$25.00 on or before MARCH 6,
1995. The protestant must also
send a copy of the protest to the
applicant.

R. KEITH HIGGINSON
Director

Pub.: 2- 15, 22, 1995
Legal Notice No. 2137
Published in Messenger Index

RECEIVED

FEB 24 1995

WATER RESOURCES
WESTERN REGION

APR 14 1995

BOWEN, ROBERT B
BOWEN, KATHLEEN M
10620 OLA RD
SWEET, ID 83670

Source: GROUNDWATER

Diversion Pt: NENW Sec 27 T 08N R 01E in GEM County.

```
Use:  IRRIGATION      (      0.400 CFS)
      Total Diversion: (      0.400 CFS)
```

Date Filed: 2/ 6/1995

In: GEM County
T08N R01E S27 NENW

20.0 ACRES TOTAL

SECRET

APR 14 1995