



Source: VALLEY Co. Rural Address System,
Volume 1, Revised Ed.
March 1992

Scale 1" $\approx$ 500'





T18N
R3E
S.7

Well
locations
Shown from
Applicant's
subd. plat.

Common Map
for


- 65-13593
- 13594
- 13595
- 13596
- 13601

SEE Common
subd. plat for
P/W PER
Right.


To be filed
in -13593

SL 1/24/95
updated 2/16/95 per
Cable and Applicant's
RSW + info

MAR 30 1995



SKI RANCH SUBDIVISION
BOOK 3, PAGE 20 OF PLATS




Wall Site

Place of Use


65-13594

JACUZZI®

4" SandHandler - 18GPM Performance Curves




MICROFILMED
JUN 10 1997



18N 3E
SEC 7
(Gov Lts on
West side)

P/D = NENW

MICROFILMED
JUN 10 1997



SKI RANCH SUBDIVISION
BOOK 3, PAGE 20 OF PLATS

Well Site
- Flagpole



lt 5 +
P/D (right well)



lt 6 + 7

MICROFILMED
JUN 10 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13594

Priority: January 11, 1995

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

3.6 AF

This is to certify, that LONDON PALADDIUM LLC
502 N 3RD #151

MC CALL ID 83638

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 10, 1995; and has submitted Proof of Beneficial Use on April 2, 1996. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 7, Township 18N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

18N 03E 7

NWNE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Point of diversion is located within Lot 5, Ski Ranch Subdivision.
6. Place of use known as Lots 5-7, Ski Ranch Subdivision.
7. Domestic use is for 3 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 29TH day of MAY, 1997.

JUN 11 1997


Acting for KARL J. DREHER, Director

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 65-13594	)	
	)	
IN THE NAME OF LONDON PALADDIUM, L.L.C.	)	ORDER OF
_____	)	REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before April 1, 1996; and,

WHEREAS, the Department notified the permit holder on January 31, 1996, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the permit lapsed on April 2, 1996, since an acceptable proof of beneficial use or extension of time had not been received; and,

WHEREAS, Section 42-218a, Idaho Code, provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on April 2, 1996;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 65-13594 is **REINSTATED** with an advance in priority to January 11, 1995.

DATED this 4th day of April, 1996.



L. GLEN SAXTON
Chief, Water Allocation Bureau

APR 30 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE

APR 2 - 1996

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No 65-13594 Telephone No 208-634-8244

2. Name(s) of Permit Holder(s): LONDON PALLADIUM, L.L.C.

3. Mailing Address: 502 N 3rd #156, McCALL, ID 83638

4. Source of Water: GROUNDWATER If **GROUNDWATER** (well), Date Drilled: mo 12 / yr 94

a. Well Driller: WOOD RIVER Drilling Permit Number: 65 - 94 - w - 0558

b. **OPTIONAL:**

Pump Horsepower: _____ Pressure (psi) _____ Dynamic pumping level (ft). _____

5. Use(s) (as authorized by the water right permit)

Domestic (No. of households): 3 Stockwater (No. and type of stock). _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted .08 cfs OR _____ acre feet

7. Measuring Device Requirement. (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No x
Has the measuring device been installed? Yes _____ or No x

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No x
Has the measurement port been installed? Yes _____ or No x

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: EARL DAVIS Telephone Number: 208-634-8244

Address: 502 N 3rd #151, McCALL, ID 83638

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder [Signature] AGENT Date 3-15-96
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13594

Proposed Priority: January 10, 1995 Maximum Diversion Rate: 0.08 CFS

This is to certify, that **LONDON PALADDIUM LLC**
502 N 3RD NO 151
MC CALL ID 83638

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION:
NWNE , Sec. 7, Township 18N, Range 03E
NENW , Sec. 7, Township 18N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC


18N 03E 7 NWNE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1996**.
2. Subject to all prior water rights.
3. Point of diversion is located within Lot 5, Ski Ranch Subdivision.
4. Place of use is located within Lots 5-7, Ski Ranch Subdivision.
5. Single point of diversion located on or near line between NWNE and NENW, S07, T18N, R03E.
6. Domestic use is for 3 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

27th day of March, 1995


R. Keith Higginson, Director

for

APPROVED 1995

MAR 30 1995

RECEIVED
MAR 07 1995

Ident. No. 65-13594

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: LONDON PALADDIUM LLC
Address: 502 N 3RD NO 151
MCCALL ID 83638

208-634-8244

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

NENW Sec. 7, Township 18N, Range 03E
VALLEY County
NWNE J. 7 T 18N R 3E

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.080		

5. Total quantity to be appropriated is:

0.080 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

Well, Pump and Pipeline

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 200 feet.

d. Is groundwater with a temperature greater than 85F being sought? NO

e. If well is already drilled, when? 11/21/1994

Drilling Firm WOOD RIVER DRILLING

Well was drilled for LONDON PALADDIUM

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).

8. Place of Use: DOMESTIC

TWN RGE SEC
18N 03E 7

NWNE

RECEIVED
MAR 8 0 1995

* per Applicant's subd. plat, very close to old line.
Homas are shown more clearly in - d'asse updated - JL 1/24/95
one CCR.

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

* 10. Remarks:
Drilling Permit #65-94-W-0558.
President Roy Perry, 4833 Chinden Blvd., Garden City, ID.

11. Map of proposed point of diversion and place of use attached? [☒]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

see original
Applicant

Received by DB Date 1/10/95 Time 1:30 Preliminary check by SR

Fee \$ 50 Receipted by DB # W018497 Date 1/10/95

Publication prepared by AT Date 1-25-95 Published in Star News

Publication approved AT Date 2-22-95

* D.P. : Pres. info placed in Comments (see attached)

Remarks added per standards:
Single P/D on or near line between NW1/4 & NW1/4, 507, T18N, R03E.
Domestic use is for 3 homes.
Property also known as Lots 5-7, Ski Ranch Subdivision.

Rec't. # data entered.

-SR 1/24/95

7-30-95

SD-0420-2
MODIFY RECORD

Idaho Department of Water Resources
Modify Comment

Date: 01/24/95
Time: 13:06:33

Water Right Number: 65-13594

Comment Date: 1/24/1995 User ID: SLESTER

Subject: MISC. INFORMATION _____

See Appl. 65-13593 for Comments, maps, company information and
memo of explanation. _____

(Enter=Continue/Exit) (Gold2=Update) (Gold3=Delete) (Gold4=Prev) (Gold5=Next)

JAN 30 1995

65-13593

Comments: Date: 1/ 24/ 1995 User-ID: SLESTER

Subject:
MISC. INFORMATION

Roy Perry is London Paladdium LLC with address at 4833 Chinden Blvd., Garden City, ID.; no other officers etc.

See RBW's 1-18-95 memo (attached) about filings.

Topo prepared by IDWR staff and also added info to subd. plat per 4 similar applications for 4 wells & different homes: 65-13593 through 65-13596. Topo shows well locations; subd. plat shows well locations and P/U for each filing. These maps are filed with 13593 & can be used for other 3 applications.

Drilling Permits per Water Right Application as follows:

65-94-W-0547 for 65-13593 ...0558 for -13594

0559 FOR -13595 ...*0561 FOR 013596

65-95-W-0027 for -13601

65-95-W-0028

* 65-94-W-0561 is for D/I exempted well for well & home on Lot 1.

deleted
2/16/95
-jc

Comments: Date: 2/ 16/ 1995 User-ID: SLESTER

Subject:
NEWEST CLARIFICATION

Per RBW's conversations with applicant and at least 2 field trips to this troubled site, 2 applications in this package of 4 appls. were modified plus another filing was made.

65-13593 is reduced to 2 homes on Lots 11 & 12.

65-13601 is new appl. for well on Lot 9 for 3 homes on Lots 8-10;

these are the 3 homes deleted from -13593. There is no proposed

3 0 1995

connection between wells in -13593 & -13601.

65-13596 is reduced to 3 homes on newly designated Lots 13-15.


The well will be on Lot 13 (or maybe 14). Lot 1, original P/D for -13596, has been split. Now Lot 1 is just area north of Gunhil Rd that connects P. Bunyan Rd. to Hwy 55. Lot 1 will have its own D/1 exempted well; so -13596 will exclude Lot 1. RBW is preparing well drilling permit memo to bring everything up to date with respect to drilling fees etc. No additional drilling fees are needed for any of these water right applications.

No re-advertising is needed for reduced applications.

Note that C. Kennedy's protest of -13593 might be relieved by new appl. -13601 since will show no connection from well for Lots 11 & 12 (Kennedy owns 1 or both those lots) with Lots 8-10.

Source: Valt. Co. Rural Address System,
Volume 1, Revised Ed.
March 1992

Scale 1" $\approx$ 500'



* UPDATE SL
2/16/95

-13593 now just L. 11-12 (0/2)

-13596 " L. 13-15 (New Lot #s
for 0/3; L. 1 is reduced
to just N. of gunk? Rd. i
will be 0/1 exemption)

-13601 was L9 for L. 8-10 (0/3)

TO BE FILED IN


This map based on Applicant's subd. plat map.

Note that ⁵ 4 Apps. cover Ski Ranch Subd.,
Not Ski Ranch No. 2 Subd.

CAUTION Use subd. plat submitted by Applicant
as correct QQ locations. This Valt. Co.
Rural Add. map just serves to show Relative
Locations etc. instead of exact legal.

MAR 30 1995

- SL 1/24/95



T18N
R3E
S.7

Well
locations
Shown from
Applicant's
subd. plat.

Common Map
for

- 65-13593
- 13594
- 13595
- 13596
- 13601

See Common
subd. plat for
P/R PER
Right.

To be fixed
in -13593

1/24/95
2/16/95
updated RSW + Applicant's info

RECEIVED

JAN 10 1995

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

Ident No 65-13594

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- 1 Name of applicant Paladium
LONDON PALLADIUM, L.L.C. Phone 208-634-8244
Post office address 502 N 3rd #151, McCall, ID 83638
- 2 Source of water supply groundwater which is a tributary of n/a
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of $\frac{1}{4}$, Govt. Lot
Sec. 7 Township 18N Range 3E B.M. Valley County, additional
points of diversion if any
- 4 Water will be used for the following purposes:
- Amount .08 for Household purposes from 1-1-95 to 12-31-? (both dates inclusive)
(cfs or acre-feet per annum)
- Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
- Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
- Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) and/or (b)
cubic feet per second acre feet per annum
6. Proposed diverting works.
- a Description of ditches, flumes, pumps, headgates, etc.
- b Height of storage dam feet, active reservoir capacity acre-feet, total
reservoir capacity acre-feet, period of year when water will be diverted to storage.
 to inclusive
- c. Proposed well diameter is 6" inches; proposed depth of well is 200 feet.
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? 11-21-94, Drilling firm Wood River Drilling
Well was drilled for (well owner) LONDON PALLADIUM, L.L.C.
Paladium
- 7 Time required for the completion of the works and application of the water to be proposed beneficial use is:
1 years (minimum 1 year).

Original
30 1995

8 Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower, show total feet of head and proposed capacity in KW. _____
- b Stockwatering, list number and kind of livestock _____
- c Municipal, show name of municipality _____
- d Domestic, show number of households. 3
- e Other, describe fully _____

9 Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example D for Domestic) in the corresponding place of use below See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
18N	3E	7		D															

Total number of acres to be irrigated 0

10 Describe any other water rights used for the same purposes as described above n/a

11. a Who owns the property at the point of diversion? LONDON ^{Palladium} PALLADIUM, L.L.C.
- b Who owns the land to be irrigated or place of use? LONDON ^{Palladium} PALLADIUM, L.L.C.
- c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks Drilling Permit #65-94-W-0558
London Palladiums President is Roy Perry
4833 Chinden Blvd., Garden City, ID
208-377-2064 Office

[illegible]


(Applicant)

Received by DB Date 1-10-95 Time 1:30 PM Preliminary check by _____
Fee \$ 50- Receipted by DB # W018497 Date 1-10-95
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other.

RECEIVED
JAN 10 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LONDON PALADDIUM LLC
502 N 3RD #151
MC CALL ID 83638

RE: WATER RIGHT NO. 65-13594

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

JUN 11 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure


MICROFILMED
JUN 2 1977

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of May, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13594

LONDON PALADDIUM LLC
502 N 3RD #151
MC CALL ID 83638


Kari Lynn Townsend
Secretary

RECORDED

MAY 14 1997

MEMORANDUM

TO: Files 65-13594/13595/13596/13601

FROM: Sharla

DATE: May 29, 1997

RE: Place of Use Descriptions

The lots covered by these rights are located within the NWNE and NENW, S7. However, as explained by the examiner, the homes and their accompanying lawns are located within the NWNE. No amendments are thus required

One final adjustment for 65-13601 has been made to the point of diversion description. The examiner stated that it was on the line between the NENW and NWNE. The license will reflect the point of diversion in the NWNE, again not requiring amendment

MICROFILMED
JUN 10 1997

PERMIT NO. 65-13594 DATE 5/29/97 REVIEWER: SHARLA

OVERLAPS	P/D	P/U
1	1	1
2	1	1
3	1	1
4	1	1
5	1	1
6	1	1
7	1	1
8	1	1
9	1	1
10	1	1
11	1	1
12	1	1
13	1	1
14	1	1
15	1	1
16	1	1
17	1	1
18	1	1
19	1	1
20	1	1
21	1	1
22	1	1
23	1	1
24	1	1
25	1	1
26	1	1
27	1	1
28	1	1
29	1	1
30	1	1
31	1	1
32	1	1
33	1	1
34	1	1
35	1	1
36	1	1
37	1	1
38	1	1
39	1	1
40	1	1
41	1	1
42	1	1
43	1	1
44	1	1
45	1	1
46	1	1
47	1	1
48	1	1
49	1	1
50	1	1
51	1	1
52	1	1
53	1	1
54	1	1
55	1	1
56	1	1
57	1	1
58	1	1
59	1	1
60	1	1
61	1	1
62	1	1
63	1	1
64	1	1
65	1	1
66	1	1
67	1	1
68	1	1
69	1	1
70	1	1
71	1	1
72	1	1
73	1	1
74	1	1
75	1	1
76	1	1
77	1	1
78	1	1
79	1	1
80	1	1
81	1	1
82	1	1
83	1	1
84	1	1
85	1	1
86	1	1
87	1	1
88	1	1
89	1	1
90	1	1
91	1	1
92	1	1
93	1	1
94	1	1
95	1	1
96	1	1
97	1	1
98	1	1
99	1	1
100	1	1

ANNUAL VOLUME/ NATURE OF USES	Use	Volume Calculation
	Dom	3 x 12 = 36 af
		af
		af
		af
	SUBTOTAL	36 af

Flow rate 04 cfs X 365 days X 1.9846 = 29.0 af
Total volume recommended 36 af
(SUBTOTAL or Flow Rate, whichever is less)

3 homes
Lots 5-7, Ski Ranch Subd
PD = Lot 5.

SRBA Claim Filed N/A 1st Amend Letter N/A
Adjustment Memo ~~File~~ * logic 2nd Amend Letter N/A

NOV 2 5 14 1961

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department .

A. GENERAL INFORMATION

Permit No. 65-13594

1. Owner: London Palladium LLC Phone No. 634-8244

Current Address: 502 N 3rd H 151 McCall 83638

2. Accompanied by: _____ EXAM DATE: 7/17/96

Address: _____ **Phone No.** _____

Relationship to Permit Holder:

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1 Other water rights with the same place of use: 65-13601, -13593, -03329, -03330, -13595, -13596

2. Other water rights with the same point of diversion: 65-06998, -08615, -08616, -09589, -13595

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

MACROFILMED

JUN 10 1997

see photo +
survey map enclosed

 Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Jacuzzi	3/4	Submersible		
			#75418-8		

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

Measurements: Pump curve provided by Dalcin Pump Works (1.5 GPM).

E. NARRATIVE/REMARKS/COMMENTS

A well equipped with a $3/4$ HP submersible pump supplies water to homes in lots 5, 6, + 7, Ski Ranch Subdivision. The well is located in lot 5. The pressure tank and control box for the homes are located inside a buried septic tank. $1\frac{1}{4}$ " pipe is used to divert the water from the well to the tank, then from the tank to the homes. No other water vts are used.

A small portion of each lot is located in the NENW, however the external irrigation is minimal around the homes which are located in the NWNE.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 10 1997

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

Per curve: 18 GPM = .04 cfs = pumping capacity

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days In Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

*internal/external Domestic use for
3 homes = 3.6 AFA*

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>1/1</i>	<i>12/31</i>	<i>.04</i>	<i>3.6</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<i>.04</i>	<i>3.6</i>

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name _____ Date _____


Reviewer _____ Date _____

SEAL

MICROFILMED
JUN 10 1977

JACUZZI®

4" SandHandler - 18GPM Performance Curves



MICROFILMED
SEP 5 1987




SandHandler Performance - 18 GPM

CAPACITIES IN U.S. GALLONS PER MINUTE																											
PUMP MODEL	HP	PSI	DEPTH TO PUMPING WATER LEVEL, OR LIFT, IN FEET																								
			SHADED AREAS INDICATE MOST EFFICIENT PERFORMANCE																								
			20	40	60	80	100	120	140	160	180	200	240	260	300	340	360	400	440	480	500	600	700	800	900	1000	
7S418-8	¾	0				23	22	21	19	17	14	11															
		20		23	22	20	18	16	13	10																	
		30	23	21	20	18	16	13	9																		
		40	21	20	18	15	12	8																			
		50	18	17	15	12	7																				
		60	17	15	11	5																					
		80	10																								
Shut-off		PSI	91	78	69	61	52	43	35	26	17	9															
1S418-10	1	0					23	22	21	20	19	17	12														
		20		24	23	22	21	20	18	16	14	12															
		30	24	23	22	21	19	18	16	14	11	7															
		40	23	22	20	19	18	16	13	11	6																
		50	21	20	19	17	16	13	10	5																	
		60	20	19	17	15	13	10																			
		80	15	14	12	9																					
Shut-off		PSI	112	104	95	86	78	69	60	52	43	34	17														
1SS418-14	1½	0						24	22	21	20	20	19	19	16	11	7										
		20				23	22	21	20	20	20	19	17	16	10												
		30				23	21	21	20	20	20	19	18	15	13	4											
		40			22	21	21	20	20	20	19	18	17	12	8												
		50	22	21	21	20	20	19	19	18	17	14	8	2													
		60	21	20	20	20	19	19	18	16	14	11	2														
		80	20	20	19	19	17	16	13	10	5																
Shut-off		PSI	151	142	134	125	116	108	99	90	82	73	56	47	30	13	4										
2S418-18	2	0							24	23	23	22	21	20	19	17	16	14	11	5							
		20						24	23	23	22	21	21	19	19	17	15	13	11	6							
		30					24	23	23	22	21	21	20	18	16	16	13	12	6								
		40				24	23	22	22	21	20	20	19	17	16	14	12	10									
		50	24	23	23	22	22	21	20	20	19	18	17	16	13	10	7										
		60	23	23	22	22	21	20	20	19	18	17	15	14	11	7											
		80	22	21	21	20	19	19	18	17	16	15	12	11	5												
Shut-off		PSI	207	198	189	181	172	163	155	146	137	129	111	103	85	68	59	42	25	7							
30S418-24	3	0											24	23	21	21	20	19	18	18	12						
		20											23	22	21	21	20	19	18	17	16	8					
		30											23	22	22	21	20	20	19	18	16	14	5				
		40								24	23	22	21	21	20	20	19	18	17	14	13						
		50							24	23	22	22	21	21	20	19	19	17	15	13	8						
		60						24	23	22	22	21	21	21	20	19	18	16	14	11	3						
		80			23	23	22	22	21	21	20	19	18	17	16	13	10	5									
Shut-off		PSI	279	271	262	253	245	236	227	219	210	193	184	167	149	141	123	106	89	60	37						
50S418-39	5	0													24	24	23	22	22	22	20	18	16	13	10		
		20													24	23	23	22	22	21	21	19	17	15	12	6	
		30													24	23	23	22	22	21	21	20	19	17	14	11	
		40												24	24	23	23	22	22	21	20	20	18	16	13	10	
		50											24	23	23	22	22	21	21	20	20	18	16	13	8		
		60										24	23	23	22	22	22	21	21	20	20	19	17	15	12		
		80							24	24	23	23	23	22	21	21	20	20	19	18	16	14	11				
Shut-off		PSI						400	392	383	375	357	349	331	314	305	288	271	253	245	201	158	115	71	28		

All units have 1-1/4" threaded discharge.

- Notes: 1) Performance shown does not include friction loss in the drop pipe
2) All performance data is based on rated motor nameplate voltage.

MICROFILMED
JUN 10 1987




18N 3E
SEC 7
(Gov Lts on
West side)

P/D = NENW

LAKL FURK 7 MI
CASCADIL 50 MI

4970000m N



W. J. Lee & Co.

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 65-94-W-0558-000 OTHER APPLICABLE NO: 65-13544

2. OWNER: London Paladium LLC Phone: 634-8244
Address: 502 N 3rd #151 McCall 83638

3. WELL LOCATION: Twp 5S, Rge. 3E, Sec. 7, NE 1/4 NW 1/4
County Valley (Provide sketch map and photo on reverse.)

4. DRILLER: Wood River Drilling Lic. No. 225
When Drilled? 12/12/14

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing ≥ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 57 ft. Method Drilled air rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 25 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 40-50 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

MICROFILMED
JUN 19 1997

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:



Signature of Dept. Representative & Title

7/17/96

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

MICROFILMED
JUN 10 1997

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Pumping Level	Time
30	20 ft.	55	1hr.

Sketch map location must agree with written location

12. LITHOLOGIC LOG: (Describe repairs or abandonment) Water

Bore Date	From	To	Remarks	Lithology, Water Quality & Temperature	Y	N
10	0	20	Dirt and Boulders			
6	20	40	Boulders		x	
6	40	45	Boulders and clay			y
6	45	57	Boulders and gravel		x	
6	57	60	Gravel		x	

[illegible][illegible][illegible][illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	52
--	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----

[illegible][illegible]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

[illegible][illegible]

~~WATER RESOURCES~~
~~WESTERN REGION~~

FEB 03 1950

Page 1

We certify that all minimum well construction standards were complied with at the time the rig was removed.

and
Supervisor or Operator Nancy Jones Date 11/14/95

MICROFILMED

1957



lt 5 +
P/D (right well)



lt 6 + 7

UNFILMED

JUN 14 1937

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13594 Reviewed by [Signature] Date 4-3-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? dom
yes Address same as permit? _____
no Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

_____ Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 65-94-W-0558-200
200- Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
no Required?
✓ Installed?
✓ Waiver requested?

PRIORITY CALCULATION

Date proof received 4-2-96
Date proof due 4-1-96 -
No. of days late 1 =
Priority Date 1-10-95 +
New Priority Date 1-11-95

7/11/95

DEFICIENCIES OR ACTION ITEMS

Reinstall + advance priority to Jan 1, 1995
Proof acceptable.

DATA ENTRY

New Address [Signature] Proof Made 4-2-96



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 4, 1996

LONDON PALADDIUM LLC
502 N 3RD 156
MCCALL ID 83638

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 65-13494

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since proof of beneficial use was received after the proof due date. Please note that the priority date has been advanced to January 11, 1995.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning the field examination, please feel free to contact the WESTERN Regional Office in Boise at (208) 334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

APR 30 1996

January 31, 1996

LONDON PALADDIUM LLC
502 N 3RD NO 151
MC CALL ID 83638

PROOF DUE NOTICE

RE: PERMIT NO. 65-13594

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures



1. DRILLING PERMIT NO. 65 - 94 - W - 0558 - 000
Other IDWR No. 65-13594

2. OWNER:

Name London Palladium Palladium
Address 502 No. 3rd # 151
City M'Call State ID Zip 83638

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N

		X
		X

 W E S
 Twp. 18 North ☒ or South ☐
 Rge. 3 East ☒ or West ☐
 Sec. 7 NE 1/4 NW 1/4 ~~SE~~ 1/4
10 acres 40 acres 160 acres
 Gov't Lot _____ County Valley
 Address of Well Site 1405 Paul Bunyun Rd. City McCall
(Give at least name of road + Distance to Road or Landmark)
 Lt 5 Blk. _____ Sub. Name Ski Ranch

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other_____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
Bentonite	0	20	15	Overbore

Was drive shoe used? Y ☒ NO ☐

Was drive shoe seal tested? Y ☐ N ☒ How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+1	57	.250	steel	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☒ Perforations Method Knife
☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material
47	57	1/4/1/2	80	6"	steel

Casing Line

☒ ☐

☐ APR ☐

☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

25 ft below ground Artesian pressure ____lb.
Depth flow encountered ____ft. Describe access port or control devices.

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
30	20 ft.	55	1hr.

Water Temp. Cold Bottom hole temp. _____

Water Quality test or comments.

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

[illegible]Completed Depth 60 (Measurable)

Date: Started 12/6/94 Completed 12/12/94

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name BOX 837 Firm No. 265
BELLEVEUE, ID 83313

Firm Official Ken Smith Date 1/6/95

Supervisor or Operator Dave Jones Date 1/14/95
(Sign once if Firm Official & Operator)



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 27, 1995

LONDON PALADDIUM LLC
502 N 3RD NO 151
MCCALL ID 83638

PERMIT APPROVAL NOTICE

RE: PERMIT NOS. 65-13594/65-13595/65-13596

Dear Permit Holder:

Enclosed are copies of your approved applications for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listings on the permits.

Enclosed are forms entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop these permits. Also enclosed are forms entitled "Proof of Beneficial Use". If your projects are already completed you should complete and submit these forms immediately.

Sincerely,

Shelley Walter Keen
Shelley Walter Keen
Water Rights Supervisor

SWK:rl

enclosures

MAR 30 1995

WR0749NP
No. P65-13594

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 03/20/95
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LONDON PALADDIUM LLC 502 N 3RD NO 151 MC CALL ID 83638 (208) 634-8244	01/10/1995	DOMESTIC	01-01 12-31	0.080 CFS	
TOTAL DIVERSION:					0.080 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T18N R03E S07 NWNE NENW VALLEY County

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE											
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
18N	03E	7	:			D		:					:					:					:

Pou County: VALLEY

Remarks: Point of diversion is located within Lot 5, Ski Ranch Subdivision
Place of use is located within Lots 5-7, Ski Ranch Subdivision.
Single point of diversion located on or near line between NWNE
and NENW, S07, T18N, R03E.
Domestic use is for 3 homes.

Dates:	App. Received:	01/10/1995	Priority Date:	01/10/1995
	Proof Due Date:	04/01/1996	Proof Made Date:	
	Exam Made Date:		Exam Sent to S.O.:	
	Licensed Date:			

Misc: Water District Number: Field Exam Fee:

Comments: Date: 03/20/1995 User-ID: CZIMMERM Subject: PARTNERS
The owner of London Paladdium Ltd. Liability Co. is Roy Perry of
4833 Chinden Blvd., Garden City ID.

Date: 03/20/1995 User-ID: CZIMMERM Subject: DIVERSION DESCRIPTION
6" x 60' deep well, drilled 12/12/94 by Wood River Drilling &
Pump for applicant.

Audit: 03/20/95 CZIMMERM

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 65-13594 Name: London Paladium UC Date: 3/20/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: W018497 Priority: 1/10/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Prehearing agreement) or W19(See Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
- 0.2 cfs - No MD
~~+ 5 a. irr.~~ (POU cmp) - 01M, 803(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. 65-94-W-0558-000, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH>(Surface water that doesn't sink):

Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J-P08 or 01M
- 0.2 cfs - 01H-P01 or No MD
+ 5 a. irr. - 01M (POU cmp)
~~In-WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
+ 5 a. irr. - 01M (POU cmp)

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R ↑ L Peak); 064(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr - 5 acres - 057 (0.03 cfs/A)
+ 5 acres - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP:Non-land owner

- 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS:

① W332/NENW1/4NWNE, S7, T18N, R3E.
② W01/3 ③ P/U Lts 5-7, Ski Ranch Subd.
④ P/D Lt 5.
① Partners

BENEFICIAL USE DUE:

COMMENTS:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

18N 36 S. 7
Four Similar Appb.
13593 - 13596

INITIAL REVIEW BY: FL DATE: 1/24/95 APPLICATION: 65-13594

REQUIRED INFORMATION

See Comments
Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No ☐ In form to receipt:

Gov't. Lots:

N P/D
P/U

65-13593 only

ADDITIONAL INFORMATION

all 4 apps are ≤ 5 homes - new wells, new homes so no effective overlaps present

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☐	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☐	Critical groundwater area:
☐	☐	Groundwater management area:
☐	☐	1992 moratorium:
☐	☐	Copy to SCA staff: (perennial stream, non-pump diversion)
☐	☐	Copy to Dam Safety staff: (for any storage)
☐	☐	Basin 63 mitigation plan: (where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge)
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter:
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	<u>*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT</u>

RECEIVED
MAR 07 1995
Department of Water Resources

DATE REQUESTED: _____

Additional information on reverse side:

PROCESSING

APPLICATION NO

65-13594

YES NO

☒ ☐
☒ ☐
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. District Health

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest 2-21-95

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Deny

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

Drilling permit ~~not~~ been upgraded to 200
has

See below for additional information

Recommended Date or Priority 1/10/1995

Recommended by: DWR Date 2/28/1995

STATE OFFICE REVIEW

See below for additional information. By Date

ADDITIONAL INFORMATION

All 4 App's. - ARE internal domestic only.

" " " - Add'l. \$165 D.R. fees paid 1/18/95.

Publisher's Affidavit of Publication

STATE OF IDAHO

.SS

County of Valley


I, Ramona A. French, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began February 2, 1995 and ended February 9, 1995.



Subscribed and sworn before me this 9th day of February, 1995.
STATE OF IDAHO

COUNTY OF VALLEY

On this 9th day of February, in the year of 1995, before me, a Notary Public, personally appeared Ramona A. French, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.



Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires: 1999

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13597

SCOTT, J B

380 E PARKCENTER BLVD

STE 100

BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: NESESE Sec 3 T 18N R 03E in VALLEY County.

Use: IRRIGATION (1.820 CFS)

IRRIGATION STORAGE (10.00 AF)

IRRIGATION FROM STORAGE (10.00 AF)

DIVERSION TO STORAGE (1.820 CFS)

Total Diversion: (1.820 CFS)

Date Filed: 1/24/1995

In: VALLEY County

T18N R03E S02 SWSW

S03 SWSE SESE

91.0 ACRES TOTAL

65-13596

LONDON PALADDIUM LLC

502 N 3RD NO 151

McCALL, ID 83638

Source: GROUNDWATER

Diversion Pt: NWNW Sec 7 T 18N R 03E in VALLEY County.

Use: DOMESTIC (0.10 CFS)

Total Diversion: (0.10 CFS)

Date Filed: 1/10/1995

In: VALLEY County

T18N R03E S07 NWNW

Use is for 1 well, 4 homes in lot 1 and north part of lots 2 & 3, Ski Ranch Subd.

65-13595

LONDON PALADDIUM LLC

502 N 3RD NO 151

McCALL, ID 83638

Source: GROUNDWATER

Diversion Pt: NWNW Sec 7 T 18N R 03E in VALLEY County.

NENW Sec 7 T 18N R 03E in VALLEY County.

Use: DOMESTIC (0.80 CFS)

Total Diversion: (0.80 CFS)

Date Filed: 1/10/1995

In: VALLEY County

T18N R03E S07 NWNW

Use is for 1 well, 3 homes in south part of lots 2 & 3 plus in lot 4, Ski Ranch Subd.

65-13594

LONDON PALADDIUM LLC

502 N 3RD NO 151

McCALL, ID 83638

Source: GROUNDWATER

Diversion Pt: NWNW Sec 7 T 18N R 03E in VALLEY County.

NENW Sec 7 T 18N R 03E in VALLEY County.

Use: DOMESTIC (0.80 CFS)

Total Diversion: (0.80 CFS)

Date Filed: 1/10/1995

In: VALLEY County

T18N R03E S07 NWNW

Use is for 1 well, 3 homes in lots 5-7, Ski Ranch Subd.

65-13593

LONDON PALADDIUM LLC

502 N 3RD NO 151

McCALL, ID 83638

Source: GROUNDWATER

Diversion Pt: NWNW Sec 7 T 18N R 03E in VALLEY County.

Use: DOMESTIC (0.110 CFS)

Total Diversion: (0.110 CFS)

Date Filed: 1/10/1995

In: VALLEY County

T18N R03E S07 NWNW

Use is for 1 well, 5 homes in lots 8-12, Ski Ranch Subd.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before FEBRUARY 21, 1995. The protestant must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director 212/

RECEIVED
FEB 15 1995

Lt.
#5Drilling Permit No. 65-94-W-0558-000
Water Right Permit No. 65-13599
Injection Permit No. _____**WELL DRILLER: PLEASE COMPLETE FOR VERBALS**

IDWR Employee Issuing Verbal: _____

Verbal Issued Date: _____ Time: _____

well #2

RECEIVED

JAN 10 1995

WATER RESOURCES
WESTERN REGIONState of Idaho
Department of Water Resources**APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)**1. Applicant (please print): London ~~Palladium~~ Paladium2. Mailing Address: 502 North 3rd #151City & State McCall Idaho Zip Code 83638 Telephone 634-8244☐ Well Owner ☐ Well Operator ☒ Contractor or Other, specify Developer3. Proposed Well Location: Twp. 18N, Rge. 3E, Sec. 7, NE_{1/4} NW_{1/4}Gov't Lot No. _____ County ValleyStreet Address of Well Site 1425 Paul Bunyun Rd. City McCall

Give at least name of road + Distance to Road or Landmark

Lot, block and subdivision Lot 5 Ski Ranch

4. Proposed Use of Well:

☒ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☐ Irrigation ☒ Municipal ☐ Industrial
☐ Stock ☐ Test ☐ Other _____

(Over 1,000 Head)

(Describe)

☐ INJECTION☐ MONITORING: A well bore schematic and map is required for each blanket permit.
No. of proposed wells: _____

5. Well Construction Information:

A. ☒ New well☐ Modify☐ ReplaceB. Proposed Casing Diameter 6" Proposed Maximum Depth 200 ft

C. Anticipated bottom hole temperature:

☒ 85°F or less
(Cold Water Well)☐ 85°F to 212°F
(Low Temp. Geo. Well)☐ 212° F. or more
(Geothermal Well)6. Construction Start Date: 11-21-947. Anticipated Well Driller: Wood River Drilling & Pump Inc. Driller's Lic. No. 265NOTE: The actual well driller must be identified prior to drilling. Box 837Bellevue, Id 833138. Applicant's Signature [Signature]Date 12/20/94Title CHECKER

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is **APPROVED**

Date 2-2-95

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. **READ CAREFULLY!**

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

USE FROM THIS WELL IS
LIMITED TO "DOMESTIC"
PURSUANT TO I.C. 42-111.

DAVID R. TUTHILL JR.
MANAGER
WESTERN REGIONAL OFFICE

David R. Tuthill Jr.
Signature of Authorized Department Representative

Title

Receipt No. W018497 Received by DB Fee 35- Date 1-10-95
WC18513 DB 165- 1-18-95 additional Fee

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

MAR 30 1995

65-13594

LONDON PALADDIUM LLC
502 N 3RD NO 151
MC CALL, ID 83638

Source: GROUNDWATER

Diversion Pt:	NWNE	Sec	7	T 18N R 03E in VALLEY County.
	NENW	Sec	7	T 18N R 03E in VALLEY County.

Use: DOMESTIC	(.080	CFS)
Total Diversion:	(.080	CFS)

Date Filed: 1/ 10/ 1995

In: VALLEY County
T18N R03E S07 NWNE

Use is for 1 well, 3 homes in lots 5-7, Ski Ranch Subd.

04/05