




T19N
R3E
S.26
L3 (NWSE)

Disregard this
line drawn on
original topo

P/O is PM

Reference
Points

FALL
CREEK

East Side
Rd.

Section
CORNERS


RECORDED


FEB 17 1995

65-13577

MAP 11/23/94
per Applicant's
govt lot info
-82

65-13577






PROPOSED WELL SITES
TAMARACK BAY CONDOMINIUMS
AREA SKETCH
MARCH 30, 1994
Rev. MAY 20, 1994

Lot 3, Section 26, T.19N., R.3E., B.M.

Applicant's
map

65-13577

RECEIVED
FEB 17 1995




LEGEND

- PROPERTY BOUNDARY
- PAVING
- SEWER & MANHOLE
- WATER
- PROPOSED WELL SITE
- GROUND SLOPE

TOOTHMAN-ORTON ENGINEERING CO.
ENGINEERS SURVEYORS PLANNERS
1802 NORTH 33rd STREET/BOISE, IDAHO 83703
(208) 342-5511 FAX: (208) 342-5514

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Lake Pump (Now used for I+F)
65-07295

Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

GPS Tag # E 0006843

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	5	Cat #84.2 00030	Baldor	
			Spec. 37 F		
			674X40315		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

Installed Meter at Storage Tank Bldg.

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
McCrometer	Tot.	McC.		96-4-5358	4	
Flow meter						

2. Measurements:

None - Artesian Pressure at well was 41 psi on well pressure gage.

CROFILMED

JUN 09 1999

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well is a replacement well
for 65-95-C-0292-000; Abandoned 65-96-W-
0192-300. The well is for domestic use
at the Tamarack Bay Condominiums.

Don Tomack, Water Rights Examiner
Signature of Dept. Representative & Title

8-11-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED
JUN 09 1999

Lot 3

P/O

Well

House



P/O

Well
and

Well
House.

5 HP
pump
Unit is
in bypass
line.

MICROFILMED
JUN 09 1999

65-13577



Note Press Gauge on
well (41 psi) and
4" service line under Pump Unit.

2 of 3

Flow
meter
in
storage
Tank
BLDG.



3500
Gal.
Storage/
Pressure
Tank

MICROFILMED

JUN 09 1999 65-13577

3 of 3

Plu

Condominium

BLDG.

Unit 2



Plu

Condominium

BLDG.

Units

3 & 4



MICROFILMED

JUN 09 1999

65-13577

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-13577

Priority: November 14, 1994

Maximum Diversion Rate:

0.33 CFS

Maximum Diversion Volume:

28.8 AF

This is to certify, that TAMARACK BAY CONDOMINIUM ASSN

PO BOX 835

MC CALL ID 83638-0835

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 14, 1994; and has submitted Proof of Beneficial Use on May 18, 1998. An examination indicates that the works have a diversion capacity of 0.380 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.33 CFS	28.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3 (NWSE), Sec. 26, Township 19N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC


TWN RGE SEC

19N 03E 26 Lot 3 (NWSE)

CONDITIONS OF APPROVAL AND REMARKS

1. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
2. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
3. Domestic use does not include lawn, garden, landscape, or other types of irrigation.
4. Domestic use is for 48 condominium units.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 21st day of MAY, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED

RECEIVED

MAY 18 1998

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 19 1998

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13577 Telephone No. 208-634-2185
2. Name(s) of Permit Holder(s): Tamarack Bay Condominium Association
3. Mailing Address: P.O. Box 835 McCall, ID 83638-0835
4. Source of Water: Groundwater If GROUNDWATER (well), Date Drilled: mo. 6 / yr. 96
 - a. Well Driller: Gestrin Well Drilling Drilling Permit Number: 65-96-W0130-801
 - b. **OPTIONAL:** Flowing artesian - 153 gpm
Pump Horsepower: _____ Pressure (psi): 53 Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
4 condominium bldgs w/ 12 units each
Domestic (No. of households): 48 units Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.33 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No <u>X</u>
	Has the measuring device been installed?	Yes _____	or	No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>X</u>
	Has the measurement port been installed?	Yes _____	or	No <u>X</u>
8. Fee Enclosed: \$ 100 ~~xx~~ (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Bob Thackeray Telephone Number: 208-634-2185
Address: P.O. Box 835 McCall, ID 83638-0835
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho

Signature of permit holder:

Jo Ann Stillinger
(include your title, if on behalf of company or organization)

Date:

5/17/98

President, Tamarack Bay Condominium Assn
Board of Directors

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JAN 18 1996

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 65-13577

Name(s) of Permit Holder: TAMARACK BAY CONDOMINIUM ASSOCIATION

Mailing Address: P.O. BOX 835 McCall IDAHO 83638-0835

Date Proof is Due: 1 Feb. 1, 1996 Telephone No. 634-2185

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

ONE WELL HAS BEEN DRILLED TO A DEPTH OF APPROX. 210 FEET.
WELL CASTING HAS BEEN PREPARED AND PUMP TESTING DATA UNDER
ANALYSIS BUT NOT COMPLETED. RESULTS SO FAR HAVE BEEN PROMISING
AND WE ARE CONTINUING WITH THE PROJECT. Costing \$ 15,000 +

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

ENGINEERING WORK STILL IN PROGRESS / SEASONAL DELAYS

Permit holder(s) request an extension to FEBRUARY 1, 2001

FEE: \$50.00

D. S. Saylor
(Signature)

*If other than permit holder, Power of Attorney must be supplied.

JAN 25 1996

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to February 1, 2000.

Signed this 22nd day of January, 19 96

J. Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13577

Proposed Priority: November 14, 1994 Maximum Diversion Rate: 0.33 CFS

This is to certify, that **TAMARACK BAY CONDOMINIUM ASSN**
PO BOX 835
MC CALL ID 83638-0835

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.33 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWSE), Sec. 26, Township 19N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

19N 03E 26 Lot 3(NWSE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1996**.
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Construction of the well must comply with Idaho well construction standards.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.
7. Two points of diversion are located within Lot 3 (NWSE), S26, T19N, R03E.
8. Domestic use is for internal use for 4 condominium buildings with 12 units per each building.
9. The domestic use authorized under this permit shall not exceed 13,000 gallons per day per unit in accordance with Section 42-111, Idaho Code.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

27th day of January, 1995.

[Signature]
for R. Keith Higginson, Director

RECORDED

FEB 17 1995

RECEIVED

DEC 28 1994

Ident. No. 65-13577

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: TAMARACK BAY CONDOMINIUM ASSN 208-336-4953
Address: PO BOX 835
MC CALL ID 83638
 2. Source: GROUNDWATER Trib. to:
 3. Location of Point of Diversion: Lot 3 (NWSE), Sec. 26, Township 19N, Range 03E
VALLEY County
 4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.330		
 5. Total quantity to be appropriated is:
0.330 CFS (and/or) AF
 6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
2 WELLS INTEGRATED TO PUMP & PIPELINE SYSTEM
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 200
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
 7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).
 8. Place of Use: DOMESTIC
- TWN RGE SEC
19N 03E 26 Lot 3(NWSE)

RECEIVED
FEB 17 1995

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
INDIVIDUAL ASSN. MEMBERS
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
AS ABOVE

10. Remarks:

Domestic use is for internal use for 48 condominium units.
Two points of diversion located in Lot 3 (NWSE), S26, T19N, R03E.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

See original
Applicant

Received by VR Date 11/14/94 Time 11:45 Preliminary check by SL
Fee \$ 100 Receipted by VR # W018352* Date 11/14/94
Publication prepared by AT Date 11-22-94 Published in Star News
Publication approved AT Date 12-19-94

* Data - internal

RECEIVED
FEB 17 1995

Comments: Date: 11/23/1994 User-ID: SLESTER

Subject:
OVERLAP

Decreed right 65-07295 from lake will be retained for irrigation and fire protection uses. Well will supply internal use to comply with Clean Water Act requirements. This information per applicant as relayed by Bruce Stratton, President. His phone no. is listed on application (Boise #). Other officers and directors listed on map/signature page of original filing.

FEB 17 1995

Idaho Dept. of Water Resources
\$100

65-13577

RECEIVED

NOV 14 1994

WATER RESOURCES
WESTERN REGION

Form 202
6/85

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

(Bruce Stratton, Pres.)

1. Name of applicant Tamarack Bay Condominium Association Phone 336-4953

Post office address P.O. Box 835, McCall, ID 83638

2. Source of water supply groundwater which is a tributary of N/A

3. Location of point of diversion is 1/4 of NW 1/4 of SE 1/4 Govt. Lot 3

Sec. 26 Township 19N. Range 3E. B M. Valley County; additional

points of diversion if any. Two points of diversion in same Govt. Lot 3.

4. Water will be used for the following purposes:

Amount .33 for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .33 and/or (b)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Submersible pump to pump from well
to distribution system.

b. Height of storage dam N/A feet; active reservoir capacity acre-feet; total
reservoir capacity acre-feet; period of year when water will be diverted to storage:
 to inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
One years (minimum 1 year).

FEB 17 1995

ORIGINAL

* 1/4-1/4 per Applicant's map.

Rate per max allowed for 9/48 (See 2nd pg. of Appl.)

-56
11/21/94

8 Description of proposed uses (if irrigation only, go to item 9):

- a Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering, list number and kind of livestock. _____
- c Municipal; show name of municipality. _____
- d. Domestic, show number of households. 48 condominium units.
- e. Other; describe fully _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
19N	3E	26																	

Total number of acres to be irrigated 0

10. Describe any other water rights used for the same purposes as described above. #65-07295 (See remarks)

- 11 a. Who owns the property at the point of diversion? Tamarack Bay Condominium Association
- b. Who owns the land to be irrigated or place of use? N/A
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks: Existing water rights #65-07295 will be retained for irrigation and fire flow diversion. The subject Application is for domestic diversion.

FEB 17 1995

* Irrig. N/A per 11/21/94 taken with B. Strath, president
-82

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

SEE Attached maps (3)

Officers per 11/21/99 Taken with B. Stratton, Pres. - 92

Clinton Whissel - Sec'y
Walt Waldman - Treasurer
Terry Scottisil }
Dennis Mogen } Directors
Gordon Cox }

7 1995

Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Tamarack Bay Condominium Association President

Received by VR Date 1-14-94 Time 11:45am Preliminary check by _____
Fee \$ 100- Receipted by VR # W018352 Date 11-14-94
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other.

FEB 17 1995



T19N
R3E
S.26
L3 (NWSE)

Disregard this
line drawn on
original map

Reference
Points


Fall
Creek
East Side
Rd.

Section
Corners

65-13577

17 1995


MAP 11/23/44
per Application's
govt lot info
-82



PROPOSED WELL SITES
TAMARACK BAY CONDOMINIUMS
AREA SKETCH
MARCH 30, 1994
Rev. MAY 20, 1994

Lot 3, Section 26, T.19N., R.3E., B.M.

Applicant's
map
65-13577



LEGEND

- PROPERTY BOUNDARY
- PAVING
- SEWER & MANHOLE
- WATER
- PROPOSED WELL SITE
- ▲ GROUND SLOPE

TOOTHMAN-ORTON ENGINEERING CO.
ENGINEERS SURVEYORS PLANNERS
1802 NORTH 33rd STREET/BOISE, IDAHO 83703
(208) 342-5511 FAX: (208) 342-5514



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 24, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

TAMARACK BAY CONDOMINIUM ASSN
PO BOX 835
MC CALL ID 83638-0835

RE: WATER RIGHT NO. 65-13577

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


11/18/99

CERTIFICATE OF MAILING

I hereby certify that on the 24th day of May, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13577

TAMARACK BAY CONDOMINIUM ASSN
PO BOX 835
MC CALL ID 83638-0835


Kari Lynn Townsend
Secretary

MICROFILMED

JUN 8 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

LICENSE REVIEW CHECKLIST

PERMIT NO. 15-13577

DATE 5/19/99

REVIEWER: SHARLA

NAME OK
Address OK

SOURCE OK Does change clarify orig. intended source? If no, Void permit

POINT OF DIV OK ☐ Change (P39 /P47) ☐ Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
W36 (overlap)
W59 (subd. desc)

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

PLACE OF USE OK ☐ Change (P41/P47) ☐ Add (P41/P42) Feds - P43

W60 (subd. desc)
W27 (ppu acre limit)

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate .33 cfs

Fee limit 1.00 cfs \$10000

Measured ✓ cfs

Theoretical .38 cfs

Recommended Total Div Rate .33 cfs

WATER USES

Dom

OK

Change (P46)

.33 cfs

49X.6 af

Irrig -

overlap (R58-R61, R62-R65, R66-R69)

_____ cfs

_____ af

supp gw (WB7/065/079)

_____ cfs

_____ af

overlap spec. combined rts (W35)

_____ cfs

_____ af

<1acre (W31) 48

_____ cfs

_____ af

Domestic

(W01/WB5/070/071/075)

TOTALS

.33 cfs

28.8 af

Power

(W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Wtr Quality (081/R07)

Flow rate .33 cfs X 365 days X 1.98 = 238.5 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____

Dim GW Measurement/Measuring Device

_____ Others Trust (052/R55 - remove 051)

Non-trust (048/049)

Advance Priority ☐ yes ☒ no

SRBA Claim NA

Adjust Memo _____

Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 21 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13577

1. Owner: Tamarack Bay Condominium Assoc. Phone No. (208) 634-2185

Current Address: P.O. Box 835, McCall, ID 83638-0835

2. Accompanied by: Bob Thackeray EXAM DATE: 8-11-98

Address: (Same) Phone No. 634-2185

Relationship to Permit Holder: Manager

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None for Domestic: 65-07295 for

2. Other water rights with the same point of diversion: None irrigation and
Fire Protection

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<u>3</u>		<u>NW</u>	<u>SE</u>	<u>26</u>	<u>19N</u>	<u>3E</u>	<u>Valley</u>	<u>Site Visit, Map</u>

2. Place(s) of Use:


Indicate Method of Determination Site Visit Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N	3E	26																	
	(3E)																		

MICROFILMED

1-1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

GPS Tag # E 0006843

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	5	Cat # 84.2 00030	Baldor	
			Spec. 37 F		
			674 X 40315		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

Installed meter at Storage Tank Bldg.

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
McCrometer	Tot.	McC.		96-4-5358	4	
Flow meter						

2. Measurements:

None - Artesian Pressure at well was 41 psi on well pressure gage.

CROFILMED

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for domestic water use at the Tamarack Bay Condominiums. The water was previously obtained from Payette Lake under WR 65-07295. To comply with the Clean Water Act, a well was drilled, and use of the lake water was discontinued. The lake pump (WR-65-07295) is now used only for irrigation and fire protection. The lake pump line in the Chlorination and Storage Tank Building was cut and a flange welded on the end. The two systems are now separate.

2. The first well drilled (65-95-C-0292-000) for this permit was abandoned (65-96-W-0192-300). A replacement well (65-96-W-0130-200) was then drilled for this permit. The replacement well normally has an artesian pressure of up to 53 psi, which supplies all the pressure needed. A 5 HP pump unit was installed in the well house as a back-up in case the artesian pressure would drop. The pump unit was installed in a bypass line. The well house also has a pressure gauge on the well, another gauge in the service line, a pressure switch, and valves, piping, etc.

MICROFILMED

3. Water flows under Artesian pressure to a 3500 Gal. storage/pressure tank located at the condos.

Have conditions of permit approval been met? ☒ yes ☐ no

A flow meter is located in the 4" line from the well in the Chlorination and Storage Tank Bldg. This building also has the Chlorinator hook-up. From the tank, service lines supply the condos.

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None : Theoretical Cal.

No. Units = $(41/12) = 48$

Artesian Pressure = 53 psi (Normal)

$Q_{allowed} = 0.33 \text{ cfs}$

Assume Artesian Pressure falls to zero:

using the pump unit:

$$Q = \frac{(8.8)(5 \text{ HP})(70\%) + (35 \text{ psi})(\frac{34'}{14.7 \text{ psi}'})}{1} = 0.38 \text{ cfs} > 0.33 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Domestic - 48 units. (4 Bldg w/12 units each)

Allow 0.6 AFA/unit = $(0.6)(48) = 28.8 \text{ AFA}$
(internal)

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>0.33</u>	<u>28.8</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.33</u>	<u>28.8</u>

2. Recommended Amendments

___ Change P.D. as reflected above

___ Add P.D. as reflected above

___ None

___ Change P.U. as reflected above

___ Add P.U. as reflected above

___ Other

Note: only one
P/O
(Cond. 7)

I. AUTHENTICATION

Field Examiner's Name

Donna

Date

12-15-98

Reviewer

Date

SEAL
MICROFILMED

T19N

R3E

Sec. 26

NWSE

Gov. Lot 3

Paradise Point

Cougar Island

Plu

P/O
Well

Lucks Point

Pilgrim Cove
Boat Ramp

BM 5047

BM 5081

BM 5217

BM 5026

MICROFILMED

65-13677

Channel Island

PARK

PONDEROSA

BDY

PARK

Picnic Area

Boat Ramp

Duck Bay

STATE

ICIPAL
COURSE

LAKE

0 100 200 400



SCALE: 1"=200'



65-07295

Irrigation and
Fire Protection p/w
PAYETTE

PROPOSED WELL SITES
TAMARACK BAY CONDOMINIUMS
AREA SKETCH
MARCH 30, 1994
Rev. MAY 20, 1994

Lot 3, Section 26, T.19N., R.3E., B.M.

65-07295
(Lake
Hew)

Applicant's
map

65-13577

65-95-C-0292-000


Abandonment

65-96-W-0172-300

Pld, Artesian
Well

65-96-W-0130-200

(Replacement)
Well



REFERENCE
POINTS
(see top)

MICROFILMED



DATE 7-9-1995

65-13577

LEGEND

- PROPERTY BOUNDARY
- PAVING
- SEWER & MANHOLE
- WATER
- o PROPOSED WELL SITE
- GROUND SLOPE

TOOTHMAN-ORTON ENGINEERING CO.
ENGINEERS SURVEYORS PLANNERS
1802 NORTH 33rd STREET/BOISE, IDAHO 83703
(208) 342-5511 FAX: (208) 342-5514



T19N
R3E
Sec. 26
NWSE
Lot 3

64.38

MICROFILM

11/13/1999

Scale 40 Chains to an inch

65-13577

The above Map of Township 19N, Range 3E, Section 26, NWSE, Lot 3, is a true and correct copy of the survey thereof on file in this Office which have been

Surveyor General's Office

Joseph G.

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Replacement Well

GPS Tag # E0006843

1. DRILLING PERMIT NO: 65-96-W-0130-200 OTHER APPLICABLE NO: 65-13577

2. OWNER: Tamarack Bay Condominium Assoc. Phone: (208) 634-2185
Address: P.O. Box 835, McCall, ID 83638-0835

3. WELL LOCATION: Twp 19N, Rge. 3E, Sec. 26, NW 1/4 SE 1/4
County Valley (Provide sketch map and photo on reverse.)

4. DRILLER: Gestrin Well Drilling, Inc. Lic. No. 408
When Drilled? 6/10/96 to 6/24/96

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 436 ft. Method Drilled Air Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Fair - Surface Corrosion
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water + ft. Water Temperature 57 °F
Flowing Artesian ☒ Yes ☐ No Pressure: 52 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic	☐ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

MICROFILMED
JUN 3 1999

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well is a replacement well
for 65-95-C-0292-000 ; Abandoned 65-96-W-
0122-300. The well is for domestic use
at the Tamarack Bay Condominiums.

Don Tomich, Water Rights Examiner
Signature of Dept. Representative & Title

8-11-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

JUN 09 1999

Lot 3

P/O

Well

House



P/O

Well

2nd

Well

House.

5 HP

pump

Unit is

in bypass

Cir.

MICROFILM

JUN 9 9 1999



Note Press. Gage on
Well (41 psi) and
4" Service line under Pump Unit.

65-13577

2 of 3



Flow
meter
in
storage
Tank
BLDG.



3500
Gal.
Storage/
Pressure
Tank

68-13577

3 of 3

Plu

Condominium

B106.

Unit 2



Plu

Condominium

B L D G.

Units

3 + 4



MICROFILMED

JUN 09 1999

65-13577

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13577 Reviewed by [Signature] Date 7-9-98

GENERAL CONSIDERATIONS

TYPES OF USE

YES Name same as permit?
YES Address same as permit?
YES Proof timely received? Correct Uses? YES
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
YES Drilling permit required?
NO Copy in the file? Drilling Permit No. 65-94-W-0130-807
200- Amount paid for permit YES Correct?
YES Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

YES Required?
100- Amount Submitted
YES Correct?
NO Required?
/ Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 5-18-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 10, 1998

Tamarack Bay Condominium Assoc
PO Box 835
McCall ID 83638

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13577

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

REC'D - JUL 14 1998

400 7 11 1998

State of Idaho
Department of Water Resources

RECEIVED

JUL 30 1996

APPLICATION FOR
REPAIR () OR ABANDONMENT (X) OF A WELL

RECEIVED

JUN 27 1996

Department of Water Resources

WATER RESOURCES
WESTERN REGION

1. LEGAL CONTACT (Owner or Operator)

Date: 6-25-96

Name: TAMARACK BAY CONDOMINIUM ASSOC. Phone Number 634-2185

Mailing Address: Box 835

City: MSCALL State Id. Zip Code 83638

2. WELL LOCATION

Township 19N, Range 3E, Section 26, 1/4 NW 1/4 SE 1/4

Gov't Lot No. _____ County VALLEY

Street Address of Well Site: 2635 EASTSIDE DR. City MSCALL

Lot _____, Block _____, Subdivision Name _____

3. TYPE OF WELL

(X) DOMESTIC: Water used for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: [] Irrigation [] Municipal [] Industrial
[] Stock [] Test [] Other _____
(Over 1,000 head) (Describe)

() INJECTION

() MONITORING

4. WELL SPECIFICATIONS

Previous Drilling Permit Number 65-95-C-0292-000

Water Right Number 65-13577

Well Log on File? (X) Yes () No

Casing Size: 8 Material: STEEL Temperature: 60°

Casing Height Above Ground: +2'

Flowing Artesian? (X) Yes () No

Static Water Level: _____ (Measured) Well Depth: 129' (Measured)

Remarks: _____

WTC
AUG 10 1996

5. **CONDITION OF WELL, REPAIRS REQUIRED**

6. **PROPOSED METHODS OF REPAIR OR ABANDONMENT**

(This Application must be approved prior to commencement of operations)

AN ATTEMPT TO REMOVE THE CASING WILL BE MADE WHILE PUMPING
CEMENT GROUT FROM THE BOTTOM UP. IF CASING CAN NOT BE MOVED
WE WILL PRESSURE GROUT FROM THE BOTTOM UP & WILL GROUT BETWEEN
EACH STRING OF CASING.

7. **NAME OF DRILLER OR INDIVIDUAL PERFORMING THE REPAIR OR ABANDONMENT**

GESTRIN Well DRILLING, INC. #408

8. **DATE OF PROPOSED REPAIR OR ABANDONMENT** 6-28-96

9. **APPLICANT'S SIGNATURE** Robert W. Gestrin **DATE:** 6-25-96

Title WELL DRILLER
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This application for repair/abandonment is Approved Date 7-11-96

This approval does not constitute an endorsement of the proper abandonment of this well, without an attached document prepared by an Idaho Licensed Water Well Driller, Professional Geologist or Engineer who witnessed the procedure. This approval is subject to the following conditions of approval. READ CAREFULLY!

CONDITIONS OF APPROVAL:

1. Pursuant to Section 42-238(4), Idaho Code. All repairs and/or abandonment must meet the requirements of the Department's Rules and Regulations for Well Construction Standards.
2. Abandonment or repair of this well may require the services of a well driller licensed in the State of Idaho.

Robert W. Gestrin
Signature of Authorized Department Representative

Sr. WR Agent
Title

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 65-13577 Reviewed by [Signature] Date 1-22-96

BASIC INFORMATION

~~YES~~ ¹⁻¹⁸⁻⁹⁶ Date stamp received
YES Extension received timely
YES Fee received and receipted
YES Name and signature same as permit
NO Address Change

BASIS FOR EXTENSION REQUEST

YES Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN Recommend extend to Feb 1, 2000,
on basis of due diligence.

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X _____

Change Proof Due Date 2-1-2000

Change Priority Date X _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 22, 1996

Tamarack Bay Condo. Assn.
P.O. Box 835
McCall, ID 83638-0835

RE: Permit No. 65-13577

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to **February 1, 2000**. Please note that the department has granted this extension based on **due diligence**. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

JAN 25 1996

RECEIVED
JAN 18 1996
Department of Water Resources

January 15, 1996

Ms. Julie L. Yarbrough
Department of Water Resources
State of Idaho
Statehouse Mail
Boise, Idaho 83720-9000

Re: Extension of Water Permit No. 65-13577
Tamarack Bay Condominium Association
McCall, Idaho


Dear Ms. Yarbrough:

Enclosed is a copy of Request for Extension of Time for the above referenced Water Permit.

Also enclosed is a check for \$50.00 for the filing fee.

Thank you.

Sincerely,



Terry Soule
President
Tamarack Bay Condominium Association

enclosures

51336

November 30, 1995

TAMARACK BAY CONDOMINIUM ASSN
PO BOX 835
MC CALL ID 836380835

PROOF DUE NOTICE

RE: PERMIT NO. 65-13577

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1996. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

JAN 25 1996



RECEIVED

OCT 11 1995

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

Use Typewriter
or

RECEIVED

OCT 27 1995


1. DRILLING PERMIT NO. 65-95-C-0292 - 000
Other IDWR No. 65-13577

2. OWNER:

Name Tamarack Bay Condominium Assn.
Address Box 835
City McCall State ID Zip 83638

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

Twp. 19 North ☒ or South ☐
Rge. 3 East ☒ or West ☐
Sec. 26 1/4 NW 1/4 SE 1/4
Gov't Lot 3 County ValleyAddress of Well Site 2635 Eastside Dr.
City McCall

(Give at least name of road + distance to road or landmark)

Lt. _____ Blk. _____ Sub Name _____

4. PROPOSED USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other multi-Domestic
(condos)

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT		METHOD
Material	From	To	Sacks	Pounds	
Chip Bentonite	0	15	11	sacks	Pressure Grout
Grout Bentonite	15	40	40	sacks	Bottom Up
					Casing

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 8"-7 1/2", 10"-11 1/2"
Was drive shoe seal tested? ☒ Y ☐ N How? Air

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
8"	+2"	79'	.250	Steel	☒	☐	☒	☐
6"	+1.7"	117'	.250	Steel	☒	☐	☒	☐
5"	+1.9"	128 1/2'	.280	Steel	☒	☐	☒	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____
☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

5 ft below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or
control devices: Sanitary Well Seal

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Pumping Level	Time
9		137'	2 hrs

Water Temp. 60° Bottom hole temp. 60°

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
12	0	2	Brown Sandy Clay		X
12	2	8	Cemented Sand and Boulders Brown		X
12	8	20	Muddy Brown Sand and Boulders		X
12	"	"	"/Clay		X
12	20	30	Cemented Sand and Boulders 20 GPM		X
10	"	"	Real Bad Smell to water	X	
10	30	40	Cemented Sand and Boulders		X
8	40	44	Cemented Brown Sand and Boulders		X
8	44	50	Muddy Sand and Gravel	X	
8	"	"	Sandy Brown Clay streaks 2 GPM		X
8	50	60	Cemented Sand and Boulders		X
8	60	78	Cemented Boulders 1/2 Sand		X
8	78	90	Boulders 1/2 Sand		X
6	90	95	Boulders, Cobble Stones and Gray		X
6	95	100	Gray Silty Clay 1/2 Fine Sand		X
6	100	110	Brown Sand 1/2 Brown Clay		X
6	110	117	Real Soft Brown Decomposed		X
6	"	"	Granite		X
5	117	143	Real Soft Brown Decomposed 9 GPM		X
5	"	"	Granite 1/2 Shelves of Med Hard Granite		X
5	143	148	Soft Decomposed Brown Granite		X
5	148	155	Soft Decomposed Brown Granite		X
5	"	"	1/2 Shelves of Med Hard Granite		X
5	155	157	Real Hard Gray Granite		X
5	157	159	Fractured		X
5	159	170	Med Hard Brown Granite 1/2		X
5	"	"	Soft Spots Washing		X
5	170	172	Hard Brown Gray Granite		X
5	172	210	Soft Gray-Brown Granite		X
			Decomposed Casing		X
			Cased in to 137 ft. per		
			driller. Water is at 137'		
			and well completed there.		

Completed Depth 137 (Measurable)Date: Started 8-16-95 Completed 8-11-95

13. DRILLER'S CERTIFICATION

We certify that all minimum well construction standards were complied with at the time the rig was removed

Firm Name Goshin Well Drilling Firm No. 408Firm Official Robert J. Goshin Date 9-16-95and Supervisor or Operator Tom R. Goshin Date 9-16-95

(Sign once if Firm Official & Operator)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 27, 1995

TAMARACK BAY CONDOMINIUM ASSN
PO BOX 835
MC CALL ID 83638-0835

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13577

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

FEB 17 1995

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman**

No.: 65-13577 Name: Tamarack Bay Condo. Assn. Date: 1/4/95 # 1/18/95
Correct Fee? ✓ Receipt #: W018352 Priority: 4/14/94

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
 PROTESTED: - 020(Prehearing agreement)/W19(See Order)

SYSTEM COMPLETED:

Yes	- NA (proof filed)
1 year/no proof	- P16
+1 year	- 26A-P17

GROUNDWATER:

+ 0.2 cfs <FLO-CH>	- ~~0.1M~~ (new), 01K (existing), No MD
- 0.2 cfs	- No MD <FLOW CHART>

Drilling Permit:
Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(~~Err~~)-46B-(P23) (post 7/1/87)

SURFACE WATER:
 Not in WD - 01K (+.2 w/pump), No MD <FLOW CHART>
 Water District(~~dem~~) - WD No. _____ <SEE MAP & LISTING>
 *Surface water - 005 (req) 01J-P08 (-.2 w/pump) <FLOW CHART>
 (doesn't sink) or 01H-P01 (+.2) <FLOW CHART>; No MD
 GW irr. in WD - P05 (new well)

RIVER BASINS (*Surface water):

Snake R(01/02/03)	-	11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA
Boise R(63)	-	05A (if WD), 11E (non-domestic use), NA
Payette R(65)	-	064(consump. use), 047-P04(Payette Lake), NA

USE:

Domestic (surface)	-	021(Boise R + L Peak), 064(Payette R), NA
Fish Propagation	-	07A-042 (req) & 010/06A/09E(WQ)-P10 044 (N 1000 Spr)
Irrigation	-	03A/057, 803(if GW use SW 1st) (+5A PU comp), NA
Mining	-	054 (req) & 06A/010/09E-P10
Power	-	08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10; +25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.)	-	18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front (63)	-	058 (-85° GW temp only)
Drainage Districts	-	024 (region recommend)
Flood Control Dist.	-	063 (region recommend)
In-stream	-	030 (stream channel alteration)
Irr Dist/Canal Co.	-	023 (Twin Falls area)
Swan Falls Flag	-	<u>B</u> <SEE CONDITION CODE CHART>
Trust	-	051-052-053-P74 (Consumptive Uses), NA
Non Trust <1>	-	048-049 (Consumptive Uses), NA

OWNERSHIP:
Non land owner - 004 (PD/PU) *End Condo Owners*

OTHER CONDITIONS:

REMARKS: - ① w/ 4 condo bldgs. 12 units per bldg. ② w/ 4
③ W32-

BENEFICIAL USE DUE: - 2-1-1996

COMMENTS:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: FL-

DATE: 11/23/94

APPLICATION: 65-13577

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)

Address:

Source: (See USGS Quad for names of water sources)

Point of Diversion: (10 acres for spring, lot & block descriptions for

Subdivisions, local name)

County:

Quantity: (flow and/or volume)

Period of use:

Nature of proposed use: (Include description of use)

Description of diverting works:

Time required for beneficial use of water:

Place of use or acres irrigated:

Map:

Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)

Fee:

Yes ☐ No* In form to receipt:

Gov't. Lots:

4 P/D

1 P/U

ADDITIONAL INFORMATION

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on the back.)

☒ Overlapping point of diversion:

Field check required: Field check by: _____

Field report attached:

Critical groundwater area:

Groundwater management area:

1992 moratorium

Copy to SCA staff (perennial stream, non-pump diversion):

Copy to Dam Safety staff (for any storage)

Send power requirement letter:

Send fish farm requirement letter:

Power residency affidavit:

Power efficiency form:

Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)

*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED
DEC 28 1994

Department of Water Resources

PROCESSING

APPLICATION NO.

65-13577

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ ☐
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest 12-19-94

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approved, DWR

Measuring device required: (Dom > .2 cfs)

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

OIF, 46

See below for additional information

Recommended Date or Priority 11/14/1994

Recommended by: DWR

Date 12/21/1994

STATE OFFICE REVIEW

See below for additional information. By Date

ADDITIONAL INFORMATION

Overview

P/O) 65-07295 Payette Lake, domestic use same conditions.

3 - 07296 J. Amundson " " " " but signed.

P/O) - 07222 " 7th St, Adirondacks.

Publisher's Affidavit of Publication

STATE OF IDAHO

.SS

County of Valley

I, Ramona A. French, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho, that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper, that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement, and that publication of such notice began December 1, 1994 and ended December 8, 1994

Ramona A. French
Subscribed and sworn before me this the 8th day of December, 1994
STATE OF IDAHO

COUNTY OF VALLEY

On this 8th day of December, in the year of 1994, before me, a Notary Public, personally appeared Ramona A. French, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires 1999

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13577

TAMARACK BAY CONDOMINIUM ASSN

PO BOX 835

MCCALL, ID 83638

Source: GROUNDWATER

Diversion Pt: LOT 3 (NWSE) Sec 26 T

19N R 03E in VALLEY County

Use: DOMESTIC (.330 CFS)

Total Diversion: (.330 CFS)

Date Filed: 11/14/1994

In: VALLEY County

T19N R03E S26 Lot 3 (NWSE)

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before DECEMBER 19, 1994. The protestant must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director 2/12/8

FEB 17 1995



IDAHO DEPARTMENT
OF HEALTH AND WELFARE

DIVISION OF
ENVIRONMENTAL QUALITY

File

1445 North Orchard, Suite 100, Statehouse Mall, Boise, ID 83720-9000, (208) 334-0550

Cecil D. Andrus, Governor

December 28, 1994

TAMARACK 294

David R. Tuthill, P.E. *DR*
Manager, Western Regional Office
Idaho Dept. of Water Resources
2735 Airport Way
Boise, ID 83705

RECEIVED
DEC 08 1994
WATER RESOURCES
WESTERN REGION

RE: IDWR - Public Waters Appropriation Permit
Permit No. 6513577

Dear Mr. Tuthill:

The project must be conducted under the design and supervision of an Idaho registered professional engineer. The process to follow is:

1. The applicant's engineer must submit a preliminary site evaluation based on proximity of pollution sources. We will evaluate the proposal, conduct a site inspection, and issue a written site approval if warranted.
2. Detailed plans and specifications must be submitted to this office for review. The well may not be drilled until all approvals are obtained from both the Division of Environmental Quality (DEQ) and the Idaho Department of Water Resources (IDWR). The last approval will come from DEQ; we will not issue approval until final approvals of both IDWR permits (appropriation permit and well drilling permit) have been submitted.
3. This will be a Public Water System and must have one (1) source of water for less than twenty-five (25) connections and two (2) sources for twenty-five (25) or more connections.

We will pay particular attention to the following items:

1. Construction must be done under the general supervision of the professional engineer. The contract assuring this must be submitted with the application.
2. Numerous water quality parameters must be tested as soon as the well is completed. A list of parameters is available upon request from DEQ.

Sincerely,

Jack M. Gantz
Jack M. Gantz, P.E.
Senior Water Quality Engineer

cc: Tamarack Bay Condominium Association - Applicant

FEB 17 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 30, 1994

IDAHO DEPT OF HEALTH & WELFARE
DIV OF ENV QUALITY
SWIRO
1420 N HILTON
BOISE, ID 83706

Re: Applications for Permit Nos. 77-7341 in the Name of Julian L.
Davis and 65-13577 in the Name of Tamarack Bay Condominium

Dear Sir:

Enclosed are copies of the above-referenced applications for permit which may be of interest to your agency. Please review the applications and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by December 19, 1994.

If you have any questions regarding the applications, please contact this office.

Sincerely,

A handwritten signature in dark ink, appearing to read 'D. R. Tuthill, Jr.'.

DAVID R. TUTHILL, JR. P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

RECEIVED
NOV 30 1994

FEB 17 1995

65-13577

TAMARACK BAY CONDOMINIUM ASSN
PO BOX 835
MC CALL, ID 83638

Source: GROUNDWATER

Diversión Pt: LOT 3 (NWSE) Sec 26 T 19N R 03E in VALLEY County.

Use: DOMESTIC (.330 CFS)
Total Diversión: (.330 CFS)

Date Filed: 11/14/1994

In: VALLEY County
T19N R03E S26 Lot 3 (NWSE)

FEB 2 1995