




NO quit lots
in NW 1/4 (Lot 2
is SWNG)
- PL 9/20/92

T19N, R03E
SEC 28
~~Gov 4-2~~

BM
5012
5028


T 19 N.

T. 18 N.

DEC 20 1994



Date of Contract _____ Amount of Survey _____ When Surveyed _____
 M. Ch. _____ M. Ch. _____
 The above Map of _____
 Total number of Acres _____



T19N
R3E
Sec. 28

P/D
P/u

ELEVATION 4986

PAYETTE

PONDEROSA STATE PARK

MICROFILMED

APR 16 1998

65-13564

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 65-13564

Priority: September 23, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that THOMAS J COONEY
JOAN C COONEY

2111 HYDE ST

SAN FRANCISCO CA 94109

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 23, 1994; and has submitted Proof of Beneficial Use on October 15, 1996. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 28, Township 19N, Range 03E
VALLEY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

19N 03E 28


SENW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Point of diversion and place of use are located within Lot 26C, Sylvan Beach Subdivision.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of April, 1998.

MICROFILMED


Acting for KARL J. DREHER, Director

RECEIVED

OCT 15 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

10W3

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13564 Telephone No. (415)-776-6891
2. Name(s) of Permit Holder(s): THOMAS J COONEY + JOAN C. COONEY
3. Mailing Address: 2111 HYDE, SAN FRANCISCO, CA. 94109
4. Source of Water: WELL If **GROUNDWATER** (well), Date Drilled: mo. 4 / yr. 93
 - a. Well Driller: MENASCO DRILLING Drilling Permit Number: 65-93-W-0051
 - b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): 179
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 house Stockwater (No. and type of stock): _____
Irrigation (No. of acres): less than 1/4 acre Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>✓</u>
	Has the measuring device been installed?	Yes _____ or No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No <u>✓</u>
	Has the measurement port been installed?	Yes _____ or No <u>✓</u>
8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: THOMAS J OR JOAN C COONEY Telephone Number: (208)-634-2510
Address: 990 SYLAN CREEK RD. MC CALL, IDAHO 83638

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Thomas J. Cooney - Joan C. Cooney Date: Oct 9, 1996
(include your title, if on behalf of company or organization)

MAICOFILMED

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13564

Proposed Priority: September 23, 1994 Maximum Diversion Rate: 0.07 CFS

This is to certify, that **THOMAS J COONEY**

JOAN C COONEY

2111 HYDE ST

SAN FRANCISCO CA 94109

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 28, Township 19N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
19N	03E	28	SENW	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1996**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Point of diversion is located within Lot 26C, Sylvan Beach Subdivision.
6. Place of use is located within Lots 26C, 26D, and part of Lot 27, Sylvan Beach Subdivision.
7. Domestic use is for 1 home.

DEC 20 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 65-13564

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Witness the signature of the Director, affixed at Boise, this

28th day of November, 1994.

J. Glen Saxton
for R. Keith Higginson, Director

NOV 29 1994

RECEIVED

NOV 01 1994

Ident. No. 65-13564

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: THOMAS J COONEY 415-776-6891
Address: 2111 HYDE ST
SAN FRANCISCO ID 94109
AND/OR
Name: JOAN C COONEY 415-776-6891
Address: 2111 HYDE ST
SAN FRANCISCO ID 94109
2. Source: GROUNDWATER * Trib. to:
3. Location of Point of Diversion: ~~Lot 2~~ (SENW), Sec. 28, Township 19N, Range 03E
VALLEY County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/15	10/15	0.030		
DOMESTIC	01/01	12/31	0.040		
5. Total quantity to be appropriated is:
0.070 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
Well, pump sprinklers
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 87
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when? 04/07/1993
Drilling Firm #391
Well was drilled for Applicant
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 year(s).

* already converted permit to record - 4/23/94

NOV 1994

8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
19N 03E 28	1			1

Total number of acres irrigated: 1

Place of Use: DOMESTIC *Shrub. for IRRIGATION*

~~TWN RGE SEC~~
~~19N 03E 28 Lot 2~~ (SE1/4)

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

Place of use also known as lots 26C, 26D, and part of 27, Sylvan Beach Subdivision. Point of diversion is located on lot 26C.

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas Cooney
Applicant
Joan C Cooney

Received by lg Date 9/23/94 Time 1 Preliminary check by JK
Fee \$ 50 Receipted by lg # W018149 Date 9/23/94
Publication prepared by St Date 9-28-94 Published in Star News
Publication approved St Date 10-26-94

* *Plm. Advice corrected per standard format.
Receipt # already entered prior to review*

-82. 1/27/94

DEC 20 1994

80

79

57 30"

78

77

T 19 N

76

T 18 N

75

1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 16, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

THOMAS J COONEY
JOAN C COONEY
2111 HYDE ST
SAN FRANCISCO CA 94109

RE: WATER RIGHT NO. 65-13564

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 16th day of April, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13564

THOMAS J COONEY
JOAN C COONEY
2111 HYDE ST
SAN FRANCISCO CA 94109


Kari Lynn Townsend
Secretary

MICROFILMED
APR 16 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 10 1998

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 65-135641. Owner: Thomas J. Cooney, Joan C. Cooney Phone No. (415) 776-6891Current Address: 2111 Hyde St. San Francisco, CA 941092. Accompanied by: Called Joan Cooney EXAM DATE: 11-21-96Address: Same Phone No. (415) 776-6891Relationship to Permit Holder: Co-owner3. Source: Groundwater tributary to _____**B. OVERLAP REVIEW**1. Other water rights with the same place of use: None2. Other water rights with the same point of diversion: None**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge	County	Method of Determination/Remarks
			SE	NW	28	19N	3E	Valley	Called Valley Co. Assessor
									Confirmed ownership
									+ location

2. Place(s) of Use:


Indicate Method of Determination Assessor

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N	3E	28								D									

MICROFILMED

MAR 16 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" =

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Drilling Permit #		65	93-W-0051	87'	Well, 20 GPM
				6" casing	49°F
					Static water - 23'

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

None - office exam

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

APR 11 1964

E. NARRATIVE/REMARKS/COMMENTS

1. Called Valley County Assessor;

a) Tom + Joan Cooney own Lot 26 C, and a portion of Lots 26 D + Lot 27 in Sylvan Beach Subdivision on Payette Lake, T19N, R3E, S28, SENW.

b) Total acres owned for these lots is 0.615 Ac.

c) One house on Lot 26 C.

d) Property is on street address:
990 Sylvan Creek Road, McCall, ID.

2. Called Joan Cooney in San Francisco, CA;

a) They bought Lot 26 C and a portion of Lots 26 D + Lot 27 to protect their property.

b) They have the well to serve their house on Lot 26 C, and their yard. There are no structures on the portions of Lots 26 D + 27. This ground is vacant.

c) The P/U is Lot 26 C, and P/O is also Lot 26 C. Allow 1 house, 1/2 Ac. irrigation.

d) Their San Francisco, CA, is correct as shown on Permit. address

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 16 1968

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

*Allow 0.04 cfs***G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

*Allow 1.2 AFA***H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>01/01</i>	<i>12/31</i>	<i>0.04</i>	<i>1.2</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<i>0.04</i>	<i>1.2</i>

2. Recommended Amendments

_____ Change P.D. as reflected above _____ Add P.D. as reflected above _____ None

_____ Change P.U. as reflected above _____ Add P.U. as reflected above ☒ Other**I. AUTHENTICATION**Field Examiner's Name *Don Gernick* Date *12-1-96*


Reviewer _____ Date _____

[1 house + less than 1/2 ac. irrigation shown on Plat is correct]

Drop Irrigation, 0.03 cfs as shown on Permit. They irrigate less than 1/2 ac. for their yard on lot 26C where their house is SEAL located. The portions of lots 26D + lot 27 are vacant, and not being irrigated.

MICROFILMED

SEP 16 1997



T19N
R3E
Sec 28

PID
P/U

MICROFILMED

STATE
APR 16 1972

65-13567

November 12, 1996

THOMAS J COONEY
JOAN C COONEY
2111 HYDE ST
SAN FRANCISCO CA 94109

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13564

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED
DEC 9 1996

THOMAS J. COONEY
2111 Hyde
San Francisco, CA 94109

RECEIVED
OCT 15 1996
Department of Water Resources

Julie Yarbrough
Senior Secretary
State of Idaho
Dept of Water Resources
Boise, Idaho 83720-9000

Oct 9th 1996

Dear Mrs Yarbrough,

In response to your
letter of September 30, 1996 I am enclosing
the form, filled out, as requested.

Thank you so very much
for your call this morning helping us
to complete the questionnaire.

Looking forward to seeing
you or someone from your staff visiting us
in McCall this coming summer.

MICROFILMED
DEC 9 1996

Thanks again for your kindness
Thomas J. Cooney

September 30, 1996

THOMAS J COONEY
JOAN C COONEY
2111 HYDE ST
SAN FRANCISCO CA 94109

PROOF DUE NOTICE

RE: PERMIT NO. 65-13564

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECORDED





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 28, 1994

THOMAS J COONEY
JOAN C COONEY
2111 HYDE ST
SAN FRANCISCO CA 94109

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13564


Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,


JIM JOHNSON, Manager
Water Right Permits Section



JJ:dc

Enclosures

DEC 20 1994

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Thomas Couney</u> Address <u>2111 Hyde San Francisco, CA.</u> Drilling Permit No <u>65-93-W-0051</u> Water Right Permit No. _____	7. WATER LEVEL Static water level <u>23</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>49</u> °F. Quality <u>Clear</u> Describe artesian or temperature zones below																																																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td align="center"><u>20</u></td> <td align="center"><u>179</u></td> <td align="center"><u>2</u></td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>20</u>	<u>179</u>	<u>2</u>																																																				
Discharge G.P.M.	Pumping Level	Hours Pumped																																																									
<u>20</u>	<u>179</u>	<u>2</u>																																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>8"</td> <td>0</td> <td>2</td> <td>TOP SOIL</td> <td> </td> <td>X</td> </tr> <tr> <td>8"</td> <td>2</td> <td>20</td> <td>BROWN SAND & gravel</td> <td> </td> <td>X</td> </tr> <tr> <td>6"</td> <td>20</td> <td>30</td> <td>" "</td> <td> </td> <td>X</td> </tr> <tr> <td> </td> <td>30</td> <td>40</td> <td>Grey sand & gravel</td> <td>-</td> <td>X</td> </tr> <tr> <td> </td> <td>40</td> <td>50</td> <td>" "</td> <td> </td> <td>X</td> </tr> <tr> <td> </td> <td>50</td> <td>60</td> <td>gravel & coarse sand</td> <td> </td> <td>X</td> </tr> <tr> <td> </td> <td>60</td> <td>82</td> <td>sand & gravel</td> <td>X</td> <td> </td> </tr> <tr> <td>6"</td> <td>82</td> <td>87</td> <td>Coarse gravel</td> <td> </td> <td>X</td> </tr> </tbody> </table>  MAY 17 1993 Department of Water Resources Western Regional Office	Bore Diam.	Depth		Material	Water		From	To	Yes	No	8"	0	2	TOP SOIL		X	8"	2	20	BROWN SAND & gravel		X	6"	20	30	" "		X		30	40	Grey sand & gravel	-	X		40	50	" "		X		50	60	gravel & coarse sand		X		60	82	sand & gravel	X		6"	82	87	Coarse gravel		X
Bore Diam.	Depth		Material	Water																																																							
	From	To		Yes	No																																																						
8"	0	2	TOP SOIL		X																																																						
8"	2	20	BROWN SAND & gravel		X																																																						
6"	20	30	" "		X																																																						
	30	40	Grey sand & gravel	-	X																																																						
	40	50	" "		X																																																						
	50	60	gravel & coarse sand		X																																																						
	60	82	sand & gravel	X																																																							
6"	82	87	Coarse gravel		X																																																						
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)	Content from Section 9 continues here																																																										
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ <u>1250</u> inches <u>6</u> inches + <u>1</u> foot <u>72</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun Size of perforation? <u>1/8</u> inches by <u>4</u> inches Number _____ From _____ To _____ <u>20</u> perforations <u>68</u> feet <u>72</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☒ Yes ☐ No Manufacturer _____ Type <u>PUC 4"</u> Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter <u>4"</u> Slot size <u>.020</u> Set from <u>25</u> feet to <u>85</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>SANITARY WELL SEAL</u>	Content from Section 9 continues here																																																										
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name <u>Sylvan Beach</u> Lot No. <u>26C</u> Block No. _____ County <u>Valley</u> Address of Well Site <u>990 Sylvan Beach Rd., McCall</u> (give at least name of road) <u>SE</u> ¼ <u>NW</u> ¼ Sec. <u>28</u>, T. <u>19</u> N. ☒ or S ☐ R. <u>3</u> E ☒ or W ☐	10. Work started <u>4-7-93</u> finished <u>4-7-93</u> 11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Mervasio Drilling</u> Firm No. <u>391</u> Address <u>McCall, Id.</u> Date <u>4-8-93</u> Signed by Drilling Supervisor <u>[Signature]</u> and (Operator) <u>[Signature]</u> (If different than the Drilling Supervisor)																																																										

Publisher's Affidavit of Publication

STATE OF IDAHO

.SS

County of Valley

I, Ramona A. French, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for ten consecutive weeks in the regular and entire issue of every number there during the period of time of publication, and was published in the newspaper once a week and not in a supplement; and that publication of such notice began on October 6, 1994 and ended October 13, 1994.

Subscribed and sworn before me this the 13th day of October, 1994.

STATE OF IDAHO

COUNTY OF VALLEY

On this 13th day of October, in the year of 1994, before me, a Notary Public, personally appeared Ramona A. French, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires: 1999

RECEIVED

OCT 25 1994

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13554

DORR, JOHN W
DORR, PAULINE Z
3790 S SUN TREE PLACE
BOISE, ID 83706
Source: UNNAMED STREAM
Tributary: BOULDER CREEK
Diversion Pt: NENE Sec 14 T 17N R 03E
in VALLEY County
Use: WILDLIFE STORAGE (5.00 AF)
RECREATION STORAGE (5.00 AF)
WATER QUAL IMPR. STOR (5.00 AF)
Total Diversion: (5.00 AF)

Date Filed: 9/1/1994

In: VALLEY County

T17N R03E S14 NENE

65-13558

MC CALLUM, JOHN B
MC CALLUM, TERESA
PO BOX 143
GARDEN VALLEY, ID 83622
Source: STOVER CREEK
Tributary: BOULDER CREEK
Diversion Pt: NESW Sec 30 T 17N R 04E
in VALLEY County
Use: IRRIGATION STORAGE (250.00 AF)

IRRIGATION FROM STORAGE (250.00 AF)

WATER QUAL. IMPR. STOR (250.00 AF)

Total Diversion: (250.00 AF)

Date Filed: 9/9/1994

In: VALLEY County

T17N R03E S25 NESE NWSE SWSE

SESE

S36 NWNE SWNE NENW SENW

231.00 ACRES TOTAL

65-13560

CHARTER MOUNTAIN RANCH INC

PO BOX 143

GARDEN VALLEY, ID 83622

Source: STOVER CREEK

Tributary: BOULDER CREEK

Diversion Pt: SESE Sec 25 T 17N R 03E in

VALLEY County

Use: STOCKWATER (.060 CFS)

STOCKWATER STORAGE (9.00 AF)

Total Diversion: (.060 CFS)

Date Filed: 9/9/1994

In: VALLEY County

T17N R03E S25 SESE

Proposes storage pond on Stover Creek

65-13564

COONEY, THOMAS J

COONEY, JOAN C

2111 HYDE ST

SAN FRANCISCO, CA 94109

Source: GROUNDWATER

Diversion Pt: SENW Sec 28 T 19N R 03E

in VALLEY County

Use: DOMESTIC (.040 CFS)

IRRIGATION (.030 CFS)

Total Diversion: (.070 CFS)

Date Filed: 9/23/1994

In: VALLEY County

T19N R03E S28 SENW

1.0 ACRES TOTAL

Permits will be subject to all prior water

rights. Protests may be submitted based on the

criteria of Sec. 42-103A, Idaho Code. Any

protest against the approval of this application

must be filed with the Director, Dept. of Water

Resources, Western Region, 2735 Airport Way,

Boise, Idaho 83705 together with a protest fee

of \$25.00 on or before OCTOBER 24, 1994.

The protestant must also send a copy of the

protest to the applicant.

R. KEITH HIGGINSON, Director

2/10/13

WATER RESOURCES
WESTERN REGION

DEC 20 1994

65-13564

COONEY, THOMAS J
COONEY, JOAN C
2111 HYDE ST
SAN FRANCISCO, ID 94109

Source: GROUNDWATER

Diversion Pt: SENW Sec 28 T 19N R 03E in VALLEY County.

Use: DOMESTIC (.040 CFS)
 IRRIGATION (.030 CFS)
 Total Diversion: (.070 CFS)

Date Filed: 9/23/1994

In: VALLEY County
 T19N R03E S28 SENW

1.0 ACRES TOTAL

14-1-1994