




Maped, edited, and published by the Geological Survey
in cooperation with the U. S. Forest Service
Control by USGS, NOS/NOAA, and USFS

Topography by photogrammetric methods from aerial
photographs taken 1965-66 and 1972. Field checked 1973

Projection and 10,000-foot grid ticks: Idaho coordinate


GN
19°
338 MILS
0°40'
12 MILS

1
1000 0 1000 2000
1 5
CONTOUR 1
NATIONAL GEODETIC

65-13544 T18N, R3E, S.15, NWSW



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached
bound + included
photos misplaced well re take if necessary

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4	B035837	Gould	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

MICROFILMED
SEP 12 1997



p/10



p/u

MICRO
SEP 12 1997

65-13544

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13544

Priority: August 19, 1994

Maximum Diversion Rate: 0.03 CFS

Maximum Diversion Volume: 3.6 AF

This is to certify, that THELMA S STEIN
PO BOX 272

MC CALL ID 83638-0272 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 19, 1994; and has submitted Proof of Beneficial Use on October 10, 1995. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.03 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 15, Township 18N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
18N	03E	15	NWSW	1.2		1.2

Total number of acres irrigated: 1.2

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

11-00-1111


11-17-1117

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13544

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29TH
day of AUGUST, 1997.


Acting for KARL J. DREHER, Director

RECEIVED

OCT 10 1995

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13544 Telephone No. 208-634-7176 Work
208-634-4253 Home2. Name(s) of Permit Holder(s): Thelma S. Stein3. Mailing Address: P.O. Box 272, McCall, Id. 836384. Source of Water: Groundwater If GROUNDWATER (well), Date Drilled: mo 10 / yr 77a. Well Driller: Drilling Firm Drilling Permit Number: - - - b. **OPTIONAL:**Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): Irrigation (No. of acres): 3.00 Other: 6. Total rate of diversion and/or volume for which proof is submitted. cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?Yes or No

Has the measuring device been installed?

Yes or No **Flow Measurement:**

Is a measurement port required?

Yes or No

Has the measurement port been installed?

Yes or No 8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Thelma Stein Telephone Number: 634-7176 Day
634-4253 NiteAddress: 105 S. Samson Trail McCall, ID 83638

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho

Signature of permit holder:

Thelma Stein
(include your title, if on behalf of company of organization)Date: 10-2-95

NOV 14 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13544

Proposed Priority: August 19, 1994 Maximum Diversion Rate: 0.09 CFS

This is to certify, that **THELMA S STEIN**
PO BOX 272
MCCALL ID 83638-0272

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/15 to 10/15	0.09 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 15, Township 18N, Range 03E
VALLEY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
18N	03E	15	NWSW	3		3


Total number of acres irrigated: 3

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1995**.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

22 day of November, 1994.


for R. Keith Higginson, Director

DEC 20 1994

RECEIVED

OCT 25 1994

Ident. No. 65-13544

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: THELMA S STEIN
Address: PO BOX 272
MCCALL ID 83638
208-634-4253
2. Source: GROUNDWATER
3. Location of Point of Diversion: Trib. to: NWSW Sec. 15, Township 18N, Range 03E
VALLEY County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/15	10/15	0.090		
5. Total quantity to be appropriated is:
0.090 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
 - b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet; period of year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 79 feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when? 10/20/1977
Drilling Firm
Well was drilled for EASTON, VIRGIL
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).
8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
18N	03E	15	NWSW	30		3.0

Total number of acres irrigated: 3.0

DEC 20 1994

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Helma A. Steen

Applicant

Received by L. Werner Date 8-19-94 Time 1100 Preliminary check by CJH
Fee \$ 50.00 Receipted by L. Werner # 6217945 Date 8-19-94
Publication prepared by AT Date 9-7 Published in Star Tribune
Publication approved AT Date 10-7-94

65-13544 7-18 N, R 30, S. 15, NW 30





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 29, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

THELMA S STEIN
PO BOX 272
MC CALL ID 836380272

RE: WATER RIGHT NO. 65-13544

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the printed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 29th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13544

THELMA S STEIN
PO BOX 272
MC CALL ID 836380272


Kari Lynn Townsend
Secretary

LICENSE REVIEW CHECKLIST

PERMIT NO. 05-13544

DATE 8/26/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	✓	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	—	✓	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	—	✓	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.09</u> cfs
Fee limit	<u>.20</u> cfs \$50 ⁰⁰
Measured	<u>—</u> cfs
Theoretical	<u>.03</u> cfs

Recommended Total Div Rate .03 cfs

ANNUAL VOLUME/
NATURE OF USES —

<u>✓</u>	Use <u>QW</u>	cfs <u>.03</u>	Volume Calc <u>1.2 X 30 =</u>	af
				af
				af
				af
	SUBTOTAL	<u>.03</u>	<u>3.6</u>	af

Flow rate .03 cfs X 184 days X 1.98 = 10.9 af

Total volume recommended 3.6 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

R49 249 ~~249~~ Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
Adjustment Memo —

1st Amend Letter N/A
2nd Amend Letter —

RECEIVED

JUN 03 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13544

1. Owner: Thelma Stein Phone No. 634-4253

Current Address: PO Box 272, "The Cabin" 83638-0272

2. Accompanied by: _____ EXAM DATE : 7/17/96

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

E
+ S
in

15' x 15'

increase 1 mile
down-swing
width = .65 mi

150 x 350, 48% C⁻

1.2%
- .65%
1.15%

width 1.2%

50'

2441' 50" N + 1241' L →

found + included

☒ Photo of Diversion and System Attached

~~photos misplaced will
be taken if necessary~~

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4	B035837	Goulds	

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

E. NARRATIVE/REMARKS/COMMENTS

2 1/2" well equipped with a 3/4 HP
submersible pump supplies water
to 1.2 acres of pasture and grass via
portable hose + sprinklers. A65-21507
was claimed in the 7KBA for domestic
use. No other water rts are used.

Have conditions of permit approval been met? ☐ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$\frac{.75 \times 8.8 \times .7}{35 + 50 \times 2.31} = .03 \text{ cfs}$$

Dynamic, PSI, + HP
per Jeffries (pump
in tail), 034-2105**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.2 \times 3.0 = 3.6$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 184 \times 1.9835 = 10.9$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D,R} = 3.6$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/15	10/15	.03	3.6
Totals:			.03	3.6


2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name Joe Brown Date 5/28/97

Reviewer _____ Date _____



SEAL



Mapped, edited, and published by the Geological Survey
in cooperation with the U. S. Forest Service

Control by USGS, NOS/NOAA, and USFS

Topography by photogrammetric methods from aerial
photographs taken 1965-66 and 1972. Field checked 1973



CONTOUR

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 65-13544

2. OWNER: 7 teen Phone: 634-4253
Address: PO Box 272 McCall 83638-0272

3. WELL LOCATION: Twp 18N, Rge. 3E, Sec. 15, NW 1/4 SW 1/4
County Valley (Provide sketch map and photo on reverse.)

4. DRILLER: ? Lic. No. _____
When Drilled? 1977

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing _____ ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving OK
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water _____ ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 50 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. **POSSIBLE CONTAMINATION SOURCES:**

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. **REMARKS:**

3

Signature of Dept Representative & Title

7/17/96

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

10-10-1996
10-10-1996



2/10



p/u

5-13544

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13544 Reviewed by [Signature] Date 10-25-95

GENERAL CONSIDERATIONS

TYPES OF USE

YLS Name same as permit? YLS Address same as permit?
YLS Proof timely received? YLS Correct Uses? YLS
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
no Drilling permit required?
/ Copy in the file? Drilling Permit No
/ Amount paid for permit Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

YLS Required? no Required?
50.00 Amount Submitted / Installed?
YLS Correct? / Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u>/</u>
Date proof due	<u> </u>	
No. of days late	<u> </u>	
Priority Date	<u> </u>	
New Priority Date	<u> </u>	

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 10-10-95

October 26, 1995

THELMA S STEIN
PO BOX 272
MCCALL ID 836380272

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13544

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

NOV 14 1995

September 30, 1995

THELMA S STEIN
PO BOX 272
MCCALL ID 836380272

PROOF DUE NOTICE

RE: PERMIT NO. 65-13544

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

935





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 22, 1994

THELMA S STEIN
PO BOX 272
MCCALL ID 83638-0272

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13544

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

DEC 20 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 65 13544 Name: Stein Date: 11/18/94 Correct Fee? ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16

Yes
Proof not submitted - P16
Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - T17 (new), 01K (existing), No MD
- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(~~dem~~) - WD No. _____
*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD
Groundwater - P05 (new irrigation well)
In stream channel - 030 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (-85° GW temp only)
Swan Falls Flag - B <SEE CONDITION CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA
Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)
Irrigation - 03A/057, 803(if GW use SW 1st)(+5A PU comp), NA
Power - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Mining - 054 (req) & 06A/010/09E-P10
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
Domestic (surface) - 021(Boise R ↑ L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner

PROTESTED:

OTHER CONDITIONS:

REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- 12-1-1995

WR0749NP
No. P65-13544

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/18/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	THELMA S STEIN PO BOX 272 MCCALL ID 83638-0272 (208) 634-4253	08/19/1994	IRRIGATION	04-15 10-15	0.09 CFS	
TOTAL DIVERSION:					0.09 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T18N R03E S15 NWS VALLEY County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
18N	03E	15	:									:			03				:	3.0
TOTAL ACRES																			3.0	

Pou County: VALLEY

Other Water Rights with Same Point(s) of Diversion and Source:
65-07325 65-13006 65-13544

Other Water Rights Listing Overlapping Place(s) of use:
65-13544

Conditions of Approval:

- 057 - The rate of diversion of water for irrigation under this right
- and all other water rights on the same land shall not exceed
- 0.03 cubic feet per second for each acre of land.

Dates: App. Received: 08/19/1994 Priority Date: 08/19/1994
Proof Due Date: 12/01/1995 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam fee:

Audit: 11/18/94 CZIMMERM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: CJH DATE: 9/6/94 APPLICATION: 65-13544

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No* ☐ In form to receipt:

Gov't. Lots:

P/D

P/U

RECEIVED
OCT 25 1994

ADDITIONAL INFORMATION

Department of Water Resources

YES NO

Overlapping place of use: (Describe source & relationship to present application on the back.)
Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
1992 moratorium
Copy to SCA staff (perennial stream, non-pump diversion):
Send dam safety information:
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

PROCESSING

APPLICATION NO. 65-13544

YES NO

/ / In form for advertising:
/ / Statewide advertising: (> 10 cfs &/or 1000 af)
/ / Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

/ / I.D. Health and Welfare
/ / I.D. Fish and Game
/ / I.D. Lands
/ / Adjudication Bureau

YES NO

/ / U.S. BLM
/ / U.S. Forest Svc.
/ / Water Dist. #
/ / Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

/ / Affidavit of publication received:
/ / Application published correctly: If not, record action taken.

/ / Publication dates and paper recorded on application:
/ / Protests received. Final date for protest 10-3-94
/ / Protest dates, resolution of protest recorded on application:
/ / Recommendations attached: Approve, DRO
/ / Measuring device required:
/ / Measuring port required:
/ / Water delivered by water master? District #
/ / Special conditions of approval or cover letter:

Existing well

/ / See below for additional information

Recommended Date or Priority 8/19/1994

Recommended by: DRO Date 10/19/1994

STATE OFFICE REVIEW

 See below for additional information. By Date

ADDITIONAL INFORMATION

Overlaps other wells, other uses. Domestic use from
this well claimed under A65-21507

Publisher's Affidavit of Publication

STATE OF IDAHO

County of Valley

.SS

I, Ramona A. French, being duly sworn and say, I am the receptionist of The Central Idaho Star-News, a weekly newspaper published at McCall, in the County of Valley, State of Idaho; that said newspaper is in general circulation in the county of aforesaid and is a legal newspaper; that the NOTICE OF APPLICATION FOR WATER RIGHT, a copy of which is enclosed hereto and is a part hereof, was published in said newspaper once a week for two consecutive weeks in the regular and entire issue of every number there of during the period of time of publication, and was published in the newspaper proper and not in a supplement; and that publication of such notice began September 15, 1994 and ended September 22, 1994

Ramona A French
Subscribed and sworn before me this the 22nd day of September, 1994
STATE OF IDAHO

COUNTY OF VALLEY

On this 22nd day of September, in the year of 1994, before me, a Notary Public, personally appeared Ramona A French, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Tom Grote
Tom Grote
Notary Public for Idaho
Residing at McCall, Idaho
Commission Expires. 1999

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13544 ✓
STEIN, THELMA S
PO BOX 272
McCALL, ID 83638
Source: GROUNDWATER
Diversion Pt: NWSW Sec 15 T 18N R 03E in VALLEY County.
Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 8/19/1994
In: VALLEY County
T18N R03E S15 NWSW
3.0 ACRES TOTAL

65-13557
MCCALLUM, JOHN B
PO BOX 143
GARDEN VALLEY, ID 83622
Source: STOVER CREEK
Tributary: BOULDER CREEK
Diversion Pt: NWNE Sec 36 T 17N R 03E in VALLEY County
Use: STOCKWATER (.060 CFS)
STOCKWATER STORAGE (18.00 AF)
Total Diversion: (.060 CFS)
Date Filed: 8/24/1994
In: VALLEY County
T17N R03E S36 NWNE SWNE
Proposes two on-stream ponds on creek for total storage of 18 A F

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before OCTOBER 3, 1994. The protestant must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director 219/22

DEC 20 1994

OCT 06 1994

RECEIVED
OCT 06 1994
WATER RESOURCES
WESTERN REGION

65-13544

STEIN, THELMA S
PO BOX 272
MCCALL, ID 83638

Source: GROUNDWATER

Diversion Pt: NWSW Sec 15 T 18N R 03E in VALLEY County.

Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)

Date Filed: 8/19/1994

In: VALLEY County
T18N R03E S15 NWSW

3.0 ACRES TOTAL

8/19/1994