



T9N R4E



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2		Sta Rite	1/2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: $\frac{(1 \text{ acre})}{43560} - \frac{(house)}{1487.5} = .965 \text{ acres} = 1.0 \text{ acres}$

MICROFILMED

DEC 12 1995

82

83

57' 30"


84

85

86

V-61

R4E



PERMIT 65-13542 INIT S.H.

T. R. S. Q/Q

P/D

SCALE 7.5 USGS Aerial

PHOTO ID. V-61

DEC 12 1995



65-13542
7/24/95 S.H

P/D:
Payette River, Middle Fork
Sta - Rite pump
(unable to read tag)
1 1/2 HP
50 psi
125' of 1 1/2" PVC
buried to yard



P/u:
yard + garden

$$\frac{43560 - 1487.5}{43560} = .97 \text{ acre}$$

$$= 1.0 \text{ acre}$$

- weathermatic turbo 3 sprinklers
6 zones
runs 3-4 @ 1 time
- unable to get physical measurement w/gauge due to type of nozzle

MICROFILMED

BEC 12 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13542

Priority: August 15, 1994

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.5 AF

This is to certify, that DINAH JACKSON

PO BOX 411

GARDEN VALLEY ID 83622-0411 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 15, 1994; and has submitted Proof of Beneficial Use on December 5, 1994. An examination indicates that the works have a diversion capacity of 0.070 cfs of water from:

PAYETTE RIVER, MIDDLE FORK tributary to PAYETTE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.03 CFS	3.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 15, Township 09N, Range 04E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N	04E	15	NWSW	1		1

Total number of acres irrigated: 1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 65.
6. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

DEC 12 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13542

CONDITIONS OF APPROVAL AND REMARKS

7. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.
8. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28TH day of NOVEMBER, 1995.


Acting for KARL J. DREHER, Director

DEC 7 2 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

PROOF OF BENEFICIAL USE NOV 16 1994

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13542 Telephone No. (208) 462-3435

2. Name(s) of Permit Holder(s): DINAH JACKSON

3. Mailing Address: P.O. BOX 411 GARDEN VALLEY ID. 83622-0411

4. Source of Water: PALETTE RIVER M. FORK If GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number - -

b. **OPTIONAL:**

Pump Horsepower: 1 1/2 Pressure (psi): 50 Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock)

Irrigation (No. of acres): 1 Other:

6. Total rate of diversion and/or volume for which proof is submitted: 0.03 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes or No ✓

Has the measuring device been installed?

Yes or No ✓

Flow Measurement Port: Is a flow measurement port required?

Yes or No ✓

Has the measurement port been installed?

Yes or No ✓

8. Fee Enclosed: \$ Pre-Paid (See Fee Schedule on back of the instructions for filing proof of beneficial use)
8/15/94

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: DINAH JACKSON Telephone Number: (208) 462-3435

Address: P.O. BOX 411 GARDEN VALLEY ID. 83622-0411

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho

Signature of permit holder: Dinah Jackson
(include your title, if on behalf of company or organization)

Date: Nov 12, 1994

DEC 20 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13542

Proposed Priority: August 15, 1994 Maximum Diversion Rate: 0.03 CFS

This is to certify, that **DINAH JACKSON**
PO BOX 411
GARDEN VALLEY ID 83622-0411
has applied for a permit to appropriate water from:

PAYETTE RIVER, MIDDLE FORK tributary of **PAYETTE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
------------------------------	-----------------------------	---------------------------------

IRRIGATION	04/15 to 10/15	0.03 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 15, Township 09N, Range 04E
BOISE County

PLACE OF USE: IRRIGATION

<u>TWN</u> <u>RGE</u> <u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N 04E 15	NWSW 1			1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1995**.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 65.
4. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
5. When water is not available to fill this right, the right holder shall cease diversion or shall rent water from the Payette River Rental Pool.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

28th day of *October*, 19*94*

NOV 07 1994

[Signature]
for **R. Keith Higginson, Director**

RECEIVED

AUG 15 1994

Department of Water Resources

RECEIVED

SEP 30 1994

Ident. No. 65-13542

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

APPLICATION FOR PERMIT

AUG 15 1994

To appropriate the public waters of the State of Idaho

WATER RESOURCES
WESTERN REGION

1. Name: DINAH JACKSON 208-462-3435
Address: PO BOX 411
GARDEN VALLEY ID 836220411

2. Source: PAYETTE RIVER, MIDDLE FORK Trib. to: PAYETTE RIVER
3. Location of Point of Diversion: NWSW Sec. 15, Township 09N, Range 04E
BOISE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/15	10/15	0.030		

5. Total quantity to be appropriated is:
0.030 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
Pump instream.
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 85F being sought? NO
- If well is already drilled, when?
Drilling Firm
Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
09N	04E	15	NWSW 1			1

Total number of acres irrigated: 1

NOV 07 1994

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Alvin Jackson
Applicant


Received by CZ Date 8/15/94 Time 9:15am Preliminary check by _____

Fee \$ 50.00 Receipted by CZ #C031039 Date 8/15/1994

Publication prepared by ST Date 8-31-94 Published in Id World

Publication approved ST Date 9-26-94

1994 6 7 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 28, 1995

DINAH JACKSON
PO BOX 411
GARDEN VALLEY ID 836220411

RE: WATER RIGHT NO. 65-13542

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

DEC 12 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13542 DATE 11-27-95



NAME	Change ☒ OK	Or Address Change?
PRIORITY DATE	☒	Advance? ☐ Advanced to: _____ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? ☐
POINT OF DIV	☒ <u>NA</u>	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☒ <u>NA</u>	Amendment needed? _____ Overlaps? _____
DIV RATE	☒	Permit/fee limits: <u>.03 CFS</u> Meas Q = <u>.07</u> Theo Q = _____ Recommend: <u>.03</u> <u>1 acre OK @ .03</u> Combined rates exceed capacity _____
ANNUAL VOLUME	☒	Volume Limit: _____ Season: <u>8/3.5 (4-15 to 10-15)</u> Calculations: <u>1 acre @ 3.5 gpm</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	Change in Nature of Use or additional uses? _____ Amendment necessary? ☐
ADDITIONAL INFO		Supplemental Groundwater _____ PPU Scenario _____ Irr/Dom Combination _____ Shared G/W System _____
NEW REMARKS	☐	Multiple p/d(s) in ¼ ¼? _____ Other _____
NEW CONDITIONS	☐	<u>R04</u> Watermaster control - District <u>65</u> <u>R02</u> Measuring/Locking Devices <u>R50</u> Irrigation Overlap Other _____ Water Quality _____ Heat/Cool/Fish verified _____
COMMENTS:		

RECOMMENDATION

CFS

VOLUME

SRBA Claim Filed
Adjustment Memo Needed

10

LICENSE

1ST AMEND LETTER
2ND AMEND LETTER



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 15 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13542

1 Owner: Dinah Jackson Phone No. (208) 462-3435

Current Address: PO Box 411 Garden Valley, Id 83622-0411

2. Accompanied by: Dinah Jackson EXAM DATE: 7/24/95

Address: PO Box 411 Garden Valley, Id. 83622-0411 Phone No. (208) 462-3435

Relationship to Permit Holder: self

3. Source: Peyette River, Middle Fork tributary to Peyette River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-10294, 65-10910, 65-13030

2. Other water rights with the same point of diversion: 65-10910

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	15	9N	4E	Boise	USGS Ortho, + exam


2 Place(s) of Use:

Indicate Method of Determination USGS Ortho., + exam

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
9N	4E	15									A								
											1								1 acre

DEC 12 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1 1/2		Sta Rite	1 1/2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: $\frac{(1 \text{ acre})}{43560} - \frac{(house)}{487.5} = .965 \text{ acres} = 1.0 \text{ acres}$

DEC 12 1989

E. NARRATIVE/REMARKS/COMMENTS

- No govt. lots were found.
- Overlap for P/D is other source; Overlap for P/U ^{are} ~~is~~ other land &/or other uses.
- Other water sources available: domestic well.
- No other water rights used.
- Use is irrigation (.96) 1.0 acre of yard & garden.
- The system consists of a 1 1/2 HP Sta Rite Pump w/ 125' of 1 1/2" buried PVC to the yard, where it T's off to a weathermatic turbo 3 sprinkler system of 6 zones, that runs 3-4 nozzles @ 1 time.
- Recommend allowing the permitted amount of .03 cfs even though a physical measurement was not capable of being taken. The system was all in & in running order, & the pumpback computation spreadsheet (.07 cfs) verifies the capacity of the system. The property was faced off & subtracting out the house, I came up w/ .965 = 1.0 acres of ground being irrigated.

DEC 12 1995

Have conditions of permit approval been met? ☒ yes ☐ no

Inside the pump house, there is an attachment on the pump where a lock could be placed.

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

$$.03 \text{ cfs} \times .96 \text{ acres} = .028 = \boxed{.03 \text{ cfs}}$$

Allow .03 cfs for irrigation

Pumpback Computation Spreadsheet (see attachment) = .07 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3.0 = 3.0$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 184 \times 1.9835 = 10.9 = 11.0$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D,R} = 3.0$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Irrigation	4/15	10/15	.03	3.0
Totals:			.03	3.0

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Andy Hemenway Date 11/1/95

Reviewer _____ Date _____

SEAL

* See adjustment memo BE

DEC 12 1995

MEMORANDUM

TO: File 65-13542 / Dinah Jackson
FROM: Brenda Chapman
DATE: November 28, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 65-13542 are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-15 to 10-15	.03	3.5

The volume has been changed to the current recommended estimate of the consumptive irrigation requirement for crops/lawns in that area. [3.5 afa per acre]

① Permit: Irrigation 4/15-10/15 0.03 cfs

② B/u fee: \$ 50.00 12/5/94 pd - 0 - 0.20 cfs

③ Max. Allowable:

$$\frac{(.03 \text{ cfs}) \times (.96 \text{ acc})}{.028} = .03 \text{ cfs}$$

$$.03 \text{ cfs} \times \text{leave} = \boxed{.03 \text{ cfs}}$$

④ Measurement:

Pumpback Computation Spreadsheet
 (see attachment) = .069 = .07 cfs
 capacity of system

0-012 1995
 0-012 1995

Pumpback Computation Spreadsheet (DRT 1/24/1995)

Data Entered By: Sandy Hemenway
11/01/95
Project: Flow Computation for Permit No. 65-13542

Given: See Data Table

Compute head losses with the Williams and Hazen Formula:

$$f = 0.2083 * (100 / \text{roughness})^{1.85} * ((\text{cfs} * 448.8)^{1.852} / \text{ID}^{4.8655} * \text{Length} / 100)$$

To Find: Compute Rate of Flow for a Pumpback System

Data Table

Vertical Lift: 5.00 feet *lift to where pressure was read*
 Pressure Req'd: 50.00 psi *from pressure gauge*
 Required Head: 120.50 feet
 Pump Horsepower: 1.50 horsepower
 Pipe Roughness: 150.00 Note: pvc = 150, smooth and straight pipe = 140
 aluminum - joint length 20' = 125, joint length
 30' = 130, joint length 40' = 132, joint length
 50' = 134, new riveted steel = 100
 old riveted steel = 100, old cast iron = 95,
 old pipes in poor condition = 60 to 80

Inside Diameter in Inches	Equivalent Length in Feet	Unit Head Loss	Total Friction Head Loss from Pipe Friction
1.25	125.00	23.96	
1.00	0.00	0.00	
1.00	0.00	0.00	

23.96

Initial Estimate of Rate of Flow:

0.069 cfs = .07 cfs

Computation of Rate of Flow:

0.06

DEC 12 1995

R4E

V-61

82

83

57' 30"

84

85

86

Garden Valley

Creek

PERMIT 65-13542 INIT S.H.


T. R. S. Q/Q

P/D

SCALE 7.5 USGS Aerial

PHOTO ID. V-61

DEC 2 1965



65-13542
7/24/95 S.H

P/D:
Payette River, Middle Fork
Sta - Rite pump
(unable to read tag)
1 1/2 HP
50 psi
125' of 1 1/2" PVC
buried to yard



P/u:
Yard + garden

$$\frac{43560 - 1487.5}{1 \text{ acre} \quad \text{house}} = .97$$

43560 acre
= 1.0
acre

- weathermatic turbo 3
sprinters
6 zones
runs 3-4 @ 1 time
- unable to get physical
measurement w/gauge
due to type of nozzle

2012-12-17

BED 2 1200

December 16, 1994

DINAH JACKSON
PO BOX 411
GARDEN VALLEY ID 836220411

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13542

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

DEC 20 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 23, 1994

Dinah Jackson
P.O. Box 411
Garden Valley, ID 83622-0411

RE: Permit No. ~~03-07054~~ 03-07054

Dear Permit Holder :

Returned is a copy of the Proof of Beneficial Use form submitted to this office in connection with the above referenced permit. Unfortunately, it can not be accepted as filed.

The proof indicates the total rate of diversion of water to be 0.03 cfs from a surface water source. The license exam fee for a rate of 0.03 cfs is \$50.00.

You state on the proof that on August 15, 1994, you pre-paid the examination fee. You paid the filing fee associated with filing an application for permit to appropriate water, but the license examination fee is a separate fee.

Please return the copy of the proof along with a license examination fee of \$50.00 within thirty (30) days of receipt of this letter. Please address any correspondence directly to me.

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7953.

Sincerely,

A handwritten signature in cursive script that reads "Julie L. Yarbrough".

JULIE L. YARBROUGH
Senior Secretary

Enclosure

NOV 29 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 2, 1994

DINAH JACKSON
PO BOX 411
GARDEN VALLEY ID 83622-0411

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13542


Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

NOV 07 1994

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate public waters of the State of Idaho:

65-13541

BIRD, TRUDY
BIRD, FLOYD
2320 LYNX WAY
BOISE, ID 83705

Source: GROUNDWATER

Diversion Pt: SENE Sec 27 T 10N R 04E in BOISE County

Use: IRRIGATION (120 CFS)
DOMESTIC (040 CFS)
Total Diversion: (.160 CFS)

Date Filed 8/10/1994

In: BOISE County
T10N R04E S27 SENE

6.0 ACRES TOTAL

65-13542

JACKSON, DINAH
PO BOX 411
GARDEN VALLEY, ID 836220411

Source: PAYETTE RIVER, MIDDLE FORK Tributary: PAYETTE RIVER

Diversion Pt: NWSW Sec 15 T 09N R 04E in BOISE County

Use: IRRIGATION (030 CFS)
Total Diversion: (.030 CFS)

Date Filed: 8/15/1994

In: BOISE County
T09N R04E S15 NWSW

1.0 ACRES TOTAL

65-13545

DOBSON, BEN
DOBSON, MARYJANE
BOX 125
HORSESHOE BEND, ID 83629

Source: SPRING Tributary: SINKS

Diversion Pt: NWSE Sec 1 T 05N R 02E in BOISE County.

Use: STOCKWATER (010 CFS)
Total Diversion: (010 CFS)

Date Filed 8/4/1994

In: BOISE County
T05N R02E S01 NWSE

65-13546

DOBSON, BEN
DOBSON, MARYJANE
BOX 125
HORSESHOE BEND, ID 83629

Source: SPRING Tributary: SINKS

Diversion Pt: NENWSW Sec 1 T 05N R 02E in BOISE County.

Use: STOCKWATER (.010 CFS)
Total Diversion: (010 CFS)

Date Filed 8/4/1994

In: BOISE County
T05N R02E S01 NESW NWSW

65-13547

DOBSON, BEN
DOBSON, MARYJANE
BOX 125
HORSESHOE BEND, ID 83629

Source: SPRING Tributary: SINKS

Diversion Pt: LOT 2 (SWNWNE) Sec 2 T 05N R 02E in BOISE County.
LOT 3 (SEENW) Sec 2 T 05N R 02E in BOISE County.

Use: STOCKWATER (.010 CFS)
Total Diversion: (010 CFS)

Date Filed 8/4/1994

In: BOISE County
T05N R02E S02 Lot 2 (NWNE) Lot 3 (NENW)

65-13548

DOBSON, BEN
DOBSON, MARYJANE
BOX 125
HORSESHOE BEND, ID 83629

Source: SPRING Tributary: SINKS

Diversion Pt: SWSWNE Sec 24 T 06N R 02E in BOISE County

Use: STOCKWATER (010 CFS)

Total Diversion (010 CFS)

Date Filed: 8/4/1994

In: BOISE County
T06N R02E S24 SWNE

65-13549

DOBSON, BEN
DOBSON, MARYJANE
BOX 125
HORSESHOE BEND, ID 83629

Source: SPRING Tributary: SINKS

Diversion Pt: SESWSW Sec 25 T 06N R 02E in BOISE County.

Use: STOCKWATER (010 CFS)
Total Diversion: (.010 CFS)

Date Filed: 8/4/1994

In: BOISE County
T06N R02E S25 SWSW

65-13550

DOBSON, BEN
DOBSON, MARYJANE
BOX 125
HORSESHOE BEND, ID 83629

Source: SPRING Tributary: SINKS

Diversion Pt: SWNESE Sec 35 T 06N R 02E in BOISE County

Use: STOCKWATER (010 CFS)
Total Diversion: (.010 CFS)

Date Filed: 8/4/1994

In: BOISE County
T06N R02E S35 NESE

65-13551

DOBSON, BEN
DOBSON, MARYJANE
BOX 125
HORSESHOE BEND, ID 83629

Source: SPRING Tributary: SINKS

Diversion Pt: NWSENE Sec 36 T 06N R 02E in BOISE County

Use: STOCKWATER (010 CFS)
Total Diversion: (.010 CFS)

Date Filed: 8/4/1994

In: BOISE County
T06N R02E S36 SENE

65-13552

DONLEY, SANDY
HANKS CREEK
GARDEN VALLEY, ID 83622

Source: UNNAMED STREAMS Tributary: PAYETTE RIVER

Diversion Pt: LOT 3 (NENW) Sec 25 T 09N R 03E in BOISE County

Use: IRRIGATION (.030 CFS)
COMMERCIAL (.890 CFS)
DOMESTIC (040 CFS)
RECREATION (.890 CFS)
Total Diversion: (.960 CFS)

Date Filed 8/3/1994

In: BOISE County
T09N R04E S19 S30 SWSE NWNE

1.0 ACRES TOTAL

65-13553

DONLEY, SANDY
HANKS CREEK
GARDEN VALLEY, ID 83622

Source: SPRINGS Tributary: PAYETTE RIVER

Diversion Pt: LOT 3 (SWNENW) Sec 25 T 09N R 03E in BOISE County.
LOT 3 (SEENW) SEC 25 T 09N R 03E in BOISE County

Use: IRRIGATION (030 CFS)
COMMERCIAL (.890 CFS)
DOMESTIC (040 CFS)
RECREATION (.890 CFS)
Total Diversion: (.960 CFS)

Date Filed 8/3/1994

In: BOISE County
T09N R04E S19 S30 SWSE NWNE

1.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted

based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before SEPTEMBER 26, 1994. The protestant must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director

Published in The Idaho World September 7 and 14, 1994.

SEP 7 1994

• •

JACKSON, DINAH

PO BOX 411

GARDEN VALLEY, ID 836220411

Source: PAYETTE RIVER, MIDDLE FORK

Tributary: PAYETTE RIVER

Diversion Pt:

NWSW

Sec 15 T 09N R 04E in BOISE County.

Use: IRRIGATION

(.030 CFS)

Total Diversion:

(.030 CFS)

Date Filed:

8/15/1994

In:

T09N R04E S15

NWSW

1.0 ACRES TOTAL

100

NOV 07 1994