




No priv lot
in zone
7/26/99


1990
RSW
5.28
SEPA 4.26

OCT 31 1994



COMPILED FROM THE OFFICIAL RECORDS

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: $\leftarrow$ 1 square = 50'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Irrigation Well		3.0		(submersible)	
Domestic Well		3.0		(submersible)	

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None taken.

MICROFILMED
JUN 10 1997






Permit No. 65-13529
B/U Field Report
April 15, 1997
T09N R05W S28 SENE

MICROFILMED

JUN 10 1997




Permit No. 65-13529
B/U Field Report
April 15, 1997
T09N R05W S28 SENE
POU determined by GPS.

MICROFILMED
JUN 10 1997

RIVERSIDE

Scale 100 Ft. to inch



MICROFILMED
JUN 10 1997

Place of Use



Photo #3
from NW corner
of property
looking SSE

MICROFILMED
JUN 10 1997

Permit No. 65-13529
B/U Field Report
April 15, 1997

Points of diversion



Photo #1:
Domestic Well



Photo #2
Irrigation Well

MICROFILMED
JUN 10 1997

Permit No. 65-13529
B/U Field Report
April 15, 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 55-13529

Priority: July 19, 1994

Maximum Diversion Rate:

0.15 CFS

Maximum Diversion Volume:

27.6 AF

This is to certify, that PAYETTE MOBILE COMPLEX

1520 N 6TH ST

PAYETTE ID 83661

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 19, 1994; and has submitted Proof of Beneficial Use on August 7, 1996. An examination indicates that the works have a diversion capacity of 0.220 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	5.4 AF
DOMESTIC	01/01 to 12/31	0.11 CFS	22.2 AF
	Totals	0.15 CFS	27.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 28, Township 09N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN RGN SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N 05W 28	SENE 1.2			1.2

Total number of acres irrigated: 1.2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.

RECORDED

4 1997


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 65-13529

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.5 afa per acre for the lands above.
7. Domestic use is for 37 mobile homes and does not include lawn, garden, landscape, or other types of irrigation.
8. Place of use known as Blocks 15 and 16, Riverside.
9. Two points of diversion are located within SENE, S28, T9N, R05W.
10. Right 65-03976 is also diverted through the domestic well described above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23RD day of MAY, 1997.


Acting for KARL J. DREHER, Director

MICROFILMED

JUN 10 1997

RECEIVED

AUG 07 1996

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13529 Telephone No. 208-642-7220
2. Name(s) of Permit Holder(s): Payette Mobile Complex
3. Mailing Address: 1520 N 6th St Payette Id 83661
4. Source of Water: well If **GROUNDWATER** (well), Date Drilled: mo. 7 yr. 95
- a. Well Driller: Dallas Drilling Drilling Permit Number: 65-95-W-0149-000
- b. **OPTIONAL:**
Pump Horsepower: 3 Pressure (psi): 50 Dynamic pumping level (ft): 35 ft

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 3 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .09 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>X</u>
	Has the measuring device been installed?	Yes _____ or No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No <u>X</u>
	Has the measurement port been installed?	Yes _____ or No <u>X</u>

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Brad Rebmán Telephone Number: 208-642-4221

Address: 1520 N 6th St Payette Id 83661

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Charles D. [Signature]
(include your title, if on behalf of company or organization)

OCT 10 1996
Date: 7-31-96

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13529

Proposed Priority: July 19, 1994 **Maximum Diversion Rate:** 0.38 CFS

This is to certify, that **PAYETTE MOBILE COMPLEX**
1520 N 6TH ST
PAYETTE ID 83661

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.09 CFS
DOMESTIC	01/01 to 12/31	0.29 CFS
	Totals	0.38 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE , Sec. 28, Township 09N, Range 05W
PAYETTE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09N	05W	28	SENE	3		3

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1996**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
7. Construction of the well must comply with Idaho well construction standards.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

OCT 31 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 65-13529

CONDITIONS/REMARKS:

9. Domestic use is a 37 unit mobile home park.
10. The domestic use authorized under this permit shall not exceed 13,000 gallons per day per unit in accordance with Section 42-111, Idaho Code.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this

22nd day of September, 1994.



R. Keith Higginson, Director

for

RECEIVED
SEP 31 1994

RECEIVED

AUG 26 1994

RECEIVED

JUL 28 1994

WATER RESOURCES
WESTERN REGION

Department of Water Resources

Ident. No. 65-13529

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: PAYETTE MOBILE COMPLEX 208-642-7220
Address: 1520 N 6TH ST
PAYETTE ID 83661
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SENE Sec. 28, Township 09N, Range 05W
PAYETTE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.090		
DOMESTIC	01/01	12/31	0.290		
5. Total quantity to be appropriated is:
0.380 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
2 WELLS AND DISTRIBUTION SYSTEM (EXISTING WELL & NEW WELL)
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 150
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for SEE COMMENTS
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 year(s).
8. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
09N 05W 28	SENE 3			3

Total number of acres irrigated: 3

Revision 7/26/94 -52

OCT 31 1994

Place of Use: DOMESTIC, same as IRRIGATION use

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:
Domestic use is for 37 mobile homes.

11. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Charles D. Lubra
Applicant

Owner
Title

Received by RW Date 7-19-94 Time 11:00 Preliminary check by JL

Fee \$ 30.00 Receipted by DB ^{W017769} ^{7/19/1994}
^{#C030621} Date 6/22/1994 *

Publication prepared by ST Date 7-21-94 Published in And. Gt.

Publication approved ST Date 8.23.94

ALSO SEE COMMENTS

* Database error corrected 7/26/94.
Receipt # C 030621 is for
different Appl. (# 65-13525,
County of Payette filing).
-JL

RECEIVED
OCT 31 1994

Comments: Date: 7/26/1994 User-ID: SLESTER

Subject:

DIVERSION RATE, USE & WELLS


The maximum allowable diversion rate for 37 units is .29 cfs, not .30 cfs originally shown in application.

One well dates to 1967 (65-03976 for 1 trailer, Lot 16 & part of Lot 15, Riverside) & a new well will be drilled for units.

Domestic use could correctly be called commercial or domestic for use in trailer court.

Database corrections made per application information & dept. standards, 7-26-94. Original application was unsigned & was sent to applicant for signature same date.

1994



T9N
R5W
S28
SENE

No govt lot
in SENE
- FL 7/26/99

1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: PAYETTE MOBILE COMPLEX 208-642-7220
Address: 1520 N 6TH ST
PAYETTE ID 83661

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SENE Sec. 28, Township 09N, Range 05W
PAYETTE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.090		
DOMESTIC	01/01	12/31	0.300		
			.29	max allowable	0/30

5. Total quantity to be appropriated is:

0.290 CFS (and/or)
.38
AF

6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
2 WELLS AND DISTRIBUTION SYSTEM
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 150
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 year(s).

8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
09N	05W	28	SENE 3			3

Total number of acres irrigated:

OCT 31 1994

ORIGINAL Application - SEE 7/26/94 REVISION

-82

Ident. No.
Page

65-13529
2

Place of Use: DOMESTIC

TWN RGE SEC
09N 05W 28

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

DOMESTIC USE IS FOR 37 MOBILE HOMES

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by RW Date 7-19-94 Time 11:00 Preliminary check by _____


Fee \$ 100⁰⁰ Receipted by DE # W019769 Date 7-19-94

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

OCT 31 1994

CH
IN 10°E





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

PAYETTE MOBILE COMPLEX
1520 N 6TH ST
PAYETTE ID 83661

RE: WATER RIGHT NO. 65-13529

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED
JUN 10 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of May, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 65-13529

PAYETTE MOBILE COMPLEX
1520 N 6TH ST
PAYETTE ID 83661


Kari Lynn Townsend
Secretary

MICROFILMED

JUN 10 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 65-13529

DATE 5/20/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>—</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate .38 cfs
 Fee limit .20 cfs \$50.00
 Measured — cfs
 Theoretical .23 cfs

Recommended Total Div Rate .15 cfs

ANNUAL VOLUME/
NATURE OF USES —

✓ Use

Volume Calculation	
<u>5.4</u>	af
<u>22.2</u>	af
<u>—</u>	af
<u>—</u>	af
SUBTOTAL	<u>27.6</u> af

Flow rate .11 cfs X 365 days X 1.98 = 79.5 af

Total volume recommended 27.6 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1/37 homes - irrigational. WBS
2 pld 1/36 (dum well)

CONDITIONS — Watermaster Control WD# —

GW Measurement/Measuring Device

52 Overlap

— Use-specific conditions

071

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo —

1st Amend Letter N/A
 2nd Amend Letter —

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 20 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 65-13529

1. Owner: Payette Mobile Complex

Phone No 208/642-7220

Current Address: 1520 N 6th Street

2. Accompanied by: Brad Redman

EXAM DATE . April 15, 1997

Address: Same as above

Phone No. Same as above

Relationship to Permit Holder: Manager

3 Source: Groundwater

tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-03976 (house only)

2. Other water rights with the same point of diversion 65-03976 (domestic well only)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: 2 points of diversion

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec	Twp	Rge.	County	Method of Determination/Remarks
			SE	NE	28	09N	05W	Payette	Topographic map

2. Place(s) of Use:


Indicate Method of Determination: GPS/Topo/NAPP

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09N	05W	28				1 2													1 2

MICROFILMED

MAY 10 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale - 1 square = 50'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Irrigation Well		3.0		(submersible)	
Domestic Well		3.0		(submersible)	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None taken

MICROFILMED
JUN 10 1997

E. NARRATIVE/REMARKS/COMMENTS:

The domestic well is located within the shop. The well is 10" in diameter with unknown depth. The well has been GPS'd by DEQ's under tag no. E0006263. Manager states static water level is 85 feet and well has a 3 HP submersible pump. Domestic system was operating at time of exam, however, due to pipe configuration a measurement was not possible (see photo #1). The domestic well supplies water to one home under 65-03976 and 37 mobile homes under this permit. Delivery system is buried. One of the mobile homes is 24' by 64' with a 6' porch (see photo #3). The other 36 mobile homes are 14' by 70' single wides, most have 4' porches. Manager states approximately 95-100 people live in the mobile home complex.

The irrigation well is located approximately 15' northeast of the shop (see photo #2). The irrigation system was operating at 53 psi per pressure gage. Manager states static water level is 35 feet and well has a 3 HP submersible pump. Well is piped to pressure tank then piped to spigots, one spigot per home, and irrigation occurs from hoses and sprinklers. Delivery system is buried. The play area east of the shop has one spigot for irrigation from a hose. One oscillating sprinkler on a hose at the east end of the court was operating at the time of the exam.

Most of the area the complex is located on is not irrigated (see photocopy of NAPP). Irrigated acres were determined by subtracting area of trailers (47,500 sq. ft.), home (1,500 sq. ft.), shop (600 sq. ft.), road (30,000 sq. ft.), and parking (20,000 sq. ft.) from total area (153,840 sq. ft.) leaving approximately 54,240 sq. ft. or 1.2 acres of actual irrigation.

Per Doris of Payette County Assessor's office, Payette Mobile Complex is located in tax parcel 5206 also known as Block 16 and the east 474' of Block 15, Riverside. Total assessed land is 3.0 acres.

MICROFILMED

Have conditions of permit approval been met? X yes ___ no

11/10/1997

F. FLOW CALCULATIONS

1. Theoretical Well Capacities.

a. Dometic Well: $\frac{8.8 \times 0.7 \times 3.0}{95 + (2.31 \times 30)} = \frac{18.48}{164.3} = 0.11 \text{ cfs}$

b. Irrigation Well: $\frac{8.8 \times 0.7 \times 3.0}{45 + (2.31 \times 53)} = \frac{18.48}{167.43} = 0.11 \text{ cfs}$

c. Combined capacity: $0.11 + 0.11 = 0.22 \text{ cfs.}$

2. Rate of diversion by use:

a. Domestic use, 37 homes, limited to capacity = 0.11 cfs

b. Irrigation use = 1.2 acres $\times$ 0.03 cfs/acre = 0.04 cfs.

c. Maximum combined rate of diversion = $0.11 + 0.04 = 0.15 \text{ cfs.}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.2 \text{ acres} \times 4.5 \text{ AF/acre} = 5.4 \text{ AF.}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.04 \times 246 \times 1.9835 = 19.5 \text{ AF.}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 5.4 \text{ AF.}$

2. Volume Calculations for Other Uses:

$V_{DOM} = (\text{homes}) \times (\text{af/home}) = 37 \times 0.6 = 22.2 \text{ AF}$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	0.04	5.4
Domestic	1/1	12/31	0.11	22.2
	Totals:		0.15	27.6

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name: Cindy Zimmerman

Date 5/9/97

Examiner's Signature Cindy Zimmerman

Date 5/9/97


Reviewed by _____

Date _____

SEAL

REPROFILMED

JUN 10 1997






Place of use →

Permit No. 65-13529
B/U Field Report
April 15, 1997
T09N R05W S28 SENE

MICROFILMED

APR 10 1997




Permit No. 65-13529
B/U Field Report
April 15, 1997
T09N R05W S28 SENE
POU determined by GPS

MICROFILMED
JUN 10 1997

RIVERSIDE

Scale 100 Ft to 1 in.



REPROFILMED

JUN 10 1997

Place of Use



Photo #3
from NW corner
of property
looking SSE

MICROFILMED
JUN 10 1997

Permit No. 65-13529
B/U Field Report
April 15, 1997

Points of diversion




Photo #1:
Domestic Well




Photo #2
Irrigation Well

REPROFILMED
MAY 10 1997

Permit No. 65-13529
B/U Field Report
April 15, 1997

AJ5809NP
No. R65-03976

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 05/09/97
PAGE: 1

```
=====
```

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	PAYETTE MOBILE COMPLEX CHARLES AND DONNA REBMAN 1520 N 6TH ST PAYETTE ID 83661 (208) 645-7220	04/01/1967	DOMESTIC	01-01 12-31	0.04 CFS	1.20 AFA
TOTAL DIVERSION:					0.04 CFS	1.20 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: DECREED

Point(s) of Diversion: T09N R05W S28 SENE PAYETTE County

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE						
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
09N	05W	28	:															:
			:															:

POU County: PAYETTE

Non-Irrigation Uses: 1 HOUSE

Other Rights: NONE

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

A65-03976 A65-04150 A65-04670 A65-04942 A65-05718 A65-05829 A65-06186 R65-04150 R65-04670 R65-04942
R65-05718 R65-05829 R65-06186

Other Water Rights Listing Overlapping Place(s) of Use:

A65-00165A A65-00165B A65-00165C A65-00165X A65-07882 A65-11413

Conditions of Approval:

- N11 - THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A
- DETERMINATION OF HISTORICAL BENEFICIAL USE.
- N13 - THE QUANTITY OF WATER UNDER THIS RIGHT SHALL NOT EXCEED 13,000
- GALLONS PER DAY.

Remarks: EXP 5206 1

Dates: Exam Made Date: Verified Date: Objection Filed Date:

Misc: Water District Number: 65 Field Inspection Flag:
Presumption Flag:

Comments: Date: 03/03/1997 User-ID: CORR2 Subject: COPIED FROM REMARKS

AJ5809NP
No. R65-03976

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 05/09/97
PAGE: 2

=====

Comments: Date: 03/03/1997 User-ID: CORR2 Subject: COPIED FROM REMARKS
BLOCKS 15 & 16, RIVERSIDE.

Audit: 03/03/97 CORR2

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65 13529 Reviewed by [Signature] Date 7-1-96

GENERAL CONSIDERATIONS

TYPES OF USE

Yes Name same as permit?
Yes Address same as permit?
Yes Proof timely received? Correct Uses? Yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
Yes Drilling permit required?
Yes Copy in the file? Drilling Permit No 45-95-111-2149 000
200- Amount paid for permit Yes Correct?
No Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

Yes Required?
50- Amount Submitted
Yes Correct?
Yes Required?
70 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 8-7-96

September 4, 1996

PAYETTE MOBILE COMPLEX
1520 N 6TH ST
PAYETTE ID 83661

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 65-13529

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

OCT 10 1996

June 30, 1996

PAYETTE MOBILE COMPLEX
1520 N 6TH ST
PAYETTE ID 83661

PROOF DUE NOTICE

RE: PERMIT NO. 65-13529

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1996. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures



WELL DRILLER: PLEASE COMPLETE FOR VERBALS

IDWR Employee Issuing Verbal: _____

Verbal Issued Date: _____ Time: _____

State of Idaho
Department of Water Resources**APPLICATION FOR DRILLING PERMIT**
(For the Construction of a Well)

RECEIVED

JUN 07 1995

WATER RESOURCES
WESTERN REGION

1. Applicant (please print): Charles Rehman

2. Mailing Address: 1520 N 6th St

City & State Payette Id Zip Code 83661 Telephone 642-7220 or 642-4221

☒ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____

3. Proposed Well Location: Twp. 9N, Rge. 5W, Sec 28, SE 1/4 NE 1/4

Gov't Lot No. _____ County Payette

Street Address of Well Site 1520 N 6th St

Lot, block and subdivision _____

4. Proposed Use of Well:

- ☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd, or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☒ Irrigation ☐ Municipal ☐ Industrial

☐ Stock ☐ Test ☒ Other Mobile Home Park

(Over 1,000 Head) (Describe)

☐ INJECTION

- ☐ MONITORING: A well bore schematic and map is required for each blanket permit
- No. of proposed wells: _____

5. Well Construction Information:

A. ☒ New well ☐ Modify ☐ Replace

B. Proposed Casing Diameter 8" Proposed Maximum Depth 150

C. Anticipated bottom hole temperature

☒ 85°F or less ☐ 85°F to 212°F ☐ 212°F or more

(Cold Water Well) (Low Temp Geo. Well) (Geothermal Well)

6. Construction Start Date: 6-20

7. Anticipated Well Driller: Sam & Jeff Palmer Drilling Driller's Lic. No. 445

NOTE The actual well driller must be identified prior to drilling

8. Applicant's Signature Charles O Rehman Date 6-2-95

Title Owner

(Owner, Firm Representative, Other)

OCT 10 1996

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 7-10-95

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. **READ CAREFULLY!**

GENERAL CONDITIONS:

- 1 This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
- 2 This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well
- 3 The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
- 4 Approval of this drilling permit does not authorize trespass on the land of another party
- 5 This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
- 6 This drilling permit does not represent a right to divert and use the water of the State of Idaho.
- 7 If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

Mark S. Stiff
Signature of Authorized Department Representative

Sec. Manager
Title

Receipt No. W019319 Received by NB Fee 200 - Date 6-7-95

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

OCT 10 1996



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 22, 1994

PAYETTE MOBILE COMPLEX
1520 N 6TH ST
PAYETTE ID 83661

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13529

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.


Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosures



OCT 31 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 65-13529 Name: Payette Mobile Court Date: 9/9/94 Correct Fee? ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - T17 (new), 01K (existing), No MD

- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99

Existing well / well existing NA (pre 7/1/87)

No WD permit? / well new 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District (~~dem~~) - WD No. _____

*Surface water - 005 (req) 01J-P08 <FLOW CHART>

(doesn't sink) or 01H-P01 <FLOW CHART>; No MD

Groundwater - P05 (new irrigation well)

In stream channel - 030 (stream channel alteration)

Irr Dist/Canal Co. - 023 (Twin Falls area)

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (-85° GW temp only)

Swan Falls Flag - B <SEE CONDITION CODE CHART>

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA

Payette R(65) - 064 (consump. use), 047-P04 (Payette Lake), NA

Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10

044 (N 1000 Spr)

Irrigation - 03A/057, 803 (if GW use SW 1st) (+5A PU comp), NA

Power (✓ w/Jim) - 08A-17K-025-027 (req); 01F(MD)-P19; 09E(WQ)-P10;

+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09

Mining - 054 (req) & 06A/010/09E-P10

Storage (✓ 3 compo.) - 18A (multi MD in WD), 18B-P09 (+10' dam), NA

Domestic (surface) - 021 (Boise R ↑ L Peak), 064 (Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU)

PROTESTED:

- 020 (Prehearing agreement)/W19 (See Order)

OTHER CONDITIONS:

REMARKS:

- 1) woi (37 unit mobile home park) 2) woi

BENEFICIAL USE DUE:

- 9-1-1996

COMMENTS:

- Drop off Sole Ownership

MEMORANDUM

DATE: September 9, 1994
TO: File No. 65-13529
FROM: Cindy Zimmerman
SUBJECT: Corporate Officers

=====

Per telecon with Charles Rebman today, the sole owners of Payette Mobile Complex are Charles and Donna Rebman.

OCT 31 1994

9N 5W 528 56N6

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JE DATE: 7/26/94 APPLICATION: 65-13529

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D*
☒ Nature of proposed use: (Include description of use) P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES	NO	
☒	☐	Overlapping place of use: (Describe source & relationship to present application on the back.)
☒	☐	Overlapping point of diversion:
☐	☐	Field check required: Field check by: _____
☐	☐	Field report attached:
☐	☐	Critical groundwater area:
☐	☐	Groundwater management area:
☐	☐	1992 moratorium
☐	☐	Copy to SCA staff (perennial stream, non-pump diversion):
☐	☐	Send dam safety information:
☐	☐	Send power requirement letter:
☐	☐	Send fish farm requirement letter:
☐	☐	Power residency affidavit:
☐	☐	Power efficiency form:
☐	☐	Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐	☐	Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐	☐	<u>*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT</u>

☒ DATE REQUESTED: _____
☐ Additional information on reverse side:

RECEIVED
AUG 26 1994

PROCESSING

APPLICATION

65-13529

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ ☐
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken..

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest 8-22-94

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DRT

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

26A (Allow 2 yrs)

See below for additional information

Recommended Date or Priority 7/19/1994

Recommended by: DRT Date 8/25/94

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

Overlap

P/D - Existing well same as 65-03976 (D/I trailer);

- Plus a number of other existing domestic wells in QA.

P/U - As above; appears 65-03976 is only g.w. right affiliated w/ Applicant's P/U.

- Also includes surface water irrig in QA (Lower Payette Inter Co.).

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

ss.

Application For Water Right
TITLE OF PUBLICATION

SPONSOR OF PLAINTIFF

Dept. of Water Resources
PLAINTIFF OR LEGAL AGENT

D. Viola Olsen, beir

duly sworn, deposes and says:

That he is the principal clerk

THE INDEPENDENT-ENTERPRISE, a weekly newspaper publish at Payette, in the County of Payette and State of Idaho; that sa paper has been and is in general circulation in the coun aforesaid, and in the vicinity of Payette; that the advertiser a copy of which is attached hereto, was published in sa newspaper once a week for two consecutive weeks the regular and entire issue of said paper during the period at time of publication, and was published in the newspaper prop and not a supplement; that said paper has been established a regularly published for more than seventy-eight consecuti weeks prior to the date of first publication of said advertisemen

Such notice was published in the issue beginning with

Aug 3, 19 94, and ending with the iss of Aug 10, 19 94.

STATE OF IDAHO
COUNTY OF

On this 11th day of Aug. in the year of 1994, before m a Notary Public, personally appeared Viola Olsen known or identified to me to be the person whose nar subscribed to the within instrument, and being by me first di sworn, declared that the statements therein are true, a acknowledged to me that he executed the same.

Maureen J. Rhinheart
Notary Public for Idaho

Residing at Trinidad

My commission expires: 12-1-98

STATEMENT

Independent-Enterprise

PAYETTE, IDAHO

Number of Lines 47

Number of Insertions two

47 Lines @ 90 ... \$ 42.30

47 Lines @ 72 ... \$ 33.84

TOTAL COST
WILL BE \$ 76.14

Copy of Notice (First Copy)

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

65-13520

BETTIS, RENEE
BETTIS JR, WESLEY W
2390 N PILGRIM PL
BOISE, ID 83704

Source: GROUNDWATER
Diversion Pt: SESW Sec 15 T 07N R 05W in PAYETTE County.
Use: IRRIGATION (.080 CFS)
DOMESTIC (.040 CFS)
Total Diversion (.120 CFS)
Date Filed: 7/7/1994
In: PAYETTE County
T07N R05W S15 SESW
2.6 ACRES TOTAL

65-13529

PAYETTE MOBILE COMPLEX
1520 N 6TH ST
PAYETTE, ID 83661

Source: GROUNDWATER
Diversion Pt: SENE Sec 28 T 09N R 05W in PAYETTE County.
Use: DOMESTIC (.290 CFS)
IRRIGATION (.090 CFS)
Total Diversion: (.380 CFS)
Date Filed: 7/19/1994
In: PAYETTE County
T09N R05W S28 SENE
3.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before AUGUST 22, 1994. The protestant must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director

No. 728

Aug. 3, 10

RECEIVED

AUG 12 1994

WATER RESOURCES
WESTERN REGION

OCT 31 1994

No 728



IDAHO DEPARTMENT
OF HEALTH AND WELFARE

DIVISION OF
ENVIRONMENTAL QUALITY

1420 North Hilton, Boise, ID 83706-1260, (208) 334-0550

RECEIVED

AUG 22 1994

Cecil D. Andrus, Governor

August 19, 1994

PAYETTE IWR

David R. Tuthill, P.E. *DR*
Manager, Western Regional Office
Idaho Dept. of Water Resources
2735 Airport Way
Boise, ID 83705

RE: IDWR - Public Waters Appropriation Permit
Permit No. 65-13529

Dear Mr. Tuthill:

The project must be conducted under the design and supervision of an Idaho registered professional engineer. The process to follow is:

1. The engineer must submit a preliminary site evaluation based on proximity of pollution sources. We will evaluate the proposal, conduct a site inspection, and issue a written site approval if warranted. The applicant should give his consultant the enclosed checklist.
2. Detailed plans and specifications must be submitted to this office for review. The well may not be drilled until all approvals are obtained from both the Division of Environmental Quality (DEQ) and the Idaho Department of Water Resources (IDWR). The last approval will come from DEQ; we will not issue approval until final approvals of both IDWR permits (appropriation permit and well drilling permit) have been submitted.
3. This will be a Public Water System and must have one (1) source of water for less than twenty-five (25) connections and two (2) sources for twenty-five (25) or more connections.

We will pay particular attention to the following items:

1. Construction must be done under the general supervision of the professional engineer. The contract assuring this must be submitted with the application.
2. Numerous water quality parameters must be tested as soon as the well(s) is completed.

Sincerely,

Jack M. Gantz
Jack M. Gantz, P.E.

Senior Water Quality Engineer

cc: Payette Mobile Complex, Applicant



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 27, 1994

IDAHO DEPT OF HEALTH & WELFARE
DIV OF ENV QUALITY
SWIRO
1420 N HILTON
BOISE, ID 83706

Re: Application for Permit No. 65-13529 in the Name of Payette
Mobile Complex

Dear Sir:

Enclosed are a copies of the above-referenced applications for permit which may be of interest to your agency. Please review the applications and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by August 22, 1994.

If you have any questions regarding the applications, please contact this office.

Sincerely,

A handwritten signature in cursive script, appearing to read 'D. R. Tuthill, Jr.'.

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

OCT 31 1994

65-3976

Claim No.

COMMENDED RIGHT

ETTA MAY MATTHEWS
1520 North Sixth Street
Payette, Idaho 83661

- (1) Date of priority: (When was the water first applied to a beneficial use, or date that permit was issued) APR 1, 1967
- (2) Describe the source of water (Name of stream, lake, spring, etc., or groundwater) GROUNDWATER
- (3) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed:
- Quantity 0.28 cfs 1.5 hr domestic Period of Use From 1/1 To 12/31
(cfs, gpm, af, etc.) (domestic, irrigation, stock, etc.) (Mon., Day) (Mon., Day)
- Quantity 0.28 cfs Use Period of Use From 1/1 To 12/31
(cfs, gpm, af, etc.) (domestic, irrigation, stock, etc.) (Mon., Day) (Mon., Day)
- Quantity 0.28 cfs Use Period of Use From 1/1 To 12/31
(cfs, gpm, af, etc.) (domestic, irrigation, stock, etc.) (Mon., Day) (Mon., Day)
- (4) 0.28 cfs TOTAL QUANTITY CLAIMED.
(cfs, gpm, af, etc.)
- (5) A) Point of Diversion: Give location of point where water is diverted from its source SE W NE N.
 Sec. 28 Twp. SW Rgn. SW E.M.; additional points:
- B) Describe means of diversion of water: (Pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.)
 Give size and capacity; be as specific as possible. pump on drilled well
- (6) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

T	R	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTAL
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9N	5W	28				X													

Total No. of acres

B) If water is used for other than irrigation, fully describe that use, being as specific as possible: domestic use for seven trailers

- (7) Effluent, sewage waste, or return water from this use is discharged into:
- (8) If you are claiming water as a member of an organization, list name of organization:
- (9) Remarks Blk 16 & E 474 ft. of Blk 15, Riverside
- (10) Basis of claim (Check one) ☒ A) Right based on diversion and beneficial use.
☐ B) Right decreed by court, cite title of case.
☐ C) Right based on application, license, or claim filed with the Idaho Department of Water Administration.

DATE OF EXAM

3/5/74

FIELD EXAMINER

AJP

65-13529

PAYETTE MOBILE COMPLEX
1520 N 6TH ST
PAYETTE, ID 83661

Source: GROUNDWATER

Diversion Pt: SENE Sec 28 T 09N R 05W in PAYETTE County.

Use: DOMESTIC (.290 CFS)
IRRIGATION (.090 CFS)
Total Diversion: (.380 CFS)

Date Filed: 7/19/1994

In: PAYETTE County
T09N R05W S28 SENE

3.0 ACRES TOTAL

RECEIVED
007 31 1994