

116°52'30"
44°00'

511000m E.

512

50'

514

(B)

1871000m N.

T. 8 N.

T. 7 N.

2.2 MI. TO INTERSTATE 80N

4868

57°30"

4867

2.6 MI. TO U.S. 95

ONTARIO, OREG. INTERCHANGE 7 MI.

13

18

17

16

15

14

13

12

11

10

9

8

7

6

5

4

3

2

1

0

-1

-2

-3

-4

-5

-6

-7

-8

-9

-10

-11

-12

-13

-14

-15

-16

-17

-18

-19

-20

-21

-22

-23

-24

-25

-26

-27

-28

-29

-30

-31

-32

-33

-34

-35

-36

-37

-38

-39

-40

-41

-42

-43

-44

-45

-46

-47

-48

-49

-50

-51

-52

-53

-54

-55

-56

-57

-58

-59

-60

-61

-62

-63

-64

-65

-66

-67

-68

-69

-70

-71

-72

-73

-74

-75

-76

-77

-78

-79

-80

-81

-82

-83

-84

-85

-86

-87

-88

-89

-90

-91

-92

-93

-94

-95

-96

-97

-98

-99

-100

-101

-102

-103

-104

-105

-106

-107

-108

-109

-110

-111

-112

-113

-114

-115

-116

-117

-118

-119

-120

-121

-122

-123

-124

-125

-126

-127

-128

-129

-130

-131

-132

-133

-134

-135

-136

-137

-138

-139

-140

-141

-142

-143

-144

-145

-146

-147

-148

-149

-150

-151

-152

-153

-154

-155

-156

-157

-158

-159

-160

-161

-162

-163

-164

-165

-166

-167

-168

-169

-170

-171

-172

-173

-174

-175

-176

-177

-178

-179

-180

-181

-182

-183

-184

-185

-186

-187

-188

-189

-190

-191

-192

-193

-194

-195

-196

-197

-198

-199

-200

-201

-202

-203

-204

-205

-206

-207

-208

-209

-210

-211

-212

-213

-214

-215

-216

-217

-218

-219

-220

-221

-222

-223

-224

-225

-226

-227

-228

-229

-230

-231

-232

-233

-234

-235

-236

-237

-238

-239

-240

-241

-242

-243

-244

-245

-246

-247

-248

-249

-250

-251

-252

-253

-254

-255

-256

-257

-258

-259

-260

-261

-262

-263

-264

-265

-266

-267

-268

-269

-270

-271

-272

-273

-274

-275

-276

-277

-278

-279

-280

-281

-282

-283

-284

-285

-286

-287

-288

-289

-290

-291

-292

-293

-294

-295

-296

-297

-298

-299

-300

-301

-302

-303

-304

-305

-306

-307


-308

-309

-310

-311

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arnold Howard
(Applicant)

Hand-drawn site map and detail drawings on graph paper.

Site Map:

- Shows Highway 30 (Hwy 30) running East-West (E-W).
- Interstate 84 (I 84) runs North-South (N-S) through the center.
- Key locations marked:
 - Butte
 - Payette
 - Payette Off-ramp
 - NW 1st
 - P/O (Point of Origin)
 - Payette Maintenance Bldg.
- Distances:
 - 8 miles between Butte and Payette.
 - 1/2 mile between NW 1st and P/O.
- Directional arrows: E (East), W (West), N (North).

Detail Drawings:

Left Detail:

- Shows a cross-section of a structure with a "shut off valve".
- Dimensions:
 - Overall height: 3' 8"
 - Top section width: 1 1/2"
 - Bottom section width: 1 1/2"
 - Bottom section height: 1 1/2"
 - Bottom section depth: 48 in
- Label: "Storage Building".

Right Detail:

- Shows a cross-section of a structure with a "shut off valve".
- Dimensions:
 - Overall height: 3' 2"
 - Top section width: 1 1/2"
- Label: "shut off valve".

✓ Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		1		Goulds	1 1/2"
				model #	
				25GS10412	

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

OCT 03 1996

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS:

Craig L. Sutton
Signature of Dept. Representative & Title

7-21-95
Inspection Date


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



RECEIVED

OCT 03 1996






65-13525
7/21/95 S.H.

P/D: groundwater well
6" casing
2' above ground

shut-off valve

1/2" copper to 1 1/2" PVC
discharge



P/u: (2) hydrant (external)

Maintenance facility
(internal)

1 restroom + 1 sink
if office area, +
1 sink in shop
area

OCT 03 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 65-13525

Priority: June 22, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that COUNTY OF PAYETTE

PO DRAWER D

PAYETTE ID 83661

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 22, 1994; and has submitted Proof of Beneficial Use on October 21, 1994. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 32, Township 08N, Range 04W
PAYETTE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

08N 04W 32

SESE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home and equipment maintenance facility.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30th day of AUGUST, 1996.

Acting for

KARL J. DREHER, Director

OCT 23 1996

RECEIVED

OCT 21 1994

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00
Receipt No. C031511
Receipt By. RT
Date Received 10-21-94

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 65-13525 Telephone No. (208) 642-4086

2. Name(s) of Permit Holder(s): County of Payette

3. Mailing Address: P.O. Drawer "D", Payette, Idaho 83661

4. Source of Water: Ground water If **GROUNDWATER** (well), Date Drilled: mo. Sept. / yr. 94

a. Well Driller: Dallas Drilling Drilling Permit Number. 65.94W.0263.000

b. **OPTIONAL:**

Pump Horsepower: 1HP Pressure (psi): 50 Dynamic pumping level (ft): 68'

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock) _____

Irrigation (No. of acres). _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted. 0.04 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X
Has the measurement port been installed? Yes _____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system

Name: ALAN SCHARBROUGH Telephone Number: (208) 642-4086

Address: P.O. DRAWER D Payette Id 83661

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Alan Scharbrough (Road & Bridge Supt.) Date: 10/18/94
(include your title, if on behalf of company or organization)

NOV 07 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 65-13525

Proposed Priority: June 22, 1994

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **COUNTY OF PAYETTE**
1130 THIRD AVE N
PAYETTE ID 83661

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESESE , Sec. 32, Township 08N, Range 04W
PAYETTE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

08N 04W 32


SESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1995**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Construction of the well must comply with Idaho well construction standards.
5. Domestic use is for 1 home and equipment maintenance facility.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

22nd day of September, 1994.



for R. Keith Higginson, Director

NOV 07 1994

RECEIVED

AUG 26 1994

Ident. No. 65-13525

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: PAYETTE COUNTY 208-642-6015
Address: 1130 THIRD AVE N
PAYETTE ID 83661
 2. Source: GROUNDWATER Trib. to:
 3. Location of Point of Diversion: NESESE Sec. 32, Township 08N, Range 04W
PAYETTE County
 4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		
 5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF
 6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
 - b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet; period of year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
 7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year(s).
 8. Place of Use: DOMESTIC
- TWN RGE SEC
08N 04W 32 SESE

NOV 07 1994

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:
Domestic use is for 1 home and equipment maintenance facility for
the County of Payette.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 30.00 Receipted by _____ #C030621 Date 6/22/1994

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

NOV 07 1994

Comments: Date: 7/12/1994 User-ID: STAYLOR

Subject:
Holladay Engineering

This application has been prepared by Holladay Engineering Co. on behalf of Payette County. Please return or direct inquiry to Holladay Engineering, Attn: Bill Strowd, P.G., PO Box 235, Payette, ID 83661 (208)642-3304). Driller not yet been determined.

NOV 07 1994

RECEIVED

JUN 23 1994

Form 202
6/85

RECEIVED

JUN 22 1994

Department of Water Resources

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

Ident. No. 65-13525

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1 Name of applicant Payette County Phone 642-6015

Post office address 1130 3rd Ave. N. - Payette, Idaho 83661

2 Source of water supply Groundwater which is a tributary of NA

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot

Sec. 32 Township 8N Range 4W B.M. Payette County; additional

points of diversion if any: None

4. Water will be used for the following purposes:

Amount 0.04 for Domestic Equip. Yard purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 2400 gpd and/or (b)
cubic feet per second acre feet per annum

6 Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. NA

b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total
reservoir capacity NA acre-feet; period of year when water will be diverted to storage:
NA to NA inclusive

c Proposed well diameter is 8 inches; proposed depth of well is 80 feet.

d Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

1 years (minimum 1 year)

* Appl. submitted by Holladay Eng. Co.
PO Box 235 PAYETTE 83661. — See Remarks
ITEM 4 & 5 per add'l. appl. info (see folio).

NOV 07 1994

JL 7/12/94

- 8 Description of proposed uses Irrigation only, go to item 9)
- a Hydropower; show total feet of head and proposed capacity in KW. _____
- b Stockwatering; list number and kind of livestock. _____
- c Municipal; show name of municipality. _____
- d Domestic, show number of households. 1 Household
- e Other, describe fully. Equipment Maintenance and Cleaning

- 9 Description of place of use:
- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
8N	4W	32																<i>D</i>	

* Per map & appl info - *jc* 7/12/94

Total number of acres to be irrigated _____

- 10 Describe any other water rights used for the same purposes as described above NA
11. a Who owns the property at the point of diversion? Payette County
- b Who owns the land to be irrigated or place of use? Payette County
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

COMMENTS

12 Remarks: This application has been prepared by Holladay Engineering Co. on behalf of Payette County. Please return or direct inquiry to Holladay Engineering, Attn: Bill Strowd, P.G. Driller has not yet been determined.

P.O. Box 235

Payette, ID 83661

(208) 642-3304

REMARKS Domestic use is for 1 home and equipment maintenance facility for the county of Payette.

GEOLOGICAL SURVEY

116°52'30"
44°00'

511000m E

512

50'

514

(B)

871000m N


T 8 N
T 7 N

4869
12 MI TO INTERSTATE 80N

4868


57'30"
4867

ONTARIO, OREG. INTERCHANGE 7 MI
2.6 MI TO U.S. 95



07/1994

13 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Arnold Howard
(Applicant)

Received by IDWR Date 6/23/94 Time 2:20 Preliminary check by SL
Fee \$ 30.00 Receipted by dw # C030621 Date 6/23/94
Publication prepared by At Date 7-13-94 Published in Ind. Ent
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions:

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other:

NOV 07 1994



State of Idaho

RECEIVED

RECEIVED

DEPARTMENT OF WATER RESOURCES

MAR 26 2004

1301 North Orchard Street, Boise, ID 83706

P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866

Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 24, 2004

PAYETTE COUNTY CLERK
1130 3RD AVE N RM 104
PAYETTE ID 83661-2473

RECEIVED

APR 01 2004

RE. Snake River Basin Adjudication (SRBA)

Water Rights #65-7324, 65-13525, 65-13585 and 65-13955

WATER RESOURCES
WESTERN REGION

Dear Claimant:

Records updated 3-26-04

Mail we sent to you was returned undeliverable. We have enclosed the returned mail. Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary before returning this letter, list any other water rights you have, and return this letter by March 24, 2004. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records. Be sure to list your water right numbers.

If there has been a change in ownership of the property connected with the water right claim(s) referenced above, please call this office toll-free at 1/800-451-4129 so we can contact the new owner(s) regarding their water right(s) and updating our records.

Sincerely,

Sally

Sally Sherman
Technical Records Specialist
Adjudication Bureau

SS:region

Enclosure:

Returned Mail

#####

The address is correct as shown above or as otherwise changed.

Patty J. Nissen

Water Right Holder's Signature

642-6000

Telephone No.

SCANNED

Return Service Requested

MAR 18 2004

Department of Water Resources

PRESORTED
FIRST CLASS



UNITED STATES POSTAGE

U2 1/

[illegible]

\$ 00.27⁸

MAR 12 2014

MAILED FROM ZIP CODE 63702

Payette County Courthouse
1130 3rd Ave. N.
Payette, ID 83661

CLER000 836612223 1003 17 03/15/04
FORWARD TIME EXP RTN TO SEND
COUNTY CLERK
1130 5RD AVE N RM 104
PAYETTE ID 83661-2473

RETURN TO SENDER

B3661+2400 04

1. 2.

RECEIVED

APR 01 2004

WATER RESOURCES
WESTERN REGION

SRBA

PARTIAL DECREE 65-07324

Issued on 06-28-2002.

This is not an official copy.

Contact IDWR or the Court for a Certified Copy.

Choose Landscape Orientation when printing.

NAME AND ADDRESS:	PAYETTE COUNTY COURTHOUSE 1130 3RD AVE NO PAYETTE, ID 83661																	
SOURCE:	GROUND WATER																	
QUANTITY:	0.20 CFS 1 20 AFY																	
PRIORITY DATE:	10/17/1972																	
POINT OF DIVERSION:	T09N R05W S34	SWNW	Within Payette County															
PURPOSE AND PERIOD OF USE:	<table><thead><tr><th>PURPOSE OF USE</th><th>PERIOD OF USE</th><th>QUANTIT</th></tr></thead><tbody><tr><td>Irrigation</td><td>03-15 TO 11-15</td><td>0.04 C</td></tr><tr><td>Domestic</td><td>01-01 TO 12-31</td><td>0.20 C</td></tr><tr><td></td><td></td><td>1.20 A</td></tr></tbody></table>			PURPOSE OF USE	PERIOD OF USE	QUANTIT	Irrigation	03-15 TO 11-15	0.04 C	Domestic	01-01 TO 12-31	0.20 C			1.20 A			
PURPOSE OF USE	PERIOD OF USE	QUANTIT																
Irrigation	03-15 TO 11-15	0.04 C																
Domestic	01-01 TO 12-31	0.20 C																
		1.20 A																
PLACE OF USE:	<table><tbody><tr><td>Irrigation</td><td></td><td>Within Payette</td></tr><tr><td>T09N R05W S34</td><td>SWNW 2.0</td><td></td></tr><tr><td>2.0 Acres Total</td><td></td><td></td></tr><tr><td>Domestic</td><td></td><td>Within Payette</td></tr><tr><td>Same as Irrigation</td><td></td><td></td></tr></tbody></table>			Irrigation		Within Payette	T09N R05W S34	SWNW 2.0		2.0 Acres Total			Domestic		Within Payette	Same as Irrigation		
Irrigation		Within Payette																
T09N R05W S34	SWNW 2.0																	
2.0 Acres Total																		
Domestic		Within Payette																
Same as Irrigation																		
OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:																		
THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS N DETERMINATION OF HISTORICAL BENEFICIAL USE.																		
THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIO NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFI ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN T ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).																		

[Return to SRBA Home Page](#)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 3, 1996

COUNTY OF PAYETTE
PO DRAWER D
PAYETTE ID 83661

RE: WATER RIGHT NO. 65-13525

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

OCT 03 1996

RECEIVED

NOV 21 1995

Dealing with limited resources

A. GENERAL INFORMATION

Permit No. 65-13525

1. Owner: County of Payette Phone No. (208) 642-4086

Current Address: PO Drawer D Payette, Id 83661

2. Accompanied by: Alan Schachbrough EXAM DATE: 7/21/95

Address: PO Drawer D Payette, Id. 83661 Phone No. (208) 642-4086

Relationship to Permit Holder: employee / Road & Bridge Supt.

3. Source: groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 65-12195, 65-13373
65-00403X, 65-08009, 65-09263

2. Other water rights with the same point of diversion: 65-08009, 65-09263, 65-12195

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]

2 Place(s) of Use:

Indicate Method of Determination USGS Ortho., & exam

[illegible]

Hand-drawn site plan on grid paper showing a layout with various structures and dimensions. The plan includes a north arrow pointing down and an east arrow pointing left.

Key features and dimensions:

- Top Center:** A horizontal line labeled "I 84".
- Top Right:** A structure labeled "Payette off ramp" with a "Payette" building below it.
- Center:** A structure labeled "Butte" with a "NW 1st" road running horizontally through it. Below this road is a "P/O" (possibly a parking or office) area.
- Bottom Left:** A structure labeled "Payette Hydrant Maintenance Bldg".
- Bottom Center:** A structure labeled "Hydrant" with a "1/2" dimension.
- Bottom Right:** A structure labeled "Hydrant" with a "3/4" dimension and a "1/2" dimension.
- Dimensions:** Various measurements are noted, including "3/8", "1/6", "1/2", "3/4", and "1/2".

✓ Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible		1		Goulds	1 1/2"
				model #	
				25GS 10412	

1

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib Date

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS

- No govt. lots were found.
- Overlaps for P/D are other sources; overlaps for P/U are other land &/or other uses.
- Use is Domestic D/I internal/external for ^(planters + fire protection if needed) equipment maintenance facility (office w/ 1-3 employees there 5 days/week, sometime 1 employee there over the week-end w/ 1 sink & restroom).
- Driller: Dallas Drilling & Pump #445, 9/5/94, well drilling permit # 65-94-W-0263-000
- The system consists of a groundwater source, 6" casing ^{well}, 1 HP Goulds submersible pump w/ a 1 1/2" discharge to the ~~the~~ equipment maintenance facility & 2 outside hydrants. The system runs @ 48 psi.
- No other water available.
- Recommend allowing .04 cfs + 1.2 Afa Domestic D/I since this equipment maintenance facility internal use would be similar to a 1 restroom home. The maintenance facility is for equipment repair & doesn't involve other water use such as washing trucks etc.

Have conditions of permit approval been met? ☒ yes ☐ no

65-94-W-0263-000
03/1996

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

Theoretical Pump Efficiency Calculations (see attachment)
= .05 cfs

Allow Domestic D/I internal/external .04 cfs
1 equipment maintenance facility w/ 1 sink &
restroom inside, + 2 hydrants outside.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = (\text{Diversion Rate (cfs)}) \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

Allow 1.2 Afs Domestic D/I internal/external.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afs)
	From	To		
<u>Domestic</u>	<u>1/1</u>	<u>12/31</u>	<u>.04</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.04</u>	<u>1.2</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Frank Hernandez Date 11/16/95

Reviewer _____ Date _____

NOT A SEAL

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 65-13525

DATE: 16-NOV-95

COMPLETE BY: SANDY HEMENWAY

HORSEPOWER = 1

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 25 FEET

SYSTEM PRESSURE = 48 PSI

QUANTITY = 0.05 CFS

001

① Permit: Domestic 1/1 - 12/31 .04 cfs
maintenance facility

② B/U fee: \$ 50⁰⁰ pd. 10-21-94

③ Max. Allowable:

Domestic D/I .04 cfs internal/external, 1.2 Afa

④ Measurement:

Theoretical Pump Efficiency Calculations
(see attachment) .05 cfs

OCT 9 2 43 PM '94

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 65-94N-0263-000 OTHER APPLICABLE NO: 65-13525
2. OWNER: County of Payette Phone: (208) 642-4026
Address: P O Drawer D Payette Id 83661
3. WELL LOCATION: Twp 8N, Rge. 4W, Sec. 32, SE 1/4 SE 1/
County Payette (Provide sketch map and photo on reverse.)
4. DRILLER: Dallas Drilling Lic. No. 445
When Drilled? 9-94 9 | 5 | 94
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe 24 in
Depth of Casing 103 ft ft. Method Drilled rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 5 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 48 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☒ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Infection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS:

Graig L. S. [Signature]
Signature of Dept. Representative & Title

7-21-95
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:




OCT 4 3 1995

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Water Temp. 61° Bottom hole temp. _____
Water Quality test or comments: _____

(Sign once if Firm Official & Operator)



PERMIT 65-13525 INIT S-H
 12000 R. S. Q/Q
 P/D 80 44 32 SESE
 SCALE 7.5 USGS Ortho.
 PHOTO ID. W-4




65-13525
7/21/45 S.H.

P/O: groundwater well
6" casing
2' above ground

shut-off valve

1 1/2" copper to 1 1/2" PVC
discharge



P/O: (2) hydrant (external)

Maintenance facility
(internal)

1 restroom + 1 sink
if office area, +
1 sink in shop
area

7/21/45 31236

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 65-13525 Reviewed by [Signature] Date 11/2/94

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dom.
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 65-44 W-0203
35.00 Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

yes^{no} Required?
50.00 Amount Submitted
no Correct?

MEASURING DEVICE

no Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Refund \$50.00 exam fee
Proof acceptable

DATA ENTRY

New Address P.O. Drawer D. Proof Made 10/21/94
Poyette, Id 83666



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 2, 1994

County of Payette
P.O. Drawer D
Payette, ID 83661

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 65-13525

Dear Permit Holder:

The Department is in receipt of the proof of beneficial use and the \$50.00 license examination fee filed in connection with the above referenced permit.

The proof of beneficial use and your permit authorize the diversion rate of 0.04 cfs. If you use a groundwater source and divert 0.04 or less, you are exempt from the license exam fee. Therefore, you are entitled to a \$50.00 refund from the department. The refund process takes approximately seven (7) to ten (10) days and will arrive under separate cover.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have any questions concerning this matter, please feel free to contact me or the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region, Fiscal

RECEIVED

NOV 07 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 22, 1994

COUNTY OF PAYETTE
1130 THIRD AVE N
PAYETTE ID 83661

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 65-13525

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

If a well has not already been constructed you are required to obtain a "drilling permit" from the department. The right to drill a well is not a part of this permit to appropriate water.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosures

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 65-12525 Name: Payette County Date: 9/8/94 Correct Fee? ☒

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust

SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - NA

GROUNDWATER:

+ 0.2 cfs <FLO-CH> - T17 (new), 01K (existing), No MD

- 0.2 cfs - No MD <FLOW CHART>

Drilling Permit:

Included w/permit - Permit No. _____, P99

Existing well - NA (pre 7/1/87)

No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER: not in WD - T17 (+.2 w/pump), No MD <FLOW CHART>

LOCATION:

Water District(dem) - WD No. _____

*Surface water - 005 (req) 01J-P08 <FLOW CHART>
(doesn't sink) or 01H-P01 <FLOW CHART>; No MD

Groundwater - P05 (new irrigation well)

In stream channel - 030 (stream channel alteration)

Irr Dist/Canal Co. - 023 (Twin Falls area)

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (-85° GW temp only)

Swan Falls Flag - B <SEE CONDITION CODE CHART>

Trust - 051-052-053-P74 (Consumptive Uses), NA

Non Trust <1> - 048-049 (Consumptive Uses), NA

RIVER BASINS (*Surface water):

Boise R(63) - 05A (if WD), 11E (non-domestic use), NA

Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA

Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA

USE:

Fish Propagation - 07A-042 (req) & 010/06A/09E(WQ)-P10
044 (N 1000 Spr)

Irrigation - 03A/057, 803(if GW use SW 1st) (+5A PU comp), NA
Power (✓ w/Jim) - 08A-17K-025-027(req); 01F(MD)-P19; 09E(WQ)-P10;
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09

Mining - 054 (req) & 06A/010/09E-P10

Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

Domestic (surface) - 021(Boise R ↑ L Peak), 064(Payette R), NA

OWNERSHIP:

Non land owner - 004 (PD/PU)

PROTESTED:

- 020(Prehearing agreement)/W19(See Order)

OTHER CONDITIONS:

REMARKS:

- 1 w/11/Mountain Bldg

BENEFICIAL USE DUE:

- 9-1-1995

COMMENTS:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 7/12/94 APPLICATION: 65-13525

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map:
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No* ☐ In form to receipt:

Gov't. Lots:
W P/D
P/U

ADDITIONAL INFORMATION

YES NO

N/A minor domestic use
Overlapping place of use: (Describe source & relationship to present application on the back.)
Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
1992 moratorium
Copy to SCA staff (perennial stream, non-pump diversion):
Send dam safety information:
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
AUG 26 1994

Department of Water Resources

PROCESSING

APPLICATION NO.

65-13525

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest 8-8-94

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DWR

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

46

☒ See below for additional information

Recommended Date or Priority 6/22/1994

Recommended by: DWR

Date 8/25/1994

STATE OFFICE REVIEW

See below for additional information. By _____

Date _____

ADDITIONAL INFORMATION

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF PAYETTE

SS

Copy of Notice (First Copy)

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12122

Application for Water Right
TITLE OF PUBLICATION

Idaho Dept. Water Resources
SPONSOR OF PLAINTIFF
PLAINTIFF OR LEGAL AGENT

I, Viola Olsen, be

duly sworn, deposes and says:

That he is the principal clerk

THE INDEPENDENT-ENTERPRISE, a weekly newspaper published at Payette, in the County of Payette and State of Idaho, that paper has been and is in general circulation in the county aforesaid, and in the vicinity of Payette; that the advertisement a copy of which is attached hereto, was published in newspaper once a week for two consecutive weeks the regular and entire issue of said paper during the period time of publication, and was published in the newspaper print and not a supplement; that said paper has been established regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with July 20, 1994, and ending with the issue of July 27, 1994.

STATE OF IDAHO

COUNTY OF

On this 28th day of July, in the year of 1994, before a Notary Public, personally appeared Viola Olsen known or identified to me to be the person whose name subscribed to the within instrument, and being by me first sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Margaret J. Rhinckert
Notary Public for Idaho

Residing at Printland

My commission expires: 12-1-98

LYONS, REED
LYONS, NOLA
6410 SE 11TH
CALDWELL, ID 83605

Source: GROUNDWATER
Diversion Pt: SWSE Sec 30 T06N R03W in PAYETTE County.
Use: IRRIGATION (.030 CFS)
Total Diversion (.030 CFS)
Date Filed: 7/6/1994
In: PAYETTE County
T06N R03W S30 SWSE
1.0 ACRES TOTAL

65-13519

CADWELL, RICHARD K
CADWELL, MYRTLE L
PO BOX 130
PAYETTE, ID 83661

Source: GROUNDWATER
Diversion Pt: NWNW Sec 24 T09N R05W in PAYETTE County.
Use: IRRIGATION (.060 CFS) (13.50 AF)
DOMESTIC (.040 CFS) (1.20 AF)
Total Diversion: (.100 CFS)
Date Filed: 7/7/1994
In: PAYETTE County
T09N R05W S24 NWNW
3.0 ACRES TOTAL

65-13525

PAYETTE COUNTY
1130 THIRD AVE N
PAYETTE, ID 83661

Source: GROUNDWATER
Diversion Pt: NESESE Sec 32 T08N R04W in PAYETTE County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 6/22/1994
In: PAYETTE County
T08N R04W S32 SESE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before AUGUST 8, 1994. The protestant must also send a copy of the protest to the applicant.

R.KEITH HIGGINSON, Director
No. 708

July 20, 27

STATEMENT

Independent-Enterprise

PAYETTE, IDAHO

Number of Lines 59

Number of Insertions Two

59 Lines @ .90 ... \$ 53.10

59 Lines @ .72 ... \$ 42.48

TOTAL COST
WILL BE \$ 95.58

NOV 07 1994

Nº 708

65-13525

PAYETTE COUNTY
1130 THIRD AVE N
PAYETTE, ID 83661

Source: GROUNDWATER

Diversion Pt: NESESE Sec 32 T 08N R 04W in PAYETTE County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 6/22/1994

In: PAYETTE County
T08N R04W S32 SESE

NOV 07